# Xiang Bai

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4047328/xiang-bai-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121	9,511	50	97
papers	citations	h-index	g-index
125 ext. papers	12,887 ext. citations	6.3 avg, IF	7.05 L-index

#	Paper	IF	Citations
121	AutoScale: Learning to Scale for Crowd Counting. <i>International Journal of Computer Vision</i> , <b>2022</b> , 130, 405	10.6	10
120	TransCrowd: weakly-supervised crowd counting with transformers. <i>Science China Information Sciences</i> , <b>2022</b> , 65, 1	3.4	7
119	Video Text Tracking With a Spatio-Temporal Complementary Model. <i>IEEE Transactions on Image Processing</i> , <b>2021</b> , 30, 9321-9331	8.7	1
118	VisDrone-CC2021: The Vision Meets Drone Crowd Counting Challenge Results <b>2021</b> ,		4
117	Scene Text Retrieval via Joint Text Detection and Similarity Learning 2021,		4
116	2021,		8
115	Object Detection in Aerial Images: A Large-Scale Benchmark and Challenges. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2021</b> , PP,	13.3	34
114	Gliding Vertex on the Horizontal Bounding Box for Multi-Oriented Object Detection. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2021</b> , 43, 1452-1459	13.3	150
113	Affinity Space Adaptation for Semantic Segmentation Across Domains. <i>IEEE Transactions on Image Processing</i> , <b>2021</b> , 30, 2549-2561	8.7	17
112	Mask TextSpotter: An End-to-End Trainable Neural Network for Spotting Text with Arbitrary Shapes. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2021</b> , 43, 532-548	13.3	72
111	Cost-Effective Adversarial Attacks against Scene Text Recognition 2021,		3
110	PRA-Net: Point Relation-Aware Network for 3D Point Cloud Analysis. <i>IEEE Transactions on Image Processing</i> , <b>2021</b> , 30, 4436-4448	8.7	9
109	Scene Text Detection with Scribble Line. Lecture Notes in Computer Science, 2021, 79-94	0.9	2
108	Deep learning for predicting COVID-19 malignant progression. <i>Medical Image Analysis</i> , <b>2021</b> , 72, 10209	615.4	16
107	MASTER: Multi-aspect non-local network for scene text recognition. <i>Pattern Recognition</i> , <b>2021</b> , 117, 10	7 <del>9</del> 80	19
106	DeepFlux for Skeleton Detection in the Wild. International Journal of Computer Vision, 2021, 129, 1323-	133%	1
105	Cell Localization and Counting Using Direction Field Map. <i>IEEE Journal of Biomedical and Health Informatics</i> , <b>2021</b> , PP,	7.2	3

## (2019-2020)

104	SynthText3D: synthesizing scene text images from 3D virtual worlds. <i>Science China Information Sciences</i> , <b>2020</b> , 63, 1	3.4	11
103	Few-Shot Text Style Transfer via Deep Feature Similarity. <i>IEEE Transactions on Image Processing</i> , <b>2020</b> , 29, 6932-6946	8.7	5
102	All You Need Is Boundary: Toward Arbitrary-Shaped Text Spotting. <i>Proceedings of the AAAI Conference on Artificial Intelligence</i> , <b>2020</b> , 34, 12160-12167	5	33
101	Maximum Entropy Regularization and Chinese Text Recognition. <i>Lecture Notes in Computer Science</i> , <b>2020</b> , 3-17	0.9	
100	VisDrone-CC2020: The Vision Meets Drone Crowd Counting Challenge Results. <i>Lecture Notes in Computer Science</i> , <b>2020</b> , 675-691	0.9	5
99	AutoSTR: Efficient Backbone Search for Scene Text Recognition. <i>Lecture Notes in Computer Science</i> , <b>2020</b> , 751-767	0.9	15
98	Scene Text Image Super-Resolution in the Wild. Lecture Notes in Computer Science, 2020, 650-666	0.9	13
97	Mask TextSpotter v3: Segmentation Proposal Network for Robust Scene Text Spotting. <i>Lecture Notes in Computer Science</i> , <b>2020</b> , 706-722	0.9	24
96	Learning Sparse and Identity-Preserved Hidden Attributes for Person Re-Identification. <i>IEEE Transactions on Image Processing</i> , <b>2020</b> , 29, 2013-2025	8.7	39
95	Real-Time Scene Text Detection with Differentiable Binarization. <i>Proceedings of the AAAI Conference on Artificial Intelligence</i> , <b>2020</b> , 34, 11474-11481	5	110
94	An Improved Multi-View Convolutional Neural Network for 3D Object Retrieval. <i>IEEE Transactions on Image Processing</i> , <b>2020</b> , 29, 7917-7930	8.7	5
93	TANet: Robust 3D Object Detection from Point Clouds with Triple Attention. <i>Proceedings of the AAAI Conference on Artificial Intelligence</i> , <b>2020</b> , 34, 11677-11684	5	53
92	Super-BPD: Super Boundary-to-Pixel Direction for Fast Image Segmentation 2020,		3
91	PCL: Proposal Cluster Learning for Weakly Supervised Object Detection. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2020</b> , 42, 176-191	13.3	106
90	Learning Temporal and Spatial Correlations Jointly: A Unified Framework for Wind Speed Prediction. <i>IEEE Transactions on Sustainable Energy</i> , <b>2020</b> , 11, 509-523	8.2	52
89	Deep-Person: Learning discriminative deep features for person Re-Identification. <i>Pattern Recognition</i> , <b>2020</b> , 98, 107036	7.7	86
88	Action recognition for depth video using multi-view dynamic images. <i>Information Sciences</i> , <b>2019</b> , 480, 287-304	7.7	44
87	TextField: Learning a Deep Direction Field for Irregular Scene Text Detection. <i>IEEE Transactions on Image Processing</i> , <b>2019</b> , 28, 5566-5579	8.7	120

86	Automatic Ensemble Diffusion for 3D Shape and Image Retrieval. <i>IEEE Transactions on Image Processing</i> , <b>2019</b> , 28, 88-101	8.7	13
85	ASTER: An Attentional Scene Text Recognizer with Flexible Rectification. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2019</b> , 41, 2035-2048	13.3	189
84	VD-SAN: Visual-Densely Semantic Attention Network for Image Caption Generation. <i>Neurocomputing</i> , <b>2019</b> , 328, 48-55	5.4	19
83	SegLink++: Detecting Dense and Arbitrary-shaped Scene Text by Instance-aware Component Grouping. <i>Pattern Recognition</i> , <b>2019</b> , 96, 106954	7.7	39
82	Editing Text in the Wild <b>2019</b> ,		25
81	Learn to Scale: Generating Multipolar Normalized Density Maps for Crowd Counting 2019,		48
80	Patch Aggregator for Scene Text Script Identification <b>2019</b> ,		8
79	View N-Gram Network for 3D Object Retrieval <b>2019</b> ,		17
78	Symmetry-Constrained Rectification Network for Scene Text Recognition 2019,		56
77	Progressive Pose Attention Transfer for Person Image Generation 2019,		94
76	DeepFlux for Skeletons in the Wild <b>2019</b> ,		11
75	Scene Text Recognition from Two-Dimensional Perspective. <i>Proceedings of the AAAI Conference on Artificial Intelligence</i> , <b>2019</b> , 33, 8714-8721	5	72
74	Feature context learning for human parsing. Science China Information Sciences, 2019, 62, 1	3.4	6
73	Deep FisherNet for Image Classification. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2019</b> , 30, 2244-2250	10.3	27
72	Image Caption Generation with Part of Speech Guidance. Pattern Recognition Letters, 2019, 119, 229-23	37 <sub>4.7</sub>	31
71	Regularized Diffusion Process on Bidirectional Context for Object Retrieval. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2019</b> , 41, 1213-1226	13.3	28
70	TextBoxes++: A Single-Shot Oriented Scene Text Detector. <i>IEEE Transactions on Image Processing</i> , <b>2018</b> , 27, 3676-3690	8.7	337
69	Anisotropic-Scale Junction Detection and Matching for Indoor Images. <i>IEEE Transactions on Image Processing</i> , <b>2018</b> , 27, 78-91	8.7	23

### (2017-2018)

68	Improving context-sensitive similarity via smooth neighborhood for object retrieval. <i>Pattern Recognition</i> , <b>2018</b> , 83, 353-364	7.7	10
67	Deep learning for scene text detection and recognition. <i>Scientia Sinica Informationis</i> , <b>2018</b> , 48, 531-544	2.3	5
66	Integrating Scene Text and Visual Appearance for Fine-Grained Image Classification. <i>IEEE Access</i> , <b>2018</b> , 6, 66322-66335	3.5	33
65	DOTA: A Large-Scale Dataset for Object Detection in Aerial Images <b>2018</b> ,		556
64	2018,		194
63	Multi-oriented Scene Text Detection via Corner Localization and Region Segmentation 2018,		161
62	A Deep End-to-End Model for Transient Stability Assessment With PMU Data. IEEE Access, 2018, 6, 6547	′4 <del>5.6</del> 548	872
61	Mask TextSpotter: An End-to-End Trainable Neural Network for Spotting Text with Arbitrary Shapes. <i>Lecture Notes in Computer Science</i> , <b>2018</b> , 71-88	0.9	112
60	Image stitching by line-guided local warping with global similarity constraint. <i>Pattern Recognition</i> , <b>2018</b> , 83, 481-497	7.7	63
59	. IEEE Transactions on Multimedia, <b>2017</b> , 19, 1257-1271	6.6	55
58	AID: A Benchmark Data Set for Performance Evaluation of Aerial Scene Classification. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , <b>2017</b> , 55, 3965-3981	8.1	739
57	Deep patch learning for weakly supervised object classification and discovery. <i>Pattern Recognition</i> , <b>2017</b> , 71, 446-459	7.7	45
56	An End-to-End Trainable Neural Network for Image-Based Sequence Recognition and Its Application to Scene Text Recognition. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2017</b> , 39, 2298-2304	13.3	911
55	Text/non-text image classification in the wild with convolutional neural networks. <i>Pattern Recognition</i> , <b>2017</b> , 66, 437-446	7.7	67
54	Skeletonization in natural images and its application to object recognition 2017, 259-285		
53	DeepSkeleton: Learning Multi-Task Scale-Associated Deep Side Outputs for Object Skeleton Extraction in Natural Images. <i>IEEE Transactions on Image Processing</i> , <b>2017</b> , 26, 5298-5311	8.7	51
52	Directional Edge Boxes: Exploiting Inner Normal Direction Cues for Effective Object Proposal Generation. <i>Journal of Computer Science and Technology</i> , <b>2017</b> , 32, 701-713	1.7	3
51	Texture Characterization Using Shape Co-Occurrence Patterns. <i>IEEE Transactions on Image Processing</i> , <b>2017</b> , 26, 5005-5018	8.7	10

50	Richer Convolutional Features for Edge Detection 2017,		253
49	ICDAR2017 Competition on Reading Chinese Text in the Wild (RCTW-17) <b>2017</b> ,		69
48	Detecting Oriented Text in Natural Images by Linking Segments <b>2017</b> ,		296
47	Fusing Image and Segmentation Cues for Skeleton Extraction in the Wild <b>2017</b> ,		5
46	Scene text detection and recognition: recent advances and future trends. <i>Frontiers of Computer Science</i> , <b>2016</b> , 10, 19-36	2.2	210
45	Co-spectral for robust shape clustering. <i>Pattern Recognition Letters</i> , <b>2016</b> , 83, 388-394	4.7	3
44	Traffic sign detection and recognition using fully convolutional network guided proposals. <i>Neurocomputing</i> , <b>2016</b> , 214, 758-766	5.4	113
43	Multiple instance subspace learning via partial random projection tree for local reflection symmetry in natural images. <i>Pattern Recognition</i> , <b>2016</b> , 52, 306-316	7.7	37
42	Similarity Fusion for Visual Tracking. International Journal of Computer Vision, 2016, 118, 337-363	10.6	55
41	Script identification in the wild via discriminative convolutional neural network. <i>Pattern Recognition</i> , <b>2016</b> , 52, 448-458	7.7	81
40	Sparse Contextual Activation for Efficient Visual Re-Ranking. <i>IEEE Transactions on Image Processing</i> , <b>2016</b> , 25, 1056-69	8.7	95
39	Multi-oriented Text Detection with Fully Convolutional Networks 2016,		282
38	Robust Scene Text Recognition with Automatic Rectification 2016,		235
37	GIFT: A Real-Time and Scalable 3D Shape Search Engine <b>2016</b> ,		131
36	Object Skeleton Extraction in Natural Images by Fusing Scale-Associated Deep Side Outputs <b>2016</b> ,		48
35	Symmetry-based object proposal for text detection <b>2016</b> ,		1
34	Deep sketch feature for cross-domain image retrieval. <i>Neurocomputing</i> , <b>2016</b> , 207, 387-397	5.4	26
33	. IEEE Transactions on Multimedia, <b>2016</b> , 18, 1351-1362	6.6	10

### (2013-2016)

32	Strokelets: A Learned Multi-Scale Mid-Level Representation for Scene Text Recognition. <i>IEEE Transactions on Image Processing</i> , <b>2016</b> , 25, 2789-2802	8.7	63
31	Beyond diffusion process: Neighbor set similarity for fast re-ranking. <i>Information Sciences</i> , <b>2015</b> , 325, 342-354	7.7	27
30	Neural shape codes for 3D model retrieval. <i>Pattern Recognition Letters</i> , <b>2015</b> , 65, 15-21	4.7	22
29	. IEEE Transactions on Intelligent Transportation Systems, <b>2015</b> , 16, 2925-2934	6.1	41
28	3D Shape Matching via Two Layer Coding. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2015</b> , 37, 2361-73	13.3	62
27	DeepPano: Deep Panoramic Representation for 3-D Shape Recognition. <i>IEEE Signal Processing Letters</i> , <b>2015</b> , 22, 2339-2343	3.2	222
26	Symmetry-based text line detection in natural scenes <b>2015</b> ,		154
25	Automatic script identification in the wild <b>2015</b> ,		25
24	DeepContour: A deep convolutional feature learned by positive-sharing loss for contour detection <b>2015</b> ,		40
23	Automatic discrimination of text and non-text natural images 2015,		15
23	Automatic discrimination of text and non-text natural images 2015,  A unified framework for multioriented text detection and recognition. <i>IEEE Transactions on Image Processing</i> , 2014, 23, 4737-49	8.7	15
	A unified framework for multioriented text detection and recognition. <i>IEEE Transactions on Image</i>	8.7	
22	A unified framework for multioriented text detection and recognition. <i>IEEE Transactions on Image Processing</i> , <b>2014</b> , 23, 4737-49  Shape vocabulary: a robust and efficient shape representation for shape matching. <i>IEEE</i>	ŕ	170
22	A unified framework for multioriented text detection and recognition. <i>IEEE Transactions on Image Processing</i> , <b>2014</b> , 23, 4737-49  Shape vocabulary: a robust and efficient shape representation for shape matching. <i>IEEE Transactions on Image Processing</i> , <b>2014</b> , 23, 3935-49	8.7	170 69
22 21 20	A unified framework for multioriented text detection and recognition. <i>IEEE Transactions on Image Processing</i> , <b>2014</b> , 23, 4737-49  Shape vocabulary: a robust and efficient shape representation for shape matching. <i>IEEE Transactions on Image Processing</i> , <b>2014</b> , 23, 3935-49  Bag of contour fragments for robust shape classification. <i>Pattern Recognition</i> , <b>2014</b> , 47, 2116-2125  ONLINE MULTIPLE TARGETS DETECTION AND TRACKING FROM MOBILE ROBOT IN CLUTTERED INDOOR ENVIRONMENTS WITH DEPTH CAMERA. <i>International Journal of Pattern Recognition and</i>	8. <sub>7</sub> 7. <sub>7</sub>	170 69 104
22 21 20	A unified framework for multioriented text detection and recognition. <i>IEEE Transactions on Image Processing</i> , <b>2014</b> , 23, 4737-49  Shape vocabulary: a robust and efficient shape representation for shape matching. <i>IEEE Transactions on Image Processing</i> , <b>2014</b> , 23, 3935-49  Bag of contour fragments for robust shape classification. <i>Pattern Recognition</i> , <b>2014</b> , 47, 2116-2125  ONLINE MULTIPLE TARGETS DETECTION AND TRACKING FROM MOBILE ROBOT IN CLUTTERED INDOOR ENVIRONMENTS WITH DEPTH CAMERA. <i>International Journal of Pattern Recognition and Artificial Intelligence</i> , <b>2014</b> , 28, 1455001	8. <sub>7</sub> 7. <sub>7</sub>	170 69 104
22 21 20 19	A unified framework for multioriented text detection and recognition. <i>IEEE Transactions on Image Processing</i> , <b>2014</b> , 23, 4737-49  Shape vocabulary: a robust and efficient shape representation for shape matching. <i>IEEE Transactions on Image Processing</i> , <b>2014</b> , 23, 3935-49  Bag of contour fragments for robust shape classification. <i>Pattern Recognition</i> , <b>2014</b> , 47, 2116-2125  ONLINE MULTIPLE TARGETS DETECTION AND TRACKING FROM MOBILE ROBOT IN CLUTTERED INDOOR ENVIRONMENTS WITH DEPTH CAMERA. <i>International Journal of Pattern Recognition and Artificial Intelligence</i> , <b>2014</b> , 28, 1455001  Strokelets: A Learned Multi-scale Representation for Scene Text Recognition <b>2014</b> ,  Shape Recognition by Combining Contour and Skeleton into a Mid-Level Representation.	8.7 7·7 1.1	170 69 104 12

14	Shape matching and classification using height functions. Pattern Recognition Letters, 2012, 33, 134-143	3 4.7	138
13	Co-transduction for shape retrieval. <i>IEEE Transactions on Image Processing</i> , <b>2012</b> , 21, 2747-57	8.7	77
12	Skeleton growing and pruning with bending potential ratio. Pattern Recognition, 2011, 44, 196-209	7.7	63
11	Learning context-sensitive similarity by shortest path propagation. <i>Pattern Recognition</i> , <b>2011</b> , 44, 2367-	·2 <del>/</del> 3 <b>7</b> 4	55
10	Feature context for image classification and object detection 2011,		36
9	Shape Classification Using Tree -Unions <b>2010</b> ,		8
8	Learning context-sensitive shape similarity by graph transduction. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2010</b> , 32, 861-74	13.3	164
7	Integrating contour and skeleton for shape classification 2009,		47
6	Path similarity skeleton graph matching. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2008</b> , 30, 1282-92	13.3	217
5	Detection and recognition of contour parts based on shape similarity. <i>Pattern Recognition</i> , <b>2008</b> , 41, 21	8 <del>9.7</del> 19	<b>99</b> 51
4	Contour Grouping Based on Local Symmetry <b>2007</b> ,		6
3	Skeleton pruning by contour partitioning with discrete curve evolution. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2007</b> , 29, 449-62	13.3	289
2	Deep learning for predicting COVID-19 malignant progression		32
1	Smart Electronic Nose Enabled by an All-Feature Olfactory Algorithm. <i>Advanced Intelligent Systems</i> ,220	0074	1