## Hans Dieter Nischalke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4050822/publications.pdf

Version: 2024-02-01

42 papers 2,406 citations

236925 25 h-index 254184 43 g-index

43 all docs

43 docs citations

times ranked

43

4082 citing authors

#	Article	IF	CITATIONS
1	Genetic variation in <i>TERT </i> modifies the risk of hepatocellular carcinoma in alcohol-related cirrhosis: results from a genome-wide case-control study. Gut, 2023, 72, 381-391.	12.1	19
2	The rs429358 Locus in Apolipoprotein E Is Associated With Hepatocellular Carcinoma in Patients With Cirrhosis. Hepatology Communications, 2022, 6, 1213-1226.	4.3	9
3	A genetic variant in tollâ€ike receptor 5 is linked to chemokine levels and hepatocellular carcinoma in steatohepatitis. Liver International, 2021, 41, 2139-2148.	3.9	6
4	Hepatocellular Carcinoma Prevention by Aspirin: Are Platelets the Link?. Hepatology Communications, 2021, 5, 2151-2152.	4.3	3
5	Genetic Variation in HSD17B13 Reduces the Risk of Developing Cirrhosis and Hepatocellular Carcinoma in Alcohol Misusers. Hepatology, 2020, 72, 88-102.	7.3	76
6	Genome-Wide Association Study for Alcohol-Related Cirrhosis Identifies Risk Loci in MARC1 and HNRNPUL1. Gastroenterology, 2020, 159, 1276-1289.e7.	1.3	53
7	Heterozygous carriage of the alpha1-antitrypsin Pi*Z variant increases the risk to develop liver cirrhosis. Gut, 2019, 68, 1099-1107.	12.1	100
8	The PNPLA3 I148M variant promotes lipid-induced hepatocyte secretion of CXC chemokines establishing a tumorigenic milieu. Journal of Molecular Medicine, 2019, 97, 1589-1600.	3.9	7
9	The <i>ATG16L1</i> gene variant rs2241880 (p.T300A) is associated with susceptibility to HCC in patients with cirrhosis. Liver International, 2019, 39, 2360-2367.	3.9	12
10	Role of regulatory T cells and checkpoint inhibition in hepatocellular carcinoma. Cancer Immunology, Immunotherapy, 2019, 68, 2055-2066.	4.2	94
11	Genetic variants in PNPLA3 and TM6SF2 predispose to the development of hepatocellular carcinoma in individuals with alcohol-related cirrhosis. American Journal of Gastroenterology, 2018, 113, 1475-1483.	0.4	82
12	Relative Ascites Polymorphonuclear Cell Count Indicates Bacterascites and Risk of Spontaneous Bacterial Peritonitis. Digestive Diseases and Sciences, 2017, 62, 2558-2568.	2.3	16
13	Antibiotic resistance in healthcareâ€related and nosocomial spontaneous bacterial peritonitis. European Journal of Clinical Investigation, 2017, 47, 44-52.	3.4	50
14	Compartment-specific distribution of human intestinal innate lymphoid cells is altered in HIV patients under effective therapy. PLoS Pathogens, 2017, 13, e1006373.	4.7	85
15	A variant in the nuclear dot protein 52kDa gene increases the risk for spontaneous bacterial peritonitis in patients with alcoholic liver cirrhosis. Digestive and Liver Disease, 2016, 48, 62-68.	0.9	11
16	Low ascitic fluid protein does not indicate an increased risk for spontaneous bacterial peritonitis in current cohorts. Journal of Hepatology, 2015, 63, 527-528.	3.7	23
17	Spontaneous bacterial peritonitis: The clinical challenge of a leaky gut and a cirrhotic liver. World Journal of Hepatology, 2015, 7, 304.	2.0	48
18	PNPLA3 Gene Polymorphism Is Associated With Predisposition to and Severity of Alcoholic Liver Disease. American Journal of Gastroenterology, 2015, 110, 846-856.	0.4	120

#	Article	IF	Citations
19	A genome-wide association study confirms PNPLA3 and identifies TM6SF2 and MBOAT7 as risk loci for alcohol-related cirrhosis. Nature Genetics, 2015, 47, 1443-1448.	21.4	435
20	Hypoxia impairs anti-viral activity of natural killer (NK) cells but has little effect on anti-fibrotic NK cell functions in hepatitis C virus infection. Journal of Hepatology, 2015, 63, 1334-1344.	3.7	11
21	An effective interferon-gamma-mediated inhibition of hepatitis C virus replication by natural killer cells is associated with spontaneous clearance of acute hepatitis C in human immunodeficiency virus-positive patients. Hepatology, 2014, 59, 814-827.	7.3	49
22	A common polymorphism in the NCAN gene is associated with hepatocellular carcinoma in alcoholic liver disease. Journal of Hepatology, 2014, 61, 1073-1079.	3.7	35
23	A farnesoid X receptor polymorphism predisposes to spontaneous bacterial peritonitis. Digestive and Liver Disease, 2014, 46, 1047-1050.	0.9	22
24	Impact of Rifaximin on the Frequency and Characteristics of Spontaneous Bacterial Peritonitis in Patients with Liver Cirrhosis and Ascites. PLoS ONE, 2014, 9, e93909.	2.5	49
25	Impaired CD4+ T cell stimulation of NK cell anti-fibrotic activity may contribute to accelerated liver fibrosis progression in HIV/HCV patients. Journal of Hepatology, 2013, 59, 427-433.	3.7	68
26	Intrahepatic IL-8 producing Foxp3+CD4+ regulatory T cells and fibrogenesis in chronic hepatitis C. Journal of Hepatology, 2013, 59, 229-235.	3.7	75
27	Variation in IFNL4 genotype and response to interferon-based therapy of hepatitis C in HIV-positive patients with acute and chronic hepatitis C. Aids, 2013, 27, 2817-2819.	2.2	12
28	Influence of the CXCL1 rs4074 A Allele on Alcohol Induced Cirrhosis and HCC in Patients of European Descent. PLoS ONE, 2013, 8, e80848.	2.5	18
29	Between Scylla and Charybdis: The role of the human immune system in the pathogenesis of hepatitis C. World Journal of Gastroenterology, 2013, 19, 7852.	3.3	9
30	The CXCL1 rs4074 A allele is associated with enhanced CXCL1 responses to TLR2 ligands and predisposes to cirrhosis in HCV genotype 1-infected Caucasian patients. Journal of Hepatology, 2012, 56, 758-764.	3.7	17
31	Ribavirin Exerts Differential Effects on Functions of Cd4+ Th1, Th2, and Regulatory T Cell Clones in Hepatitis C. PLoS ONE, 2012, 7, e42094.	2.5	28
32	Detection of IGF2BP3, HOXB7, and NEK2 mRNA Expression in Brush Cytology Specimens as a New Diagnostic Tool in Patients with Biliary Strictures. PLoS ONE, 2012, 7, e42141.	2.5	20
33	The CXCR3(+)CD56Bright Phenotype Characterizes a Distinct NK Cell Subset with Anti-Fibrotic Potential That Shows Dys-Regulated Activity in Hepatitis C. PLoS ONE, 2012, 7, e38846.	2.5	38
34	Hepatitis C virus core protein induces fibrogenic actions of hepatic stellate cells via toll-like receptor 2. Laboratory Investigation, 2011, 91, 1375-1382.	3.7	40
35	Genetic Variation in IL28B and Treatment-induced Clearance of Hepatitis C Virus in HIV-Positive Patients With Acute and Chronic Hepatitis C. Journal of Infectious Diseases, 2011, 203, 595-601.	4.0	55
36	The PNPLA3 rs738409 148M/M Genotype Is a Risk Factor for Liver Cancer in Alcoholic Cirrhosis but Shows No or Weak Association in Hepatitis C Cirrhosis. PLoS ONE, 2011, 6, e27087.	2.5	108

#	Article	IF	CITATIONS
37	The cytotoxic lymphocyte antigen 4 polymorphisms affect response to hepatitis C virus-specific therapy in HIV(+) patients with acute and chronic hepatitis C virus co-infection. Aids, 2010, 24, 2001-2007.	2.2	12
38	Induction of Interleukin-6 by Hepatitis C Virus Core Protein in Hepatitis C–Associated Mixed Cryoglobulinemia and B-Cell Non–Hodgkin's Lymphoma. Clinical Cancer Research, 2006, 12, 4491-4498.	7.0	68
39	The HLA-A2 Restricted T Cell Epitope HCV Core35–44 Stabilizes HLA-E Expression and Inhibits Cytolysis Mediated by Natural Killer Cells. American Journal of Pathology, 2005, 166, 443-453.	3.8	149
40	HIV-1 Infection Leads to Increased HLA-E Expression Resulting in Impaired Function of Natural Killer Cells. Antiviral Therapy, 2005, 10, 95-107.	1.0	140
41	Semiquantitative analysis of intrahepatic CC-chemokine mRNAs in chronic hepatitis C. Mediators of Inflammation, 2004, 13, 357-359.	3.0	40
42	Rapid Determination of the Î"32 Deletion in the Human CC-Chemokine Receptor 5 (CCR5) Gene without DNA Extraction by LightCycler Real-Time Polymerase Chain Reaction. AIDS Research and Human Retroviruses, 2004, 20, 750-754.	1.1	8