

Juan Quiles

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4051600/juan-quiles-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

2,175
citations

24
h-index

45
g-index

86
ext. papers

2,505
ext. citations

3.1
avg, IF

4.1
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 71 | Role of left atrial appendage obliteration in stroke reduction in patients with mitral valve prosthesis: a transesophageal echocardiographic study. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1253-8 | 15.1 | 266 |
| 70 | Rivaroxaban for Thromboprophylaxis after Hospitalization for Medical Illness. <i>New England Journal of Medicine</i> , 2018 , 379, 1118-1127 | 59.2 | 143 |
| 69 | Role of reactive oxygen species on the formation of the novel diagnostic marker ischaemia modified albumin. <i>Heart</i> , 2006 , 92, 113-4 | 5.1 | 142 |
| 68 | Elevated serum neopterin predicts future adverse cardiac events in patients with chronic stable angina pectoris. <i>European Heart Journal</i> , 2005 , 26, 457-63 | 9.5 | 113 |
| 67 | International trends in clinical characteristics and oral anticoagulation treatment for patients with atrial fibrillation: Results from the GARFIELD-AF, ORBIT-AF I, and ORBIT-AF II registries. <i>American Heart Journal</i> , 2017 , 194, 132-140 | 4.9 | 104 |
| 66 | Markers of inflammation and multiple complex stenoses (pancoronary plaque vulnerability) in patients with non-ST segment elevation acute coronary syndromes. <i>Heart</i> , 2004 , 90, 847-52 | 5.1 | 100 |
| 65 | Ischemia Modified Albumin for the assessment of patients presenting to the emergency department with acute chest pain but normal or non-diagnostic 12-lead electrocardiograms and negative cardiac troponin T. <i>International Journal of Cardiology</i> , 2004 , 97, 297-301 | 3.2 | 95 |
| 64 | Quality of Vitamin K Antagonist Control and 1-Year Outcomes in Patients with Atrial Fibrillation: A Global Perspective from the GARFIELD-AF Registry. <i>PLoS ONE</i> , 2016 , 11, e0164076 | 3.7 | 90 |
| 63 | Ischemia-modified albumin concentrations in patients with peripheral vascular disease and exercise-induced skeletal muscle ischemia. <i>Clinical Chemistry</i> , 2004 , 50, 1656-60 | 5.5 | 86 |
| 62 | Neutrophil count and infarct size in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2004 , 97, 155-6 | 3.2 | 68 |
| 61 | Relation of ischemia-modified albumin (IMA) levels following elective angioplasty for stable angina pectoris to duration of balloon-induced myocardial ischemia. <i>American Journal of Cardiology</i> , 2003 , 92, 322-4 | 3 | 66 |
| 60 | Prevalence and prognostic influence of peripheral arterial disease in patients ≥ 40 years old admitted into hospital following an acute coronary event. <i>European Journal of Vascular and Endovascular Surgery</i> , 2008 , 36, 189-196 | 2.3 | 64 |
| 59 | Multiple complex stenoses, high neutrophil count and C-reactive protein levels in patients with chronic stable angina. <i>Atherosclerosis</i> , 2004 , 175, 151-7 | 3.1 | 60 |
| 58 | Risk factors for death, stroke, and bleeding in 28,628 patients from the GARFIELD-AF registry: Rationale for comprehensive management of atrial fibrillation. <i>PLoS ONE</i> , 2018 , 13, e0191592 | 3.7 | 53 |
| 57 | Comparison of ischemia-modified albumin levels in patients undergoing percutaneous coronary intervention for unstable angina pectoris with versus without coronary collaterals. <i>American Journal of Cardiology</i> , 2004 , 93, 88-90 | 3 | 50 |
| 56 | Prognostic value of neopterin levels in treated patients with hypertension and chest pain but without obstructive coronary artery disease. <i>American Journal of Cardiology</i> , 2004 , 93, 627-9 | 3 | 43 |
| 55 | Effect of direct-current cardioversion on ischemia-modified albumin levels in patients with atrial fibrillation. <i>American Journal of Cardiology</i> , 2004 , 93, 366-8 | 3 | 42 |

| | | | |
|----|---|-----|----|
| 54 | Impact of clinical and subclinical peripheral arterial disease in mid-term prognosis of patients with acute coronary syndrome. <i>American Journal of Cardiology</i> , 2009 , 104, 1494-8 | 3 | 39 |
| 53 | Predictive value of coronary artery stenoses and C-reactive protein levels in patients with stable coronary artery disease. <i>Atherosclerosis</i> , 2009 , 204, 239-43 | 3.1 | 39 |
| 52 | Predictors of NOAC versus VKA use for stroke prevention in patients with newly diagnosed atrial fibrillation: Results from GARFIELD-AF. <i>American Heart Journal</i> , 2019 , 213, 35-46 | 4.9 | 28 |
| 51 | Control de los factores de riesgo y tratamiento de los pacientes con cardiopatía isquémica: registro TRECE. <i>Revista Espanola De Cardiologia</i> , 2009 , 62, 807-811 | 1.5 | 28 |
| 50 | Prognostic value of low ankle-brachial index in patients with hypertension and acute coronary syndromes. <i>Journal of Hypertension</i> , 2009 , 27, 341-7 | 1.9 | 27 |
| 49 | Dietary intake in pregnant women in a Spanish Mediterranean area: as good as it is supposed to be?. <i>Public Health Nutrition</i> , 2013 , 16, 1379-89 | 3.3 | 26 |
| 48 | Effect of radiofrequency catheter ablation on the biochemical marker ischemia modified albumin. <i>American Journal of Cardiology</i> , 2004 , 94, 234-6 | 3 | 25 |
| 47 | Management and 1-Year Outcomes of Patients With Newly Diagnosed Atrial Fibrillation and Chronic Kidney Disease: Results From the Prospective GARFIELD - AF Registry. <i>Journal of the American Heart Association</i> , 2019 , 8, e010510 | 6 | 24 |
| 46 | A comparative study of markers of inflammation for the assessment of cardiovascular risk in patients presenting to the emergency department with acute chest pain suggestive of acute coronary syndrome. <i>International Journal of Cardiology</i> , 2006 , 109, 317-21 | 3.2 | 22 |
| 45 | Portable spectral Doppler echocardiographic device: overcoming limitations. <i>British Heart Journal</i> , 2003 , 89, 1014-8 | | 18 |
| 44 | Combination of ankle brachial index and diabetes mellitus to predict cardiovascular events and mortality after an acute coronary syndrome. <i>International Journal of Cardiology</i> , 2011 , 151, 84-8 | 3.2 | 17 |
| 43 | Circulating biomarkers of collagen metabolism in arterial hypertension: relevance of target organ damage. <i>Journal of Hypertension</i> , 2013 , 31, 1611-7 | 1.9 | 16 |
| 42 | Differences in medical treatment of chronic coronary heart disease patients according to medical specialities. <i>Cardiovascular Therapeutics</i> , 2009 , 27, 173-80 | 3.3 | 16 |
| 41 | Clustering of target organ damage increases mortality after acute coronary syndromes in patients with arterial hypertension. <i>Journal of Human Hypertension</i> , 2011 , 25, 600-7 | 2.6 | 15 |
| 40 | Utilidad del NT-proBNP en el diagnóstico de la hipertrofia ventricular izquierda en el paciente hipertenso. Estudio mediante resonancia cardiaca. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 972-975 | 1.5 | 14 |
| 39 | Estrategias de prevención secundaria del síndrome coronario agudo. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 844-848 | 1.5 | 13 |
| 38 | Complete regression of cardiac non-Hodgkin lymphoma. <i>International Journal of Cardiology</i> , 2006 , 106, 426-7 | 3.2 | 13 |
| 37 | Utilidad de un índice tobillo-brazo patológico en la identificación de la enfermedad coronaria multivaso en pacientes con síndrome coronario agudo. <i>Revista Espanola De Cardiologia</i> , 2010 , 63, 54-59 | 1.5 | 12 |

| | | | |
|----|---|-----|----|
| 36 | C-reactive protein predicts functional status and correlates with left ventricular ejection fraction in patients with chronic stable angina. <i>Atherosclerosis</i> , 2009 , 205, 319-24 | 3.1 | 12 |
| 35 | Burden of systemic hypertension in patients admitted to cardiology hospitalization units. <i>American Journal of Cardiology</i> , 2011 , 108, 1570-5 | 3 | 10 |
| 34 | Prognostic significance of heart rate in hospitalized patients presenting with myocardial infarction. <i>World Journal of Cardiology</i> , 2012 , 4, 15-9 | 2.1 | 10 |
| 33 | Hiperpotasemia en pacientes con insuficiencia cardiaca en Espa y su impacto en las recomendaciones. Registro ESC-EORP-HFA Heart Failure Long-Term. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 313-323 | 1.5 | 10 |
| 32 | Pathological ankle-brachial index is equivalent of advanced age in acute coronary syndromes. <i>European Journal of Clinical Investigation</i> , 2011 , 41, 1268-74 | 4.6 | 9 |
| 31 | Anticoagulation prescription in atrial fibrillation. <i>Expert Opinion on Pharmacotherapy</i> , 2011 , 12, 1473-9 | 4 | 9 |
| 30 | Risk Profile and 1-Year Outcome of Newly Diagnosed Atrial Fibrillation in Japan - Insights From GARFIELD-AF. <i>Circulation Journal</i> , 2018 , 83, 67-74 | 2.9 | 9 |
| 29 | Usefulness of an abnormal ankle-brachial index for detecting multivessel coronary disease in patients with acute coronary syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2010 , 63, 54-9 | 0.7 | 7 |
| 28 | Heart rate in acute heart failure, lower is not always better. <i>International Journal of Cardiology</i> , 2010 , 145, 592-3 | 3.2 | 7 |
| 27 | Cardiac rupture during contrast-enhanced dobutamine stress echocardiography. <i>International Journal of Cardiology</i> , 2005 , 98, 349-50 | 3.2 | 6 |
| 26 | Prognosis and lipid profile improvement by a specialized outpatient clinic for acute coronary syndrome patients. <i>Atherosclerosis</i> , 2018 , 275, 28-34 | 3.1 | 6 |
| 25 | Comments on the ESC/ESH guidelines for the management of arterial hypertension 2013. A report of the Task Force of the Clinical Practice Guidelines Committee of the Spanish Society of Cardiology. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013 , 66, 842-7 | 0.7 | 5 |
| 24 | Prevalencia del hiperaldosteronismo primario y afecci cardiaca en el paciente hipertenso. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 418-421 | 1.5 | 5 |
| 23 | Aldosterona plasmica y filtrado glomerular en el paciente hipertenso con funci renal conservada. <i>Revista Espanola De Cardiologia</i> , 2010 , 63, 103-106 | 1.5 | 4 |
| 22 | Pseudoaneurysm complicating aortic coarctation in a pregnant woman. <i>International Journal of Cardiology</i> , 2004 , 97, 157-8 | 3.2 | 4 |
| 21 | Update: Acute coronary syndromes (IX). Secondary prevention strategies for acute coronary syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 844-8 | 0.7 | 3 |
| 20 | Plasma aldosterone and glomerular filtration in hypertensive patients with preserved renal function. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2010 , 63, 103-6 | 0.7 | 3 |
| 19 | Control of risk factors in and treatment of patients with coronary heart disease: the TRECE study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009 , 62, 807-11 | 0.7 | 3 |

| | | | |
|----|--|-----|---|
| 18 | Fatal retroperitoneal haemorrhage associated with enoxaparin and impaired renal function. <i>International Journal of Cardiology</i> , 2005 , 98, 523-4 | 3.2 | 3 |
| 17 | Carotid resistive index in treated hypertensive patients: relationship with target organ damage. <i>Blood Pressure</i> , 2012 , 21, 360-6 | 1.7 | 2 |
| 16 | What Measure of Carotid Wall Thickening Is the Best Atherosclerotic Loading Score in the Hypertensive Patient: Maximum or Mean Value?. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011 , 64, 417-420 | 0.7 | 2 |
| 15 | Additive value of diabetes and peripheral arterial disease in the risk stratification of patients admitted after an acute coronary syndrome: a subanalysis of the PAMISCA Study. <i>International Journal of Clinical Practice</i> , 2009 , 63, 1314-9 | 2.9 | 2 |
| 14 | Ventajas de la guardia de cardiología en un hospital secundario en el tratamiento de los pacientes con síndrome coronario agudo. <i>REC: CardioClinics</i> , 2019 , 54, 239-246 | 0.2 | 2 |
| 13 | Inflammation and Apoptosis in Hypertension. Relevance of the Extent of Target Organ Damage. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012 , 65, 819-825 | 0.7 | 1 |
| 12 | Comments on the ESC Guidelines on the Diagnosis and Treatment of Peripheral Artery Diseases. A Report of the Task Force of the Clinical Practice Guidelines Committee of the Spanish Society of Cardiology. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012 , 65, 119-124 | 0.7 | 1 |
| 11 | Corrected QT Interval Prolongation: A New Predictor of Cardiovascular Risk in Patients With Non-ST-Elevation Acute Coronary Syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008 , 61, 572-578 | 0.7 | 1 |
| 10 | Anomalous origin of circumflex coronary artery arising from proximal right coronary artery. <i>International Journal of Cardiology</i> , 2005 , 98, 527-8 | 3.2 | 1 |
| 9 | Echocardiographic detection of systemic air embolism during positive pressure ventilation. <i>British Heart Journal</i> , 2003 , 89, 1321 | | 1 |
| 8 | Usefulness of NT-proBNP Level for Diagnosing Left Ventricular Hypertrophy in Hypertensive Patients. A Cardiac Magnetic Resonance Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008 , 61, 972-975 | 0.7 | 0 |
| 7 | Usefulness of quantitative myocardial contrast echocardiography for prediction of ventricular function recovery after myocardial infarction treated with primary angioplasty. <i>Heart</i> , 2006 , 92, 693-4 | 5.1 | 0 |
| 6 | Non-Fluoroscopic Electroanatomical Mapping (CARTO System) in the Ablation of Atrial Tachycardias. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2004 , 57, 37-44 | 0.7 | 0 |
| 5 | Comments on the 2015 ESC Guidelines for the Diagnosis and Management of Pericardial Diseases. A Report by the Spanish Society of Cardiology Guidelines Committee Working Group. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 1068-74 | 0.7 | |
| 4 | Comments on the ESC Guidelines on Cardiovascular Disease Prevention (Version 2012). A Report of the Task Force of the Clinical Practice Guidelines Committee of the Spanish Society of Cardiology. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012 , 65, 869-873 | 0.7 | |
| 3 | Prevalence of Primary Aldosteronism in Hypertensive Patients and Its Effect on the Heart. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008 , 61, 418-421 | 0.7 | |
| 2 | Ischemia Modified Albumin for the Assessment of Patients Presenting to the Emergency Department With Acute Chest Pain But Normal or Nondiagnostic 12-lead Electrocardiograms and Negative Cardiac Troponin T. <i>Yearbook of Pathology and Laboratory Medicine</i> , 2006 , 2006, 263-264 | | |
| 1 | A case report of a triad causing platypnoea-orthodeoxia syndrome. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytab236 | 0.9 | |

