

Bent Honor

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4052140/bent-honore-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144
papers

4,498
citations

36
h-index

62
g-index

149
ext. papers

4,784
ext. citations

3.8
avg, IF

5.03
L-index

#	Paper	IF	Citations
144	Molecular cloning, occurrence, and expression of a novel partially secreted protein "psoriasin" that is highly up-regulated in psoriatic skin. <i>Journal of Investigative Dermatology</i> , 1991 , 97, 701-12	4.3	313
143	Molecular cloning and expression of a novel keratinocyte protein (psoriasis-associated fatty acid-binding protein [PA-FABP]) that is highly up-regulated in psoriatic skin and that shares similarity to fatty acid-binding proteins. <i>Journal of Investigative Dermatology</i> , 1992 , 99, 299-305	4.3	215
142	Psoriasin: a novel chemotactic protein. <i>Journal of Investigative Dermatology</i> , 1996 , 107, 5-10	4.3	191
141	Molecular cloning and expression of the transformation sensitive epithelial marker stratifin. A member of a protein family that has been involved in the protein kinase C signalling pathway. <i>Journal of Molecular Biology</i> , 1993 , 231, 982-98	6.5	161
140	Tumor-infiltrating macrophages correlate with adverse prognosis and Epstein-Barr virus status in classical Hodgkin lymphoma. <i>Haematologica</i> , 2011 , 96, 269-76	6.6	149
139	Comprehensive two-dimensional gel protein databases offer a global approach to the analysis of human cells: the transformed amnion cells (AMA) master database and its link to genome DNA sequence data. <i>Electrophoresis</i> , 1990 , 11, 989-1071	3.6	145
138	Bladder Squamous Cell Carcinomas Express Psoriasin and Externalize it to the Urine. <i>Journal of Urology</i> , 1996 , 155, 2105-2112	2.5	133
137	The CREC family, a novel family of multiple EF-hand, low-affinity Ca(2+)-binding proteins localised to the secretory pathway of mammalian cells. <i>FEBS Letters</i> , 2000 , 466, 11-8	3.8	117
136	Cloning, expression, and chromosome mapping of human galectin-7. <i>Journal of Biological Chemistry</i> , 1995 , 270, 5823-9	5.4	110
135	The human keratinocyte two-dimensional gel protein database (update 1995): mapping components of signal transduction pathways. <i>Electrophoresis</i> , 1995 , 16, 2177-240	3.6	110
134	Influence of oxygen concentration and pH on expression of hypoxia induced genes. <i>Radiotherapy and Oncology</i> , 2005 , 76, 187-93	5.3	103
133	The rapidly expanding CREC protein family: members, localization, function, and role in disease. <i>BioEssays</i> , 2009 , 31, 262-77	4.1	99
132	The human keratinocyte two-dimensional gel protein database (update 1992): towards an integrated approach to the study of cell proliferation, differentiation and skin diseases. <i>Electrophoresis</i> , 1992 , 13, 893-959	3.6	94
131	Human calumenin localizes to the secretory pathway and is secreted to the medium. <i>Experimental Cell Research</i> , 1999 , 248, 473-81	4.2	85
130	Identification of two human Rho GDP dissociation inhibitor proteins whose overexpression leads to disruption of the actin cytoskeleton. <i>Experimental Cell Research</i> , 1993 , 209, 165-74	4.2	74
129	Proteomic analysis identifies galectin-1 as a predictive biomarker for relapsed/refractory disease in classical Hodgkin lymphoma. <i>Blood</i> , 2011 , 117, 6638-49	2.2	71
128	Influence of fatty acids on the binding of warfarin and phenprocoumon to human serum albumin with relation to anticoagulant therapy. <i>Journal of Pharmacy and Pharmacology</i> , 1996 , 48, 870-5	4.8	70

127	Human cellular protein patterns and their link to genome DNA sequence data: usefulness of two-dimensional gel electrophoresis and microsequencing. <i>FASEB Journal</i> , 1991 , 5, 2200-8	0.9	69
126	Heterogeneous nuclear ribonucleoproteins F and H/HPshow differential expression in normal and selected cancer tissues. <i>Experimental Cell Research</i> , 2004 , 294, 199-209	4.2	66
125	Cloning and expression of a novel human profilin variant, profilin II. <i>FEBS Letters</i> , 1993 , 330, 151-5	3.8	66
124	The human keratinocyte two-dimensional gel protein database: update 1993. <i>Electrophoresis</i> , 1993 , 14, 1091-198	3.6	63
123	Human 2-D PAGE databases for proteome analysis in health and disease: http://biobase.dk/cgi-bin/celis . <i>FEBS Letters</i> , 1996 , 398, 129-34	3.8	60
122	The MRC-5 human embryonal lung fibroblast two-dimensional gel cellular protein database: quantitative identification of polypeptides whose relative abundance differs between quiescent, proliferating and SV40 transformed cells. <i>Electrophoresis</i> , 1990 , 11, 1072-113	3.6	59
121	The human keratinocyte two-dimensional protein database (update 1994): towards an integrated approach to the study of cell proliferation, differentiation and skin diseases. <i>Electrophoresis</i> , 1994 , 15, 1349-458	3.6	58
120	Cloning and expression of a cDNA covering the complete coding region of the P32 subunit of human pre-mRNA splicing factor SF2. <i>Gene</i> , 1993 , 134, 283-7	3.8	55
119	Proteome profiling of corneal epithelium and identification of marker proteins for keratoconus, a pilot study. <i>Experimental Eye Research</i> , 2006 , 82, 201-9	3.7	54
118	Computerized, comprehensive databases of cellular and secreted proteins from normal human embryonic lung MRC-5 fibroblasts: identification of transformation and/or proliferation sensitive proteins. <i>Electrophoresis</i> , 1989 , 10, 76-115	3.6	53
117	Molecular cloning of a cDNA encoding human calumenin, expression in Escherichia coli and analysis of its Ca ²⁺ -binding activity. <i>BBA - Proteins and Proteomics</i> , 1998 , 1386, 121-31		49
116	Interferon-gamma up-regulates a unique set of proteins in human keratinocytes. Molecular cloning and expression of the cDNA encoding the RGD-sequence-containing protein IGUP I-5111. <i>FEBS Journal</i> , 1993 , 218, 421-30		48
115	Proteomic analysis of aqueous humour from patients with acute corneal rejection. <i>Acta Ophthalmologica</i> , 2005 , 83, 31-9		47
114	A comprehensive two-dimensional gel protein database of noncultured unfractionated normal human epidermal keratinocytes: towards an integrated approach to the study of cell proliferation, differentiation and skin diseases. <i>Electrophoresis</i> , 1991 , 12, 802-72	3.6	45
113	The master two-dimensional gel database of human AMA cell proteins: towards linking protein and genome sequence and mapping information (update 1991). <i>Electrophoresis</i> , 1991 , 12, 765-801	3.6	43
112	Functional genomics studied by proteomics. <i>BioEssays</i> , 2004 , 26, 901-15	4.1	39
111	Calumenin interacts with serum amyloid P component. <i>FEBS Letters</i> , 2000 , 465, 129-34	3.8	38
110	Serum albumin--a non-saturable carrier. <i>Acta Pharmacologica Et Toxicologica</i> , 1984 , 54, 129-33		37

109	Proteomics reveals lowering oxygen alters cytoskeletal and endoplasmatic stress proteins in human endothelial cells. <i>Proteomics</i> , 2009 , 9, 4457-67	4.8	37
108	Conformational Changes in Human Serum Albumin Induced by Ligand Binding. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1990 , 66, 1-26		36
107	Differences in the protein expression in limbal versus central human corneal epithelium--a search for stem cell markers. <i>Experimental Eye Research</i> , 2008 , 87, 96-105	3.7	35
106	Proteomic profiling of fibroblasts reveals a modulating effect of extracellular calumenin on the organization of the actin cytoskeleton. <i>Proteomics</i> , 2006 , 6, 3509-19	4.8	35
105	Valproate and palmitate binding to serum albumin in valproate-treated patients. Relation to obesity. <i>Epilepsy Research</i> , 1993 , 16, 55-64	3	32
104	Detection of carrier heterogeneity by rate of ligand dialysis: medium-chain fatty acid interaction with human serum albumin and competition with chloride. <i>Analytical Biochemistry</i> , 1988 , 171, 55-66	3.1	30
103	Protein binding studies with radiolabeled compounds containing radiochemical impurities. Equilibrium dialysis versus dialysis rate determination. <i>Analytical Biochemistry</i> , 1987 , 162, 80-8	3.1	29
102	Proteomic identification of differentially expressed proteins in aortic wall of patients with ruptured and nonruptured abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2009 , 49, 455-63	3.5	28
101	Proteins upregulated by mild and severe hypoxia in squamous cell carcinomas in vitro identified by proteomics. <i>Radiotherapy and Oncology</i> , 2009 , 92, 443-9	5.3	28
100	Thermodynamic parameters for binding of fatty acids to human serum albumin. <i>FEBS Journal</i> , 1990 , 190, 497-502		28
99	Palmitate binding to serum albumin, measured by rate of dialysis. <i>FEBS Journal</i> , 1988 , 174, 45-50		28
98	Binding constants for ligand-carrier complexes. <i>Trends in Pharmacological Sciences</i> , 1988 , 9, 252-7	13.2	28
97	Proteomics of uveal melanomas suggests HSP-27 as a possible surrogate marker of chromosome 3 loss 2010 , 51, 12-20		27
96	Calumenin but not reticulocalbin forms a Ca ²⁺ -dependent complex with thrombospondin-1. A potential role in haemostasis and thrombosis. <i>Molecular and Cellular Biochemistry</i> , 2009 , 320, 25-33	4.2	27
95	Heterogeneous nuclear ribonucleoprotein-H plays a suppressive role in visceral myogenesis. <i>Mechanisms of Development</i> , 2001 , 104, 79-87	1.7	27
94	A Review: Proteomics in Retinal Artery Occlusion, Retinal Vein Occlusion, Diabetic Retinopathy and Acquired Macular Disorders. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	26
93	Proteomic analysis of human vitreous associated with idiopathic epiretinal membrane. <i>Acta Ophthalmologica</i> , 2013 , 91, e333-4	3.7	26
92	Serum antibodies against Chlamydia pneumoniae outer membrane protein cross-react with the heavy chain of immunoglobulin in the wall of abdominal aortic aneurysms. <i>Circulation</i> , 2004 , 109, 2097-102	16.7	25

91	Expression and divalent cation binding properties of the novel chemotactic inflammatory protein psoriasin. <i>Electrophoresis</i> , 1996 , 17, 1787-96	3.6	25
90	The molecular chaperones HSP28, GRP78, endoplasmic reticulum chaperonin, and calnexin exhibit strikingly different levels in quiescent keratinocytes as compared to their proliferating normal and transformed counterparts: cDNA cloning and expression of calnexin. <i>Electrophoresis</i> , 1994 , 15, 482-90	3.6	23
89	Ocular proteomics with emphasis on two-dimensional gel electrophoresis and mass spectrometry. <i>Biological Procedures Online</i> , 2009 , 12, 56-88	8.3	22
88	hnRNPs H, HPand F behave differently with respect to posttranslational cleavage and subcellular localization. <i>FEBS Letters</i> , 1999 , 456, 274-80	3.8	22
87	Endonuclein is a cell cycle regulated WD-repeat protein that is up-regulated in adenocarcinoma of the pancreas. <i>Oncogene</i> , 2002 , 21, 1123-9	9.2	20
86	The tetramethylammonium chloride method for screening of cDNA libraries using highly degenerate oligonucleotides obtained by backtranslation of amino-acid sequences. <i>Journal of Proteomics</i> , 1993 , 27, 39-48		20
85	Melanoma tumors frequently acquire LRP2/megalin expression, which modulates melanoma cell proliferation and survival rates. <i>Pigment Cell and Melanoma Research</i> , 2015 , 28, 267-80	4.5	19
84	Protein profiling the effects of in vitro hyperoxic exposure on fetal rabbit lung. <i>Proteomics</i> , 2006 , 6, 1957-62	4.8	19
83	Altered calmodulin response to light in the suprachiasmatic nucleus of PAC1 receptor knockout mice revealed by proteomic analysis. <i>Journal of Molecular Neuroscience</i> , 2005 , 25, 251-8	3.3	17
82	The hnRNP 2H9 gene, which is involved in the splicing reaction, is a multiply spliced gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2000 , 1492, 108-19		17
81	A systematic review of biomarkers in the diagnosis of infective endocarditis. <i>International Journal of Cardiology</i> , 2016 , 202, 564-70	3.2	16
80	Proteins involved in focal adhesion signaling pathways are differentially regulated in experimental branch retinal vein occlusion. <i>Experimental Eye Research</i> , 2015 , 138, 87-95	3.7	16
79	Analytical platforms in vitreoretinal proteomics. <i>Bioanalysis</i> , 2014 , 6, 3051-66	2.1	16
78	Proteins associated with the size and expansion rate of the abdominal aortic aneurysm wall as identified by proteomic analysis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2010 , 11, 433-41	1.8	16
77	Palmitate and stearate binding to human serum albumin. Determination of relative binding constants. <i>Chemical Biology and Drug Design</i> , 1997 , 49, 347-54		16
76	Changes in protein expression in p53 deleted spontaneous thymic lymphomas. <i>Experimental Cell Research</i> , 2004 , 295, 91-101	4.2	16
75	The Na ⁺ /K ⁺ -ATPase is critical for skeletal and heart muscle function in zebrafish. <i>Journal of Cell Science</i> , 2012 , 125, 6166-75	5.3	15
74	Identification and characterization of novel ERC-55 interacting proteins: evidence for the existence of several ERC-55 splicing variants; including the cytosolic ERC-55-C. <i>Proteomics</i> , 2009 , 9, 5267-87	4.8	15

73	Protein changes in the retina following experimental retinal detachment in rabbits. <i>Molecular Vision</i> , 2011 , 17, 2634-48	2.3	15
72	Locations, abundances, and possible functions of FXFD ion transport regulators in rat renal medulla. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 291, F1033-44	4.3	14
71	Comprehensive, human cellular protein databases and their implication for the study of genome organization and function. <i>FEBS Letters</i> , 1989 , 244, 247-54	3.8	14
70	Proteomics reveals a set of highly enriched proteins in epiretinal membrane compared with inner limiting membrane. <i>Experimental Eye Research</i> , 2019 , 186, 107722	3.7	13
69	Dye-Free Porcine Model of Experimental Branch Retinal Vein Occlusion: A Suitable Approach for Retinal Proteomics. <i>Journal of Ophthalmology</i> , 2015 , 2015, 839137	2	12
68	Identification of differentially expressed proteins in spontaneous thymic lymphomas from knockout mice with deletion of p53. <i>Proteome Science</i> , 2008 , 6, 18	2.6	12
67	Retinal proteome changes following experimental branch retinal vein occlusion and intervention with ranibizumab. <i>Experimental Eye Research</i> , 2016 , 152, 49-56	3.7	11
66	Megalin Is Predominantly Observed in Vesicular Structures in First and Third Trimester Cytotrophoblasts of the Human Placenta. <i>Journal of Histochemistry and Cytochemistry</i> , 2016 , 64, 769-784 ^{3,4}	3.4	11
65	Pulmonary pressure reduction attenuates expression of proteins identified by lung proteomic profiling in pulmonary hypertensive rats. <i>Proteomics</i> , 2011 , 11, 4492-502	4.8	11
64	Molecular basis of indomethacin-human serum albumin interaction. <i>Journal of Pharmacy and Pharmacology</i> , 1999 , 51, 591-600	4.8	11
63	Neuronal protein gene product 9.5 (IEF SSP 6104) is expressed in cultured human MRC-5 fibroblasts of normal origin and is strongly down-regulated in their SV40 transformed counterparts. <i>FEBS Letters</i> , 1991 , 280, 235-40	3.8	11
62	Interaction of indomethacin with adult human albumin and neonatal serum. <i>Developmental Pharmacology and Therapeutics</i> , 1983 , 6, 347-55		11
61	Proteomic analysis identifies mitochondrial metabolic enzymes as major discriminators between different stages of the failing human myocardium. <i>Acta Cardiologica</i> , 2009 , 64, 511-22	0.9	11
60	Aqueous Fibronectin Correlates With Severity of Macular Edema and Visual Acuity in Patients With Branch Retinal Vein Occlusion: A Proteome Study 2020 , 61, 6		11
59	Proteomic Characterization of Colorectal Cancer Cells versus Normal-Derived Colon Mucosa Cells: Approaching Identification of Novel Diagnostic Protein Biomarkers in Colorectal Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	10
58	Serum galectin-1 in patients with multiple myeloma: associations with survival, angiogenesis, and biomarkers of macrophage activation. <i>OncoTargets and Therapy</i> , 2017 , 10, 1977-1982	4.4	10
57	cDNA expression and human two-dimensional gel protein databases: towards integrating DNA and protein information. <i>Electrophoresis</i> , 1996 , 17, 1713-9	3.6	10
56	Influence of the Chlamydia pneumoniae AR39 bacteriophage ?CPAR39 on chlamydial inclusion morphology. <i>FEMS Immunology and Medical Microbiology</i> , 2011 , 62, 148-56		9

55	Fatty acid and drug binding to a low-affinity component of human serum albumin, purified by affinity chromatography. <i>International Journal of Peptide and Protein Research</i> , 1992 , 40, 415-22		9
54	Genome- and proteome-based technologies: status and applications in the postgenomic era. <i>Expert Review of Molecular Diagnostics</i> , 2001 , 1, 265-74	3.8	9
53	Comprehensive computerized 2D gel protein databases offer a global approach to the study of the mammalian cell. <i>BioEssays</i> , 1990 , 12, 93-7	4.1	9
52	Multiple binding of bilirubin to human serum albumin and cobinding with laurate. <i>Archives of Biochemistry and Biophysics</i> , 1988 , 260, 811-21	4.1	9
51	Attempting to distinguish between endogenous and contaminating cytokeratins in a corneal proteomic study. <i>BMC Ophthalmology</i> , 2011 , 11, 3	2.3	8
50	Cloning of a cDNA encoding a novel human nuclear phosphoprotein belonging to the WD-40 family. <i>Gene</i> , 1994 , 151, 291-6	3.8	8
49	Targeting the Acidic Tumor Microenvironment: Unexpected Pro-Neoplastic Effects of Oral NaHCO Therapy in Murine Breast Tissue. <i>Cancers</i> , 2020 , 12,	6.6	8
48	Proteomic Protocols for Differential Protein Expression Analyses. <i>Methods in Molecular Biology</i> , 2020 , 2110, 47-58	1.4	8
47	Proteomic approaches to the study of malignant lymphoma: analyses on patient samples. <i>Proteomics - Clinical Applications</i> , 2015 , 9, 72-85	3.1	7
46	Expression of recombinant psoriasis-associated fatty acid binding protein in Escherichia coli: gel electrophoretic characterization, analysis of binding properties and comparison with human serum albumin. <i>Electrophoresis</i> , 1998 , 19, 1793-802	3.6	7
45	Ca ²⁺ binding to complement-type repeat domains 5 and 6 from the low-density lipoprotein receptor-related protein. <i>BMC Biochemistry</i> , 2003 , 4, 7	4.8	7
44	Animal Models Used to Simulate Retinal Artery Occlusion: A Comprehensive Review. <i>Translational Vision Science and Technology</i> , 2019 , 8, 23	3.3	6
43	Dexamethasone intravitreal implant downregulates PDGFR- β and upregulates caveolin-1 in experimental branch retinal vein occlusion. <i>Experimental Eye Research</i> , 2018 , 171, 174-182	3.7	6
42	Relationship of intratumoural protein expression patterns to age and Epstein-Barr virus status in classical Hodgkin lymphoma. <i>European Journal of Haematology</i> , 2015 , 95, 137-49	3.8	6
41	Predictors of post-operative mortality following treatment for non-ruptured abdominal aortic aneurysm. <i>Current Controlled Trials in Cardiovascular Medicine</i> , 2005 , 6, 14		6
40	IL-18 and S100A12 Are Upregulated in Experimental Central Retinal Vein Occlusion. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	6
39	Diurnal expression of proteins in the retina of the blind cone-rod homeobox (Crx) mouse and the 129/Sv mouse: a proteomic study. <i>Acta Ophthalmologica</i> , 2017 , 95, 717-726	3.7	5
38	Towards identification of novel putative biomarkers for infective endocarditis by serum proteomic analysis. <i>International Journal of Infectious Diseases</i> , 2020 , 96, 73-81	10.5	5

37	Serum proteomic changes after randomized prolonged erythropoietin treatment and/or endurance training: detection of novel biomarkers. <i>PLoS ONE</i> , 2015 , 10, e0117119	3.7	5
36	Proteomic Analysis of the Vitreous following Experimental Retinal Detachment in Rabbits. <i>Journal of Ophthalmology</i> , 2015 , 2015, 583040	2	5
35	Ionization of tyrosine residues in human serum albumin and in its complexes with bilirubin and laurate. <i>International Journal of Peptide and Protein Research</i> , 1992 , 39, 24-8		5
34	CAR ₁ box-binding factor-A interacts with multiple motifs in immunoglobulin promoters and has a regulated subcellular distribution. <i>European Journal of Immunology</i> , 2006 , 36, 2192-202	6.1	5
33	The tetramethylammonium chloride (TMAC) method for screening cDNA libraries with highly degenerate oligonucleotide probes obtained by reverse translation of amino acid sequences. <i>Methods in Molecular Biology</i> , 1997 , 69, 139-46	1.4	5
32	Proteomic analysis of tissue from β -3-galactosyltransferase knockout mice reveals that a wide variety of proteins and protein fragments change expression level. <i>PLoS ONE</i> , 2013 , 8, e80600	3.7	5
31	Glycolytic biomarkers predict transformation in patients with follicular lymphoma. <i>PLoS ONE</i> , 2020 , 15, e0233449	3.7	5
30	Circulating microvesicles and exosomes in small cell lung cancer by quantitative proteomics.. <i>Clinical Proteomics</i> , 2022 , 19, 2	5	5
29	Bladder Squamous Cell Carcinomas Express Psoriasin and Externalize it to the Urine. <i>Journal of Urology</i> , 1996 , 2105-2112	2.5	5
28	Proteomic profiling identifies outcome-predictive markers in patients with peripheral T-cell lymphoma, not otherwise specified. <i>Blood Advances</i> , 2018 , 2, 2533-2542	7.8	5
27	High intratumoral expression of vimentin predicts histological transformation in patients with follicular lymphoma. <i>Blood Cancer Journal</i> , 2019 , 9, 35	7	4
26	Proteomic profiling of pretreatment serum from HIV-infected patients identifies candidate markers predictive of lymphoma development. <i>Aids</i> , 2016 , 30, 1889-98	3.5	4
25	Tear film proteins deposited on high water content contact lenses identified with two-dimensional gel electrophoresis and mass spectrometry. <i>Acta Ophthalmologica</i> , 2015 , 93, 658-62	3.7	4
24	Identification and characterization of endonuclein binding proteins: evidence of modulatory effects on signal transduction and chaperone activity. <i>BMC Biochemistry</i> , 2009 , 10, 34	4.8	4
23	Identification of differentially regulated proteins in a patient with Leber's Congenital Amaurosis--a proteomic study. <i>Proteome Science</i> , 2007 , 5, 5	2.6	4
22	Intravitreal bevacizumab upregulates transthyretin in experimental branch retinal vein occlusion. <i>Molecular Vision</i> , 2018 , 24, 759-766	2.3	4
21	Fibulin-1C, C1 Esterase Inhibitor and Glucose Regulated Protein 75 Interact with the CREC Proteins, Calumenin and Reticulocalbin. <i>PLoS ONE</i> , 2015 , 10, e0132283	3.7	3
20	Cobinding of bilirubin and laurate to human serum albumin: spectroscopic characterization of stoichiometric complexes. <i>Archives of Biochemistry and Biophysics</i> , 1988 , 266, 189-96	4.1	3

19	PD-1 Expression in Pre-Treatment Follicular Lymphoma Predicts the Risk of Subsequent High-Grade Transformation. <i>OncoTargets and Therapy</i> , 2021 , 14, 481-489	4.4	3
18	Transcriptomics and Proteomics: Integration? 2018 , 1-7		3
17	Proteomic analysis as a means to approach limbal stem cell biology in a search for stem cell markers. <i>Proteomics - Clinical Applications</i> , 2014 , 8, 178-84	3.1	2
16	Evaluation of prognostic clinical and ECG parameters in patients after myocardial infarction by applying logistic regression method. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 1391-8	1.6	2
15	Putative Biomarkers for Acute Pulmonary Embolism in Exhaled Breath Condensate. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
14	Aflibercept Intervention in Experimental Branch Retinal Vein Occlusion Results in Upregulation of DnaJ Homolog Subfamily C Member 17. <i>Journal of Ophthalmology</i> , 2021 , 2021, 6690260	2	2
13	Shotgun-based proteomics of extracellular vesicles in Alzheimer β disease reveals biomarkers involved in immunological and coagulation pathways. <i>Scientific Reports</i> , 2021 , 11, 18518	4.9	2
12	Exhaled breath condensate in acute pulmonary embolism; a porcine study of effect of condensing temperature and feasibility of protein analysis by mass spectrometry. <i>Journal of Breath Research</i> , 2020 ,	3.1	2
11	Proteome Analysis of Aflibercept Intervention in Experimental Central Retinal Vein Occlusion. <i>Molecules</i> , 2022 , 27, 3360	4.8	2
10	Predictive value of galectin-1 in the development and progression of HIV-associated lymphoma. <i>Aids</i> , 2017 , 31, 2311-2313	3.5	1
9	Perturbations of urea cycle enzymes during posthepatectomy rat liver failure. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, G429-G440	5.1	1
8	Differential protein expression of peroxiredoxin-1 in classical Hodgkin Lymphoma: a possible correlation to clinical behaviour. <i>Hematological Oncology</i> , 2015 , 33, 253-5	1.3	1
7	Proteomic profiling of peritoneal rinse fluid sediment separates patients with ovarian cancer from women admitted for cesarean section. A pilot study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010 , 70, 470-7	2	1
6	Suppressed phospholamban levels differentiate irreversibly dysfunctional from hibernating myocardium in humans. <i>Scandinavian Cardiovascular Journal</i> , 2005 , 39, 55-9	2	1
5	Classic Hodgkin Lymphoma Refractory for ABVD Treatment Is Characterized by Pathologically Activated Signal Transduction Pathways as Revealed by Proteomic Profiling.. <i>Cancers</i> , 2022 , 14,	6.6	1
4	Proteomic Characterization of Colorectal Cancer Tissue from Patients Identifies Novel Putative Protein Biomarkers. <i>Current Issues in Molecular Biology</i> , 2021 , 43, 1043-1056	2.9	1
3	Masking of signal sequences in CREC proteins by cDNA subcloning in epitope vectors. <i>Journal of Biological Chemistry</i> , 2009 , 284, 1e13; author reply 1e14	5.4	
2	cDNA Library Screening with the Tetramethylammonium Chloride (TM AC) Technique Using Highly Degenerate Oligonucleotide Probes 2000 , 389-395		

- 1 Human cellular protein patterns and their link to genome DNA mapping and sequencing data: towards an integrated approach to the study of gene expression. *Genetic Engineering*, **1993**, 15, 21-40