Bent Honor

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4052140/bent-honore-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144
papers4,498
citations36
h-index62
g-index149
ext. papers4,784
ext. citations3.8
avg, IF5.03
L-index

#	Paper	IF	Citations
144	Circulating microvesicles and exosomes in small cell lung cancer by quantitative proteomics <i>Clinical Proteomics</i> , 2022 , 19, 2	5	5
143	Classic Hodgkin Lymphoma Refractory for ABVD Treatment Is Characterized by Pathologically Activated Signal Transduction Pathways as Revealed by Proteomic Profiling <i>Cancers</i> , 2022 , 14,	6.6	1
142	Proteome Analysis of Aflibercept Intervention in Experimental Central Retinal Vein Occlusion. <i>Molecules</i> , 2022 , 27, 3360	4.8	2
141	Putative Biomarkers for Acute Pulmonary Embolism in Exhaled Breath Condensate. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
140	Aflibercept Intervention in Experimental Branch Retinal Vein Occlusion Results in Upregulation of DnaJ Homolog Subfamily C Member 17. <i>Journal of Ophthalmology</i> , 2021 , 2021, 6690260	2	2
139	PD-1 Expression in Pre-Treatment Follicular Lymphoma Predicts the Risk of Subsequent High-Grade Transformation. <i>OncoTargets and Therapy</i> , 2021 , 14, 481-489	4.4	3
138	Shotgun-based proteomics of extracellular vesicles in Alzheimerß disease reveals biomarkers involved in immunological and coagulation pathways. <i>Scientific Reports</i> , 2021 , 11, 18518	4.9	2
137	Proteomic Characterization of Colorectal Cancer Tissue from Patients Identifies Novel Putative Protein Biomarkers. <i>Current Issues in Molecular Biology</i> , 2021 , 43, 1043-1056	2.9	1
136	Proteomic Characterization of Colorectal Cancer Cells versus Normal-Derived Colon Mucosa Cells: Approaching Identification of Novel Diagnostic Protein Biomarkers in Colorectal Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	10
135	Towards identification of novel putative biomarkers for infective endocarditis by serum proteomic analysis. <i>International Journal of Infectious Diseases</i> , 2020 , 96, 73-81	10.5	5
134	Glycolytic biomarkers predict transformation in patients with follicular lymphoma. <i>PLoS ONE</i> , 2020 , 15, e0233449	3.7	5
133	Aqueous Fibronectin Correlates With Severity of Macular Edema and Visual Acuity in Patients With Branch Retinal Vein Occlusion: A Proteome Study 2020 , 61, 6		11
132	Targeting the Acidic Tumor Microenvironment: Unexpected Pro-Neoplastic Effects of Oral NaHCO Therapy in Murine Breast Tissue. <i>Cancers</i> , 2020 , 12,	6.6	8
131	Exhaled breath condensate in acute pulmonary embolism; a porcine study of effect of condensing temperature and feasibility of protein analysis by mass spectrometry. <i>Journal of Breath Research</i> , 2020 ,	3.1	2
130	Proteomic Protocols for Differential Protein Expression Analyses. <i>Methods in Molecular Biology</i> , 2020 , 2110, 47-58	1.4	8
129	Animal Models Used to Simulate Retinal Artery Occlusion: A Comprehensive Review. <i>Translational Vision Science and Technology</i> , 2019 , 8, 23	3.3	6
128	High intratumoral expression of vimentin predicts histological transformation in patients with follicular lymphoma. <i>Blood Cancer Journal</i> , 2019 , 9, 35	7	4

(2015-2019)

127	Perturbations of urea cycle enzymes during posthepatectomy rat liver failure. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, G429-G440	5.1	1
126	Proteomics reveals a set of highly enriched proteins in epiretinal membrane compared with inner limiting membrane. <i>Experimental Eye Research</i> , 2019 , 186, 107722	3.7	13
125	Dexamethasone intravitreal implant downregulates PDGFR-Land upregulates caveolin-1 in experimental branch retinal vein occlusion. <i>Experimental Eye Research</i> , 2018 , 171, 174-182	3.7	6
124	Intravitreal bevacizumab upregulates transthyretin in experimental branch retinal vein occlusion. <i>Molecular Vision</i> , 2018 , 24, 759-766	2.3	4
123	Transcriptomics and Proteomics: Integration? 2018, 1-7		3
122	IL-18 and S100A12 Are Upregulated in Experimental Central Retinal Vein Occlusion. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	6
121	Proteomic profiling identifies outcome-predictive markers in patients with peripheral T-cell lymphoma, not otherwise specified. <i>Blood Advances</i> , 2018 , 2, 2533-2542	7.8	5
120	Diurnal expression of proteins in the retina of the blind cone-rod homeobox (Crx) mouse and the 129/Sv mouse: a proteomic study. <i>Acta Ophthalmologica</i> , 2017 , 95, 717-726	3.7	5
119	Predictive value of galectin-1 in the development and progression of HIV-associated lymphoma. <i>Aids</i> , 2017 , 31, 2311-2313	3.5	1
118	Serum galectin-1 in patients with multiple myeloma: associations with survival, angiogenesis, and biomarkers of macrophage activation. <i>OncoTargets and Therapy</i> , 2017 , 10, 1977-1982	4.4	10
117	A Review: Proteomics in Retinal Artery Occlusion, Retinal Vein Occlusion, Diabetic Retinopathy and Acquired Macular Disorders. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	26
116	A systematic review of biomarkers in the diagnosis of infective endocarditis. <i>International Journal of Cardiology</i> , 2016 , 202, 564-70	3.2	16
115	Retinal proteome changes following experimental branch retinal vein occlusion and intervention with ranibizumab. <i>Experimental Eye Research</i> , 2016 , 152, 49-56	3.7	11
114	Megalin Is Predominantly Observed in Vesicular Structures in First and Third Trimester Cytotrophoblasts of the Human Placenta. <i>Journal of Histochemistry and Cytochemistry</i> , 2016 , 64, 769-78-	3 ·4	11
113	Proteomic profiling of pretreatment serum from HIV-infected patients identifies candidate markers predictive of lymphoma development. <i>Aids</i> , 2016 , 30, 1889-98	3.5	4
112	Proteins involved in focal adhesion signaling pathways are differentially regulated in experimental branch retinal vein occlusion. <i>Experimental Eye Research</i> , 2015 , 138, 87-95	3.7	16
111	Melanoma tumors frequently acquire LRP2/megalin expression, which modulates melanoma cell proliferation and survival rates. <i>Pigment Cell and Melanoma Research</i> , 2015 , 28, 267-80	4.5	19
110	Differential protein expression of peroxiredoxin-1 in classical Hodgkin Lymphoma: a possible correlation to clinical behaviour. <i>Hematological Oncology</i> , 2015 , 33, 253-5	1.3	1

109	Relationship of intratumoural protein expression patterns to age and Epstein-Barr virus status in classical Hodgkin lymphoma. <i>European Journal of Haematology</i> , 2015 , 95, 137-49	3.8	6
108	Tear film proteins deposited on high water content contact lenses identified with two-dimensional gel electrophoresis and mass spectrometry. <i>Acta Ophthalmologica</i> , 2015 , 93, 658-62	3.7	4
107	Serum proteomic changes after randomized prolonged erythropoietin treatment and/or endurance training: detection of novel biomarkers. <i>PLoS ONE</i> , 2015 , 10, e0117119	3.7	5
106	Fibulin-1C, C1 Esterase Inhibitor and Glucose Regulated Protein 75 Interact with the CREC Proteins, Calumenin and Reticulocalbin. <i>PLoS ONE</i> , 2015 , 10, e0132283	3.7	3
105	Proteomic Analysis of the Vitreous following Experimental Retinal Detachment in Rabbits. <i>Journal of Ophthalmology</i> , 2015 , 2015, 583040	2	5
104	Dye-Free Porcine Model of Experimental Branch Retinal Vein Occlusion: A Suitable Approach for Retinal Proteomics. <i>Journal of Ophthalmology</i> , 2015 , 2015, 839137	2	12
103	Proteomic approaches to the study of malignant lymphoma: analyses on patient samples. <i>Proteomics - Clinical Applications</i> , 2015 , 9, 72-85	3.1	7
102	Analytical platforms in vitreoretinal proteomics. <i>Bioanalysis</i> , 2014 , 6, 3051-66	2.1	16
101	Proteomic analysis as a means to approach limbal stem cell biology in a search for stem cell markers. <i>Proteomics - Clinical Applications</i> , 2014 , 8, 178-84	3.1	2
100	Proteomic analysis of human vitreous associated with idiopathic epiretinal membrane. <i>Acta Ophthalmologica</i> , 2013 , 91, e333-4	3.7	26
99	Proteomic analysis of tissue from 1,3-galactosyltransferase knockout mice reveals that a wide variety of proteins and protein fragments change expression level. <i>PLoS ONE</i> , 2013 , 8, e80600	3.7	5
98	The Na+/K+-ATPase is critical for skeletal and heart muscle function in zebrafish. <i>Journal of Cell Science</i> , 2012 , 125, 6166-75	5.3	15
97	Proteomic analysis identifies galectin-1 as a predictive biomarker for relapsed/refractory disease in classical Hodgkin lymphoma. <i>Blood</i> , 2011 , 117, 6638-49	2.2	71
96	Influence of the Chlamydia pneumoniae AR39 bacteriophage ?CPAR39 on chlamydial inclusion morphology. <i>FEMS Immunology and Medical Microbiology</i> , 2011 , 62, 148-56		9
95	Attempting to distinguish between endogenous and contaminating cytokeratins in a corneal proteomic study. <i>BMC Ophthalmology</i> , 2011 , 11, 3	2.3	8
94	Pulmonary pressure reduction attenuates expression of proteins identified by lung proteomic profiling in pulmonary hypertensive rats. <i>Proteomics</i> , 2011 , 11, 4492-502	4.8	11
93	Tumor-infiltrating macrophages correlate with adverse prognosis and Epstein-Barr virus status in classical Hodgkinß lymphoma. <i>Haematologica</i> , 2011 , 96, 269-76	6.6	149
92	Protein changes in the retina following experimental retinal detachment in rabbits. <i>Molecular Vision</i> , 2011 , 17, 2634-48	2.3	15

(2006-2010)

91	Proteomics of uveal melanomas suggests HSP-27 as a possible surrogate marker of chromosome 3 loss 2010 , 51, 12-20		27	
90	Proteins associated with the size and expansion rate of the abdominal aortic aneurysm wall as identified by proteomic analysis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2010 , 11, 433-41	1.8	16	
89	Proteomic profiling of peritoneal rinse fluid sediment separates patients with ovarian cancer from women admitted for cesarean section. A pilot study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010 , 70, 470-7	2	1	
88	Masking of signal sequences in CREC proteins by cDNA subcloning in epitope vectors. <i>Journal of Biological Chemistry</i> , 2009 , 284, le13; author reply le14	5.4		
87	The rapidly expanding CREC protein family: members, localization, function, and role in disease. <i>BioEssays</i> , 2009 , 31, 262-77	4.1	99	
86	Calumenin but not reticulocalbin forms a Ca2+-dependent complex with thrombospondin-1. A potential role in haemostasis and thrombosis. <i>Molecular and Cellular Biochemistry</i> , 2009 , 320, 25-33	4.2	27	
85	Identification and characterization of novel ERC-55 interacting proteins: evidence for the existence of several ERC-55 splicing variants; including the cytosolic ERC-55-C. <i>Proteomics</i> , 2009 , 9, 5267-87	4.8	15	
84	Identification and characterization of endonuclein binding proteins: evidence of modulatory effects on signal transduction and chaperone activity. <i>BMC Biochemistry</i> , 2009 , 10, 34	4.8	4	
83	Proteomic identification of differentially expressed proteins in aortic wall of patients with ruptured and nonruptured abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2009 , 49, 455-63	3.5	28	
82	Proteins upregulated by mild and severe hypoxia in squamous cell carcinomas in vitro identified by proteomics. <i>Radiotherapy and Oncology</i> , 2009 , 92, 443-9	5.3	28	
81	Proteomics reveals lowering oxygen alters cytoskeletal and endoplasmatic stress proteins in human endothelial cells. <i>Proteomics</i> , 2009 , 9, 4457-67	4.8	37	
80	Ocular proteomics with emphasis on two-dimensional gel electrophoresis and mass spectrometry. <i>Biological Procedures Online</i> , 2009 , 12, 56-88	8.3	22	
79	Proteomic analysis identifies mitochondrial metabolic enzymes as major discriminators between different stages of the failing human myocardium. <i>Acta Cardiologica</i> , 2009 , 64, 511-22	0.9	11	
78	Identification of differentially expressed proteins in spontaneous thymic lymphomas from knockout mice with deletion of p53. <i>Proteome Science</i> , 2008 , 6, 18	2.6	12	
77	Differences in the protein expression in limbal versus central human corneal epitheliuma search for stem cell markers. <i>Experimental Eye Research</i> , 2008 , 87, 96-105	3.7	35	
76	Evaluation of prognostic clinical and ECG parameters in patients after myocardial infarction by applying logistic regression method. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 1391-8	1.6	2	
75	Identification of differentially regulated proteins in a patient with Leberß Congenital Amaurosisa proteomic study. <i>Proteome Science</i> , 2007 , 5, 5	2.6	4	
74	CArG box-binding factor-A interacts with multiple motifs in immunoglobulin promoters and has a regulated subcellular distribution. <i>European Journal of Immunology</i> , 2006 , 36, 2192-202	6.1	5	

73	Locations, abundances, and possible functions of FXYD ion transport regulators in rat renal medulla. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 291, F1033-44	4.3	14
72	Proteome profiling of corneal epithelium and identification of marker proteins for keratoconus, a pilot study. <i>Experimental Eye Research</i> , 2006 , 82, 201-9	3.7	54
71	Protein profiling the effects of in vitro hyperoxic exposure on fetal rabbit lung. <i>Proteomics</i> , 2006 , 6, 19	57 4. 6 2	19
70	Proteomic profiling of fibroblasts reveals a modulating effect of extracellular calumenin on the organization of the actin cytoskeleton. <i>Proteomics</i> , 2006 , 6, 3509-19	4.8	35
69	Influence of oxygen concentration and pH on expression of hypoxia induced genes. <i>Radiotherapy and Oncology</i> , 2005 , 76, 187-93	5.3	103
68	Suppressed phospholamban levels differentiate irreversibly dysfunctional from hibernating myocardium in humans. <i>Scandinavian Cardiovascular Journal</i> , 2005 , 39, 55-9	2	1
67	Altered calmodulin response to light in the suprachiasmatic nucleus of PAC1 receptor knockout mice revealed by proteomic analysis. <i>Journal of Molecular Neuroscience</i> , 2005 , 25, 251-8	3.3	17
66	Proteomic analysis of aqueous humour from patients with acute corneal rejection. <i>Acta Ophthalmologica</i> , 2005 , 83, 31-9		47
65	Predictors of post-operative mortality following treatment for non-ruptured abdominal aortic aneurysm. <i>Current Controlled Trials in Cardiovascular Medicine</i> , 2005 , 6, 14		6
64	Serum antibodies against Chlamydia pneumoniae outer membrane protein cross-react with the heavy chain of immunoglobulin in the wall of abdominal aortic aneurysms. <i>Circulation</i> , 2004 , 109, 2097-	·1 5 6.7	25
63	Functional genomics studied by proteomics. <i>BioEssays</i> , 2004 , 26, 901-15	4.1	39
62	Heterogeneous nuclear ribonucleoproteins F and H/HPshow differential expression in normal and selected cancer tissues. <i>Experimental Cell Research</i> , 2004 , 294, 199-209	4.2	66
61	Changes in protein expression in p53 deleted spontaneous thymic lymphomas. <i>Experimental Cell Research</i> , 2004 , 295, 91-101	4.2	16
60	Ca2+ binding to complement-type repeat domains 5 and 6 from the low-density lipoprotein receptor-related protein. <i>BMC Biochemistry</i> , 2003 , 4, 7	4.8	7
59	Endonuclein is a cell cycle regulated WD-repeat protein that is up-regulated in adenocarcinoma of the pancreas. <i>Oncogene</i> , 2002 , 21, 1123-9	9.2	20
58	Genome- and proteome-based technologies: status and applications in the postgenomic era. <i>Expert Review of Molecular Diagnostics</i> , 2001 , 1, 265-74	3.8	9
57	Heterogeneous nuclear ribonucleoprotein-H plays a suppressive role in visceral myogenesis. <i>Mechanisms of Development</i> , 2001 , 104, 79-87	1.7	27
56	The hnRNP 2H9 gene, which is involved in the splicing reaction, is a multiply spliced gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2000 , 1492, 108-19		17

cDNA Library Screening with the Tetramethylammonium Chloride (TM AC) Technique Using Highly Degenerate Oligonucleotide Probes **2000**, 389-395

54	Calumenin interacts with serum amyloid P component. <i>FEBS Letters</i> , 2000 , 465, 129-34	3.8	38
53	The CREC family, a novel family of multiple EF-hand, low-affinity Ca(2+)-binding proteins localised to the secretory pathway of mammalian cells. <i>FEBS Letters</i> , 2000 , 466, 11-8	3.8	117
52	Molecular basis of indomethacin-human serum albumin interaction. <i>Journal of Pharmacy and Pharmacology</i> , 1999 , 51, 591-600	4.8	11
51	hnRNPs H, HPand F behave differently with respect to posttranslational cleavage and subcellular localization. <i>FEBS Letters</i> , 1999 , 456, 274-80	3.8	22
50	Human calumenin localizes to the secretory pathway and is secreted to the medium. <i>Experimental Cell Research</i> , 1999 , 248, 473-81	4.2	85
49	Molecular cloning of a cDNA encoding human calumenin, expression in Escherichia coli and analysis of its Ca2+-binding activity. <i>BBA - Proteins and Proteomics</i> , 1998 , 1386, 121-31		49
48	Expression of recombinant psoriasis-associated fatty acid binding protein in Escherichia coli: gel electrophoretic characterization, analysis of binding properties and comparison with human serum albumin. <i>Electrophoresis</i> , 1998 , 19, 1793-802	3.6	7
47	Palmitate and stearate binding to human serum albumin. Determination of relative binding constants. <i>Chemical Biology and Drug Design</i> , 1997 , 49, 347-54		16
46	The tetramethylammonium chloride (TMAC) method for screening cDNA libraries with highly degenerate oligonucleotide probes obtained by reverse translation of amino acid sequences. <i>Methods in Molecular Biology</i> , 1997 , 69, 139-46	1.4	5
45	Influence of fatty acids on the binding of warfarin and phenprocoumon to human serum albumin with relation to anticoagulant therapy. <i>Journal of Pharmacy and Pharmacology</i> , 1996 , 48, 870-5	4.8	7°
44	Bladder Squamous Cell Carcinomas Express Psoriasin and Externalize it to the Urine. <i>Journal of Urology</i> , 1996 , 155, 2105-2112	2.5	133
43	Human 2-D PAGE databases for proteome analysis in health and disease: http://biobase.dk/cgi-bin/celis. <i>FEBS Letters</i> , 1996 , 398, 129-34	3.8	60
42	cDNA expression and human two-dimensional gel protein databases: towards integrating DNA and protein information. <i>Electrophoresis</i> , 1996 , 17, 1713-9	3.6	10
41	Expression and divalent cation binding properties of the novel chemotactic inflammatory protein psoriasin. <i>Electrophoresis</i> , 1996 , 17, 1787-96	3.6	25
40	Psoriasin: a novel chemotactic protein. <i>Journal of Investigative Dermatology</i> , 1996 , 107, 5-10	4.3	191
39	Bladder Squamous Cell Carcinomas Express Psoriasin and Externalize it to the Urine. <i>Journal of Urology</i> , 1996 , 2105-2112	2.5	5
38	Cloning, expression, and chromosome mapping of human galectin-7. <i>Journal of Biological Chemistry</i> , 1995 , 270, 5823-9	5.4	110

37	The human keratinocyte two-dimensional gel protein database (update 1995): mapping components of signal transduction pathways. <i>Electrophoresis</i> , 1995 , 16, 2177-240	3.6	110
36	The human keratinocyte two-dimensional protein database (update 1994): towards an integrated approach to the study of cell proliferation, differentiation and skin diseases. <i>Electrophoresis</i> , 1994 , 15, 1349-458	3.6	58
35	The molecular chaperones HSP28, GRP78, endoplasmin, and calnexin exhibit strikingly different levels in quiescent keratinocytes as compared to their proliferating normal and transformed counterparts: cDNA cloning and expression of calnexin. <i>Electrophoresis</i> , 1994 , 15, 482-90	3.6	23
34	Cloning of a cDNA encoding a novel human nuclear phosphoprotein belonging to the WD-40 family. <i>Gene</i> , 1994 , 151, 291-6	3.8	8
33	Identification of two human Rho GDP dissociation inhibitor proteins whose overexpression leads to disruption of the actin cytoskeleton. <i>Experimental Cell Research</i> , 1993 , 209, 165-74	4.2	74
32	Molecular cloning and expression of the transformation sensitive epithelial marker stratifin. A member of a protein family that has been involved in the protein kinase C signalling pathway. <i>Journal of Molecular Biology</i> , 1993 , 231, 982-98	6.5	161
31	Cloning and expression of a cDNA covering the complete coding region of the P32 subunit of human pre-mRNA splicing factor SF2. <i>Gene</i> , 1993 , 134, 283-7	3.8	55
30	The human keratinocyte two-dimensional gel protein database: update 1993. <i>Electrophoresis</i> , 1993 , 14, 1091-198	3.6	63
29	Valproate and palmitate binding to serum albumin in valproate-treated patients. Relation to obesity. <i>Epilepsy Research</i> , 1993 , 16, 55-64	3	32
28	Interferon-gamma up-regulates a unique set of proteins in human keratinocytes. Molecular cloning and expression of the cDNA encoding the RGD-sequence-containing protein IGUP I-5111. <i>FEBS Journal</i> , 1993 , 218, 421-30		48
27	The tetramethylammonium chloride method for screening of cDNA libraries using highly degenerate oligonucleotides obtained by backtranslation of amino-acid sequences. <i>Journal of Proteomics</i> , 1993 , 27, 39-48		20
26	Cloning and expression of a novel human profilin variant, profilin II. FEBS Letters, 1993, 330, 151-5	3.8	66
25	Human cellular protein patterns and their link to genome DNA mapping and sequencing data: towards an integrated approach to the study of gene expression. <i>Genetic Engineering</i> , 1993 , 15, 21-40		
24	Fatty acid and drug binding to a low-affinity component of human serum albumin, purified by affinity chromatography. <i>International Journal of Peptide and Protein Research</i> , 1992 , 40, 415-22		9
23	Ionization of tyrosine residues in human serum albumin and in its complexes with bilirubin and laurate. <i>International Journal of Peptide and Protein Research</i> , 1992 , 39, 24-8		5
22	Molecular cloning and expression of a novel keratinocyte protein (psoriasis-associated fatty acid-binding protein [PA-FABP]) that is highly up-regulated in psoriatic skin and that shares similarity to fatty acid-binding proteins. <i>Journal of Investigative Dermatology</i> , 1992 , 99, 299-305	4.3	215
21	The human keratinocyte two-dimensional gel protein database (update 1992): towards an integrated approach to the study of cell proliferation, differentiation and skin diseases. <i>Electrophoresis</i> , 1992 , 13, 893-959	3.6	94
20	Molecular cloning, occurrence, and expression of a novel partially secreted protein "psoriasin" that is highly up-regulated in psoriatic skin. <i>Journal of Investigative Dermatology</i> , 1991 , 97, 701-12	4.3	313

19	The master two-dimensional gel database of human AMA cell proteins: towards linking protein and genome sequence and mapping information (update 1991). <i>Electrophoresis</i> , 1991 , 12, 765-801	3.6	43
18	A comprehensive two-dimensional gel protein database of noncultured unfractionated normal human epidermal keratinocytes: towards an integrated approach to the study of cell proliferation, differentiation and skin diseases. <i>Electrophoresis</i> , 1991 , 12, 802-72	3.6	45
17	Neuronal protein gene product 9.5 (IEF SSP 6104) is expressed in cultured human MRC-5 fibroblasts of normal origin and is strongly down-regulated in their SV40 transformed counterparts. <i>FEBS Letters</i> , 1991 , 280, 235-40	3.8	11
16	Human cellular protein patterns and their link to genome DNA sequence data: usefulness of two-dimensional gel electrophoresis and microsequencing. <i>FASEB Journal</i> , 1991 , 5, 2200-8	0.9	69
15	Thermodynamic parameters for binding of fatty acids to human serum albumin. <i>FEBS Journal</i> , 1990 , 190, 497-502		28
14	Conformational Changes in Human Serum Albumin Induced by Ligand Binding. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1990 , 66, 1-26		36
13	Comprehensive computerized 2D gel protein databases offer a global approach to the study of the mammalian cell. <i>BioEssays</i> , 1990 , 12, 93-7	4.1	9
12	Comprehensive two-dimensional gel protein databases offer a global approach to the analysis of human cells: the transformed amnion cells (AMA) master database and its link to genome DNA sequence data. <i>Electrophoresis</i> , 1990 , 11, 989-1071	3.6	145
11	The MRC-5 human embryonal lung fibroblast two-dimensional gel cellular protein database: quantitative identification of polypeptides whose relative abundance differs between quiescent, proliferating and SV40 transformed cells. <i>Electrophoresis</i> , 1990 , 11, 1072-113	3.6	59
10	Computerized, comprehensive databases of cellular and secreted proteins from normal human embryonic lung MRC-5 fibroblasts: identification of transformation and/or proliferation sensitive proteins. <i>Electrophoresis</i> , 1989 , 10, 76-115	3.6	53
9	Comprehensive, human cellular protein databases and their implication for the study of genome organization and function. <i>FEBS Letters</i> , 1989 , 244, 247-54	3.8	14
8	Palmitate binding to serum albumin, measured by rate of dialysis. <i>FEBS Journal</i> , 1988 , 174, 45-50		28
7	Detection of carrier heterogeneity by rate of ligand dialysis: medium-chain fatty acid interaction with human serum albumin and competition with chloride. <i>Analytical Biochemistry</i> , 1988 , 171, 55-66	3.1	30
6	Cobinding of bilirubin and laurate to human serum albumin: spectroscopic characterization of stoichiometric complexes. <i>Archives of Biochemistry and Biophysics</i> , 1988 , 266, 189-96	4.1	3
5	Multiple binding of bilirubin to human serum albumin and cobinding with laurate. <i>Archives of Biochemistry and Biophysics</i> , 1988 , 260, 811-21	4.1	9
4	Binding constants for ligand-carrier complexes. <i>Trends in Pharmacological Sciences</i> , 1988 , 9, 252-7	13.2	28
3	Protein binding studies with radiolabeled compounds containing radiochemical impurities. Equilibrium dialysis versus dialysis rate determination. <i>Analytical Biochemistry</i> , 1987 , 162, 80-8	3.1	29
2	Serum albumina non-saturable carrier. <i>Acta Pharmacologica Et Toxicologica</i> , 1984 , 54, 129-33		37

Interaction of indomethacin with adult human albumin and neonatal serum. *Developmental Pharmacology and Therapeutics*, **1983**, 6, 347-55

11