Sandrine Pneau

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4053744/sandrine-peneau-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 130 40 4,409 h-index g-index citations papers 140 5,527 5.4 4.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
130	Do individual sustainable food purchase motives translate into an individual shift towards a more sustainable diet? A longitudinal analysis in the NutriNet-Sant©ohort. <i>Cleaner and Responsible Consumption</i> , 2022 , 100062	1.6	
129	BMI at age 3 years predicts later BMI but age at adiposity rebound conveys information on BMI pattern-health association <i>Obesity</i> , 2022 ,	8	
128	Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Sant cohort. <i>BMC Medicine</i> , 2021 , 19, 290	11.4	5
127	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March-May 2020): results from the French NutriNet-Sant&chort study. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 924-938	7	123
126	The inflammatory potential of the diet is prospectively associated with subjective hearing loss. <i>European Journal of Nutrition</i> , 2021 , 60, 3669-3678	5.2	1
125	A Comparison of Sugar Intake between Individuals with High and Low Trait Anxiety: Results from the NutriNet-Sant/Study. <i>Nutrients</i> , 2021 , 13,	6.7	2
124	Trends in breastfeeding practices and mothers' experience in the French NutriNet-Sant©ohort. <i>International Breastfeeding Journal</i> , 2021 , 16, 50	3.8	1
123	Consumption of Ultra-Processed Foods by Pesco-Vegetarians, Vegetarians, and Vegans: Associations with Duration and Age at Diet Initiation. <i>Journal of Nutrition</i> , 2021 , 151, 120-131	4.1	33
122	Anxiety is a potential effect modifier of the association between red and processed meat consumption and cancer risk: findings from the NutriNet-Sant[cohort. <i>European Journal of Nutrition</i> , 2021 , 60, 1887-1896	5.2	1
121	Key Findings of the French BioNutriNet Project on Organic Food-Based Diets: Description, Determinants, and Relationships to Health and the Environment. <i>Advances in Nutrition</i> , 2021 ,	10	2
120	Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income population. <i>BMJ Open</i> , 2021 , 11, e041196	3	5
119	The impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of unprocessed and processed foods: post-hoc analyses from three randomized controlled trials. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 38	8.4	3
118	Dietary macronutrient intake according to sex and trait anxiety level among non-diabetic adults: a cross-sectional study. <i>Nutrition Journal</i> , 2021 , 20, 78	4.3	O
117	Early Adiposity Rebound Predicts Later Overweight and Provides Useful Information on Obesity Development. <i>Childhood Obesity</i> , 2021 , 17, 427-428	2.5	1
116	Optimism is associated with diet quality, food group consumption and snacking behavior in a general population. <i>Nutrition Journal</i> , 2020 , 19, 6	4.3	6
115	Dispositional optimism is associated with weight status, eating behavior, and eating disorders in a general population-based study. <i>International Journal of Eating Disorders</i> , 2020 , 53, 1696-1708	6.3	1
114	Relationship between sensory liking for fat, sweet or salt and cardiometabolic diseases: mediating effects of diet and weight status. <i>European Journal of Nutrition</i> , 2020 , 59, 249-261	5.2	2

113	Individual characteristics associated with changes in the contribution of plant foods to dietary intake in a French prospective cohort. <i>European Journal of Nutrition</i> , 2019 , 58, 1991-2002	5.2	4
112	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. <i>American Journal of Public Health</i> , 2019 , 109, 1122-1129	5.1	11
111	Cognitive Restraint and History of Dieting Are Negatively Associated with Organic Food Consumption in a Large Population-Based Sample of Organic Food Consumers. <i>Nutrients</i> , 2019 , 11,	6.7	5
110	Impulsivity is associated with food intake, snacking, and eating disorders in a general population. American Journal of Clinical Nutrition, 2019 , 109, 117-126	7	21
109	Sociodemographic correlates of eating disorder subtypes among men and women in France, with a focus on age. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 56-64	5.1	5
108	Energy, nutrient and food content of snacks in French adults. <i>Nutrition Journal</i> , 2018 , 17, 33	4.3	14
107	Socio-economic and demographic factors associated with snacking behavior in a large sample of French adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 25	8.4	12
106	DEerminants et corrlats de la consommation dEliments issus de lEgriculture biologique. REultats du projet BioNutriNet. <i>Cahiers De Nutrition Et De Dietetique</i> , 2018 , 53, 43-52	0.2	4
105	Mindfulness Is Associated with the Metabolic Syndrome among Individuals with a Depressive Symptomatology. <i>Nutrients</i> , 2018 , 10,	6.7	1
104	Association between time perspective and organic food consumption in a large sample of adults. <i>Nutrition Journal</i> , 2018 , 17, 1	4.3	30
103	Influence of food preparation behaviors on 5-year weight change and obesity risk in a French prospective cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 120	8.4	8
102	Child temperament predicts the adiposity rebound. A 9-year prospective sibling control study. <i>PLoS ONE</i> , 2018 , 13, e0207279	3.7	2
101	Impulsivity and consideration of future consequences as moderators of the association between emotional eating and body weight status. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 84	8.4	13
100	Adherence to the French Eating Model is inversely associated with overweight and obesity: results from a large sample of French adults. <i>British Journal of Nutrition</i> , 2018 , 120, 231-239	3.6	9
99	Growth Trajectories of Body Mass Index during Childhood: Associated Factors and Health Outcome at Adulthood. <i>Journal of Pediatrics</i> , 2017 , 186, 64-71.e1	3.6	41
98	Association between a dietary quality index based on the food standard agency nutrient profiling system and cardiovascular disease risk among French adults. <i>International Journal of Cardiology</i> , 2017 , 234, 22-27	3.2	24
97	Associations between motives for dish choice during home-meal preparation and diet quality in French adults: findings from the NutriNet-Sant[study. <i>British Journal of Nutrition</i> , 2017 , 117, 851-861	3.6	2
96	Are self-reported unhealthy food choices associated with an increased risk of breast cancer? Prospective cohort study using the British Food Standards Agency nutrient profiling system. <i>BMJ Open</i> , 2017 , 7, e013718	3	15

95	Body mass index growth trajectories associated with the different parameters of the metabolic syndrome at adulthood. <i>International Journal of Obesity</i> , 2017 , 41, 1518-1525	5.5	15
94	Meal planning is associated with food variety, diet quality and body weight status in a large sample of French adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 12	8.4	29
93	Dietary intakes and diet quality according to levels of organic food consumption by French adults: cross-sectional findings from the NutriNet-Sant[Cohort Study. <i>Public Health Nutrition</i> , 2017 , 20, 638-64	18 ^{3.3}	32
92	Perception of different formats of front-of-pack nutrition labels according to sociodemographic, lifestyle and dietary factors in a French population: cross-sectional study among the NutriNet-Sant cohort participants. <i>BMJ Open</i> , 2017 , 7, e016108	3	41
91	Is organic food consumption associated with life satisfaction? A cross-sectional analysis from the NutriNet-Sant[study. <i>Preventive Medicine Reports</i> , 2017 , 8, 190-196	2.6	4
90	Intuitive Eating Dimensions Were Differently Associated with Food Intake in the General Population-Based NutriNet-Sant[Study. <i>Journal of Nutrition</i> , 2017 , 147, 61-69	4.1	26
89	Dilemma between health and environmental motives when purchasing animal food products: sociodemographic and nutritional characteristics of consumers. <i>BMC Public Health</i> , 2017 , 17, 876	4.1	10
88	Food Choice Motives When Purchasing in Organic and Conventional Consumer Clusters: Focus on Sustainable Concerns (The NutriNet-Sant[Cohort Study). <i>Nutrients</i> , 2017 , 9,	6.7	57
87	Association between Impulsivity and Weight Status in a General Population. Nutrients, 2017, 9,	6.7	37
86	Comparison of Sociodemographic and Nutritional Characteristics between Self-Reported Vegetarians, Vegans, and Meat-Eaters from the NutriNet-Sant (Study. Nutrients, 2017, 9,	6.7	115
85	Relative Influence of Socioeconomic, Psychological and Sensory Characteristics, Physical Activity and Diet on 5-Year Weight Gain in French Adults. <i>Nutrients</i> , 2017 , 9,	6.7	6
84	Validation of the FSA nutrient profiling system dietary index in French adults-findings from SUVIMAX study. <i>European Journal of Nutrition</i> , 2016 , 55, 1901-10	5.2	26
83	Borrow C. Company College Company and Property of the Company of the College C		
<u> </u>	Prospective association between a dietary quality index based on a nutrient profiling system and cardiovascular disease risk. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1669-76	3.9	33
82		3.9	3389
	Impact of Different Front-of-Pack Nutrition Labels on Consumer Purchasing Intentions: A		
82	Impact of Different Front-of-Pack Nutrition Labels on Consumer Purchasing Intentions: A Randomized Controlled Trial. <i>American Journal of Preventive Medicine</i> , 2016 , 50, 627-636 Mind-Body Practice and Body Weight Status in a Large Population-Based Sample of Adults.	6.1	89
82	Impact of Different Front-of-Pack Nutrition Labels on Consumer Purchasing Intentions: A Randomized Controlled Trial. <i>American Journal of Preventive Medicine</i> , 2016 , 50, 627-636 Mind-Body Practice and Body Weight Status in a Large Population-Based Sample of Adults. <i>American Journal of Preventive Medicine</i> , 2016 , 50, e101-e109 Lessons Learned From Methodological Validation Research in E-Epidemiology. <i>JMIR Public Health</i>	6.1	89

(2015-2016)

77	Associations between liking for fat, sweet or salt and obesity risk in French adults: a prospective cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 74	8.4	42
76	The 5-CNL Front-of-Pack Nutrition Label Appears an Effective Tool to Achieve Food Substitutions towards Healthier Diets across Dietary Profiles. <i>PLoS ONE</i> , 2016 , 11, e0157545	3.7	11
75	Intuitive eating is inversely associated with body weight status in the general population-based NutriNet-Sant[study. <i>Obesity</i> , 2016 , 24, 1154-61	8	41
74	Typology of eaters based on conventional and organic food consumption: results from the NutriNet-Sant&chort study. <i>British Journal of Nutrition</i> , 2016 , 116, 700-9	3.6	26
73	Socio-economic indicators are independently associated with intake of animal foods in French adults. <i>Public Health Nutrition</i> , 2016 , 19, 3146-3157	3.3	15
72	Impact of the front-of-pack 5-colour nutrition label (5-CNL) on the nutritional quality of purchases: an experimental study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 101	8.4	41
71	Age at adiposity rebound: determinants and association with nutritional status and the metabolic syndrome at adulthood. <i>International Journal of Obesity</i> , 2016 , 40, 1150-6	5.5	45
70	Application aux produits disponibles sur le marchlfrantis du profil nutritionnel associlau systfine 5 couleurs (5-C): cohfence avec les reptes de consommation du PNNS. <i>Cahiers De Nutrition Et De Dietetique</i> , 2015 , 50, 189-201	0.2	3
69	Performance of a five category front-of-pack labelling system - the 5-colour nutrition label - to differentiate nutritional quality of breakfast cereals in France. <i>BMC Public Health</i> , 2015 , 15, 179	4.1	35
68	The Nutrient Profile of Foods Consumed Using the British Food Standards Agency Nutrient Profiling System Is Associated with Metabolic Syndrome in the SU.VI.MAX Cohort. <i>Journal of Nutrition</i> , 2015 , 145, 2355-61	4.1	28
67	Effets ©long terme de la nutrition au dBut de la vie´: les enseignements de lBude ELANCE. <i>Cahiers De Nutrition Et De Dietetique</i> , 2015 , 50, 315-322	0.2	1
66	Prospective associations between a dietary index based on the British Food Standard Agency nutrient profiling system and 13-year weight gain in the SU.VI.MAX cohort. <i>Preventive Medicine</i> , 2015 , 81, 189-94	4.3	36
65	Cross-cultural validity of the Intuitive Eating Scale-2. Psychometric evaluation in a sample of the general French population. <i>Appetite</i> , 2015 , 84, 34-42	4.5	49
64	Public perception and characteristics related to acceptance of the sugar-sweetened beverage taxation launched in France in 2012. <i>Public Health Nutrition</i> , 2015 , 18, 2679-88	3.3	38
63	Association between sustainable food choice motives during purchasing and dietary patterns in French adults. <i>Proceedings of the Nutrition Society</i> , 2015 , 74,	2.9	2
62	Prospective association between cancer risk and an individual dietary index based on the British Food Standards Agency Nutrient Profiling System. <i>British Journal of Nutrition</i> , 2015 , 114, 1702-10	3.6	31
61	Health and dietary traits of organic food consumers: results from the NutriNet-Sant[study. <i>British Journal of Nutrition</i> , 2015 , 114, 2064-73	3.6	30
60	Discriminating nutritional quality of foods using the 5-Color nutrition label in the French food market: consistency with nutritional recommendations. <i>Nutrition Journal</i> , 2015 , 14, 100	4.3	29

59	Motives for dish choices during home meal preparation: results from a large sample of the NutriNet-Santstudy. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 120	8.4	15
58	Objective Understanding of Front-of-Package Nutrition Labels among Nutritionally At-Risk Individuals. <i>Nutrients</i> , 2015 , 7, 7106-25	6.7	50
57	Contribution of Organic Food to the Diet in a Large Sample of French Adults (the NutriNet-Sant Cohort Study). <i>Nutrients</i> , 2015 , 7, 8615-32	6.7	56
56	Association between Mindfulness and Weight Status in a General Population from the NutriNet-Sant[Study. <i>PLoS ONE</i> , 2015 , 10, e0127447	3.7	21
55	Should the WHO growth charts be used in France?. PLoS ONE, 2015, 10, e0120806	3.7	40
54	Salivary Composition Is Associated with Liking and Usual Nutrient Intake. <i>PLoS ONE</i> , 2015 , 10, e013747	33.7	48
53	Effectiveness of Front-Of-Pack Nutrition Labels in French Adults: Results from the NutriNet-Sant Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0140898	3.7	52
52	Sociodemographic, psychological, and lifestyle characteristics are associated with a liking for salty and sweet tastes in French adults. <i>Journal of Nutrition</i> , 2015 , 145, 587-94	4.1	39
51	Validity of a questionnaire measuring motives for choosing foods including sustainable concerns. <i>Appetite</i> , 2015 , 87, 90-7	4.5	55
50	The associations between emotional eating and consumption of energy-dense snack foods are modified by sex and depressive symptomatology. <i>Journal of Nutrition</i> , 2014 , 144, 1264-73	4.1	80
49	Weight-loss strategies used by the general population: how are they perceived?. <i>PLoS ONE</i> , 2014 , 9, e9	783 / 4	32
48	Association of perception of front-of-pack labels with dietary, lifestyle and health characteristics. <i>PLoS ONE</i> , 2014 , 9, e90971	3.7	20
47	Development and validation of an individual dietary index based on the British Food Standard Agency nutrient profiling system in a French context. <i>Journal of Nutrition</i> , 2014 , 144, 2009-17	4.1	43
46	Liking for fat is associated with sociodemographic, psychological, lifestyle and health characteristics. <i>British Journal of Nutrition</i> , 2014 , 112, 1353-63	3.6	22
45	Starchy food consumption in French adults: a cross-sectional analysis of the profile of consumers and contribution to nutritional intake in a web-based prospective cohort. <i>Annals of Nutrition and Metabolism</i> , 2014 , 64, 28-37	4.5	0
44	Breastfeeding, early nutrition, and adult body fat. <i>Journal of Pediatrics</i> , 2014 , 164, 1363-8	3.6	19
43	Growth trajectories associated with adult obesity. World Review of Nutrition and Dietetics, 2013 , 106, 127-34	0.2	32
42	Differential association between adherence to nutritional recommendations and body weight status across educational levels: a cross-sectional study. <i>Preventive Medicine</i> , 2013 , 57, 488-93	4.3	14

(2010-2013)

41	Sociodemographic, lifestyle and dietary correlates of dietary supplement use in a large sample of French adults: results from the NutriNet-Sant&chort study. <i>British Journal of Nutrition</i> , 2013 , 110, 1480	-91 ⁶	46
40	Sex and dieting modify the association between emotional eating and weight status. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1307-13	7	81
39	Perception of front-of-pack labels according to social characteristics, nutritional knowledge and food purchasing habits. <i>Public Health Nutrition</i> , 2013 , 16, 392-402	3.3	50
38	Consumer acceptability and understanding of front-of-pack nutrition labels. <i>Journal of Human Nutrition and Dietetics</i> , 2013 , 26, 494-503	3.1	49
37	Association of nutrition in early life with body fat and serum leptin at adult age. <i>International Journal of Obesity</i> , 2013 , 37, 1116-22	5.5	50
36	Intake of specific nutrients and foods and hearing level measured 13 years later. <i>British Journal of Nutrition</i> , 2013 , 109, 2079-88	3.6	26
35	Profiles of organic food consumers in a large sample of French adults: results from the Nutrinet-Sant[cohort study. <i>PLoS ONE</i> , 2013 , 8, e76998	3.7	91
34	Validity of web-based self-reported weight and height: results of the Nutrinet-Sant[study. <i>Journal of Medical Internet Research</i> , 2013 , 15, e152	7.6	142
33	Impact of fruit and vegetable vouchers and dietary advice on fruit and vegetable intake in a low-income population. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 369-75	5.2	28
32	Correlates of sedentary behavior in 7 to 9-year-old French children are dependent on maternal weight status. <i>International Journal of Obesity</i> , 2011 , 35, 907-15	5.5	1
31	Body size and growth from birth to 2 years and risk of overweight at 7-9 years. <i>Pediatric Obesity</i> , 2011 , 6, e162-9		27
30	Evidence that the prevalence of childhood overweight is plateauing: data from nine countries. <i>Pediatric Obesity</i> , 2011 , 6, 342-60		429
29	Thirteen-year prospective study between fish consumption, long-chain n-3 fatty acids intakes and cognitive function. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 115-20	5.2	32
28	Fruit and vegetable intake and cognitive function in the SU.VI.MAX 2 prospective study. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1295-303	7	53
27	Assessment of growth: variations according to references and growth parameters used. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1794S-1798S	7	29
26	Stabilization in the prevalence of childhood obesity: a role for early nutrition?. <i>International Journal of Obesity</i> , 2010 , 34, 1524-5	5.5	11
25	Variations in compliance with recommendations and types of meat/seafood/eggs according to sociodemographic and socioeconomic categories. <i>Annals of Nutrition and Metabolism</i> , 2010 , 56, 65-73	4.5	12
24	Sociodemographic factors and attitudes toward food affordability and health are associated with fruit and vegetable consumption in a low-income French population. <i>Journal of Nutrition</i> , 2010 , 140, 82	3 ⁴ 3 ¹ 0	57

23	Associations between dietary patterns and arterial stiffness, carotid artery intima-media thickness and atherosclerosis. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 718-24		52
22	Variations in compliance with starchy food recommendations and consumption of types of starchy foods according to sociodemographic and socioeconomic characteristics. <i>British Journal of Nutrition</i> , 2010 , 103, 1485-92	3.6	9
21	Lifestyle factors related to iodine intakes in French adults. <i>Public Health Nutrition</i> , 2009 , 12, 2428-37	3.3	20
20	Stabilization of overweight prevalence in French children between 2000 and 2007. <i>Pediatric Obesity</i> , 2009 , 4, 66-72		98
19	Dietary patterns and their sociodemographic and behavioural correlates in French middle-aged adults from the SU.VI.MAX cohort. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 521-8	5.2	70
18	Massively obese adolescents were of normal weight at the age of adiposity rebound. <i>Obesity</i> , 2009 , 17, 1309-10	8	9
17	Trends in the prevalence of obesity in employed adults in central-western France: a population-based study, 1995-2005. <i>Preventive Medicine</i> , 2009 , 48, 262-6	4.3	25
16	Influence of dietary restraint and environmental factors on meal size in normal-weight women. A laboratory study. <i>Appetite</i> , 2009 , 53, 309-13	4.5	38
15	Freshness of fruits and vegetables: consumer language and perception. <i>British Food Journal</i> , 2009 , 111, 243-256	2.8	37
14	Prevalence of overweight in 6- to 15-year-old children in central/western France from 1996 to 2006: trends toward stabilization. <i>International Journal of Obesity</i> , 2009 , 33, 401-7	5.5	66
13	Energy density and 6-year anthropometric changes in a middle-aged adult cohort. <i>British Journal of Nutrition</i> , 2009 , 102, 302-9	3.6	29
12	Influence of environmental factors on food intake and choice of beverage during meals in teenagers: a laboratory study. <i>British Journal of Nutrition</i> , 2009 , 102, 1854-9	3.6	49
11	Anthropometric and behavioral patterns associated with weight maintenance after an obesity treatment in adolescents. <i>Journal of Pediatrics</i> , 2008 , 152, 678-84	3.6	16
10	Relationships between different types of fruit and vegetable consumption and serum concentrations of antioxidant vitamins. <i>British Journal of Nutrition</i> , 2008 , 100, 633-41	3.6	23
9	Relationship between iron status and dietary fruit and vegetables based on their vitamin C and fiber content. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1298-305	7	30
8	The French National Nutrition and Health Program score is associated with nutritional status and risk of major chronic diseases. <i>Journal of Nutrition</i> , 2008 , 138, 946-53	4.1	35
7	Dairy consumption and 6-y changes in body weight and waist circumference in middle-aged French adults. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1248-55	7	49
6	Metabolic syndrome definition in children: a focus on the different stages of growth. <i>International Journal of Obesity</i> , 2007 , 31, 1760	5.5	5

LIST OF PUBLICATIONS

5	RELATING CONSUMER EVALUATION OF APPLE FRESHNESS TO SENSORY AND PHYSICO-CHEMICAL MEASUREMENTS. <i>Journal of Sensory Studies</i> , 2007 , 22, 313-335	.2	36
4	A comprehensive approach to evaluate the freshness of strawberries and carrots. <i>Postharvest Biology and Technology</i> , 2007 , 45, 20-29	.2	79
3	Dietary patterns and blood pressure change over 5-y follow-up in the SU.VI.MAX cohort. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1650-6		105
2	Importance and consumer perception of freshness of apples. <i>Food Quality and Preference</i> , 2006 , 17, 9-19 ₅	.8	128
1	Diet and physical activity during the COVID-19 lockdown period (March-May 2020): results from the French NutriNet-SantItohort study		44