
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4053744/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Key Findings of the French BioNutriNet Project on Organic Food–Based Diets: Description, Determinants, and Relationships to Health and the Environment. Advances in Nutrition, 2022, 13, 208-224.	6.4	16
2	Resilience Is Associated with Less Eating Disorder Symptoms in the NutriNet-Santé Cohort Study. International Journal of Environmental Research and Public Health, 2022, 19, 1471.	2.6	4
3	Ultra-processed food intake and eating disorders: Cross-sectional associations among French adults. Journal of Behavioral Addictions, 2022, 11, 588-599.	3.7	3
4	Do individual sustainable food purchase motives translate into an individual shift towards a more sustainable diet? A longitudinal analysis in the NutriNet-Santé cohort. Cleaner and Responsible Consumption, 2022, 5, 100062.	3.0	6
5	BMI at age 3 years predicts later BMI but age at adiposity rebound conveys information on BMI patternâ€health association. Obesity, 2022, 30, 1133-1134.	3.0	1
6	Mastery Is Associated With Weight Status, Food Intake, Snacking, and Eating Disorder Symptoms in the NutriNet-Santé Cohort Study. Frontiers in Nutrition, 2022, 9, .	3.7	1
7	Associations between Resilience and Food Intake Are Mediated by Emotional Eating in the NutriNet-Santé Study. Journal of Nutrition, 2022, 152, 1907-1915.	2.9	2
8	A population-based study of macronutrient intake according to mental health status with a focus on pure and comorbid anxiety and eating disorders. European Journal of Nutrition, 2022, 61, 3685-3696.	3.9	2
9	Consumption of Ultra-Processed Foods by Pesco-Vegetarians, Vegetarians, and Vegans: Associations with Duration and Age at Diet Initiation. Journal of Nutrition, 2021, 151, 120-131.	2.9	100
10	Anxiety is a potential effect modifier of the association between red and processed meat consumption and cancer risk: findings from the NutriNet-Santé cohort. European Journal of Nutrition, 2021, 60, 1887-1896.	3.9	4
11	Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income population. BMJ Open, 2021, 11, e041196.	1.9	15
12	The impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of unprocessed and processed foods: post-hoc analyses from three randomized controlled trials. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 38.	4.6	22
13	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March–May 2020): results from the French NutriNet-Santé cohort study. American Journal of Clinical Nutrition, 2021, 113, 924-938.	4.7	284
14	The inflammatory potential of the diet is prospectively associated with subjective hearing loss. European Journal of Nutrition, 2021, 60, 3669-3678.	3.9	3
15	A Comparison of Sugar Intake between Individuals with High and Low Trait Anxiety: Results from the NutriNet-Santé Study. Nutrients, 2021, 13, 1526.	4.1	9
16	Trends in breastfeeding practices and mothers' experience in the French NutriNet-Santé cohort. International Breastfeeding Journal, 2021, 16, 50.	2.6	6
17	Dietary macronutrient intake according to sex and trait anxiety level among non-diabetic adults: a cross-sectional study. Nutrition Journal, 2021, 20, 78.	3.4	5
18	Early Adiposity Rebound Predicts Later Overweight and Provides Useful Information on Obesity Development. Childhood Obesity, 2021, 17, 427-428.	1.5	1

#	Article	IF	CITATIONS
19	Resilience Predicts Lower Anxiety and Depression and Greater Recovery after a Vicarious Trauma. International Journal of Environmental Research and Public Health, 2021, 18, 12608.	2.6	13
20	Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Santé cohort. BMC Medicine, 2021, 19, 290.	5.5	26
21	Relationship between sensory liking for fat, sweet or salt and cardiometabolic diseases: mediating effects of diet and weight status. European Journal of Nutrition, 2020, 59, 249-261.	3.9	5
22	Dispositional optimism is associated with weight status, eating behavior, and eating disorders in a general populationâ€based study. International Journal of Eating Disorders, 2020, 53, 1696-1708.	4.0	6
23	Optimism is associated with diet quality, food group consumption and snacking behavior in a general population. Nutrition Journal, 2020, 19, 6.	3.4	9
24	Individual characteristics associated with changes in the contribution of plant foods to dietary intake in a French prospective cohort. European Journal of Nutrition, 2019, 58, 1991-2002.	3.9	5
25	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. American Journal of Public Health, 2019, 109, 1122-1129.	2.7	34
26	Cognitive Restraint and History of Dieting Are Negatively Associated with Organic Food Consumption in a Large Population-Based Sample of Organic Food Consumers. Nutrients, 2019, 11, 2468.	4.1	5
27	Impulsivity is associated with food intake, snacking, and eating disorders in a general population. American Journal of Clinical Nutrition, 2019, 109, 117-126.	4.7	40
28	Sociodemographic correlates of eating disorder subtypes among men and women in France, with a focus on age. Journal of Epidemiology and Community Health, 2019, 73, 56-64.	3.7	13
29	Energy, nutrient and food content of snacks in French adults. Nutrition Journal, 2018, 17, 33.	3.4	24
30	Socio-economic and demographic factors associated with snacking behavior in a large sample of French adults. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 25.	4.6	21
31	Déterminants et corrélats de la consommation d'aliments issus de l'agriculture biologique. Résulta du projet BioNutriNet. Cahiers De Nutrition Et De Dietetique, 2018, 53, 43-52.	ats 0.3	8
32	Influence of food preparation behaviors on 5-year weight change and obesity risk in a French prospective cohort. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 120.	4.6	15
33	Child temperament predicts the adiposity rebound. A 9-year prospective sibling control study. PLoS ONE, 2018, 13, e0207279.	2.5	5
34	Impulsivity and consideration of future consequences as moderators of the association between emotional eating and body weight status. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 84.	4.6	23
35	Adherence to the French Eating Model is inversely associated with overweight and obesity: results from a large sample of French adults. British Journal of Nutrition, 2018, 120, 231-239.	2.3	17
36	Mindfulness Is Associated with the Metabolic Syndrome among Individuals with a Depressive Symptomatology. Nutrients, 2018, 10, 232.	4.1	2

#	Article	IF	CITATIONS
37	Association between time perspective and organic food consumption in a large sample of adults. Nutrition Journal, 2018, 17, 1.	3.4	78
38	Growth Trajectories of Body Mass Index during Childhood: Associated Factors and Health Outcome at Adulthood. Journal of Pediatrics, 2017, 186, 64-71.e1.	1.8	56
39	Association between a dietary quality index based on the food standard agency nutrient profiling system and cardiovascular disease risk among French adults. International Journal of Cardiology, 2017, 234, 22-27.	1.7	47
40	Associations between motives for dish choice during home-meal preparation and diet quality in French adults: findings from the NutriNet-Santé study. British Journal of Nutrition, 2017, 117, 851-861.	2.3	4
41	Are self-reported unhealthy food choices associated with an increased risk of breast cancer? Prospective cohort study using the British Food Standards Agency nutrient profiling system. BMJ Open, 2017, 7, e013718.	1.9	31
42	Body mass index growth trajectories associated with the different parameters of the metabolic syndrome at adulthood. International Journal of Obesity, 2017, 41, 1518-1525.	3.4	18
43	Meal planning is associated with food variety, diet quality and body weight status in a large sample of French adults. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 12.	4.6	64
44	Dietary intakes and diet quality according to levels of organic food consumption by French adults: cross-sectional findings from the NutriNet-Santé Cohort Study. Public Health Nutrition, 2017, 20, 638-648.	2.2	42
45	Perception of different formats of front-of-pack nutrition labels according to sociodemographic, lifestyle and dietary factors in a French population: cross-sectional study among the NutriNet-Santé cohort participants. BMJ Open, 2017, 7, e016108.	1.9	62
46	ls organic food consumption associated with life satisfaction? A cross-sectional analysis from the NutriNet-Santé study. Preventive Medicine Reports, 2017, 8, 190-196.	1.8	9
47	Intuitive Eating Dimensions Were Differently Associated with Food Intake in the General Population–Based NutriNet-Santé Study. Journal of Nutrition, 2017, 147, 61-69.	2.9	37
48	Dilemma between health and environmental motives when purchasing animal food products: sociodemographic and nutritional characteristics of consumers. BMC Public Health, 2017, 17, 876.	2.9	17
49	Food Choice Motives When Purchasing in Organic and Conventional Consumer Clusters: Focus on Sustainable Concerns (The NutriNet-Santé Cohort Study). Nutrients, 2017, 9, 88.	4.1	93
50	Association between Impulsivity and Weight Status in a General Population. Nutrients, 2017, 9, 217.	4.1	55
51	Comparison of Sociodemographic and Nutritional Characteristics between Self-Reported Vegetarians, Vegans, and Meat-Eaters from the NutriNet-Santé Study. Nutrients, 2017, 9, 1023.	4.1	203
52	Relative Influence of Socioeconomic, Psychological and Sensory Characteristics, Physical Activity and Diet on 5-Year Weight Gain in French Adults. Nutrients, 2017, 9, 1179.	4.1	9
53	Nutrient Intakes in Early Life and Risk of Obesity. International Journal of Environmental Research and Public Health, 2016, 13, 564.	2.6	62
54	Association between Motives for Dish Choices during Home Meal Preparation and Weight Status in the NutriNet-Santé Study. Nutrients, 2016, 8, 413.	4.1	8

#	Article	IF	CITATIONS
55	Associations between liking for fat, sweet or salt and obesity risk in French adults: a prospective cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 74.	4.6	60
56	The 5-CNL Front-of-Pack Nutrition Label Appears an Effective Tool to Achieve Food Substitutions towards Healthier Diets across Dietary Profiles. PLoS ONE, 2016, 11, e0157545.	2.5	18
57	Intuitive eating is inversely associated with body weight status in the general populationâ€based NutriNet‧anté study. Obesity, 2016, 24, 1154-1161.	3.0	63
58	Typology of eaters based on conventional and organic food consumption: results from the NutriNet-Santé cohort study. British Journal of Nutrition, 2016, 116, 700-709.	2.3	36
59	Socio-economic indicators are independently associated with intake of animal foods in French adults. Public Health Nutrition, 2016, 19, 3146-3157.	2.2	19
60	Impact of the front-of-pack 5-colour nutrition label (5-CNL) on the nutritional quality of purchases: an experimental study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 101.	4.6	64
61	Age at adiposity rebound: determinants and association with nutritional status and the metabolic syndrome at adulthood. International Journal of Obesity, 2016, 40, 1150-1156.	3.4	56
62	Prospective association between a dietary quality index based on a nutrient profiling system and cardiovascular disease risk. European Journal of Preventive Cardiology, 2016, 23, 1669-1676.	1.8	62
63	Impact of Different Front-of-Pack Nutrition Labels on Consumer Purchasing Intentions. American Journal of Preventive Medicine, 2016, 50, 627-636.	3.0	150
64	Mindâ^'Body Practice and Body Weight Status in a Large Population-Based Sample of Adults. American Journal of Preventive Medicine, 2016, 50, e101-e109.	3.0	4
65	Validation of the FSA nutrient profiling system dietary index in French adults—findings from SUVIMAX study. European Journal of Nutrition, 2016, 55, 1901-1910.	3.9	39
66	Lessons Learned From Methodological Validation Research in E-Epidemiology. JMIR Public Health and Surveillance, 2016, 2, e160.	2.6	13
67	Public perception and characteristics related to acceptance of the sugar-sweetened beverage taxation launched in France in 2012. Public Health Nutrition, 2015, 18, 2679-2688.	2.2	57
68	Association between sustainable food choice motives during purchasing and dietary patterns in French adults. Proceedings of the Nutrition Society, 2015, 74, .	1.0	2
69	Prospective association between cancer risk and an individual dietary index based on the British Food Standards Agency Nutrient Profiling System. British Journal of Nutrition, 2015, 114, 1702-1710.	2.3	52
70	Health and dietary traits of organic food consumers: results from the NutriNet-Santé study. British Journal of Nutrition, 2015, 114, 2064-2073.	2.3	39
71	Discriminating nutritional quality of foods using the 5-Color nutrition label in the French food market: consistency with nutritional recommendations. Nutrition Journal, 2015, 14, 100.	3.4	47
72	Motives for dish choices during home meal preparation: results from a large sample of the NutriNet-Santé study. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 120.	4.6	21

#	Article	IF	CITATIONS
73	Objective Understanding of Front-of-Package Nutrition Labels among Nutritionally At-Risk Individuals. Nutrients, 2015, 7, 7106-7125.	4.1	80

## Contribution of Organic Food to the Diet in a Large Sample of French Adults (the NutriNet-Santé) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5

75	Association between Mindfulness and Weight Status in a General Population from the NutriNet-Santé Study. PLoS ONE, 2015, 10, e0127447.	2.5	33
76	Should the WHO Growth Charts Be Used in France?. PLoS ONE, 2015, 10, e0120806.	2.5	56
77	Salivary Composition Is Associated with Liking and Usual Nutrient Intake. PLoS ONE, 2015, 10, e0137473.	2.5	60
78	Effectiveness of Front-Of-Pack Nutrition Labels in French Adults: Results from the NutriNet-Santé Cohort Study. PLoS ONE, 2015, 10, e0140898.	2.5	85
79	Sociodemographic, Psychological, and Lifestyle Characteristics Are Associated with a Liking for Salty and Sweet Tastes in French Adults ,. Journal of Nutrition, 2015, 145, 587-594.	2.9	53
80	Validity of a questionnaire measuring motives for choosing foods including sustainable concerns. Appetite, 2015, 87, 90-97.	3.7	82
81	Application aux produits disponibles sur le marché français du profil nutritionnel associé au système 5Acouleurs (5-C)Â: cohérence avec les repères de consommation du PNNS. Cahiers De Nutrition Et De Dietetique, 2015, 50, 189-201.	0.3	4
82	Performance of a five category front-of-pack labelling system – the 5-colour nutrition label – to differentiate nutritional quality of breakfast cereals in France. BMC Public Health, 2015, 15, 179.	2.9	43
83	The Nutrient Profile of Foods Consumed Using the British Food Standards Agency Nutrient Profiling System Is Associated with Metabolic Syndrome in the SU.VI.MAX Cohort. Journal of Nutrition, 2015, 145, 2355-2361.	2.9	54
84	Prospective associations between a dietary index based on the British Food Standard Agency nutrient profiling system and 13-year weight gain in the SU.VI.MAX cohort. Preventive Medicine, 2015, 81, 189-194.	3.4	59
85	Cross-cultural validity of the Intuitive Eating Scale-2. Psychometric evaluation in a sample of the general French population. Appetite, 2015, 84, 34-42.	3.7	80
86	Association of Perception of Front-of-Pack Labels with Dietary, Lifestyle and Health Characteristics. PLoS ONE, 2014, 9, e90971.	2.5	23
87	Development and Validation of an Individual Dietary Index Based on the British Food Standard Agency Nutrient Profiling System in a French Context. Journal of Nutrition, 2014, 144, 2009-2017.	2.9	63
88	Liking for fat is associated with sociodemographic, psychological, lifestyle and health characteristics. British Journal of Nutrition, 2014, 112, 1353-1363.	2.3	29
89	Starchy Food Consumption in French Adults: A Cross-Sectional Analysis of the Profile of Consumers and Contribution to Nutritional Intake in a Web-Based Prospective Cohort. Annals of Nutrition and Metabolism, 2014, 64, 28-37.	1.9	2
90	Breastfeeding, Early Nutrition, and Adult Body Fat. Journal of Pediatrics, 2014, 164, 1363-1368.	1.8	22

#	Article	IF	CITATIONS
91	The Associations between Emotional Eating and Consumption of Energy-Dense Snack Foods Are Modified by Sex and Depressive Symptomatology. Journal of Nutrition, 2014, 144, 1264-1273.	2.9	127
92	Weight-Loss Strategies Used by the General Population: How Are They Perceived?. PLoS ONE, 2014, 9, e97834.	2.5	47
93	Growth Trajectories Associated with Adult Obesity. World Review of Nutrition and Dietetics, 2013, 106, 127-134.	0.3	45
94	Differential association between adherence to nutritional recommendations and body weight status across educational levels: a cross-sectional study. Preventive Medicine, 2013, 57, 488-493.	3.4	16
95	Sociodemographic, lifestyle and dietary correlates of dietary supplement use in a large sample of French adults: results from the NutriNet-Santé cohort study. British Journal of Nutrition, 2013, 110, 1480-1491.	2.3	61
96	Sex and dieting modify the association between emotional eating and weight status. American Journal of Clinical Nutrition, 2013, 97, 1307-1313.	4.7	122
97	Perception of front-of-pack labels according to social characteristics, nutritional knowledge and food purchasing habits. Public Health Nutrition, 2013, 16, 392-402.	2.2	64
98	Consumer acceptability and understanding of frontâ€ofâ€pack nutrition labels. Journal of Human Nutrition and Dietetics, 2013, 26, 494-503.	2.5	61
99	Association of nutrition in early life with body fat and serum leptin at adult age. International Journal of Obesity, 2013, 37, 1116-1122.	3.4	63
100	Intake of specific nutrients and foods and hearing level measured 13 years later. British Journal of Nutrition, 2013, 109, 2079-2088.	2.3	31
101	Profiles of Organic Food Consumers in a Large Sample of French Adults: Results from the Nutrinet-SantA© Cohort Study. PLoS ONE, 2013, 8, e76998.	2.5	119
102	Validity of Web-Based Self-Reported Weight and Height: Results of the Nutrinet-Santé Study. Journal of Medical Internet Research, 2013, 15, e152.	4.3	198
103	Impact of fruit and vegetable vouchers and dietary advice on fruit and vegetable intake in a low-income population. European Journal of Clinical Nutrition, 2012, 66, 369-375.	2.9	44
104	Correlates of sedentary behavior in 7 to 9-year-old French children are dependent on maternal weight status. International Journal of Obesity, 2011, 35, 907-915.	3.4	2
105	Body size and growth from birth to 2 years and risk of overweight at 7–9 years. Pediatric Obesity, 2011, 6, e162-e169.	3.2	28
106	Evidence that the prevalence of childhood overweight is plateauing: data from nine countries. Pediatric Obesity, 2011, 6, 342-360.	3.2	486
107	Thirteen-year prospective study between fish consumption, long-chain N-3 fatty acids intakes and cognitive function. Journal of Nutrition, Health and Aging, 2011, 15, 115-120.	3.3	42
108	Fruit and vegetable intake and cognitive function in the SU.VI.MAX 2 prospective study. American Journal of Clinical Nutrition, 2011, 94, 1295-1303.	4.7	67

#	Article	IF	CITATIONS
109	Assessment of growth: variations according to references and growth parameters used. American Journal of Clinical Nutrition, 2011, 94, S1794-S1798.	4.7	36
110	Variations in compliance with starchy food recommendations and consumption of types of starchy foods according to sociodemographic and socioeconomic characteristics. British Journal of Nutrition, 2010, 103, 1485-1492.	2.3	9
111	Stabilization in the prevalence of childhood obesity: a role for early nutrition?. International Journal of Obesity, 2010, 34, 1524-1525.	3.4	13
112	Variations in Compliance with Recommendations and Types of Meat/Seafood/Eggs according to Sociodemographic and Socioeconomic Categories. Annals of Nutrition and Metabolism, 2010, 56, 65-73.	1.9	17
113	Sociodemographic Factors and Attitudes toward Food Affordability and Health Are Associated with Fruit and Vegetable Consumption in a Low-Income French Population. Journal of Nutrition, 2010, 140, 823-830.	2.9	67
114	Associations between dietary patterns and arterial stiffness, carotid artery intima-media thickness and atherosclerosis. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 718-724.	2.8	63
115	Lifestyle factors related to iodine intakes in French adults. Public Health Nutrition, 2009, 12, 2428-2437.	2.2	23
116	Stabilization of overweight prevalence in French children between 2000 and 2007. Pediatric Obesity, 2009, 4, 66-72.	3.2	117
117	Dietary patterns and their sociodemographic and behavioural correlates in French middle-aged adults from the SU.VI.MAX cohort. European Journal of Clinical Nutrition, 2009, 63, 521-528.	2.9	81
118	Massively Obese Adolescents Were of Normal Weight at the Age of Adiposity Rebound. Obesity, 2009, 17, 1309-1310.	3.0	13
119	Trends in the prevalence of obesity in employed adults in central-western France: A population-based study, 1995–2005. Preventive Medicine, 2009, 48, 262-266.	3.4	30
120	Influence of dietary restraint and environmental factors on meal size in normal-weight women. A laboratory study. Appetite, 2009, 53, 309-313.	3.7	45
121	Freshness of fruits and vegetables: consumer language and perception. British Food Journal, 2009, 111, 243-256.	2.9	51
122	Prevalence of overweight in 6- to 15-year-old children in central/western France from 1996 to 2006: trends toward stabilization. International Journal of Obesity, 2009, 33, 401-407.	3.4	87
123	Energy density and 6-year anthropometric changes in a middle-aged adult cohort. British Journal of Nutrition, 2009, 102, 302-309.	2.3	32
124	Influence of environmental factors on food intake and choice of beverage during meals in teenagers: a laboratory study. British Journal of Nutrition, 2009, 102, 1854-1859.	2.3	53
125	Anthropometric and Behavioral Patterns Associated with Weight Maintenance after an Obesity Treatment in Adolescents. Journal of Pediatrics, 2008, 152, 678-684.	1.8	22
126	Relationships between different types of fruit and vegetable consumption and serum concentrations of antioxidant vitamins. British Journal of Nutrition, 2008, 100, 633-641.	2.3	28

#	Article	IF	CITATIONS
127	Relationship between iron status and dietary fruit and vegetables based on their vitamin C and fiber content. American Journal of Clinical Nutrition, 2008, 87, 1298-1305.	4.7	38
128	The French National Nutrition and Health Program Score Is Associated with Nutritional Status and Risk of Major Chronic Diseases3. Journal of Nutrition, 2008, 138, 946-953.	2.9	46
129	Dairy consumption and 6-y changes in body weight and waist circumference in middle-aged French adults. American Journal of Clinical Nutrition, 2008, 88, 1248-55.	4.7	59
130	Dietary patterns and blood pressure change over 5-y follow-up in the SU.VI.MAX cohort. American Journal of Clinical Nutrition, 2007, 85, 1650-1656.	4.7	116
131	Metabolic syndrome definition in children: a focus on the different stages of growth. International Journal of Obesity, 2007, 31, 1760-1760.	3.4	6
132	RELATING CONSUMER EVALUATION OF APPLE FRESHNESS TO SENSORY AND PHYSICO-CHEMICAL MEASUREMENTS. Journal of Sensory Studies, 2007, 22, 313-335.	1.6	45
133	A comprehensive approach to evaluate the freshness of strawberries and carrots. Postharvest Biology and Technology, 2007, 45, 20-29.	6.0	95
134	Importance and consumer perception of freshness of apples. Food Quality and Preference, 2006, 17, 9-19.	4.6	167