Brian D Cherrington

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/405441/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association of Sputum Neutrophil Extracellular Trap Subsets With IgA Anti–Citrullinated Protein Antibodies in Subjects at Risk for Rheumatoid Arthritis. Arthritis and Rheumatology, 2022, 74, 38-48.	5.6	22
2	Progesterone stimulates histone citrullination to increase IGFBP1 expression in uterine cells. Reproduction, 2021, 162, 117-127.	2.6	7
3	Identification and Characterization of the Lactating Mouse Mammary Gland Citrullinome. International Journal of Molecular Sciences, 2020, 21, 2634.	4.1	4
4	Decreased microRNA-125b-5p disrupts follicle steroidogenesis through targeting PAK3/ERK1/2 signalling in mouse preantral follicles. Metabolism: Clinical and Experimental, 2020, 107, 154241.	3.4	20
5	Plasticity of Anterior Pituitary Gonadotrope Cells Facilitates the Pre-Ovulatory LH Surge. Frontiers in Endocrinology, 2020, 11, 616053.	3.5	7
6	Warmed Winter Water Temperatures Alter Reproduction in Two Fish Species. Environmental Management, 2018, 61, 291-303.	2.7	24
7	Histone Citrullination Represses MicroRNA Expression, Resulting in Increased Oncogene mRNAs in Somatolactotrope Cells. Molecular and Cellular Biology, 2018, 38, .	2.3	22
8	Anti–Citrullinated Protein Antibodies Are Associated With Neutrophil Extracellular Traps in the Sputum in Relatives of Rheumatoid Arthritis Patients. Arthritis and Rheumatology, 2017, 69, 1165-1175.	5.6	93
9	Citrullination regulates the expression of insulin-like growth factor-binding protein 1 (IGFBP1) in ovine uterine luminal epithelial cells. Reproduction, 2017, 153, 1-10.	2.6	11
10	GnRH Stimulates Peptidylarginine Deiminase Catalyzed Histone Citrullination in Gonadotrope Cells. Molecular Endocrinology, 2016, 30, 1081-1091.	3.7	16
11	Dynamin Is Required for GnRH Signaling to L-Type Calcium Channels and Activation of ERK. Endocrinology, 2016, 157, 831-843.	2.8	14
12	Peptidylarginine Deiminase 3 (PAD3) Is Upregulated by Prolactin Stimulation of CID-9 Cells and Expressed in the Lactating Mouse Mammary Gland. PLoS ONE, 2016, 11, e0147503.	2.5	10
13	PAD Enzymes in Female Reproductive Tissues and Cancer Pathogenesis. , 2014, , 305-326.		1
14	Msx1 Homeodomain Protein Represses the αGSU and GnRH Receptor Genes During Gonadotrope Development. Molecular Endocrinology, 2013, 27, 422-436.	3.7	33
15	Dysregulation of PAD4-mediated citrullination of nuclear GSK3β activates TGF-β signaling and induces epithelial-to-mesenchymal transition in breast cancer cells. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 11851-11856.	7.1	109
16	Peptidylarginine deiminase 2-catalyzed histone H3 arginine 26 citrullination facilitates estrogen receptor α target gene activation. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 13331-13336.	7.1	173
17	Potential Role of Peptidylarginine Deiminase Enzymes and Protein Citrullination in Cancer Pathogenesis. Biochemistry Research International, 2012, 2012, 1-11.	3.3	103
18	Comparative Analysis of Peptidylarginine Deiminase-2 Expression in Canine, Feline and Human Mammary Tumours. Journal of Comparative Pathology, 2012, 147, 139-146.	0.4	16

BRIAN D CHERRINGTON

#	Article	IF	CITATIONS
19	Identification of PADI2 as a potential breast cancer biomarker and therapeutic target. BMC Cancer, 2012, 12, 500.	2.6	93
20	Potential Role for PAD2 in Gene Regulation in Breast Cancer Cells. PLoS ONE, 2012, 7, e41242.	2.5	82
21	Role for Peptidylarginine Deiminase Enzymes in Disease and Female Reproduction. Journal of Reproduction and Development, 2012, 58, 274-282.	1.4	53
22	Genome-Wide Analysis Reveals PADI4 Cooperates with Elk-1 to Activate c-Fos Expression in Breast Cancer Cells. PLoS Genetics, 2011, 7, e1002112.	3.5	107
23	Potential Role for Peptidylarginine Deiminase 2 (PAD2) in Citrullination of Canine Mammary Epithelial Cell Histones. PLoS ONE, 2010, 5, e11768.	2.5	69
24	Multiple core homeodomain binding motifs differentially contribute to transcriptional activity of the murine gonadotropin-releasing hormone receptor gene promoter. Endocrine, 2009, 35, 356-364.	2.3	7
25	Insulin augments gonadotropin-releasing hormone induction of translation in L 2 T2 cells. Molecular and Cellular Endocrinology, 2009, 311, 47-54.	3.2	32
26	NeuroD1 and Mash1 temporally regulate GnRH receptor gene expression in immortalized mouse gonadotrope cells. Molecular and Cellular Endocrinology, 2008, 295, 106-114.	3.2	17
27	Immunoreactive GnRH type I receptors in the mouse and sheep brain. Journal of Chemical Neuroanatomy, 2008, 35, 326-333.	2.1	46
28	A Specific Helical Orientation Underlies the Functional Contribution of the Activin Responsive Unit to Transcriptional Activity of the Murine Gonadotropin-Releasing Hormone Receptor Gene Promoter. Endocrine, 2006, 29, 425-434.	2.2	4
29	Activin Responsiveness of the Murine Gonadotropin-Releasing Hormone Receptor Gene Is Mediated by a Composite Enhancer Containing Spatially Distinct Regulatory Elements. Molecular Endocrinology, 2005, 19, 898-912.	3.7	21
30	c-Jun N-Terminal Kinase Activation of Activator Protein-1 Underlies Homologous Regulation of the Gonadotropin-Releasing Hormone Receptor Gene in αT3-1 Cells. Endocrinology, 2003, 144, 839-849.	2.8	37