

Inmaculada Fernandez Fernandez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4056254/publications.pdf>

Version: 2024-02-01

88
papers

3,406
citations

172457

29
h-index

149698

56
g-index

106
all docs

106
docs citations

106
times ranked

2957
citing authors

#	ARTICLE	IF	CITATIONS
1	Biologically Relevant Micellar Nanocarrier Systems for Drug Encapsulation and Functionalization of Metallic Nanoparticles. <i>Nanomaterials</i> , 2022, 12, 1753.	4.1	6
2	Carbohydrate-Based NK1R Antagonists with Broad-Spectrum Anticancer Activity. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 10350-10370.	6.4	10
3	Clickable iron oxide NPs based on catechol derived ligands: synthesis and characterization. <i>Soft Matter</i> , 2020, 16, 3257-3266.	2.7	14
4	Steric Tuning of Sulfinamide/Sulfoxides as Chiral Ligands with C1, Pseudo-meso, and Pseudo-C2 Symmetries: Application in Rhodium(I)-Mediated Arylation. <i>Organic Letters</i> , 2019, 21, 6513-6518.	4.6	7
5	Synthesis and Characterization of New Biocompatible Amino Amphiphilic Compounds Derived from Oleic Acid as Nanovectors for Drug Delivery. <i>Proceedings (mdpi)</i> , 2019, 41, 1.	0.2	1
6	<i>N</i> -Isopropylsulfinylimines vs. <i>N</i> -tert-butylsulfinylimines in the stereoselective synthesis of sterically hindered amines: an improved synthesis of enantiopure (<i>R</i>)- and (<i>S</i>)-rimantadine and the trifluoromethylated analogues. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 9854-9858.	2.8	3
7	NMR study on the stabilization and chiral discrimination of sulforaphane enantiomers and analogues by cyclodextrins. <i>Carbohydrate Polymers</i> , 2018, 187, 118-125.	10.2	10
8	An Efficient and Practical Method for the Enantioselective Synthesis of Tertiary Trifluoromethyl Carbinols. <i>Advanced Synthesis and Catalysis</i> , 2018, 360, 1273-1279.	4.3	21
9	Biologically Active Isothiocyanates: Protecting Plants and Healing Humans. <i>Studies in Natural Products Chemistry</i> , 2017, 53, 167-242.	1.8	5
10	Pyrene-tagged carbohydrate-based mixed P/S ligand: spacer effect on the Rh-catalyzed hydrogenation of methyl \pm -acetamidocinnamate. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 5772-5780.	2.8	5
11	Design, synthesis and biological studies of a library of NK1-Receptor Ligands Based on a 5-arylthiosubstituted 2-amino-4,6-diaryl-3-cyano-4 H -pyran core: Switch from antagonist to agonist effect by chemical modification. <i>European Journal of Medicinal Chemistry</i> , 2017, 138, 644-660.	5.5	24
12	Stereoselective Synthesis of <i>P</i> -Stereogenic <i>N</i> -Phosphinyl Compounds. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 255-259.	2.4	10
13	Sulfinamide Phosphinates as Chiral Catalysts for the Enantioselective Organocatalytic Reduction of Imines. <i>Organic Letters</i> , 2016, 18, 3258-3261.	4.6	41
14	Tuning of glyconanomaterial shape and size for selective bacterial cell agglutination. <i>Journal of Materials Chemistry B</i> , 2016, 4, 2028-2037.	5.8	31
15	Pseudo enantiomeric mixed S/P ligands derived from carbohydrates for the 1,4-addition of phenyl boronic acid to cyclohexenone. <i>RSC Advances</i> , 2016, 6, 3041-3047.	3.6	6
16	Synthesis of 1D-glyconanomaterials by a hybrid noncovalent-covalent functionalization of single wall carbon nanotubes: a study of their selective interactions with lectins and with live cells. <i>Nanoscale</i> , 2015, 7, 19259-19272.	5.6	16
17	Studies on the diastereoselective oxidation of 1-thio- β -D-glucofuranosides: synthesis of the usually less favoured <i>R</i> -sulfoxide as a single diastereoisomer. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 1904-1914.	2.8	11
18	<i>Sulfolefin</i> : a mixed sulfinamido-olefin ligand in enantioselective rhodium-catalyzed addition of arylboronic acids to trifluoromethyl ketones. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 1211-1214.	2.8	19

#	ARTICLE	IF	CITATIONS
19	DMAP-Catalysed Sulfinylation of Diacetone-D-Glucose: Improved Method for the Synthesis of Enantiopure tert-Butyl Sulfoxides and tert-Butanesulfinamides. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 6935-6944.	2.4	17
20	Sulforaphane homologues: Enantiodivergent synthesis of both enantiomers, activation of the Nrf2 transcription factor and selective cytotoxic activity. <i>European Journal of Medicinal Chemistry</i> , 2014, 87, 552-563.	5.5	30
21	Glyconanosomes: Disk-Shaped Nanomaterials for the Water Solubilization and Delivery of Hydrophobic Molecules. <i>ACS Nano</i> , 2013, 7, 2145-2153.	14.6	24
22	Reaction of Enolates. , 2013, , 47-63.		6
23	Synthesis and non-covalent functionalization of carbon nanotubes rings: new nanomaterials with lectin affinity. <i>Nanotechnology</i> , 2013, 24, 085604.	2.6	14
24	Proline-coated gold nanoparticles as a highly efficient nanocatalyst for the enantioselective direct aldol reaction in water. <i>RSC Advances</i> , 2013, 3, 3861.	3.6	12
25	Flexible C2-Symmetric Bis-Sulfoxides as Ligands in Enantioselective 1,4-Addition of Boronic Acids to Electron-Deficient Alkenes. <i>Journal of Organic Chemistry</i> , 2013, 78, 6510-6521.	3.2	32
26	Supramolecular Diversity through Click Chemistry: Switching from Nanomicelles to 1D-Nanotubes and Tridimensional Hydrogels. <i>Chemistry of Materials</i> , 2013, 25, 4250-4261.	6.7	42
27	Asymmetric Rhodium-Catalyzed 1,4- and 1,2-Additions of Arylboronic Acids to Activated Ketones in Water at Room Temperature Using a Mixed Sulfur-Olefin Ligand. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 1303-1307.	4.3	18
28	P/S ligands derived from carbohydrates in Rh-catalyzed hydrosilylation of ketones. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 355-360.	2.8	14
29	Highly modular mixed S/Olefin ligands for enantioselective Rh-catalyzed 1,4-addition. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 2366.	2.8	33
30	ClickCarb™: modular sugar based ligands via click chemistry. <i>Tetrahedron Letters</i> , 2012, 53, 395-398.	1.4	15
31	Copper-Catalyzed Azide-Alkyne Cycloaddition in the Synthesis of Polydiacetylene: Click Glycoliposome as Biosensors for the Specific Detection of Lectins. <i>Chemistry - A European Journal</i> , 2011, 17, 1828-1836.	3.3	38
32	Improved non-covalent biofunctionalization of multi-walled carbon nanotubes using carbohydrate amphiphiles with a butterfly-like polyaromatic tail. <i>Nano Research</i> , 2010, 3, 764-778.	10.4	44
33	Enantiodivergent Approach to Trifluoromethylated Amines: A Concise Route to Both Enantiomeric Analogues of Calcimimetic NPS R568. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 1502-1509.	2.4	17
34	Chiral sulfur derivatives in the allylation of acyl hydrazones: C2-symmetric bis-sulfinamides as enhanced chiral organic promoters. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 4388.	2.8	22
35	Enantiopure Sulforaphane Analogues with Various Substituents at the Sulfinyl Sulfur: Asymmetric Synthesis and Biological Activities. <i>Journal of Organic Chemistry</i> , 2009, 74, 6002-6009.	3.2	37
36	Axial Chirality Control During Suzuki-Miyaura Cross-Coupling Reactions: The tert-Butylsulfinyl Group as an Efficient Chiral Auxiliary. <i>Organic Letters</i> , 2009, 11, 5130-5133.	4.6	46

#	ARTICLE	IF	CITATIONS
37	Tailoring carbon nanotube surfaces with glyconanorings: new bionanomaterials with specific lectin affinity. <i>Chemical Communications</i> , 2009, , 4121.	4.1	43
38	Non-covalent functionalization of carbon nanotubes with glycolipids: glyconanomaterials with specific lectin-affinity. <i>Soft Matter</i> , 2009, 5, 948.	2.7	41
39	N-Isopropylsulfinylimines as Useful Intermediates in the Synthesis of Chiral Amines: Expeditive Asymmetric Synthesis of the Calcimimetic (+)-NPS R-568. <i>Journal of Organic Chemistry</i> , 2008, 73, 745-748.	3.2	25
40	Asymmetric Enamide Hydrogenation Using Phosphinite Thioglycosides: Synthesis of <i>d</i> - and <i>l</i> -Aminoesters Using <i>d</i> -Sugars as Catalyst Precursors. <i>Organic Letters</i> , 2008, 10, 3697-3700.	4.6	23
41	New sulfur-phosphine ligands derived from sugars: synthesis and application in palladium-catalyzed allylic alkylation and in rhodium asymmetric hydrogenation. <i>Arkivoc</i> , 2008, 2008, 211-224.	0.5	13
42	Enantioselective Organocatalytic Oxidation of Functionalized Sterically Hindered Disulfides. <i>Organic Letters</i> , 2007, 9, 1255-1258.	4.6	42
43	C2-Symmetric Bissulfoxides as Organocatalysts in the Allylation of Benzoyl Hydrazones: Spacer and Concentration Effects. <i>Organic Letters</i> , 2007, 9, 2215-2218.	4.6	45
44	How does the Achiral Base Decide the Stereochemical Outcome in the Dynamic Kinetic Resolution of Sulfinyl Chlorides? A Computational Study. <i>Advanced Synthesis and Catalysis</i> , 2007, 349, 2103-2110.	4.3	18
45	Mechanism of the Base-Assisted Displacement of Chloride by Alcohol in Sulfinyl Derivatives. <i>Journal of Organic Chemistry</i> , 2006, 71, 6388-6396.	3.2	39
46	Mixed S/N and S/P/N ligands from carbohydrates: Synthesis and application in palladium-catalyzed allylic alkylation. <i>Inorganica Chimica Acta</i> , 2006, 359, 3048-3053.	2.4	10
47	Sulfur-Based Ligands Derived from D-Sugars: Synthesis of PdII Complexes, Application in Palladium-Catalyzed Allylic Alkylation for the Synthesis of Both Members of Enantiomer Pairs, and Structural Studies. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 1685-1700.	2.4	23
48	The Isopropylsulfinyl Group: A Useful Chiral Controller for the Asymmetric Aziridination of Sulfinylimines and the Organocatalytic Allylation of Hydrazones.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
49	C2-Symmetric Bis-sulfoxides: Synthesis of Both Enantiomers and Utilization in Organometallic Chemistry and in Asymmetric Catalysis. <i>ChemInform</i> , 2005, 36, no.	0.0	0
50	The Isopropyl- and tert-Butylsulfinyl Groups in Asymmetric Synthesis: A Comparative Study. <i>ChemInform</i> , 2005, 36, no.	0.0	0
51	Phosphinite Thioglycosides Derived from Natural <i>d</i> -Sugars as Useful P/S Ligands for the Synthesis of Both Enantiomers in Palladium-Catalyzed Asymmetric Substitution. <i>Synlett</i> , 2005, 2005, 2963-2967.	1.8	31
52	C2-Symmetric Bis-Thioglycosides as Useful Ligands in Palladium-Catalyzed Asymmetric Allylic Alkylation: Synthesis of Both Enantiomers Using Natural Sugars as Ligand Precursors. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2005, 180, 1507-1508.	1.6	2
53	Mixed S/P Ligands from Carbohydrates: Synthesis and Utilization in Asymmetric Catalysis. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2005, 180, 1253-1258.	1.6	16
54	The Isopropyl- and tert-Butylsulfinyl Groups in Asymmetric Synthesis: A Comparative Study. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2005, 180, 1511-1512.	1.6	4

#	ARTICLE	IF	CITATIONS
55	C2-Symmetric Bis-Sulfoxides: Synthesis of Both Enantiomers and Utilization in Organometallic Chemistry and in Asymmetric Catalysis. Phosphorus, Sulfur and Silicon and the Related Elements, 2005, 180, 1509-1510.	1.6	3
56	The Isopropylsulfinyl Group: A Useful Chiral Controller for the Asymmetric Aziridination of Sulfinylimines and the Organocatalytic Allylation of Hydrazones. Organic Letters, 2005, 7, 1307-1310.	4.6	79
57	Highly diastereoselective formation of C2-symmetric bis-thioglycoside Pd(ii) complexes: the role of the exo anomeric effect. Chemical Communications, 2004, , 714-715.	4.1	12
58	Stereoselective Addition of $\hat{\pm}$ -Sulfinyl Carbanions to N-p-tolylsulfinylketimines: A Synthesis of Optically Pure 1,2,2-Trialkyl-2-aminoethanols. Journal of Organic Chemistry, 2004, 69, 4454-4463.	3.2	24
59	Recent Developments in the Synthesis and Utilization of Chiral Sulfoxides. ChemInform, 2003, 34, no.	0.0	1
60	C2-Symmetric bis-thioglycosides as new ligands for palladium-catalyzed allylic substitutions. Tetrahedron Letters, 2003, 44, 3401-3404.	1.4	33
61	Highly Diastereoselective Oxidation of 2-Amino-2-deoxy-1-thio- \hat{D} -glucopyranosides: A Synthesis of Imino Sulfinylglycosides. Journal of Organic Chemistry, 2003, 68, 1433-1442.	3.2	25
62	Recent Developments in the Synthesis and Utilization of Chiral Sulfoxides. Chemical Reviews, 2003, 103, 3651-3706.	47.7	1,088
63	Dynamic Kinetic Transformation of Sulfinyl Chlorides: A Synthesis of Enantiomerically Pure C2-Symmetric Bis-Sulfoxides. Journal of Organic Chemistry, 2002, 67, 345-356.	3.2	62
64	Monodentate phosphites with carbohydrate substituents and their application in rhodium catalysed asymmetric hydrosilylation reactions. Tetrahedron: Asymmetry, 2001, 12, 633-642.	1.8	27
65	C 2 -Symmetric Bis-Sulfoxide: Highly Diastereoselective 1,4-Addition to Stabilised Michael Acceptors. Tetrahedron, 2000, 56, 3749-3753.	1.9	11
66	Additions of Enantiopure $\hat{\pm}$ -Sulfinyl Carbanions to (S)-N-Sulfinimines: A Asymmetric Synthesis of \hat{D} -Amino Sulfoxides and \hat{D} -Imino Alcohols. Journal of Organic Chemistry, 2000, 65, 2856-2862.	3.2	51
67	Dynamic Kinetic Resolution of Bis-Sulfinyl Chlorides: A General Enantiodivergent Synthesis of C2-Symmetric Bis-Sulfinate Esters and Bis-Sulfoxides. Journal of the American Chemical Society, 2000, 122, 7598-7599.	13.7	60
68	Recent advances in the stereoselective synthesis of chiral sulfoxides. Advances in Sulfur Chemistry, 2000, , 57-115.	0.0	12
69	A generalization of the base effect on the diastereoselective synthesis of sulfinic and phosphinic esters. Tetrahedron Letters, 1999, 40, 2029-2032.	1.4	45
70	Synthesis of enantiomerically pure (R)- and (S)-2-ethoxycarbonylmethyl-2-hydroxy-cyclohexanones. Tetrahedron: Asymmetry, 1998, 9, 3445-3453.	1.8	15
71	General Method for Asymmetric Synthesis of $\hat{\pm}$ -Methylsulfinyl Ketones: A Application to the Synthesis of Optically Pure Oxisuran and Bioisosteres. Journal of Organic Chemistry, 1997, 62, 287-291.	3.2	28
72	Unprecedented base effect on the synthesis of chiral phosphinate esters: A new route to P-chiral phosphine oxides of high enantiomeric purity. Tetrahedron: Asymmetry, 1996, 7, 3353-3356.	1.8	27

#	ARTICLE	IF	CITATIONS
73	Asymmetric aziridination by reaction of chiral N-sulfinylimines with sulfur ylides: Stereoselectivity improvement by use of tert-butylsulfinyl group as chiral auxiliary. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 3407-3414.	1.8	96
74	On the reaction of chiral sulfinimines with sulfur ylides: a novel route to the asymmetric aziridination. <i>Tetrahedron Letters</i> , 1995, 36, 295-298.	1.4	67
75	Michael Additions of .alpha.-Sulfinyl and .alpha.-Sulfonyl Carbanions: The Unprecedented Reaction of .beta.-Keto Sulfoxides and .beta.-Keto Sulfoxes with Highly Stabilized Michael Acceptors. <i>Journal of Organic Chemistry</i> , 1995, 60, 6678-6679.	3.2	53
76	Asymmetric synthesis of optically pure tert-butyl sulfoxides using the "DAG methodology". <i>Tetrahedron Letters</i> , 1994, 35, 5719-5722.	1.4	66
77	C2-Symmetric bis-sulfoxides as chiral ligands in metal catalysed asymmetric diels-alder reactions.. <i>Tetrahedron Letters</i> , 1993, 34, 123-126.	1.4	110
78	Asymmetric synthesis of 2-amino-3-hydroxysulfoxides. <i>Tetrahedron Letters</i> , 1993, 34, 699-702.	1.4	20
79	Asymmetric Synthesis of Biologically Active Compounds Bearing a Chiral Sulfinyl Group. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1993, 74, 405-406.	1.6	6
80	Asymmetric Synthesis of Alkyl and Aryl Sulfinates of DAG: An Improved and General Route to Both Enantiomerically Pure Sulfoxides. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1993, 74, 393-394.	1.6	4
81	Asymmetric synthesis of alkane- and arenesulfinates of diacetone-D-glucose (DAG): an improved and general route to both enantiomerically pure sulfoxides. <i>Journal of Organic Chemistry</i> , 1992, 57, 6789-6796.	3.2	167
82	An efficient synthesis of both enantiomers of chiral non racemic methylsulfoxides from DAG. <i>Tetrahedron Letters</i> , 1991, 32, 7299-7302.	1.4	48
83	Asymmetric synthesis of the C-3/C-9 fragment of (S) aspicilin. <i>Tetrahedron Letters</i> , 1991, 32, 509-512.	1.4	18
84	Asymmetric synthesis of the macrolide (S)-aspicilin. <i>Tetrahedron: Asymmetry</i> , 1991, 2, 801-819.	1.8	42
85	SYNTHESIS AND CONFORMATIONAL ANALYSIS OF 2-METHYLTHIO DERIVATIVES OF 1-(2-ETHIENYL)ETHANOL AND THEIR O-METHYL DERIVATIVES. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1990, 47, 291-301.	1.6	0
86	Synthesis and conformational analysis of 2-methylthioderivatives of 1-(2'-furyl)ethanol and their -methyl derivatives. <i>Tetrahedron</i> , 1989, 45, 1491-1500.	1.9	5
87	The fixing role of the tert-butyl group in the conformational properties of acyclic sulphur compounds. Synthesis and conformational analysis of 2-tert-butylthioderivatives of 1-phenylethanol and their 2-methyl analogs. <i>Tetrahedron</i> , 1989, 45, 2703-2718.	1.9	3
88	Configurational assignment of 2-alkylsulphinyl-1-arylethanol diastereomers by 13C NMR. <i>Magnetic Resonance in Chemistry</i> , 1988, 26, 687-692.	1.9	9