List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4056455/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Distributions and sources of isoprenoidal GDGTs in Lake Lugano and other central European (peri-)alpine lakes: Lessons for their use as paleotemperature proxies. Quaternary Science Reviews, 2022, 277, 107352.	3.0	19
2	Compositions of dissolved organic matter in the ice-covered waters above the Aurora hydrothermal vent system, Gakkel Ridge, Arctic Ocean. Biogeosciences, 2022, 19, 2101-2120.	3.3	3
3	Multiple Groups of Methanotrophic Bacteria Mediate Methane Oxidation in Anoxic Lake Sediments. Frontiers in Microbiology, 2022, 13, .	3.5	4
4	Relationship Between Particle Properties and Immunotoxicological Effects of Environmentally-Sourced Microplastics. Frontiers in Water, 2022, 4, .	2.3	4
5	Microbial Degradation of Marine Plastics: Current State and Future Prospects. , 2021, , 111-154.		9
6	The fate of plastic in the ocean environment – a minireview. Environmental Sciences: Processes and Impacts, 2021, 23, 198-212.	3.5	120
7	Biomarker and Isotopic Composition of Seep Carbonates Record Environmental Conditions in Two Arctic Methane Seeps. Frontiers in Earth Science, 2021, 8, .	1.8	10
8	Seasonal shifts of microbial methane oxidation in Arctic shelf waters above gas seeps. Limnology and Oceanography, 2021, 66, 1896-1914.	3.1	12
9	Methanotrophs: Discoveries, Environmental Relevance, and a Perspective on Current and Future Applications. Frontiers in Microbiology, 2021, 12, 678057.	3.5	80
10	Microbial Communities on Plastic Polymers in the Mediterranean Sea. Frontiers in Microbiology, 2021, 12, 673553.	3.5	64
11	Microbial activity, methane production, and carbon storage in Early Holocene North Sea peats. Biogeosciences, 2021, 18, 5491-5511.	3.3	3
12	Sources and sinks of methane in sea ice. Elementa, 2021, 9, .	3.2	5
13	The Potential Role of Marine Fungi in Plastic Degradation – A Review. Frontiers in Marine Science, 2021, 8, .	2.5	42
14	Manganese/ironâ€supported sulfateâ€dependent anaerobic oxidation of methane by archaea in lake sediments. Limnology and Oceanography, 2020, 65, 863-875.	3.1	54
15	Physical controls of dynamics of methane venting from a shallow seep area west of Svalbard. Continental Shelf Research, 2020, 194, 104030.	1.8	19
16	Multi-proxy approach to unravel methane emission history of an Arctic cold seep. Quaternary Science Reviews, 2020, 244, 106490.	3.0	12
17	The Impact of Methane on Microbial Communities at Marine Arctic Gas Hydrate Bearing Sediment. Frontiers in Microbiology, 2020, 11, 1932.	3.5	32
18	Compositional Differences in Dissolved Organic Matter Between Arctic Cold Seeps Versus Non-Seep Sites at the Svalbard Continental Margin and the Barents Sea. Frontiers in Farth Science, 2020, 8	1.8	6

#	Article	IF	CITATIONS
19	Discovery and quantification of a widespread methane ebullition event in a coastal inlet (Baltic Sea) using a novel sonar strategy. Scientific Reports, 2020, 10, 4393.	3.3	24
20	Biogeochemical Consequences of Nonvertical Methane Transport in Sediment Offshore Northwestern Svalbard. Journal of Geophysical Research G: Biogeosciences, 2020, 125, e2019JG005371.	3.0	9
21	Reduced methane seepage from Arctic sediments during cold bottom-water conditions. Nature Geoscience, 2020, 13, 144-148.	12.9	53
22	Mud Volcano Biogeochemistry. , 2020, , 769-780.		1
23	Methane-fuelled biofilms predominantly composed of methanotrophic ANME-1 in Arctic gas hydrate-related sediments. Scientific Reports, 2019, 9, 9725.	3.3	33
24	Evaluating radioisotopeâ€based approaches to measure anaerobic methane oxidation rates in lacustrine sediments. Limnology and Oceanography: Methods, 2019, 17, 429-438.	2.0	8
25	Fracture-controlled fluid transport supports microbial methane-oxidizing communities at Vestnesa Ridge. Biogeosciences, 2019, 16, 2221-2232.	3.3	21
26	Discriminative biogeochemical signatures of methanotrophs in different chemosynthetic habitats at an active mud volcano in the Canadian Beaufort Sea. Scientific Reports, 2019, 9, 17592.	3.3	5
27	Chemosynthesis influences food web and community structure in high-Arctic benthos. Marine Ecology - Progress Series, 2019, 629, 19-42.	1.9	24
28	Life on the edge: active microbial communities in the Kryos MgCl2-brine basin at very low water activity. ISME Journal, 2018, 12, 1414-1426.	9.8	42
29	Biogeochemical evidence of anaerobic methane oxidation on active submarine mud volcanoes on the continental slope of the Canadian Beaufort Sea. Biogeosciences, 2018, 15, 7419-7433.	3.3	20
30	Redox-dependent niche differentiation provides evidence for multiple bacterial sources of glycerol tetraether lipids in lakes. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 10926-10931.	7.1	94
31	Incomplete recovery of intact polar glycerol dialkyl glycerol tetraethers from lacustrine suspended biomass. Limnology and Oceanography: Methods, 2017, 15, 782-793.	2.0	11
32	Methane- and dissolved organic carbon-fueled microbial loop supports a tropical subterranean estuary ecosystem. Nature Communications, 2017, 8, 1835.	12.8	79
33	1. Methane seeps in a changing climate. , 2017, , 1-32.		2
34	Effects of low oxygen concentrations on aerobic methane oxidation in seasonally hypoxic coastal waters. Biogeosciences, 2017, 14, 1631-1645.	3.3	66
35	Labilibaculum manganireducens gen. nov., sp. nov. and Labilibaculum filiforme sp. nov., Novel Bacteroidetes Isolated from Subsurface Sediments of the Baltic Sea. Frontiers in Microbiology, 2017, 8, 2614.	3.5	25
36	Marinisporobacter balticus gen. nov., sp. nov., Desulfosporosinus nitroreducens sp. nov. and Desulfosporosinus fructosivorans sp. nov., new spore-forming bacteria isolated from subsurface sediments of the Baltic Sea. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1887-1893.	1.7	37

#	Article	IF	CITATIONS
37	Differential N ₂ O dynamics in two oxygen-deficient lake basins revealed by stable isotope and isotopomer distributions. Limnology and Oceanography, 2016, 61, 1735-1749.	3.1	26
38	Linked sediment and waterâ€column methanotrophy at a manâ€made gas blowout in the North Sea: Implications for methane budgeting in seasonally stratified shallow seas. Limnology and Oceanography, 2016, 61, S367.	3.1	31
39	Effects of climate change on methane emissions from seafloor sediments in the Arctic Ocean: A review. Limnology and Oceanography, 2016, 61, S283.	3.1	109
40	Fluxes and fate of dissolved methane released at the seafloor at the landward limit of the gas hydrate stability zone offshore western Svalbard. Journal of Geophysical Research: Oceans, 2015, 120, 6185-6201.	2.6	57
41	Toxic effects of labâ€grade butyl rubber stoppers on aerobic methane oxidation. Limnology and Oceanography: Methods, 2015, 13, 40-52.	2.0	39
42	Powering up the "biogeochemical engine†the impact of exceptional ventilation of a deep meromictic lake on the lacustrine redox, nutrient, and methane balances. Frontiers in Earth Science, 2015, 3, .	1.8	31
43	Species-dependent partitioning of C and N stable isotopes between arbuscular mycorrhizal fungi and their C3 and C4 hosts. Soil Biology and Biochemistry, 2015, 82, 52-61.	8.8	26
44	ldentification and carbon isotope composition of a novel branched GDGT isomer in lake sediments: Evidence for lacustrine branched GDGT production. Geochimica Et Cosmochimica Acta, 2015, 154, 118-129.	3.9	110
45	Geological settings and seafloor morphodynamic evolution linked to methane seepage. Geo-Marine Letters, 2015, 35, 289-304.	1.1	9
46	Water column methanotrophy controlled by a rapid oceanographic switch. Nature Geoscience, 2015, 8, 378-382.	12.9	89
47	Spatial variations in surface water methane super-saturation and emission in Lake Lugano, southern Switzerland. Aquatic Sciences, 2015, 77, 535-545.	1.5	32
48	Bacterial methanotrophs drive the formation of a seasonal anoxic benthic nepheloid layer in an alpine lake. Limnology and Oceanography, 2014, 59, 1410-1420.	3.1	27
49	Partitioning between benthic and pelagic nitrate reduction in the Lake Lugano south basin. Limnology and Oceanography, 2014, 59, 1421-1433.	3.1	30
50	Sources of glycerol dialkyl glycerol tetraethers (GDGTs) in catchment soils, water column and sediments of Lake Rotsee (Switzerland) – Implications for the application of GDGT-based proxies for lakes. Organic Geochemistry, 2014, 66, 164-173.	1.8	64
51	Tracing the methane cycle with lipid biomarkers in Lake Rotsee (Switzerland). Organic Geochemistry, 2014, 66, 174-181.	1.8	49
52	Temporal Constraints on Hydrate-Controlled Methane Seepage off Svalbard. Science, 2014, 343, 284-287.	12.6	219
53	Community N and O isotope fractionation by sulfide-dependent denitrification and anammox in a stratified lacustrine water column. Geochimica Et Cosmochimica Acta, 2014, 125, 551-563.	3.9	53
54	Microâ€aerobic bacterial methane oxidation in the chemocline and anoxic water column of deep southâ€Alpine Lake Lugano (Switzerland). Limnology and Oceanography, 2014, 59, 311-324.	3.1	129

#	Article	IF	CITATIONS
55	Field-scale labelling and activity quantification of methane-oxidizing bacteria in a landfill-cover soil. FEMS Microbiology Ecology, 2013, 83, 392-401.	2.7	12
56	Tracking the carbon source of arbuscular mycorrhizal fungi colonizing C3 and C4 plants using carbon isotope ratios (l´13C). Soil Biology and Biochemistry, 2013, 58, 341-344.	8.8	12
57	Combining sedimentological, trace metal (Mn, Mo) and molecular evidence for reconstructing past water-column redox conditions: The example of meromictic Lake Cadagno (Swiss Alps). Geochimica Et Cosmochimica Acta, 2013, 120, 220-238.	3.9	70
58	Anaerobic oxidation of methane in hypersaline cold seep sediments. FEMS Microbiology Ecology, 2013, 83, 214-231.	2.7	60
59	Anaerobic ammonium oxidation (anammox) bacteria and sulfideâ€dependent denitrifiers coexist in the water column of a meromictic southâ€alpine lake. Limnology and Oceanography, 2013, 58, 1-12.	3.1	104
60	Vertical distribution of methane oxidation and methanotrophic response to elevated methane concentrations in stratified waters of the Arctic fjord Storfjorden (Svalbard, Norway). Biogeosciences, 2013, 10, 6267-6278.	3.3	77
61	Methane-Carbon Flow into the Benthic Food Web at Cold Seeps – A Case Study from the Costa Rica Subduction Zone. PLoS ONE, 2013, 8, e74894.	2.5	70
62	Mycorrhizal Networks: Common Goods of Plants Shared under Unequal Terms of Trade Â. Plant Physiology, 2012, 159, 789-797.	4.8	332
63	Correction for Holler et al., Carbon and sulfur back flux during anaerobic microbial oxidation of methane and coupled sulfate reduction. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 21170-21170.	7.1	13
64	Bacterial GDGTs in Holocene sediments and catchment soils of a high Alpine lake: application of the MBT/CBT-paleothermometer. Climate of the Past, 2012, 8, 889-906.	3.4	68
65	Response of sulfateâ€reducing bacteria to an artificial oilâ€spill in a coastal marine sediment. Environmental Microbiology, 2011, 13, 1488-1499.	3.8	55
66	Carbon and sulfur back flux during anaerobic microbial oxidation of methane and coupled sulfate reduction. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, E1484-90.	7.1	104
67	Benthic respiration in a seep habitat dominated by dense beds of ampharetid polychaetes at the Hikurangi Margin (New Zealand). Marine Geology, 2010, 272, 223-232.	2.1	55
68	Biogeochemical signatures and microbial activity of different cold-seep habitats along the Gulf of Mexico deep slope. Deep-Sea Research Part II: Topical Studies in Oceanography, 2010, 57, 1990-2001.	1.4	93
69	Extremely halophilic microbial communities in anaerobic sediments from a solar saltern. Environmental Microbiology Reports, 2010, 2, 258-271.	2.4	44
70	Mud Volcanoes. , 2010, , 205-214.		13
71	Biogeochemistry of a low-activity cold seep in the Larsen B area, western Weddell Sea, Antarctica. Biogeosciences, 2009, 6, 2383-2395.	3.3	58
72	Microbial methane oxidation and sulfate reduction at cold seeps of the deep Eastern Mediterranean Sea. Marine Geology, 2009, 261, 114-127.	2.1	69

#	Article	IF	CITATIONS
73	Assimilation of methane and inorganic carbon by microbial communities mediating the anaerobic oxidation of methane. Environmental Microbiology, 2008, 10, 2287-2298.	3.8	136

Endosymbioses between bacteria and deepâ \in sea siboglinid tubeworms from an Arctic Cold Seep (Haakon) Tj ETQq0.0 0 rgBT/Qverlock 10774

75	Diagnostic lipid biomarker and stable carbon isotope signatures of microbial communities mediating the anaerobic oxidation of methane with sulphate. Organic Geochemistry, 2008, 39, 1668-1677.	1.8	164
76	Occurrence of unusual steroids and hopanoids derived from aerobic methanotrophs at an active marine mud volcano. Organic Geochemistry, 2008, 39, 167-177.	1.8	59
77	Biogeochemical processes and microbial diversity of the Gullfaks and Tommeliten methane seeps (Northern North Sea). Biogeosciences, 2008, 5, 1127-1144.	3.3	54
78	Diversity and Abundance of Aerobic and Anaerobic Methane Oxidizers at the Haakon Mosby Mud Volcano, Barents Sea. Applied and Environmental Microbiology, 2007, 73, 3348-3362.	3.1	338
79	Seafloor geological studies above active gas chimneys off Egypt (Central Nile Deep Sea Fan). Deep-Sea Research Part I: Oceanographic Research Papers, 2007, 54, 1146-1172.	1.4	89
80	AlvinExplores the Deep Northern Gulf of Mexico Slope. Eos, 2007, 88, 341.	0.1	33
81	Novel microbial communities of the Haakon Mosby mud volcano and their role as a methane sink. Nature, 2006, 443, 854-858.	27.8	570
82	Desulfuromonas svalbardensis sp. nov. and Desulfuromusa ferrireducens sp. nov., psychrophilic, Fe(III)-reducing bacteria isolated from Arctic sediments, Svalbard. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1133-1139.	1.7	93
83	Microbial methane turnover at mud volcanoes of the Gulf of Cadiz. Geochimica Et Cosmochimica Acta, 2006, 70, 5336-5355.	3.9	173
84	In situ fluxes and zonation of microbial activity in surface sediments of the HÃ¥kon Mosby Mud Volcano. Limnology and Oceanography, 2006, 51, 1315-1331.	3.1	198
85	Methane emission and consumption at a North Sea gas seep (Tommeliten area). Biogeosciences, 2005, 2, 335-351.	3.3	129
86	Methanobacterium aarhusense sp. nov., a novel methanogen isolated from a marine sediment (Aarhus) Tj ETQq	0 0 0 rgBT	/Oyerlock

87	Progress Series, 2004, 269, 91-99.	1.9	35
88	Structural and functional analysis of a microbial mat ecosystem from a unique permanent hypersaline inland lake: â€Â~La Salada de Chiprana' (NE Spain). FEMS Microbiology Ecology, 2003, 44, 175-189.	2.7	105