

Kenong Xia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4056723/kenong-xia-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

2,752
citations

27
h-index

50
g-index

107
ext. papers

3,161
ext. citations

4.1
avg, IF

5.37
L-index

#	Paper	IF	Citations
103	Enhancing work hardening and ductility in additively manufactured β Ti: roles played by grain orientation, morphology and substructure. <i>Journal of Materials Science and Technology</i> , 2022 , 105, 131-147	12.7	2
102	Nano/ultrafine grained immiscible Fe-Cu alloy with ultrahigh strength produced by selective laser melting. <i>Materials Research Letters</i> , 2021 , 9, 247-254	7.4	7
101	Grain refinement in low SFE and particle-containing nickel aluminium bronze during severe plastic deformation at elevated temperatures. <i>Journal of Materials Science and Technology</i> , 2021 , 82, 57-68	9.1	2
100	Laser powder bed fusion of ultrahigh strength Fe-Cu alloys using elemental powders. <i>Additive Manufacturing</i> , 2021 , 47, 102270	6.1	2
99	Consolidation of Pure Magnesium Powder by Equal-Channel Angular Pressing with Back Pressure. <i>Journal of Materials Engineering and Performance</i> , 2021 , 30, 2213-2219	1.6	2
98	Hybridisation of microstructures from three classes of titanium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 788, 139572	5.3	6
97	Deformation-free geometric recrystallisation in a metastable β Ti alloy produced by selective laser melting. <i>Materials Research Letters</i> , 2020 , 8, 117-122	7.4	9
96	Biocomposites Produced from Hardwood Particles by Equal Channel Angular Pressing: Effects of Pre-Treatment. <i>Journal of Composites Science</i> , 2020 , 4, 181	3	0
95	Progress in Severe Plastic Deformation of Metastable Beta Ti Alloys. <i>Advanced Engineering Materials</i> , 2020 , 22, 1900471	3.5	5
94	Biocompatible and Biodegradable Magnesium Oxide Nanoparticles with In Vitro Photostable Near-Infrared Emission: Short-Term Fluorescent Markers. <i>Nanomaterials</i> , 2019 , 9,	5.4	12
93	Superior titanium from hybridised microstructures [A new strategy for future alloys. <i>Scripta Materialia</i> , 2019 , 173, 61-65	5.6	7
92	Controlling martensitic decomposition during selective laser melting to achieve best ductility in high strength Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 744, 445-455	5.3	53
91	Biocomposites Produced from Hardwood Particles by Equal Channel Angular Pressing Without Additives. <i>Journal of Composites Science</i> , 2019 , 3, 36	3	0
90	High strength biocomposites consolidated from hardwood particles by severe plastic deformation. <i>Cellulose</i> , 2019 , 26, 1067-1084	5.5	3
89	A comparative study of the effect of submicron porous and smooth ultrafine-grained Ti-20Mo surfaces on osteoblast responses. <i>Journal of Biomedical Materials Research - Part A</i> , 2018 , 106, 2020-2033	5.4	11
88	Stress induced martensitic transformation in metastable β Ti-5Al-5Mo-5V-3Cr alloy: Triggering stress and interaction with deformation bands. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 724, 75-79	5.3	15
87	A novel Ti-Fe composite coating deposited using laser cladding of low cost recycled nano-crystalline titanium powder. <i>Materials Letters</i> , 2018 , 229, 301-304	3.3	21

86	Grain refinement in a metastable beta Ti alloy deformed to large strains at high strain rates. <i>Acta Materialia</i> , 2018 , 157, 174-185	8.4	9
85	High Ductility in a fully martensitic microstructure: a paradox in a Ti alloy produced by selective laser melting. <i>Materials Research Letters</i> , 2018 , 6, 627-633	7.4	38
84	Oxide Dissolution and Oxygen Diffusion in Solid-State Recycled Ti-6Al-4V: Numerical Modeling, Verification by Nanoindentation, and Effects on Grain Growth and Recrystallization. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017 , 48, 5978-5989	2.3	1
83	Processing and characterization of Al-Al ₃ Nb prepared by mechanical alloying and equal channel angular pressing. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 194, 012008	0.4	1
82	Formation of equiaxed β during ageing in a severely deformed metastable β Ti alloy. <i>Scripta Materialia</i> , 2016 , 124, 151-154	5.6	20
81	Achieving Fine Beta Grain Structure in a Metastable Beta Titanium Alloy Through Multiple Forging-Annealing Cycles. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016 , 47, 3633-3648	2.3	13
80	Effects of chip conditions on the solid state recycling of Ti-6Al-4V machining chips. <i>Journal of Materials Processing Technology</i> , 2016 , 238, 297-304	5.3	25
79	Formation of nanocrystalline β structure in metastable beta Ti alloy during high pressure torsion: The role played by stress induced martensitic transformation. <i>Acta Materialia</i> , 2015 , 97, 146-155	8.4	53
78	ECAP consolidation of Al matrix composites reinforced with in-situ β -Al ₂ O ₃ nanoparticles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 648, 113-122	5.3	23
77	Additive manufacturing of strong and ductile Ti-6Al-4V by selective laser melting via in situ martensite decomposition. <i>Acta Materialia</i> , 2015 , 85, 74-84	8.4	620
76	Influence of precipitate size and morphology on grain refinement in nickel aluminium bronze. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015 , 89, 012018	0.4	
75	Transformation of Lamellar Structures in Equal Channel Angular Pressing: Geometric Model and Application to Nickel Aluminum Bronze. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015 , 46, 4202-4214	2.3	1
74	Effects of severe plastic deformation on grain refinement and martensitic transformation in a metastable β Ti alloy. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015 , 89, 012055	0.4	6
73	Natural polymer biocomposites produced from processing raw wood flour by severe shear deformation. <i>Carbohydrate Polymers</i> , 2014 , 113, 46-52	10.3	19
72	Multiscale composition modulated Ti-Al composite processed by severe plastic deformation. <i>Journal of Materials Science</i> , 2014 , 49, 6543-6549	4.3	2
71	Achieving Superior Strength and Ductility in Ti-6Al-4V Recycled from Machining Chips by Equal Channel Angular Pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014 , 45, 4089-4102	2.3	16
70	Metastable orthorhombic phases at ambient pressure in mechanically milled pure Ti and Ti-Mg. <i>Scripta Materialia</i> , 2014 , 93, 32-35	5.6	7
69	Microstructure and Damping Properties of Ultra Fine Grained Al Wires Reinforced by Al ₂ O ₃ Nanoparticles 2014 , 1347-1351		

68	Microstructure and Damping Properties of Ultra Fine Grained Al Wires Reinforced by Al ₂ O ₃ Nanoparticles 2014 , 1347-1351		0
67	Significantly enhanced tensile strength and ductility in nickel aluminium bronze by equal channel angular pressing and subsequent heat treatment. <i>Journal of Materials Science</i> , 2013 , 48, 4749-4757	4.3	16
66	High electrical conductivity and elastic modulus composites comprising glass fiber-reinforced carbon-filled high-density polyethylene. <i>Journal of Thermoplastic Composite Materials</i> , 2013 , 26, 30-43	1.9	6
65	Effect of Equal Channel Angular Pressing on Lamellar Microstructures in Nickel Aluminum Bronze. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2013 , 44, 5556-5566	2.3	9
64	Promoting nano/ultrafine-duplex structure via accelerated β precipitation in a β type titanium alloy severely deformed by high-pressure torsion. <i>Scripta Materialia</i> , 2013 , 68, 67-70	5.6	37
63	Cellulose-wheat gluten bulk plastic materials produced from processing raw powders by severe shear deformation. <i>Carbohydrate Polymers</i> , 2013 , 92, 2206-11	10.3	8
62	Ultrafine-grained pure Ti recycled by equal channel angular pressing with high strength and good ductility. <i>Journal of Materials Processing Technology</i> , 2013 , 213, 469-476	5.3	32
61	A modified Hall-Petch relationship in ultrafine-grained titanium recycled from chips by equal channel angular pressing. <i>Scripta Materialia</i> , 2012 , 66, 785-788	5.6	181
60	Analysis of microstructure and strengthening in pure titanium recycled from machining chips by equal channel angular pressing using electron backscatter diffraction. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 538, 252-258	5.3	61
59	On the formation of an ultrafine-duplex structure facilitated by severe shear deformation in a Ti ₆₀ Mo β type titanium alloy. <i>Acta Materialia</i> , 2012 , 60, 5067-5078	8.4	33
58	Bulk cellulose plastic materials from processing cellulose powder using back pressure-equal channel angular pressing. <i>Carbohydrate Polymers</i> , 2012 , 87, 2470-2476	10.3	34
57	Ti-6Al-4V Recycled from Machining Chips by Equal Channel Angular Pressing. <i>Key Engineering Materials</i> , 2012 , 520, 295-300	0.4	10
56	Multiscale two-phase Ti ₆ Al with high strength and plasticity through consolidation of particles by severe plastic deformation. <i>Scripta Materialia</i> , 2011 , 65, 711-714	5.6	4
55	Intrinsically Ductile Failure in a Nanocrystalline Beta Titanium Alloy. <i>Advanced Engineering Materials</i> , 2011 , 13, 1108-1113	3.5	3
54	Full density consolidation of pure aluminium powders by cold hydro-mechanical pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 5784-5789	5.3	10
53	Effects of grain size on compressive behaviour in ultrafine grained pure Mg processed by equal channel angular pressing at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 5993-5998	5.3	77
52	Microstructure and Mechanical Properties of Ultra-Fine Grain AZ80 Alloy Processed by Back Pressure Equal Channel Angular Pressing. <i>Materials Science Forum</i> , 2010 , 667-669, 547-552	0.4	2
51	Nanostructured Dual Phase Ti-Al through Consolidation of Particles by Severe Plastic Deformation. <i>Materials Science Forum</i> , 2010 , 667-669, 63-68	0.4	

50	The Influence of Texture and Grain Size on Compressive Deformation Behavior of Pure Mg through Equal-Channel Angular Processing. <i>Materials Science Forum</i> , 2010 , 667-669, 385-390	0.4	1
49	Developing aluminum nanocomposites via severe plastic deformation. <i>Journal of Physics: Conference Series</i> , 2010 , 240, 012106	0.3	6
48	Mechanical properties of bulk aluminium consolidated from mechanically milled particles by back pressure equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6533-6536	5.3	20
47	Recycling of titanium machining chips by severe plastic deformation consolidation. <i>Journal of Materials Science</i> , 2010 , 45, 4606-4612	4.3	30
46	Consolidation of Particles by Severe Plastic Deformation: Mechanism and Applications in Processing Bulk Ultrafine and Nanostructured Alloys and Composites. <i>Advanced Engineering Materials</i> , 2010 , 12, 724-729	3.5	48
45	Hardening and microstructural reactions in high-temperature equal-channel angular pressed Mg ₉₀ Ni ₅ Zn ₅ alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 5092-5099	5.3	29
44	Processing by severe plastic deformation: an ancient skill adapted for the modern world. <i>International Journal of Materials Research</i> , 2009 , 100, 1623-1631	0.5	5
43	The effect of back pressure on mechanical properties of an Mg-3 wt.% Al-1 wt.% Zn alloy with single pass equal channel angular pressing. <i>International Journal of Materials Research</i> , 2009 , 100, 1686-1690	0.5	9
42	TiAl Turbochargers for Automobile Application. <i>Materials Science Forum</i> , 2009 , 618-619, 559-562	0.4	1
41	Formation of an ultrafine-grained structure during equal-channel angular pressing of a Titanium alloy with low phase stability. <i>Scripta Materialia</i> , 2009 , 60, 1012-1015	5.6	57
40	In situ synchrotron high-energy X-ray diffraction analysis on phase transformations in Ti-Al alloys processed by equal-channel angular pressing. <i>Journal of Synchrotron Radiation</i> , 2009 , 16, 825-34	2.4	18
39	Processing of a magnesium alloy by equal-channel angular pressing using a back-pressure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 527, 205-211	5.3	49
38	Al ₂ O ₃ nanocomposites consolidated by back pressure equal channel angular pressing. <i>Composites Science and Technology</i> , 2009 , 69, 1997-2001	8.6	46
37	Nanostructured Al ₂ O ₃ composite formed in situ during consolidation of ultrafine Al particles by back pressure equal channel angular pressing. <i>Acta Materialia</i> , 2009 , 57, 4321-4330	8.4	67
36	Nanocrystalline body-centred cubic beta-titanium alloy processed by high-pressure torsion. <i>International Journal of Materials Research</i> , 2009 , 100, 1662-1667	0.5	16
35	Bulk Al Materials from Back Pressure Equal Channel Angular Consolidation of Mechanically Milled Particles. <i>Materials Science Forum</i> , 2008 , 584-586, 428-433	0.4	3
34	Bulk Ultrafine and Nanostructured Materials from Consolidation of Particles by Back Pressure Equal Channel Angular Pressing. <i>Materials Science Forum</i> , 2008 , 584-586, 119-126	0.4	2
33	Effect of Processing Method on Conductivity and Mechanical Properties of Glass Fibre Reinforced Carbon Black Filled Polyethylene. <i>Advanced Materials Research</i> , 2008 , 32, 131-136	0.5	1

32	Bulk Ultrafine and Nanostructured Materials from Consolidation of Particles by Severe Plastic Deformation. <i>Materials Science Forum</i> , 2008 , 579, 61-74	0.4	11
31	Bulk Mg Produced by Back Pressure Equal Channel Angular Consolidation (BP- ECAC). <i>Materials Science Forum</i> , 2008 , 584-586, 114-118	0.4	4
30	Ultrafine-grained titanium of high interstitial contents with a good combination of strength and ductility. <i>Applied Physics Letters</i> , 2008 , 92, 011924	3.4	22
29	Bulk plastic materials obtained from processing raw powders of renewable natural polymers via back pressure equal channel angular consolidation (BP-ECAC). <i>European Polymer Journal</i> , 2008 , 44, 780-792	5.3	16
28	Pure aluminum with different grain size distributions by consolidation of particles using equal-channel angular pressing with back pressure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 241-245	5.3	27
27	High strength ultrafine/nanostructured aluminum produced by back pressure equal channel angular processing. <i>Applied Physics Letters</i> , 2007 , 91, 031901	3.4	17
26	The role of back pressure in the processing of pure aluminum by equal-channel angular pressing. <i>Acta Materialia</i> , 2007 , 55, 2351-2360	8.4	67
25	Back pressure equal channel angular consolidation Application in producing aluminium matrix composites with fine flyash particles. <i>Journal of Materials Processing Technology</i> , 2007 , 192-193, 355-359	5.3	14
24	Ultrafine pure aluminium through back pressure equal channel angular consolidation (BP-ECAC) of particles. <i>Journal of Materials Science</i> , 2007 , 42, 1551-1560	4.3	32
23	Synthesis of Aluminium Based Bulk Materials from Micro and Nano Particles Using Back Pressure Equal Channel Angular Consolidation. <i>Materials Science Forum</i> , 2006 , 519-521, 1215-1220	0.4	4
22	Synthesis of Bulk Materials by Equal Channel Angular Consolidation of Particles. <i>Materials Science Forum</i> , 2006 , 503-504, 233-238	0.4	10
21	Equal channel angular pressing of magnesium alloy AZ31. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 324-327	5.3	176
20	Back pressure equal channel angular consolidation of pure Al particles. <i>Scripta Materialia</i> , 2005 , 53, 1225-1229	5.1229	105
19	Plastic deformation of ordered intermetallic alloys 2005 , 164-202		
18	Effects of Gd addition, lamellar spacing and loading direction on creep behaviour of a fully lamellar Ti ₄ Al ₃ Mn ₂ .5Nb alloy. <i>Acta Materialia</i> , 2004 , 52, 841-849	8.4	23
17	Effects of oxidation and boron addition on tensile creep properties of cast Ti ₆ Al ₂ V ₄ Cr based alloys. <i>Intermetallics</i> , 2003 , 11, 325-330	3.5	9
16	Kinetics of the grain growth in a binary Ti ₄ Al alloy and a ternary Ti ₄ Al-0.15Gd alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 329-331, 430-434	5.3	28
15	Different tensile and compressive creep behaviours in a fully lamellar Ti ₄ Al ₃ Mn ₂ .5Nb-0.15Gd alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 329-331, 821-827	5.3	4

14	The comparison of effects of four rare earth elements additions on structures and grain sizes of Ti-44Al alloy. <i>Journal of Materials Science</i> , 2002 , 37, 1515-1522	4.3	13
13	Shear, principal, and equivalent strains in equal-channel angular deformation. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2001 , 32, 2639-2647	2.3	35
12	Effects of cerium on the microstructures and grain sizes of cast TiAl alloys. <i>Journal of Materials Science</i> , 2000 , 35, 975-980	4.3	6
11	Substructural changes during hot deformation of an Fe-26Cr ferritic stainless steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2000 , 31, 21-27	2.3	40
10	Microstructure observations in rare earth element Gd-modified Ti-44 at% Al. <i>Intermetallics</i> , 2000 , 8, 519-523	3.3	19
9	Effects of addition of rare earth element Gd on the lamellar grain sizes of a binary Ti-44Al alloy. <i>Scripta Materialia</i> , 1999 , 41, 67-73	5.6	28
8	Fracture behaviour at elevated temperatures of alumina matrix composites reinforced with silicon carbide whiskers. <i>Journal of Materials Science</i> , 1996 , 31, 5487-5492	4.3	2
7	An Investigation of the Role of Processing in the High Temperature Creep of Whisker-Reinforced Alumina Composites. <i>Materials and Manufacturing Processes</i> , 1996 , 11, 589-604	4.1	
6	Examination of fracture surfaces of SiC whisker-reinforced alumina after high temperature creep deformation. <i>Journal of Materials Science Letters</i> , 1995 , 14, 188-189		2
5	Influence of whisker volume fraction on the creep behavior of alumina composites reinforced with silicon carbide. <i>Journal of Materials Research</i> , 1995 , 10, 2925-2932	2.5	5
4	High temperature deformation of an alumina composite reinforced with silicon carbide whiskers. <i>Acta Metallurgica Et Materialia</i> , 1995 , 43, 1421-1427		11
3	The toughening and strengthening of ceramic materials through discontinuous reinforcement. <i>Journal of Materials Science</i> , 1994 , 29, 5219-5231	4.3	66
2	The Mechanical Properties at High Temperatures of SiC Whisker-Reinforced Alumina. <i>Materials Research Society Symposia Proceedings</i> , 1988 , 120, 265		11
1	Superior tensile properties in additively manufactured Ti alloys. <i>Australian Journal of Mechanical Engineering</i> , 1-7	1	0