Joo Yong Lee

List of Publications by Citations

Source: https://exaly.com/author-pdf/4057049/joo-yong-lee-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,638 129 20 33 g-index h-index citations papers 4.56 1,951 134 3.4 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 129 | Laparoendoscopic single-site surgery in urology: worldwide multi-institutional analysis of 1076 cases. <i>European Urology</i> , 2011 , 60, 998-1005 | 10.2 | 220 |
| 128 | Efficacy and safety of photodynamic therapy for recurrent, high grade nonmuscle invasive bladder cancer refractory or intolerant to bacille Calmette-Guffin immunotherapy. <i>Journal of Urology</i> , 2013 , 190, 1192-9 | 2.5 | 50 |
| 127 | A network meta-analysis of therapeutic outcomes after new image technology-assisted transurethral resection for non-muscle invasive bladder cancer: 5-aminolaevulinic acid fluorescence vs hexylaminolevulinate fluorescence vs narrow band imaging. <i>BMC Cancer</i> , 2015 , 15, 566 | 4.8 | 49 |
| 126 | Impact of surgical varicocele repair on pregnancy rate in subfertile men with clinical varicocele and impaired semen quality: a meta-analysis of randomized clinical trials. <i>Korean Journal of Urology</i> , 2013 , 54, 703-9 | | 46 |
| 125 | Urological laparoendoscopic single site surgery: multi-institutional analysis of risk factors for conversion and postoperative complications. <i>Journal of Urology</i> , 2012 , 187, 1989-94 | 2.5 | 44 |
| 124 | Laparoendoscopic single-site surgery versus conventional laparoscopic varicocele ligation in men with palpable varicocele: a randomized, clinical study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 1056-62 | 5.2 | 39 |
| 123 | Stone heterogeneity index as the standard deviation of Hounsfield units: A novel predictor for shock-wave lithotripsy outcomes in ureter calculi. <i>Scientific Reports</i> , 2016 , 6, 23988 | 4.9 | 36 |
| 122 | Lymphocele after extraperitoneal robot-assisted radical prostatectomy: a propensity score-matching study. <i>International Journal of Urology</i> , 2013 , 20, 1169-76 | 2.3 | 34 |
| 121 | Extended vs standard lymph node dissection in robot-assisted radical prostatectomy for intermediate- or high-risk prostate cancer: a propensity-score-matching analysis. <i>BJU International</i> , 2013 , 112, 216-23 | 5.6 | 32 |
| 120 | Effect of neoadjuvant chemotherapy on locally advanced upper tract urothelial carcinoma: A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2019 , 135, 59-65 | 7 | 31 |
| 119 | Laparoendoscopic single-site urological surgery using a homemade single port device: the first 70 cases performed at a single center by one surgeon. <i>Journal of Endourology</i> , 2011 , 25, 257-64 | 2.7 | 31 |
| 118 | Prostatic urethral angulation associated with urinary flow rate and urinary symptom scores in men with lower urinary tract symptoms. <i>Urology</i> , 2012 , 80, 1333-7 | 1.6 | 29 |
| 117 | Penile Doppler ultrasonography revisited. <i>Ultrasonography</i> , 2018 , 37, 16-24 | 4.3 | 28 |
| 116 | The beneficial effect of alpha-blockers for ureteral stent-related discomfort: systematic review and network meta-analysis for alfuzosin versus tamsulosin versus placebo. <i>BMC Urology</i> , 2015 , 15, 55 | 2.2 | 27 |
| 115 | A competing risk analysis of cancer-specific mortality of initial treatment with radical prostatectomy versus radiation therapy in clinically localized high-risk prostate cancer. <i>Annals of Surgical Oncology</i> , 2014 , 21, 4026-33 | 3.1 | 27 |
| 114 | Efficacy of alpha blocker treatment according to the degree of intravesical prostatic protrusion detected by transrectal ultrasonography in patients with benign prostatic hyperplasia. <i>Korean Journal of Urology</i> , 2012 , 53, 92-7 | | 27 |
| 113 | Comparison of stone-free rates following shock wave lithotripsy, percutaneous nephrolithotomy, and retrograde intrarenal surgery for treatment of renal stones: A systematic review and network meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0211316 | 3.7 | 24 |

| 112 | Comparison of High, Intermediate, and Low Frequency Shock Wave Lithotripsy for Urinary Tract Stone Disease: Systematic Review and Network Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0158661 | 3.7 | 22 | |
|-----|---|------------------|----|--|
| 111 | Meta-analysis of transperitoneal versus extraperitoneal robot-assisted radical prostatectomy for prostate cancer. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2013 , 23, 919-2. | 5 ^{2.1} | 21 | |
| 110 | Effect of Androgen-Deprivation Therapy on Bone Mineral Density in Patients with Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 20 | |
| 109 | Systematic review and meta-analysis to compare success rates of retrograde intrarenal surgery versus percutaneous nephrolithotomy for renal stones >2 cm: An update. <i>Medicine (United States)</i> , 2017 , 96, e9119 | 1.8 | 20 | |
| 108 | Optimal Skin-to-Stone Distance Is a Positive Predictor for Successful Outcomes in Upper Ureter Calculi following Extracorporeal Shock Wave Lithotripsy: A Bayesian Model Averaging Approach. <i>PLoS ONE</i> , 2015 , 10, e0144912 | 3.7 | 20 | |
| 107 | Meta-Analysis of the Relationship between CXCR4 Expression and Metastasis in Prostate Cancer. World Journal of Men?s Health, 2014 , 32, 167-75 | 6.8 | 20 | |
| 106 | Upgrading of Gleason score and prostate volume: a clinicopathological analysis. <i>BJU International</i> , 2013 , 111, 1310-6 | 5.6 | 20 | |
| 105 | Prognostic factors for urachal cancer: a bayesian model-averaging approach. <i>Korean Journal of Urology</i> , 2014 , 55, 574-80 | | 18 | |
| 104 | Inhibition of tumor growth and histopathological changes following treatment with a chemokine receptor CXCR4 antagonist in a prostate cancer xenograft model. <i>Oncology Letters</i> , 2013 , 6, 933-938 | 2.6 | 18 | |
| 103 | Laparoendoscopic single-site ureterolithotomy for upper ureteral stone disease: the first 30 cases in a multicenter study. <i>Journal of Endourology</i> , 2011 , 25, 1293-8 | 2.7 | 18 | |
| 102 | Laparoendoscopic single site varicocele ligation: comparison of testicular artery and lymphatic preservation versus complete testicular vessel ligation. <i>Journal of Urology</i> , 2013 , 189, 243-9 | 2.5 | 17 | |
| 101 | Is type-2 diabetes mellitus associated with overactive bladder symptoms in men with lower urinary tract symptoms?. <i>Urology</i> , 2014 , 84, 670-4 | 1.6 | 16 | |
| 100 | Charlson comorbidity index is an important prognostic factor for long-term survival outcomes in Korean men with prostate cancer after radical prostatectomy. <i>Yonsei Medical Journal</i> , 2014 , 55, 316-23 | 3 | 16 | |
| 99 | Initial experience of laparoendoscopic single-site nephroureterectomy with bladder cuff excision for upper urinary tract urothelial carcinoma performed by a single surgeon. <i>Journal of Endourology</i> , 2011 , 25, 1763-8 | 2.7 | 16 | |
| 98 | Comparison of computed tomography findings between renal oncocytomas and chromophobe renal cell carcinomas. <i>Korean Journal of Urology</i> , 2015 , 56, 695-702 | | 15 | |
| 97 | Combined tadalafil and Eblocker therapy for benign prostatic hyperplasia in patients with erectile dysfunction: a multicenter, prospective study. <i>Journal of Andrology</i> , 2012 , 33, 397-403 | | 15 | |
| 96 | Clinical Characteristics of Genitourinary Tuberculosis during a Recent 10-Year Period in One Center. <i>Korean Journal of Urology</i> , 2011 , 52, 200-5 | | 15 | |
| 95 | Clinical significance of peripheral zone thickness in men with lower urinary tract symptoms/benign prostatic hyperplasia. <i>BJU International</i> , 2016 , 117, 316-22 | 5.6 | 15 | |

| 94 | Evaluation of Performance Parameters of the Disposable Flexible Ureterorenoscope (LITHOVUE) in Patients with Renal Stones: A Prospective, Observational, Single-arm, Multicenter Study. <i>Scientific Reports</i> , 2018 , 8, 9795 | 4.9 | 15 |
|----|--|------------------|----|
| 93 | Age-adjusted Charlson comorbidity index is a significant prognostic factor for long-term survival of patients with high-risk prostate cancer after radical prostatectomy: a Bayesian model averaging approach. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 849-58 | 4.9 | 14 |
| 92 | Impact of colic pain as a significant factor for predicting the stone free rate of one-session shock wave lithotripsy for treating ureter stones: a Bayesian logistic regression model analysis. <i>PLoS ONE</i> , 2015 , 10, e0123800 | 3.7 | 14 |
| 91 | Bladder reconstruction using bovine pericardium in a case of enterovesical fistula. <i>Korean Journal of Urology</i> , 2011 , 52, 150-3 | | 14 |
| 90 | Impact of Pretreatment Hydronephrosis on the Success Rate of Shock Wave Lithotripsy in Patients with Ureteral Stone. <i>Yonsei Medical Journal</i> , 2017 , 58, 1000-1005 | 3 | 13 |
| 89 | Seasonal Variation of Urinary Symptoms in Korean Men with Lower Urinary Tract Symptoms and Benign Prostatic Hyperplasia. <i>World Journal of Men?s Health</i> , 2015 , 33, 81-7 | 6.8 | 13 |
| 88 | Efficacy and Safety of Tadalafil 5 mg Administered Once Daily in Korean Men with Erectile Dysfunction: A Prospective, Multicenter Study. <i>Korean Journal of Urology</i> , 2010 , 51, 647-52 | | 13 |
| 87 | Plasmacytoid Variant Urothelial Carcinoma of the Bladder: A Systematic Review and Meta-Analysis of Clinicopathological Features and Survival Outcomes. <i>Journal of Urology</i> , 2020 , 204, 215-223 | 2.5 | 13 |
| 86 | Real-time simultaneous endoscopic combined intrarenal surgery with intermediate-supine position: Washout mechanism and transport technique. <i>Investigative and Clinical Urology</i> , 2018 , 59, 348-354 | 1.9 | 13 |
| 85 | Simplified zero ischemia in robot assisted partial nephrectomy: initial yonsei experience. <i>Korean Journal of Urology</i> , 2013 , 54, 78-84 | | 12 |
| 84 | Alpha-1 Adrenergic Receptor Blockers for the Treatment of Lower Urinary Tract Symptoms in Women: A Systematic Review and Meta-Analysis. <i>International Neurourology Journal</i> , 2019 , 23, 56-68 | 2.6 | 11 |
| 83 | Impact of lymphovascular invasion on lymph node metastasis for patients undergoing radical prostatectomy with negative resection margin. <i>BMC Cancer</i> , 2017 , 17, 321 | 4.8 | 11 |
| 82 | Evaluating Variations of Bladder Volume Using an Ultrasound Scanner in Rectal Cancer Patients during Chemoradiation: Is Protocol-Based Full Bladder Maintenance Using a Bladder Scanner Useful to Maintain the Bladder Volume?. <i>PLoS ONE</i> , 2015 , 10, e0128791 | 3.7 | 11 |
| 81 | Concomitant laparoendoscopic single-site surgery for ureterolithotomy and contralateral renal cyst marsupialization. <i>Korean Journal of Urology</i> , 2011 , 52, 64-7 | | 11 |
| 80 | Efficacy of vasectomy reversal according to patency for the surgical treatment of postvasectomy pain syndrome. <i>International Journal of Impotence Research</i> , 2012 , 24, 202-5 | 2.3 | 11 |
| 79 | Correlation of prostatic urethral angle with the severity of urinary symptom and peak flow rate in men with small prostate volume. <i>PLoS ONE</i> , 2014 , 9, e104395 | 3.7 | 11 |
| 78 | Reappraisal of the treatment duration of antibiotic regimens for acute uncomplicated cystitis in adult women: a systematic review and network meta-analysis of 61 randomised clinical trials. <i>Lancet Infectious Diseases, The</i> , 2020 , 20, 1080-1088 | 25.5 | 11 |
| 77 | Impact of Charlson comorbidity index varies by age in patients with prostate cancer treated by radical prostatectomy: a competing risk regression analysis. <i>Annals of Surgical Oncology</i> , 2014 , 21, 677- | 83 ^{.1} | 10 |

(2018-2017)

| 76 | Intraoperative and postoperative feasibility and safety of total tubeless, tubeless, small-bore tube, and standard percutaneous nephrolithotomy: a systematic review and network meta-analysis of 16 randomized controlled trials. <i>BMC Urology</i> , 2017 , 17, 48 | 2.2 | 10 |
|----|--|-------|----|
| 75 | Single-port transvesical enucleation of the prostate for benign prostatic hyperplasia with severe intravesical prostatic protrusion. <i>World Journal of Urology</i> , 2012 , 30, 511-7 | 4 | 10 |
| 74 | Efficacy of epididymectomy in treatment of chronic epididymal pain: a comparison of patients with and without a history of vasectomy. <i>Urology</i> , 2011 , 77, 177-82 | 1.6 | 10 |
| 73 | Initial experience of laparoendoscopic single-site radical prostatectomy requiring well-equipped appliances and a skilled technique. <i>Case Reports in Oncology</i> , 2010 , 3, 445-50 | 1 | 10 |
| 72 | A Systematic Review and Meta-Analysis of Functional Outcomes and Complications Following the Photoselective Vaporization of the Prostate and Monopolar Transurethral Resection of the Prostate. World Journal of Men?s Health, 2016, 34, 110-22 | 6.8 | 10 |
| 71 | Role of adjuvant cisplatin-based chemotherapy following radical cystectomy in locally advanced muscle-invasive bladder cancer: Systematic review and meta-analysis of randomized trials. <i>Investigative and Clinical Urology</i> , 2019 , 60, 64-74 | 1.9 | 9 |
| 7º | p53 expression as a prognostic factor in upper urinary tract urothelial carcinoma: a systematic review and meta-analysis. <i>Urologia Internationalis</i> , 2015 , 94, 50-7 | 1.9 | 9 |
| 69 | Current status of radical prostatectomy for high-risk prostate cancer. <i>Korean Journal of Urology</i> , 2014 , 55, 629-35 | | 9 |
| 68 | Quality assessment of randomized controlled trials published in the korean journal of urology over the past 20 years. <i>Korean Journal of Urology</i> , 2011 , 52, 642-6 | | 9 |
| 67 | Age-adjusted Charlson Comorbidity Index as a prognostic factor for radical prostatectomy outcomes of very high-risk prostate cancer patients. <i>PLoS ONE</i> , 2018 , 13, e0199365 | 3.7 | 9 |
| 66 | Comparison of Oncologic Outcomes Between Two Alternative Sequences with Abiraterone Acetate and Enzalutamide in Patients with Metastatic Castration-Resistant Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019 , 12, | 6.6 | 9 |
| 65 | Ureteral stenting can be a negative predictor for successful outcome following shock wave lithotripsy in patients with ureteral stones. <i>Investigative and Clinical Urology</i> , 2016 , 57, 408-416 | 1.9 | 9 |
| 64 | What is the most effective local anesthesia for transrectal ultrasonography-guided biopsy of the prostate? A systematic review and network meta-analysis of 47 randomized clinical trials. <i>Scientific Reports</i> , 2019 , 9, 4901 | 4.9 | 8 |
| 63 | Hematuria grading scale: a new tool for gross hematuria. <i>Urology</i> , 2013 , 82, 284-9 | 1.6 | 8 |
| 62 | Probe-Based Confocal Laser Endomicroscopy During Transurethral Resection of Bladder Tumors Improves the Diagnostic Accuracy and Therapeutic Efficacy. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1158- | ₹1165 | 7 |
| 61 | Is periurethral calcification associated with urinary flow rate and symptom severity in men with lower urinary tract symptoms-benign prostatic hyperplasia? A retrospective review. <i>Urology</i> , 2015 , 85, 1156-1161 | 1.6 | 7 |
| 60 | Total intraglandular and index tumor volumes predict biochemical recurrence in prostate cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 469, 305-12 | 5.1 | 7 |
| 59 | Digital Videoscopic Retrograde Intrarenal Surgeries for Renal Stones: Time-to-Maximal Stone Length Ratio Analysis. <i>Yonsei Medical Journal</i> , 2018 , 59, 303-309 | 3 | 7 |

| 58 | Comparison of efficacy for erectile function and lower urinary tract symptoms of tadalafil 20 mg on-demand and 5 mg once daily in patients with erectile dysfunction. <i>International Journal of Clinical Practice</i> , 2012 , 66, 813-820 | 2.9 | 7 |
|----|---|-----|---|
| 57 | Clinical implications of a feeling of incomplete emptying with little post-void residue in men with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2014 , 33, 1123-7 | 2.3 | 7 |
| 56 | Effect of Discontinuation of Tamsulosin in Korean Men with Benign Prostatic Hyperplasia Taking Tamsulosin and Dutasteride: An Open-Label, Prospective, Randomized Pilot Study. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012 , 4, 35-40 | 1.9 | 7 |
| 55 | Prostate-specific antigen density predicts favorable pathology and biochemical recurrence in patients with intermediate-risk prostate cancer. <i>Asian Journal of Andrology</i> , 2016 , 18, 480-4 | 2.8 | 7 |
| 54 | Large database study of urinary stone composition in South Korea: Korean Society of Endourology and Robotics (KSER) research series. <i>Investigative and Clinical Urology</i> , 2021 , 62, 462-469 | 1.9 | 7 |
| 53 | A comparison of epididymectomy with vasectomy reversal for the surgical treatment of postvasectomy pain syndrome. <i>International Urology and Nephrology</i> , 2014 , 46, 531-7 | 2.3 | 6 |
| 52 | Renal pelvic urothelial carcinoma with vena caval thrombus mimicking renal cell carcinoma. <i>Korean Journal of Urology</i> , 2014 , 55, 624-7 | | 6 |
| 51 | Laparoendoscopic single-site surgery for benign urologic disease with a homemade single port device: design and tips for beginners. <i>Korean Journal of Urology</i> , 2012 , 53, 165-70 | | 6 |
| 50 | Effectiveness of Percutaneous Nephrolithotomy, Retrograde Intrarenal Surgery, and Extracorporeal Shock Wave Lithotripsy for Treatment of Renal Stones: A Systematic Review and Meta-Analysis. <i>Medicina (Lithuania)</i> , 2020 , 57, | 3.1 | 6 |
| 49 | Unroofed midline prostate cyst misled into a stricture with obliterative bladder neck contracture following a laser prostatectomy. <i>International Neurourology Journal</i> , 2013 , 17, 34-7 | 2.6 | 6 |
| 48 | Effect of Bladder Neck Preservation on Long-Term Urinary Continence after Robot-Assisted Laparoscopic Prostatectomy: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 6 |
| 47 | Association of Anterior and Lateral Extraprostatic Extensions with Base-Positive Resection Margins in Prostate Cancer. <i>PLoS ONE</i> , 2016 , 11, e0158922 | 3.7 | 5 |
| 46 | Impact of bent distortion on accuracy of measurement during transrectal ultrasonography for prostatic imaging: a preliminary study. <i>Urology</i> , 2013 , 81, 915-9 | 1.6 | 4 |
| 45 | Simple Modification of the Bladder Outlet Obstruction Index for Better Prediction of Endoscopically-Proven Prostatic Obstruction: A Preliminary Study. <i>PLoS ONE</i> , 2015 , 10, e0141745 | 3.7 | 4 |
| 44 | Feasibility and efficacy of intermediate-supine percutaneous nephrolithotomy: initial experience. <i>Chonnam Medical Journal</i> , 2014 , 50, 52-7 | 1.3 | 4 |
| 43 | Fate of abstracts presented at the annual meeting of the korean urological association. <i>Korean Journal of Urology</i> , 2012 , 53, 280-4 | | 4 |
| 42 | Hybrid method of transurethral resection of ejaculatory ducts using holmium:yttriumaluminium garnet laser on complete ejaculatory duct obstruction. <i>Yonsei Medical Journal</i> , 2013 , 54, 1062-5 | 3 | 4 |
| 41 | Effects of Adjuvant Chemotherapy on Locally Advanced Upper Tract Urothelial Carcinoma: A Systematic Review and Meta-analysis. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e1193-e1202 | 3.3 | 4 |

| 40 | Prognostic Significance of Vas Deferens Invasion After Radical Prostatectomy in Patients with Pathological Stage T3b Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1143-1149 | 3.1 | 3 |
|----|---|--------------------|---|
| 39 | Intraoperative patient selection for tubeless percutaneous nephrolithotomy. <i>International Surgery</i> , 2014 , 99, 662-8 | 0.1 | 3 |
| 38 | Brain and skin metastasis from urothelial carcinoma of the bladder. <i>Korean Journal of Urology</i> , 2013 , 54, 66-8 | | 3 |
| 37 | Analysis of content legibility for smartphones of websites of the korean urological association and other urological societies in Korea. <i>Korean Journal of Urology</i> , 2011 , 52, 142-6 | | 3 |
| 36 | Laparoendoscopic single-site renal cyst marsupialization using a homemade single-port device has a role as a feasible treatment option. <i>Urologia Internationalis</i> , 2011 , 87, 309-13 | 1.9 | 3 |
| 35 | Does Early Retrograde Intrarenal Surgery Improve the Cost-Effectiveness of Renal Stone Management?. <i>Yonsei Medical Journal</i> , 2020 , 61, 515-523 | 3 | 3 |
| 34 | Comparison of oncologic outcomes between partial nephrectomy and radical nephrectomy in patients who were upstaged from cT1 renal tumor to pT3a renal cell carcinoma: an updated systematic review and meta-analysis. <i>Therapeutic Advances in Urology</i> , 2020 , 12, 1756287220981508 | 3.2 | 3 |
| 33 | Clinical Significance of Periurethral Calcification According to the Location in Men With Lower Urinary Tract Symptoms and a Small Prostate Volume. <i>International Neurourology Journal</i> , 2017 , 21, 220 | 0- 2 28 | 3 |
| 32 | Predictors of Uric Acid Stones: Mean Stone Density, Stone Heterogeneity Index, and Variation Coefficient of Stone Density by Single-Energy Non-Contrast Computed Tomography and Urinary pH. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 3 |
| 31 | Stiffness of the Central Corpus Cavernosum on Shear-Wave Elastography Is Inversely Correlated with the Penile Rigidity Score in Patients with Erectile Dysfunction. <i>World Journal of Men?s Health</i> , 2021 , 39, 123-130 | 6.8 | 3 |
| 30 | The First 100 Cases of Endoscopic Combined Intrarenal Surgery in Korea: Matched Cohort Analyses versus Shock-Wave Lithotripsy <i>Yonsei Medical Journal</i> , 2022 , 63, 440-445 | 3 | 3 |
| 29 | Effects of 5-alpha reductase inhibitors: new insights on benefits and harms. <i>Current Opinion in Urology</i> , 2018 , 28, 288-293 | 2.8 | 2 |
| 28 | Pathologic Outcomes in Men with Low-risk Prostate Cancer Who Are Potential Candidates for Contemporary, Active Surveillance Protocols. <i>Journal of Korean Medical Science</i> , 2015 , 30, 932-6 | 4.7 | 2 |
| 27 | MP22-16 RECURRENCE RATE OF TRANSURETHRAL RESECTION OF BLADDER TUMOR USING NARROW BAND IMAGING: A RANDOMIZED CONTROL TRIAL, PILOT STUDY. <i>Journal of Urology</i> , 2014 , 191, | 2.5 | 2 |
| 26 | Efficacy and safety of solifenacin to treat overactive bladder symptoms in patients with idiopathic normal pressure hydrocephalus: an open-label, multicenter, prospective study. <i>Neurourology and Urodynamics</i> , 2012 , 31, 1175-80 | 2.3 | 2 |
| 25 | Analysis of prescriptions of alpha-blockers and phosphodiesterase 5 inhibitors from the urology department and other departments. <i>International Neurourology Journal</i> , 2011 , 15, 216-21 | 2.6 | 2 |
| 24 | Relationship between Lower Urinary Tract Symptoms and Prostatic Urethral Stiffness Using Strain Elastography: Initial Experiences. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 2 |
| 23 | Does an Alternative Sunitinib Dosing Schedule Really Improve Survival Outcomes over a Conventional Dosing Schedule in Patients with Metastatic Renal Cell Carcinoma? An Updated Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019 , 11, | 6.6 | 2 |

| 22 | Stone heterogeneity index on single-energy noncontrast computed tomography can be a positive predictor of urinary stone composition. <i>PLoS ONE</i> , 2018 , 13, e0193945 | 3.7 | 2 |
|----|--|--------------------|---|
| 21 | Tertiary Referral Hospital Experiences of Men Presenting With Painless Postcoital Gross Hematuria and a Suggestion for the Management Algorithm. <i>Urology</i> , 2018 , 115, 112-118 | 1.6 | 1 |
| 20 | Predictive factors and treatment outcomes of Steinstrasse following shock wave lithotripsy for ureteral calculi: A Bayesian regression model analysis. <i>Investigative and Clinical Urology</i> , 2018 , 59, 112-17 | 1 <mark>8</mark> 9 | 1 |
| 19 | Microsurgical intermediate subinguinal varicocelectomy. <i>International Surgery</i> , 2014 , 99, 398-403 | 0.1 | 1 |
| 18 | Clinical features of supervoiders who suffer from lower urinary tract symptoms: a propensity score-matching study. <i>World Journal of Urology</i> , 2013 , 31, 1463-8 | 4 | 1 |
| 17 | Bilateral coronary arteriovenous fistula coexistent with atrial septal defect and pulmonary stenosis. <i>Yonsei Medical Journal</i> , 1997 , 38, 190-2 | 3 | 1 |
| 16 | The Within-Group Discrimination Ability of the Cancer of the Prostate Risk Assessment Score for Men with Intermediate-Risk Prostate Cancer. <i>Journal of Korean Medical Science</i> , 2018 , 33, e36 | 4.7 | 1 |
| 15 | Effect of neoadjuvant chemotherapy on overall survival of patients with T2-4aN0M0 bladder cancer: A systematic review and meta-analysis according to EAU COVID-19 recommendation <i>PLoS ONE</i> , 2022 , 17, e0267410 | 3.7 | 1 |
| 14 | Recommendations for Antibacterial Prophylaxis in Endourological Procedures. <i>Urogenital Tract Infection</i> , 2019 , 14, 1 | 0 | О |
| 13 | Intermediate PSA half-life after neoadjuvant hormone therapy predicts reduced risk of castration-resistant prostate cancer development after radical prostatectomy. <i>BMC Cancer</i> , 2017 , 17, 789 | 4.8 | O |
| 12 | Associations of Self-Reported Erectile Function with Non-Invasive Measurements of Endothelial Function: A Preliminary Study. <i>World Journal of Men?s Health</i> , 2015 , 33, 174-81 | 6.8 | O |
| 11 | Antibiotic prophylaxis for percutaneous nephrolithotomy: An updated systematic review and meta-analysis <i>PLoS ONE</i> , 2022 , 17, e0267233 | 3.7 | O |
| 10 | Microbiome Analysis Using Next-Generation Sequencing in Urinary Tract Infections. <i>Urogenital Tract Infection</i> , 2022 , 17, 1-7 | О | О |
| 9 | Outcomes of Retzius-sparing versus conventional robot-assisted radical prostatectomy: A KSER update series systematic review and meta-analysis. <i>PLoS ONE</i> , 2022 , 17, e0268182 | 3.7 | O |
| 8 | Age and Charlson Score: A Reply. Annals of Surgical Oncology, 2017, 24, 679 | 3.1 | |
| 7 | An evidence-based evaluation of health information on erectile dysfunction from 10 nationwide daily newspapers in Korea. <i>Korean Journal of Urology</i> , 2013 , 54, 778-82 | | |
| 6 | Laparoendoscopic single-site repair of bladder rupture using a home-made single-port device: initial experience of treatment for a traumatic intraperitoneal bladder rupture. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques,</i> 2012 , 22, e135-7 | 1.3 | |
| 5 | Prevention and management of urinary stone. <i>Journal of the Korean Medical Association</i> , 2020 , 63, 684-6 | 5 9 55 | |

LIST OF PUBLICATIONS

| | Concomitant laparoendoscopic single-site surgery for vesicolithotomy and finger-assisted |
|---|---|
| 4 | single-port transvesical enucleation of the prostate. <i>International Neurourology Journal</i> , 2011 , 15, 228-37 ^{2.0} |

| 3 | Prediction of organ-confined disease after robot-assisted radical prostatectomy in patients with clinically locally-advanced prostate cancer. <i>Asian Journal of Surgery</i> , 2019 , 42, 120-125 | 1.6 |
|---|---|-----|
| 2 | Impact of the Human Microbiome on Nephrolithiasis. <i>Urogenital Tract Infection</i> , 2021 , 16, 25-31 | O |
| 1 | Stone-Free Rates of mPCNL, PCNL, and RIRS: A Systematic Review and Network Meta-Analysis. **Urogenital Tract Infection, 2022 , 17, 14-25 | O |