## Sergey Senkin

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/405794/sergey-senkin-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 294<br/>papers
 11,758<br/>citations
 55<br/>h-index
 89<br/>g-index

 305<br/>ext. papers
 13,261<br/>ext. citations
 5<br/>avg, IF
 0.81<br/>L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 294 | MSA: reproducible mutational signature attribution with confidence based on simulations. <i>BMC Bioinformatics</i> , <b>2021</b> , 22, 540  | 3.6  | 1         |
| 293 | Mutational signatures in esophageal squamous cell carcinoma from eight countries with varying incidence. <i>Nature Genetics</i> , <b>2021</b> , 53, 1553-1563   | 36.3 | 12        |
| 292 | Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in (sqrt{s}=13) (text {TeV}) pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1 | 4.2  | 50        |
| 291 | Measurements of top-quark pair spin correlations in the (emu ) channel at ( $sqrt\{s\} = 13$ ) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2  | 8         |
| 290 | Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 58  | 4.2  | 20        |
| 289 | Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fbfl of pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                   | 5∙4  | 81        |
| 288 | Search for new phenomena in high-mass final states with a photon and a jet from collisions at = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 102  | 4.2  | 7         |
| 287 | Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 154  | 4.2  | 23        |
| 286 | Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 142   | 4.2  | 35        |
| 285 | Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 171   | 4.2  | 35        |
| 284 | Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , <b>2018</b> , 78, 186   | 4.2  | 5         |
| 283 | Search for heavy resonances in the and final states using proton-proton collisions at Dwith the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 293  | 4.2  | 41        |
| 282 | A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 250   | 4.2  | 28        |
| 281 | Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb1 of (sqrt{s}=13) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1 | 5.4  | 26        |
| 280 | Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 24  | 4.2  | 47        |
| 279 | Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 129  | 4.2  | 11        |
| 278 | Search for W W/W Z resonance production in $\[ q \]$ final states in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4  | 22        |

## (2018-2018)

| 277 | Measurement of the Higgs boson coupling properties in the H -₹Z* - 4Idecay channel at ( sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                                     | 5.4 | 36  |
|-----|--|-----|-----|
| 276 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                                       | 5.4 | 12  |
| 275 | Search for dark matter produced in association with bottom or top quarks in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 18  | 4.2 | 32  |
| 274 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 199                                | 4.2 | 55  |
| 273 | Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 163   | 4.2 | 3   |
| 272 | Searches for heavy ZZ and ZW resonances in the 日q and 日q final states in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                                  | 5.4 | 17  |
| 271 | Measurement of differential cross sections and W+/Wltross-section ratios for W boson production in association with jets at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1 | 5.4 | 7   |
| 270 | A Complete Readout Chain of the ATLAS Tile Calorimeter for the HL-LHC: from FATALIC Front-End Electronics to Signal Reconstruction. <i>EPJ Web of Conferences</i> , <b>2018</b> , 170, 01015                                       | 0.3 |     |
| 269 | Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1007  | 4.2 | 21  |
| 268 | Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 847   | 4.2 | 5   |
| 267 | Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 401            | 4.2 | 23  |
| 266 | Measurement of the azimuthal anisotropy of charged particles produced in = 5.02 TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 997   | 4.2 | 21  |
| 265 | Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 903  | 4.2 | 66  |
| 264 | Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 995                                     | 4.2 | 49  |
| 263 | Search for long-lived charginos based on a disappearing-track signature in pp collisions at ( sqrt{s}=13 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                              | 5.4 | 48  |
| 262 | Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 762  | 4.2 | 23  |
| 261 | Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 487                                | 4.2 | 5   |
| 260 | Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                       | 5.4 | 101 |

| 259 | Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7[[Formula: see text] cross sections. <i>European Physical Journal C</i> , <b>2017</b> , 77, 15 | 4.2 | 19 |
|-----|--|-----|----|
| 258 | Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 751  | 4.2 | 15 |
| 257 | Measurement of multi-particle azimuthal correlations in pp, pl-Pb and low-multiplicity Pb Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 428  | 4.2 | 48 |
| 256 | Measurement of inclusive and differential cross sections in the H -ZZ * -Aldecay channel in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                                     | 5.4 | 25 |
| 255 | Measurement of lepton differential distributions and the top quark mass in production in collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 804   | 4.2 | 11 |
| 254 | Measurement of the (toverline{t}gamma) production cross section in proton-proton collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 7  |
| 253 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2.<br>European Physical Journal C, <b>2017</b> , 77, 673   | 4.2 | 33 |
| 252 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 15 |
| 251 | Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 393                                   | 4.2 | 52 |
| 250 | Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 898  | 4.2 | 19 |
| 249 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in (sqrt{s}=13) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                 | 5.4 | 7  |
| 248 | Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at ITeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 765 | 4.2 | 10 |
| 247 | Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 5  |
| 246 | Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 13 |
| 245 | Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in (sqrt{s}=13) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1           | 5.4 | 27 |
| 244 | Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 580  | 4.2 | 16 |
| 243 | Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2017</b> , 77, 563                    | 4.2 | 15 |
| 242 | Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using (sqrt{s}=13) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                                 | 5.4 | 7  |

| 241 | Searches for the Zīdecay mode of the Higgs boson and for new high-mass resonances in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 20  |  |
|-----|--|-----|-----|--|
| 240 | Studies of Z[production in association with a high-mass dijet system in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 7   |  |
| 239 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at (sqrt{s}=13) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                                   | 5.4 | 12  |  |
| 238 | Search for top quark decays t -¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬   | 5.4 | 12  |  |
| 237 | Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2017</b> , 77, 646  | 4.2 | 11  |  |
| 236 | Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1                           | 5.4 | 8   |  |
| 235 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at (sqrt{s}=8) TeV.<br>Journal of High Energy Physics, 2017, 2017, 1   | 5.4 | 16  |  |
| 234 | Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                                     | 5.4 | 30  |  |
| 233 | Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fbl of (sqrt{s}=13) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                      | 5.4 | 22  |  |
| 232 | Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector.<br>Journal of High Energy Physics, 2017, 2017, 1 | 5.4 | 29  |  |
| 231 | Measurement of the k t splitting scales in Z - $\frac{1}{2}$ vents in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 3   |  |
| 230 | Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 7   |  |
| 229 | Evidence for the ( Hto boverline{b} ) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 50  |  |
| 228 | Search for new high-mass phenomena in the dilepton final state using 36 fbf of proton-proton collision data at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                               | 5.4 | 126 |  |
| 227 | Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 872  | 4.2 | 19  |  |
| 226 | Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 325  | 4.2 | 13  |  |
| 225 | Measurement of dijet azimuthal decorrelation in pplcollisions at [Formula: see text]. European Physical Journal C, <b>2016</b> , 76, 536   | 4.2 | 6   |  |
| 224 | Search for dark matter particles in proton-proton collisions at (sqrt{s}=8) TeV using the razor variables. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 2   |  |

| 223 | Search for s channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 8  |
|-----|--|-----|----|
| 222 | Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. European Physical Journal C, <b>2016</b> , 76, 372   | 4.2 | 24 |
| 221 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1                    | 5.4 | 15 |
| 220 | Measurement of the (mathrm $\{t\}$ ) overline $\{mathrm\{t\}\}$ ) production cross section in the elthannel in proton-proton collisions at (sqrt $\{s\}$ =7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1                      | 5.4 | 30 |
| 219 | Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 16 |
| 218 | Evidence for exclusive 日秋 + W production and constraints on anomalous quartic gauge couplings in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 27 |
| 217 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 460   | 4.2 | 14 |
| 216 | Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at (sqrt{s}=7) TeV.<br>Journal of High Energy Physics, <b>2016</b> , 2016, 1   | 5.4 | 9  |
| 215 | Phenomenological MSSM interpretation of CMS searches in pp collisions at (sqrt{s}=7) and 8 TeV.<br>Journal of High Energy Physics, <b>2016</b> , 2016, 1   | 5.4 | 11 |
| 214 | Measurement of the inclusive jet cross section in pp collisions at (sqrt{s} = 2.76,text {TeV}). European Physical Journal C, <b>2016</b> , 76, 1   | 4.2 | 17 |
| 213 | Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 379 | 4.2 | 20 |
| 212 | Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 469   | 4.2 | 37 |
| 211 | Observation of top quark pairs produced in association with a vector boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 18 |
| 210 | Search for W? -≵b in proton-proton collisions at ( sqrt{s}=8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 2  |
| 209 | Correlations between jets and charged particles in PbPb and pp collisions at ( sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 21 |
| 208 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 2  |
| 207 | Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 10 |
| 206 | Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 128   | 4.2 | 21 |

## (2015-2016)

| 205 | Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , <b>2016</b> , 76, 155   | 4.2 | 250 |
|-----|--|-----|-----|
| 204 | Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 237   | 4.2 | 19  |
| 203 | Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1                 | 5.4 | 14  |
| 202 | Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 7   |
| 201 | Search for heavy Majorana neutrinos in $e = e = + jets$ and $e = e = + jets$ events in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1                                    | 5.4 | 28  |
| 200 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into 🛮 eptons in pp collisions at ( sqrt{s}=8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1             | 5.4 | 16  |
| 199 | Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 13                               | 4.2 | 35  |
| 198 | Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeVand limits on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2016</b> , 76, 401                                  | 4.2 | 38  |
| 197 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , <b>2016</b> , 76, 371  | 4.2 | 25  |
| 196 | Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1                         | 5.4 | 14  |
| 195 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 317 | 4.2 | 9   |
| 194 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 4   |
| 193 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ( sqrt{s_{mathrm{NN}}}=2.76 ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 21  |
| 192 | Search for anomalous single top quark production in association with a photon in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 20  |
| 191 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1                            | 5.4 | 6   |
| 190 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 10  |
| 189 | Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , <b>2015</b> , 75, 251                        | 4.2 | 55  |
| 188 | Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 66  | 4.2 | 21  |

| 187 | Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 147  | 4.2 | 50  |
|-----|--|-----|-----|
| 186 | Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 151  | 4.2 | 33  |
| 185 | Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 19  |
| 184 | Measurement of the ratio of the production cross sections times branching fractions of B $\exists c \neg a / \Box \exists a$ and B $\exists \neg a / B \exists a$ and (mathrm{mathcal{B}}\left({mathrm{B}}_{mathrm{c}}^{pm}\to mathrm{J}/psi {pi}^{pm}{pm}{pm}^{pm}^{pm}^{pm}^{pm}^{pm}^ | 5.4 | 13  |
| 183 | Search for disappearing tracks in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 35  |
| 182 | Study of Z production in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 18  |
| 181 | Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 69  |
| 180 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at (sqrt{s}=2.76) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 6   |
| 179 | Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 235  | 4.2 | 250 |
| 178 | Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 288                                  | 4.2 | 37  |
| 177 | Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 237  | 4.2 | 48  |
| 176 | Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 302  | 4.2 | 4   |
| 175 | Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 325   | 4.2 | 24  |
| 174 | Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at ( sqrt{s} ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 22  |
| 173 | Search for third-generation scalar leptoquarks in the tthannel in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 19  |
| 172 | Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 26  |
| 171 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 33  |
| 170 | Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 17  |

| 169 | Search for a charged Higgs boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 61  |
|-----|---|-----|-----|
| 168 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 11  |
| 167 | Search for a light charged Higgs boson decaying to ( mathrm{c}overline{mathrm{s}} ) in pp collisions at ( sqrt{s}=8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-37   | 5∙4 | 33  |
| 166 | Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 16  |
| 165 | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 |     |
| 164 | Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 73  |
| 163 | Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 212  | 4.2 | 399 |
| 162 | Measurement of the Ziproduction cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 7   |
| 161 | Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeVland determination of the strong coupling constant in the TeVlange. <i>European Physical Journal C</i> , <b>2015</b> , 75, 186   | 4.2 | 41  |
| 160 | Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 542   | 4.2 | 98  |
| 159 | Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , <b>2015</b> , 75, 511 | 4.2 | 25  |
| 158 | Comparison of the $Z/\mathbb{F}$ + jets to $\mathbb{F}$ jets cross sections in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 5   |
| 157 | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 18  |
| 156 | Measurement of the (toverline $\{t\}$ ) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 43  |
| 155 | Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at (sqrt{{{s_{NN }}}}) = 2.76 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 60  |
| 154 | Measurement of associated W + charm production in pp collisions at (sqrt $\{s\}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 37  |
| 153 | Search for new physics in events with same-sign dileptons and jets in pp collisions at (sqrt $\{s\}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 38  |
| 152 | Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at (sqrt{s_{mathrm{NN}}} = 5.02) (,text {TeV}). European Physical Journal C, 2014, 74, 1  | 4.2 | 67  |

| 151 | Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2973                                | 4.2 | 16  |
|-----|--|-----|-----|
| 150 | Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2980                                     | 4.2 | 131 |
| 149 | Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3014                       | 4.2 | 11  |
| 148 | Study of double parton scattering using W + 2-jet events in proton-proton collisions at (sqrt $\{s\}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1                             | 5.4 | 61  |
| 147 | Event activity dependence of (Y)(nS) production in ( $sqrt\{\{s_{NN}\}\}\}$ ) = 5.02 TeV pPb and ( $sqrt\{s\}$ ) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 42  |
| 146 | . Journal of High Energy Physics, <b>2014</b> , 2014, 1  | 5.4 | 18  |
| 145 | Evidence for the 125 GeV Higgs boson decaying to a pair of [leptons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 101 |
| 144 | Search for W? - $\star$ b decays in the lepton + jets final state in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1                                     | 5.4 | 23  |
| 143 | Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at (sqrt $\{s\}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1    | 5.4 | 15  |
| 142 | Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at (sqrt $\{s\}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 81  |
| 141 | Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb CKM matrix element in pp collisions at (sqrt{s}) = 8 TeV. Journal of High Energy Physics, <b>2014</b> , 2014, 1 | 5.4 | 48  |
| 140 | Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1                     | 5.4 | 21  |
| 139 | Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 3   |
| 138 | Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1          | 5.4 | 74  |
| 137 | Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1                      | 5.4 | 59  |
| 136 | Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2758                          | 4.2 | 21  |
| 135 | Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2847                  | 4.2 | 71  |
| 134 | Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2901   | 4.2 | 13  |

| 133 | Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3149               | 4.2 | 149 |
|-----|---|-----|-----|
| 132 | Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3060       | 4.2 | 29  |
| 131 | Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3129                    | 4.2 | 29  |
| 130 | Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 70  |
| 129 | Measurement of pseudorapidity distributions of charged particles in proton $\beta$ roton collisions at (sqrt{s} = 8) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1 | 4.2 | 37  |
| 128 | Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3036   | 4.2 | 183 |
| 127 | Measurement of prompt J/[pair production in pp collisions at ( sqrt{s} ) = 7 Tev. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 41  |
| 126 | Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3076   | 4.2 | 239 |
| 125 | Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 45  |
| 124 | Study of hadronic event-shape variables in multijet final states in pp collisions at (sqrt{s} = 7) TeV.<br>Journal of High Energy Physics, <b>2014</b> , 2014, 1  | 5.4 | 3   |
| 123 | Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1                             | 5.4 | 15  |
| 122 | Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 32  |
| 121 | Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 144 |
| 120 | Measurement of the (toverline $\{t\}$ ) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$ ) = 8 TeV <b>2014</b> , 2014, 1  |     | 3   |
| 119 | Search for the associated production of the Higgs boson with a top-quark pair <b>2014</b> , 2014, 1   |     | 6   |
| 118 | Search for microscopic black holes in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 38  |
| 117 | Measurement of the (Lambda_{mathrm{b}}^0) lifetime in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 14  |
| 116 | Searches for long-lived charged particles in pp collisions at (sqrt{s}) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 96  |

| 115 | Study of exclusive two-photon production of W+Wlin pp collisions at (sqrt{s}=7) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 56  |
|-----|--|-----|-----|
| 114 | Observation of a new boson with mass near 125 GeV in pp collisions at (sqrt{s}=7) and 8 TeV.<br>Journal of High Energy Physics, <b>2013</b> , 2013, 1  | 5.4 | 261 |
| 113 | Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 35  |
| 112 | Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 39  |
| 111 | Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the all-jet final state in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 14  |
| 110 | Measurement of the X(3872) production cross section via decays to J/I In pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 44  |
| 109 | Study of the underlying event at forward rapidity in pp collisions at ( sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV}). <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 39  |
| 108 | Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 15  |
| 107 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 33  |
| 106 | Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 30  |
| 105 | Search for exotic resonances decaying into WZ/ZZ in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 16  |
| 104 | Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2404  | 4.2 | 15  |
| 103 | Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2469  | 4.2 | 49  |
| 102 | Measurement of the production cross section for (mathrm{Z}gamma to nu overline{nu}gamma) in pp collisions at (sqrt{s} = 7) TeV and limits on ZZIand ZIIriple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 12  |
| 101 | Measurement of the W-boson helicity in top-quark decays from (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2013, 2013, 1                                    | 5.4 | 25  |
| 100 | Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2568                 | 4.2 | 82  |
| 99  | Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at (sqrt{s}=7) TeV.<br>Journal of High Energy Physics, 2013, 2013, 1 | 5.4 | 10  |
| 98  | Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2494  | 4.2 | 37  |

| 97 | Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 249   | 3 <sup>4.2</sup> | 10  |  |
|----|--|------------------|-----|--|
| 96 | Measurement of the (mathrm{t}bar{mathrm{t}}) production cross section in the ⊞jets channel in pp collisions at (sqrt{s}=7 mbox{TeV}). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1   | 4.2              | 21  |  |
| 95 | Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2674   | 4.2              | 24  |  |
| 94 | Search for top-squark pair production in the single-lepton final state in pp collisions at (sqrt{s}=8 mathrm{TeV}). European Physical Journal C, 2013, 73, 1   | 4.2              | 162 |  |
| 93 | Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at (sqrt $\{s\}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4              | 43  |  |
| 92 | Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ( $sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4              | 26  |  |
| 91 | Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $(\sqrt{s} = 7 \text{ mathrm{TeV}})$ and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1 | 4.2              | 50  |  |
| 90 | Measurement of the W+W $\mathbb{L}$ ross section in pp collisions at (sqrt{s} = 7mbox{ TeV}) and limits on anomalous WW $\mathbb{L}$ and WWZ couplings. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1   | 4.2              | 56  |  |
| 89 | Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4              | 37  |  |
| 88 | Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4              | 39  |  |
| 87 | Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $B$ b-quark jets in 7 TeV pp collisions using the variable $B$ T. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4              | 29  |  |
| 86 | Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4              | 12  |  |
| 85 | Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2283  | 4.2              | 45  |  |
| 84 | Measurement of differential top-quark-pair production cross sections in pp collisions at (sqrt{s} = 7 mathrm{TeV}). European Physical Journal C, <b>2013</b> , 73, 1   | 4.2              | 102 |  |
| 83 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( $sqrt{s}=8$ ) TeV <b>2013</b> , 2013, 1   |                  | 2   |  |
| 82 | Study of high-p T charged particle suppression in PbPb compared to pp collisions at (sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}). European Physical Journal C, <b>2012</b> , 72, 1  | 4.2              | 316 |  |
| 81 | Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at (sqrt{s_{NN}}= 2.76 mbox{TeV}). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1   | 4.2              | 158 |  |
| 8o | Jet production rates in association with W and Z bosons in pp collisions at (sqrt {s} = 7 {text{TeV}}).  Journal of High Energy Physics, 2012, 2012, 1   | 5.4              | 37  |  |

| 79 | Exclusive $\Box \Rightarrow \Box$ production in proton-proton collisions at ( sqrt {s} = {7} ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                                      | 5.4 | 45  |
|----|--|-----|-----|
| 78 | Measurement of the production cross section for pairs of isolated photons in pp collisions at (sqrt {s} = 7;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                        | 5.4 | 20  |
| 77 | Inclusive b-jet production in pp collisions at (sqrt $\{s\}$ = 7TeV). Journal of High Energy Physics, <b>2012</b> , 2012, 1  | 5.4 | 30  |
| 76 | Search for quark compositeness in dijet angular distributions from pp collisions at (sqrt $\{s\} = 7\{\}$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                         | 5.4 | 12  |
| 75 | Suppression of non-prompt J/ $\square$ prompt J/ $\square$ and ( Upsilon )(1S) in PbPb collisions at ( sqrt {{s_{text{NN}}}}} = 2.76 ) TeV. Journal of High Energy Physics, <b>2012</b> , 2012, 1      | 5.4 | 184 |
| 74 | Search for heavy bottom-like quarks in 4.9 fb $\blacksquare$ of pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                                     | 5.4 | 44  |
| 73 | Measurement of the cross section for production of (boverline b X) decaying to muons in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1        | 5.4 | 3   |
| 72 | Measurement of the $Z/\mathbb{Z}$ + b-jet cross section in pp collisions at ( sqrt {s} = 7 ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 24  |
| 71 | Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at (sqrt{s}=7;TeV).<br>Journal of High Energy Physics, 2012, 2012, 1  | 5.4 | 27  |
| 70 | Search for anomalous production of multilepton events in pp collisions at (sqrt $\{s\}$ = 7,TeV).<br>Journal of High Energy Physics, 2012, 2012, 1   | 5.4 | 65  |
| 69 | Search for a light charged Higgs boson in top quark decays in pp collisions at (sqrt $\{s\} = 7; TeV$ ).<br>Journal of High Energy Physics, <b>2012</b> , 2012, 1                                      | 5.4 | 101 |
| 68 | Search for leptonic decays of W? bosons in pp collisions at ( sqrt $\{s\} = \{7\}$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 43  |
| 67 | Search for stopped long-lived particles produced in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}$ ). Journal of High Energy Physics, <b>2012</b> , 2012, 1                           | 5.4 | 17  |
| 66 | Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                      | 5.4 | 24  |
| 65 | Measurement of the underlying event activity in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1 | 5.4 | 11  |
| 64 | Search for anomalous (toverline t) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 57  |
| 63 | Search for dark matter and large extra dimensions in monojet events in pp collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                            | 5.4 | 155 |
| 62 | Search for a fermiophobic Higgs boson in pp collisions at ( sqrt {s} = 7 ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 13  |

| 61 | Search for supersymmetry in hadronic final states using M T2 in pp collisions at (sqrt{s}=7) TeV.<br>Journal of High Energy Physics, 2012, 2012, 1  | 5.4 | 92  |  |
|----|---|-----|-----|--|
| 60 | Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ( sqrt{{{s_{mathrm{NN}}}}} = 2.76 ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                                   | 5.4 | 73  |  |
| 59 | Measurement of the ( mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ ) production cross section in the dilepton channel in pp collisions at ( sqrt $\{s\}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 64  |  |
| 58 | Search for exclusive or semi-exclusive [production and observation of exclusive and semi-exclusive e+e[production in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1          | 5.4 | 45  |  |
| 57 | Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at (sqrt{s}=7)TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                                       | 5.4 | 6   |  |
| 56 | Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                                 | 5.4 | 41  |  |
| 55 | Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                                    | 5.4 | 10  |  |
| 54 | Search for resonant (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 25  |  |
| 53 | Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 30  |  |
| 52 | Measurement of the single-top-quark t-channel cross section in pp collisions at (sqrt{s}=7) TeV.<br>Journal of High Energy Physics, 2012, 2012, 1   | 5.4 | 70  |  |
| 51 | Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 12  |  |
| 50 | Measurement of the top-quark mass in ( mathrm{t}overline{mathrm{t}}) events with lepton+jets final states in pp collisions at ( $sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1              | 5.4 | 30  |  |
| 49 | Measurement of the underlying event in the DrellMan process in proton $\beta$ roton collisions at (sqrt{s} = 7~mbox{TeV}). European Physical Journal C, <b>2012</b> , 72, 1   | 4.2 | 30  |  |
| 48 | Study of the inclusive production of charged pions, kaons, and protons in pp collisions at (sqrt $\{s\}$ = 0.9, 2.76,mbox $\{and\}7\sim Mox\{TeV\}$ ). European Physical Journal C, <b>2012</b> , 72, 1                       | 4.2 | 133 |  |
| 47 | A search for a doubly-charged Higgs boson in pp collisions at ( $sqrt{s} = 7 mbox{TeV}$ ). European Physical Journal C, <b>2012</b> , 72, 1   | 4.2 | 111 |  |
| 46 | Measurement of the top-quark mass in (mathrm $\{t\}$ ) overline $\{mathrm\{t\}\}$ ) events with dilepton final states in pp collisions at (sqrt $\{s\}=7$ mbox $\{TeV\}$ ). European Physical Journal C, <b>2012</b> , 72, 1  | 4.2 | 36  |  |
| 45 | Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in protonproton collisions at (sqrt{s} = 7 mathrm{TeV}). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1 | 4.2 | 17  |  |
| 44 | Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. European Physical Journal C, 2012, 72, 2251  | 4.2 | 46  |  |

| 43 | Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at (sqrt{s}= 7) TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1  | 4.2 | 11  |
|----|---|-----|-----|
| 42 | J/land (PS) production in pp collisions at (sqrt {s} = 7{text{Tev}}). Journal of High Energy Physics, <b>2012</b> , 2012, 1   | 5.4 | 69  |
| 41 | Search for the standard model Higgs boson in the H $- \mathbb{Z}Z - \mathbb{Z}\mathbb{Q}\mathbb{C}$ thannel in pp collisions at (sqrt {text{s}} = {7};{text{TeV}}). Journal of High Energy Physics, <b>2012</b> , 2012, 1   | 5.4 | 24  |
| 40 | Search for the standard model Higgs boson in the H $-\mathbb{Z}Z$ - $\mathbb{Z}$ - | 5.4 | 11  |
| 39 | Search for ( {text{B}}_{text{s}}^0 ) -∄ IIIand B0 -∄ IIIdecays. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 52  |
| 38 | Search for a Higgs boson in the decay channel H $-                                  $   | 5.4 | 21  |
| 37 | Search for microscopic black holes in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}\)$ ). Journal of High Energy Physics, <b>2012</b> , 2012, 1  | 5.4 | 34  |
| 36 | Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at ( sqrt {s} = 7 ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 13  |
| 35 | Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 13  |
| 34 | Prompt and non-prompt J/production in pp collisions at (sqrt{s} = 7) TeV. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1  | 4.2 | 118 |
| 33 | Measurement of the (mathrm{{tbar{t}}}) production cross section in pp collisions at (sqrt{s}=7) TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1  | 4.2 | 35  |
| 32 | Charged particle multiplicities in pp interactions at (sqrt $\{s\}$ = 0.9), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1  | 5.4 | 89  |
| 31 | Measurements of inclusive W and Z cross sections in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1   | 5.4 | 104 |
| 30 | Search for heavy stable charged particles in pp collisions at (sqrt $\{s\} = 7; \{\text{text}\{\text{TeV}\}\}$ ). Journal of High Energy Physics, <b>2011</b> , 2011, 1   | 5.4 | 34  |
| 29 | Inclusive b-hadron production cross section with muons in pp collisions at (sqrt $\{s\} = 7; \{\text{text}\{\text{TeV}\}\}\)$ ).<br>Journal of High Energy Physics, <b>2011</b> , 2011, 1   | 5.4 | 21  |
| 28 | Measurement of ( {text{B}}overline {text{B}} ) angular correlations based on secondary vertex reconstruction at ( sqrt {s} = 7,{text{TeV}} ). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1   | 5.4 | 27  |
| 27 | Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at (sqrt {s} = 7;{text{TeV}}). Journal of High Energy Physics, 2011, 2011, 1  | 5.4 | 38  |
| 26 | Measurement of Bose-Einstein correlations in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1   | 5.4 | 22  |

| 25 | Strange particle production in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1  | 5.4 | 78 |
|----|--|-----|----|
| 24 | Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1  | 5.4 | 21 |
| 23 | Search for resonances in the dilepton mass distribution in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1   | 5.4 | 32 |
| 22 | Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at ( sqrt {s} = 7,{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1   | 5.4 | 26 |
| 21 | Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1   | 5.4 | 46 |
| 20 | Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1                           | 5.4 | 10 |
| 19 | Measurement of the ( $\{\{rm t\}bar\{rm t\}\}$ ) production cross section and the top quark mass in the dilepton channel in pp collisions at ( $sqrt \{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1 | 5.4 | 48 |
| 18 | Long-range and short-range dihadron angular correlations in central PbPb collisions at (sqrt {{{s_{text{NN}}}}} ) = 2.76 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1  | 5.4 | 56 |
| 17 | Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1   | 5.4 | 12 |
| 16 | Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1   | 5.4 | 28 |
| 15 | Search for same-sign top-quark pair production at (sqrt $\{s\} = 7$ ) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1                           | 5.4 | 39 |
| 14 | Charged particle transverse momentum spectra in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV.<br>Journal of High Energy Physics, <b>2011</b> , 2011, 1  | 5.4 | 44 |
| 13 | Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at (sqrt $\{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1  | 5.4 | 17 |
| 12 | Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ( sqrt {{{s_{knN}}}}} = 2.76 ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1                                  | 5.4 | 87 |
| 11 | Search for new physics with jets and missing transverse momentum in pp collisions at (sqrt $\{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1  | 5.4 | 46 |
| 10 | Search for supersymmetry in pp collisions at (sqrt $\{s\} = 7$ ) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1                            | 5.4 | 32 |
| 9  | Measurement of the underlying event activity at the LHC with ( sqrt $\{s\} = 7$ ) TeV and comparison with ( sqrt $\{s\} = 0.9$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1                                  | 5.4 | 70 |
| 8  | Measurement of the Drell-Yan cross section in pp collisions at (sqrt $\{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1  | 5.4 | 32 |

| 7 | Measurement of the inclusive W and Z production cross sections in pp collisions at (sqrt $\{s\} = 7$ ) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1 | 5.4 | 121 |  |
|---|---|-----|-----|--|
| 6 | Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\} = 0.\{9\}$ ) and 7 TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1                               | 5.4 | 19  |  |
| 5 | Measurement of energy flow at large pseudorapidities in pp collisions at ( sqrt $\{s\}$ = 0. $\{9\}$ ) and 7 TeV <b>2011</b> , 2011, 1  |     | 5   |  |
| 4 | Situational Analysis with Analytical Support in Virtual Environment for Decision Making Process Under High-Risk and Crisis Conditions <b>2008</b> ,   |     | 2   |  |
| 3 | Uncovering novel mutational signatures by de novo extraction with SigProfilerExtractor  |     | 17  |  |
| 2 | MSA: Reproducible mutational signature attribution with confidence based on simulations   |     | 2   |  |
| 1 | Mutational signatures in esophageal squamous cell carcinoma from eight countries of varying incidenc  | e   | 2   |  |