Henk F Van Stel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4059840/publications.pdf

Version: 2024-02-01

71 papers

3,418 citations

26 h-index

218677

138484 58 g-index

74 all docs

74 docs citations

times ranked

74

3553 citing authors

#	Article	IF	CITATIONS
1	The Impact of Critical Illness on Perceived Health-Related Quality of Life During ICU Treatment, Hospital Stay, and After Hospital Discharge. Chest, 2008, 133, 377-385.	0.8	1,260
2	Melatonin Improves Health Status and Sleep in Children With Idiopathic Chronic Sleep-Onset Insomnia: A Randomized Placebo-Controlled Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2003, 42, 1286-1293.	0.5	170
3	Experiences of critically ill patients in the ICU. Intensive and Critical Care Nursing, 2008, 24, 300-313.	2.9	138
4	Comparison of the SF-6D and the EQ-5D in patients with coronary heart disease. Health and Quality of Life Outcomes, 2006, 4, 20.	2.4	102
5	Waiting for total hip arthroplasty. Journal of Arthroplasty, 2004, 19, 302-309.	3.1	101
6	The Impact of Severe Sepsis on Health-Related Quality of Life: A Long-Term Follow-Up Study. Anesthesia and Analgesia, 2008, 107, 1957-1964.	2.2	100
7	Clustering of health-related behaviors, health outcomes and demographics in Dutch adolescents: a cross-sectional study. BMC Public Health, 2013, 13, 1118.	2.9	100
8	Laparoscopic versus open gastrectomy for gastric cancer, a multicenter prospectively randomized controlled trial (LOGICA-trial). BMC Cancer, 2015, 15, 556.	2.6	92
9	Internet-Based Self-Management Offers an Opportunity To Achieve Better Asthma Control in Adolescents. Chest, 2007, 132, 112-119.	0.8	88
10	Why Do Women Not Use Preconception Care? A Systematic Review On Barriers And Facilitators. Obstetrical and Gynecological Survey, 2016, 71, 603-612.	0.4	63
11	Quality of life before intensive care unit admission is a predictor of survival. Critical Care, 2007, 11, R78.	5. 8	62
12	Nonlinear Exercise Training in Advanced Chronic Obstructive Pulmonary Disease Is Superior to Traditional Exercise Training. A Randomized Trial. American Journal of Respiratory and Critical Care Medicine, 2013, 188, 193-200.	5 . 6	60
13	Weekly self-monitoring and treatment adjustment benefit patients with partly controlled and uncontrolled asthma: an analysis of the SMASHING study. Respiratory Research, 2010, 11, 74.	3.6	51
14	Validation of the Dutch cystic fibrosis questionnaire (CFQ) in adolescents and adults. Journal of Cystic Fibrosis, 2004, 3, 29-36.	0.7	50
15	Measuring Client Experiences in Maternity Care under Change: Development of a Questionnaire Based on the WHO Responsiveness Model. PLoS ONE, 2015, 10, e0117031.	2.5	42
16	Reliability and validity of functional health status and health-related quality of life questionnaires in children with recurrent acute otitis media. Quality of Life Research, 2007, 16, 1357-1373.	3.1	40
17	Aerobic exercise in adolescents with obesity: preliminary evaluation of a modular training program and the modified shuttle test. BMC Pediatrics, 2007, 7, 19.	1.7	39
18	The effect of Helicopter Emergency Medical Services on trauma patient mortality in the Netherlands. Injury, 2012, 43, 1362-1367.	1.7	38

#	Article	IF	CITATIONS
19	The effect of acute kidney injury on long-term health-related quality of life: a prospective follow-up study. Critical Care, 2013, 17, R17.	5.8	38
20	ICU survivors show no decline in health-related quality of life after 5Âyears. Intensive Care Medicine, 2015, 41, 495-504.	8.2	37
21	DIRECT trial. Diverticulitis recurrences or continuing symptoms: Operative versus conservative Treatment. A MULTICENTER RANDOMISED CLINICAL TRIAL. BMC Surgery, 2010, 10, 25.	1.3	35
22	Changes of Health-Related Quality of Life in Critically Ill Octogenarians. Chest, 2011, 140, 1473-1483.	0.8	34
23	Both cardiovascular and non-cardiovascular comorbidity are related to health status in well-controlled type 2 diabetes patients: a cross-sectional analysis. Cardiovascular Diabetology, 2012, 11, 121.	6.8	34
24	Interpretation of change and longitudinal validity of the quality of life for respiratory illness questionnaire (QoLRIQ) in inpatient pulmonary rehabilitation. Quality of Life Research, 2003, 12, 133-145.	3.1	30
25	Toward an Objective Assessment of Implementation Processes for Innovations in Health Care: Psychometric Evaluation of the Normalization Measure Development (NoMAD) Questionnaire Among Mental Health Care Professionals. Journal of Medical Internet Research, 2019, 21, e12376.	4.3	30
26	Adjusting weighted kappa for severity of mistriage decreases reported reliability of emergency department triage systems: a comparative study. Journal of Clinical Epidemiology, 2009, 62, 1196-1201.	5.0	28
27	Health-related quality of life in critically ill patients: how to score and what is the clinical impact?. Current Opinion in Critical Care, 2009, 15, 425-430.	3.2	28
28	Actively preparing for pregnancy is associated with healthier lifestyle of women during the preconception period. Midwifery, 2017, 50, 228-234.	2.3	26
29	HELP! Problems in executing a pragmatic, randomized, stepped wedge trial on the Hospital Elder Life Program to prevent delirium in older patients. Trials, 2017, 18, 220.	1.6	26
30	The accident and emergency department questionnaire: a measure for patients' experiences in the accident and emergency department. BMJ Quality and Safety, 2013, 22, 139-146.	3.7	25
31	Attitudes of Klinefelter men and their relatives towards TESE-ICSI. Journal of Assisted Reproduction and Genetics, 2011, 28, 809-814.	2.5	24
32	Calculating kappas from adjusted data improved the comparability of the reliability of triage systems: a comparative study. Journal of Clinical Epidemiology, 2010, 63, 1256-1263.	5.0	23
33	Evaluation of trauma care by comparing mortality risks and admission policy in a Dutch trauma region. Injury, 2008, 39, 1007-1012.	1.7	22
34	Risk assessment of parents' concerns at 18 months in preventive child health care predicted child abuse and neglect. Child Abuse and Neglect, 2013, 37, 475-484.	2.6	21
35	The Value of a Checklist for Child Abuse in Out-of-Hours Primary Care: To Screen or Not to Screen. PLoS ONE, 2017, 12, e0165641.	2.5	21
36	Associations of the Emergency Severity Index triage categories with patients' vital signs at triage: a prospective observational study. Emergency Medicine Journal, 2011, 28, 1032-1035.	1.0	20

#	Article	IF	CITATIONS
37	Interpretability of the European Heart Failure Self-care Behaviour scale. Patient Preference and Adherence, 2017, Volume 11, 1841-1849.	1.8	20
38	Measurement tools and outcome measures used in transitional patient safety; a systematic review. PLoS ONE, 2018, 13, e0197312.	2.5	20
39	Safety and efficiency of triaging low urgent self-referred patients to a general practitioner at an acute care post: an observational study. Emergency Medicine Journal, 2012, 29, 877-881.	1.0	19
40	Applicability of the ReproQ client experiences questionnaire for quality improvement in maternity care. Peerl, 2016, 4, e2092.	2.0	18
41	Pain assessments at triage with the Manchester triage system: a prospective observational study. Emergency Medicine Journal, 2011, 28, 585-589.	1.0	17
42	The consumer quality index (CQ-index) in an accident and emergency department: development and first evaluation. BMC Health Services Research, 2012, 12, 284.	2.2	16
43	Conceptual issues specifically related to health-related quality of life in critically ill patients. Critical Care, 2009, 13, 118.	5.8	15
44	The effect of a local promotional campaign on preconceptional lifestyle changes and the use of preconception care. European Journal of Contraception and Reproductive Health Care, 2018, 23, 38-44.	1.5	15
45	Feasibility and Impact of Doctor-Nurse Task Delegation in Preventive Child Health Care in the Netherlands, a Controlled Before-After Study. PLoS ONE, 2015, 10, e0139187.	2.5	14
46	Assessing Inpatient Pulmonary Rehabilitation Using the Patient???s View of Outcome. Journal of Cardiopulmonary Rehabilitation and Prevention, 2002, 22, 201-210.	0.5	13
47	The accident and emergency department questionnaire: a measure for patients' experiences in the accident and emergency departmentâ€"reply. BMJ Quality and Safety, 2013, 22, 787.1-788.	3.7	12
48	The Consumer Quality Index in an accident and emergency department: internal consistency, validity and discriminative capacity. Health Expectations, 2015, 18, 1426-1438.	2.6	12
49	The relevance of health related quality of life in paced patients. International Journal of Cardiology, 2005, 102, 377-382.	1.7	11
50	Validity and reliability of a structured interview for early detection and risk assessment of parenting and developmental problems in young children: a cross-sectional study. BMC Pediatrics, 2012, 12, 71.	1.7	11
51	Early recognition of heart failure in patients with diabetes type 2 in primary care. A prospective diagnostic efficiency study. (UHFO-DM2). BMC Public Health, 2009, 9, 479.	2.9	9
52	An observational study of patients triaged in category 5 of the Emergency Severity Index. European Journal of Emergency Medicine, 2010, 17, 208-213.	1.1	9
53	Early detection of parenting and developmental problems in toddlers: A randomized trial of home visits versus well-baby clinic visits in the Netherlands. Preventive Medicine, 2015, 81, 236-242.	3.4	9
54	Variation in prevention of child maltreatment by Dutch child healthcare professionals. Child Abuse and Neglect, 2017, 70, 264-273.	2.6	9

#	Article	IF	Citations
55	Validity, Reliability, and Responsiveness of the Dutch Version of the London Chest Activity of Daily Living Scale in Patients With Severe COPD. Medicine (United States), 2015, 94, e2191.	1.0	8
56	Multi-faceted implementation strategy to increase use of a clinical guideline for the diagnosis of deep venous thrombosis in primary care. Family Practice, 2016, 34, cmw066.	1.9	8
57	Waiting in the Accident and Emergency Department: Exploring Problematic Experiences. Southern Medical Journal, 2015, 108, 613-20.	0.7	8
58	Impact of Secondary Cardiovascular Events on Health Status. Value in Health, 2012, 15, 175-182.	0.3	7
59	Pilot study on identification of incidents in healthcare transitions and concordance between medical records and patient interview data. BMJ Open, 2016, 6, e011368.	1.9	7
60	Improving transitional patient safety: research protocol of the Transitional Incident Prevention Programme. Safety in Health, $2015,1,1$	0.7	6
61	A screening protocol for child abuse at out-of-hours primary care locations: a descriptive study. BMC Family Practice, 2016, 17, 155.	2.9	5
62	Early detection of parenting and developmental problems in young children: Non-randomized comparison of visits to the well-baby clinic with or without a validated interview. International Journal of Nursing Studies, 2016, 62, 1-10.	5.6	4
63	The transitional risk and incident questionnaire was valid and reliable for measuring transitional patient safety from the patients' perspective. Journal of Clinical Epidemiology, 2019, 105, 40-49.	5.0	4
64	A comparison of the quality of care in accident and emergency departments in <scp>E</scp> ngland and the <scp>N</scp> etherlands as experienced by patients. Health Expectations, 2016, 19, 773-784.	2.6	3
65	Practice variation amongst preventive child healthcare professionals in the prevention of child maltreatment in the Netherlands: Qualitative and quantitative data. Data in Brief, 2017, 15, 665-686.	1.0	3
66	Validation of a questionnaire measuring transitional patient safety climate indicated differences in transitional patient safety climate between primary and secondary care. Journal of Clinical Epidemiology, 2018, 94, 114-121.	5.0	3
67	Measuring clients' experiences with antenatal care before or after childbirth: it matters. PeerJ, 2018, 6, e5851.	2.0	2
68	The discriminative power of the ReproQ: a client experience questionnaire in maternity care. PeerJ, 2019, 7, e7575.	2.0	1
69	The sensory-reactivity PROM set: identification of a parent reported outcome measure set for autism spectrum disorder. Journal of Patient-Reported Outcomes, 2021, 5, 123.	1.9	1
70	Triage-weighted kappa: toward a more precise reflectionÂof the reliability of emergency department triage systems - Reply. Journal of Clinical Epidemiology, 2010, 63, 807-808.	5.0	0
71	Health status of older patients with type 2 diabetes and screen-detected heart failure is significantly lower than those without. International Journal of Cardiology, 2016, 211, 79-83.	1.7	0