

Henk F Van Stel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4059840/publications.pdf>

Version: 2024-02-01

71
papers

3,418
citations

218381

26
h-index

138251

58
g-index

74
all docs

74
docs citations

74
times ranked

3553
citing authors

#	ARTICLE	IF	CITATIONS
1	The sensory-reactivity PROM set: identification of a parent reported outcome measure set for autism spectrum disorder. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 123.	0.9	1
2	The transitional risk and incident questionnaire was valid and reliable for measuring transitional patient safety from the patients' perspective. <i>Journal of Clinical Epidemiology</i> , 2019, 105, 40-49.	2.4	4
3	Toward an Objective Assessment of Implementation Processes for Innovations in Health Care: Psychometric Evaluation of the Normalization Measure Development (NoMAD) Questionnaire Among Mental Health Care Professionals. <i>Journal of Medical Internet Research</i> , 2019, 21, e12376.	2.1	30
4	The discriminative power of the ReproQ: a client experience questionnaire in maternity care. <i>PeerJ</i> , 2019, 7, e7575.	0.9	1
5	The effect of a local promotional campaign on preconceptional lifestyle changes and the use of preconception care. <i>European Journal of Contraception and Reproductive Health Care</i> , 2018, 23, 38-44.	0.6	15
6	Validation of a questionnaire measuring transitional patient safety climate indicated differences in transitional patient safety climate between primary and secondary care. <i>Journal of Clinical Epidemiology</i> , 2018, 94, 114-121.	2.4	3
7	Measurement tools and outcome measures used in transitional patient safety; a systematic review. <i>PLoS ONE</i> , 2018, 13, e0197312.	1.1	20
8	Measuring clients'™ experiences with antenatal care before or after childbirth: it matters. <i>PeerJ</i> , 2018, 6, e5851.	0.9	2
9	Actively preparing for pregnancy is associated with healthier lifestyle of women during the preconception period. <i>Midwifery</i> , 2017, 50, 228-234.	1.0	26
10	Practice variation amongst preventive child healthcare professionals in the prevention of child maltreatment in the Netherlands: Qualitative and quantitative data. <i>Data in Brief</i> , 2017, 15, 665-686.	0.5	3
11	Variation in prevention of child maltreatment by Dutch child healthcare professionals. <i>Child Abuse and Neglect</i> , 2017, 70, 264-273.	1.3	9
12	HELP! Problems in executing a pragmatic, randomized, stepped wedge trial on the Hospital Elder Life Program to prevent delirium in older patients. <i>Trials</i> , 2017, 18, 220.	0.7	26
13	Interpretability of the European Heart Failure Self-care Behaviour scale. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 1841-1849.	0.8	20
14	The Value of a Checklist for Child Abuse in Out-of-Hours Primary Care: To Screen or Not to Screen. <i>PLoS ONE</i> , 2017, 12, e0165641.	1.1	21
15	Pilot study on identification of incidents in healthcare transitions and concordance between medical records and patient interview data. <i>BMJ Open</i> , 2016, 6, e011368.	0.8	7
16	Multi-faceted implementation strategy to increase use of a clinical guideline for the diagnosis of deep venous thrombosis in primary care. <i>Family Practice</i> , 2016, 34, cmw066.	0.8	8
17	Early detection of parenting and developmental problems in young children: Non-randomized comparison of visits to the well-baby clinic with or without a validated interview. <i>International Journal of Nursing Studies</i> , 2016, 62, 1-10.	2.5	4
18	A comparison of the quality of care in accident and emergency departments in England and the Netherlands as experienced by patients. <i>Health Expectations</i> , 2016, 19, 773-784.	1.1	3

#	ARTICLE	IF	CITATIONS
19	A screening protocol for child abuse at out-of-hours primary care locations: a descriptive study. <i>BMC Family Practice</i> , 2016, 17, 155.	2.9	5
20	Why Do Women Not Use Preconception Care? A Systematic Review On Barriers And Facilitators. <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 603-612.	0.2	63
21	Health status of older patients with type 2 diabetes and screen-detected heart failure is significantly lower than those without. <i>International Journal of Cardiology</i> , 2016, 211, 79-83.	0.8	0
22	Applicability of the ReproQ client experiences questionnaire for quality improvement in maternity care. <i>PeerJ</i> , 2016, 4, e2092.	0.9	18
23	The Consumer Quality Index in an accident and emergency department: internal consistency, validity and discriminative capacity. <i>Health Expectations</i> , 2015, 18, 1426-1438.	1.1	12
24	Improving transitional patient safety: research protocol of the Transitional Incident Prevention Programme. <i>Safety in Health</i> , 2015, 1, .	0.7	6
25	Validity, Reliability, and Responsiveness of the Dutch Version of the London Chest Activity of Daily Living Scale in Patients With Severe COPD. <i>Medicine (United States)</i> , 2015, 94, e2191.	0.4	8
26	Measuring Client Experiences in Maternity Care under Change: Development of a Questionnaire Based on the WHO Responsiveness Model. <i>PLoS ONE</i> , 2015, 10, e0117031.	1.1	42
27	Feasibility and Impact of Doctor-Nurse Task Delegation in Preventive Child Health Care in the Netherlands, a Controlled Before-After Study. <i>PLoS ONE</i> , 2015, 10, e0139187.	1.1	14
28	ICU survivors show no decline in health-related quality of life after 5 years. <i>Intensive Care Medicine</i> , 2015, 41, 495-504.	3.9	37
29	Laparoscopic versus open gastrectomy for gastric cancer, a multicenter prospectively randomized controlled trial (LOGICA-trial). <i>BMC Cancer</i> , 2015, 15, 556.	1.1	92
30	Early detection of parenting and developmental problems in toddlers: A randomized trial of home visits versus well-baby clinic visits in the Netherlands. <i>Preventive Medicine</i> , 2015, 81, 236-242.	1.6	9
31	Waiting in the Accident and Emergency Department: Exploring Problematic Experiences. <i>Southern Medical Journal</i> , 2015, 108, 613-20.	0.3	8
32	Clustering of health-related behaviors, health outcomes and demographics in Dutch adolescents: a cross-sectional study. <i>BMC Public Health</i> , 2013, 13, 1118.	1.2	100
33	Risk assessment of parents' concerns at 18 months in preventive child health care predicted child abuse and neglect. <i>Child Abuse and Neglect</i> , 2013, 37, 475-484.	1.3	21
34	Nonlinear Exercise Training in Advanced Chronic Obstructive Pulmonary Disease Is Superior to Traditional Exercise Training. A Randomized Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 188, 193-200.	2.5	60
35	The effect of acute kidney injury on long-term health-related quality of life: a prospective follow-up study. <i>Critical Care</i> , 2013, 17, R17.	2.5	38
36	The accident and emergency department questionnaire: a measure for patients' experiences in the accident and emergency department"reply. <i>BMJ Quality and Safety</i> , 2013, 22, 787.1-788.	1.8	12

#	ARTICLE	IF	CITATIONS
37	The accident and emergency department questionnaire: a measure for patients' experiences in the accident and emergency department. <i>BMJ Quality and Safety</i> , 2013, 22, 139-146.	1.8	25
38	Safety and efficiency of triaging low urgent self-referred patients to a general practitioner at an acute care post: an observational study. <i>Emergency Medicine Journal</i> , 2012, 29, 877-881.	0.4	19
39	The effect of Helicopter Emergency Medical Services on trauma patient mortality in the Netherlands. <i>Injury</i> , 2012, 43, 1362-1367.	0.7	38
40	Validity and reliability of a structured interview for early detection and risk assessment of parenting and developmental problems in young children: a cross-sectional study. <i>BMC Pediatrics</i> , 2012, 12, 71.	0.7	11
41	The consumer quality index (CQ-index) in an accident and emergency department: development and first evaluation. <i>BMC Health Services Research</i> , 2012, 12, 284.	0.9	16
42	Both cardiovascular and non-cardiovascular comorbidity are related to health status in well-controlled type 2 diabetes patients: a cross-sectional analysis. <i>Cardiovascular Diabetology</i> , 2012, 11, 121.	2.7	34
43	Impact of Secondary Cardiovascular Events on Health Status. <i>Value in Health</i> , 2012, 15, 175-182.	0.1	7
44	Changes of Health-Related Quality of Life in Critically Ill Octogenarians. <i>Chest</i> , 2011, 140, 1473-1483.	0.4	34
45	Attitudes of Klinefelter men and their relatives towards TESE-ICSI. <i>Journal of Assisted Reproduction and Genetics</i> , 2011, 28, 809-814.	1.2	24
46	Pain assessments at triage with the Manchester triage system: a prospective observational study. <i>Emergency Medicine Journal</i> , 2011, 28, 585-589.	0.4	17
47	Associations of the Emergency Severity Index triage categories with patients' vital signs at triage: a prospective observational study. <i>Emergency Medicine Journal</i> , 2011, 28, 1032-1035.	0.4	20
48	An observational study of patients triaged in category 5 of the Emergency Severity Index. <i>European Journal of Emergency Medicine</i> , 2010, 17, 208-213.	0.5	9
49	Weekly self-monitoring and treatment adjustment benefit patients with partly controlled and uncontrolled asthma: an analysis of the SMASHING study. <i>Respiratory Research</i> , 2010, 11, 74.	1.4	51
50	DIRECT trial. Diverticulitis recurrences or continuing symptoms: Operative versus conservative Treatment. A MULTICENTER RANDOMISED CLINICAL TRIAL. <i>BMC Surgery</i> , 2010, 10, 25.	0.6	35
51	Triage-weighted kappa: toward a more precise reflection of the reliability of emergency department triage systems - Reply. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 807-808.	2.4	0
52	Calculating kappas from adjusted data improved the comparability of the reliability of triage systems: a comparative study. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1256-1263.	2.4	23
53	Early recognition of heart failure in patients with diabetes type 2 in primary care. A prospective diagnostic efficiency study. (UHFO-DM2). <i>BMC Public Health</i> , 2009, 9, 479.	1.2	9
54	Conceptual issues specifically related to health-related quality of life in critically ill patients. <i>Critical Care</i> , 2009, 13, 118.	2.5	15

#	ARTICLE	IF	CITATIONS
55	Adjusting weighted kappa for severity of misriage decreases reported reliability of emergency department triage systems: a comparative study. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 1196-1201.	2.4	28
56	Health-related quality of life in critically ill patients: how to score and what is the clinical impact?. <i>Current Opinion in Critical Care</i> , 2009, 15, 425-430.	1.6	28
57	Experiences of critically ill patients in the ICU. <i>Intensive and Critical Care Nursing</i> , 2008, 24, 300-313.	1.4	138
58	Evaluation of trauma care by comparing mortality risks and admission policy in a Dutch trauma region. <i>Injury</i> , 2008, 39, 1007-1012.	0.7	22
59	The Impact of Critical Illness on Perceived Health-Related Quality of Life During ICU Treatment, Hospital Stay, and After Hospital Discharge. <i>Chest</i> , 2008, 133, 377-385.	0.4	1,260
60	The Impact of Severe Sepsis on Health-Related Quality of Life: A Long-Term Follow-Up Study. <i>Anesthesia and Analgesia</i> , 2008, 107, 1957-1964.	1.1	100
61	Internet-Based Self-Management Offers an Opportunity To Achieve Better Asthma Control in Adolescents. <i>Chest</i> , 2007, 132, 112-119.	0.4	88
62	Quality of life before intensive care unit admission is a predictor of survival. <i>Critical Care</i> , 2007, 11, R78.	2.5	62
63	Aerobic exercise in adolescents with obesity: preliminary evaluation of a modular training program and the modified shuttle test. <i>BMC Pediatrics</i> , 2007, 7, 19.	0.7	39
64	Reliability and validity of functional health status and health-related quality of life questionnaires in children with recurrent acute otitis media. <i>Quality of Life Research</i> , 2007, 16, 1357-1373.	1.5	40
65	Comparison of the SF-6D and the EQ-5D in patients with coronary heart disease. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 20.	1.0	102
66	The relevance of health related quality of life in paced patients. <i>International Journal of Cardiology</i> , 2005, 102, 377-382.	0.8	11
67	Validation of the Dutch cystic fibrosis questionnaire (CFQ) in adolescents and adults. <i>Journal of Cystic Fibrosis</i> , 2004, 3, 29-36.	0.3	50
68	Waiting for total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2004, 19, 302-309.	1.5	101
69	Interpretation of change and longitudinal validity of the quality of life for respiratory illness questionnaire (QoLRIQ) in inpatient pulmonary rehabilitation. <i>Quality of Life Research</i> , 2003, 12, 133-145.	1.5	30
70	Melatonin Improves Health Status and Sleep in Children With Idiopathic Chronic Sleep-Onset Insomnia: A Randomized Placebo-Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2003, 42, 1286-1293.	0.3	170
71	Assessing Inpatient Pulmonary Rehabilitation Using the Patient's View of Outcome. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2002, 22, 201-210.	0.5	13