

# Giacomo Artoni

## List of Publications by Citations

Source: <https://exaly.com/author-pdf/4060531/giacomo-artoni-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,007  
papers

41,411  
citations

89  
h-index

156  
g-index

1,054  
ext. papers

47,538  
ext. citations

4.8  
avg, IF

4.39  
L-index

| #    | Paper  | IF  | Citations |
|------|--|-----|-----------|
| 1007 | Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 716, 1-29   | 4.2 | 5271      |
| 1006 | Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , <b>2015</b> , 114, 191803   | 7.4 | 709       |
| 1005 | Observation of a centrality-dependent dijet asymmetry in lead-lead collisions at $\sqrt{S(\text{NN})} = 2.76$ TeV with the ATLAS detector at the LHC. <i>Physical Review Letters</i> , <b>2010</b> , 105, 252303   | 7.4 | 458       |
| 1004 | Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1                       | 5.4 | 364       |
| 1003 | Observation of associated near-side and away-side long-range correlations in $\sqrt{s(\text{NN})}=5.02$ TeV proton-lead collisions with the ATLAS detector. <i>Physical Review Letters</i> , <b>2013</b> , 110, 182302   | 7.4 | 333       |
| 1002 | Measurement of the azimuthal anisotropy for charged particle production in $s_{\text{NN}}=2.76$ TeV lead-lead collisions with the ATLAS detector. <i>Physical Review C</i> , <b>2012</b> , 86,   | 2.7 | 313       |
| 1001 | Combined search for the Standard Model Higgs boson using up to 4.9 $\text{fb}^{-1}$ of pp collision data at $s=7\text{TeV}$ with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 49-66 | 4.2 | 301       |
| 1000 | Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2518  | 4.2 | 276       |
| 999  | Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , <b>2017</b> , 77, 317  | 4.2 | 272       |
| 998  | Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 726, 88-119   | 4.2 | 268       |
| 997  | Evidence for the spin-0 nature of the Higgs boson using ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 726, 120-144   | 4.2 | 267       |
| 996  | Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 292  | 4.2 | 263       |
| 995  | Charged-particle multiplicities in pp interactions measured with the ATLAS detector at the LHC. <i>New Journal of Physics</i> , <b>2011</b> , 13, 053033   | 2.9 | 259       |
| 994  | Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1  | 4.2 | 232       |
| 993  | Performance of missing transverse momentum reconstruction in proton-proton collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with ATLAS. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1   | 4.2 | 217       |
| 992  | Jet energy measurement with the ATLAS detector in proton-proton collisions at ( $\sqrt{\text{mathrm{s}}} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1  | 4.2 | 209       |
| 991  | Search for high-mass dilepton resonances in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,   | 4.9 | 209       |

|     |  |     |     |
|-----|--|-----|-----|
| 990 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 299   | 4.2 | 202 |
| 989 | Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead <del>lead</del> collisions at sNN=2.76TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 330-348 | 4.2 | 200 |
| 988 | Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1  | 4.2 | 199 |
| 987 | Search for new phenomena in the dijet mass distribution using pp collision data at s=8 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 91,   | 4.9 | 196 |
| 986 | Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 17   | 4.2 | 194 |
| 985 | Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 653  | 4.2 | 188 |
| 984 | Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8TeV in the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 6   | 4.2 | 185 |
| 983 | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , <b>2017</b> , 77, 490   | 4.2 | 177 |
| 982 | Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,   | 4.9 | 175 |
| 981 | Luminosity determination in pp collisions at ( $\sqrt{s}$ ) = 7 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1  | 4.2 | 167 |
| 980 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3130   | 4.2 | 166 |
| 979 | Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead <del>lead</del> collisions at sNN=2.76 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 719, 220-241                 | 4.2 | 165 |
| 978 | Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2941  | 4.2 | 160 |
| 977 | Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1  | 4.2 | 160 |
| 976 | Search for the standard model Higgs boson in the diphoton decay channel with 4.9 fb(-1) of pp collision data at $\sqrt{s}$ =7 TeV with ATLAS. <i>Physical Review Letters</i> , <b>2012</b> , 108, 111803   | 7.4 | 157 |
| 975 | Measurement with the ATLAS detector of multi-particle azimuthal correlations in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 725, 60-78   | 4.2 | 153 |
| 974 | Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2306   | 4.2 | 153 |
| 973 | Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 45   | 4.2 | 152 |

|     |   |      |     |
|-----|---|------|-----|
| 972 | Measurement of the Higgs boson mass from the $H \rightarrow b\bar{b}$ and $H \rightarrow Z^* \rightarrow l^+l^-$ channels in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,                    | 4.9  | 151 |
| 971 | Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 581   | 4.2  | 148 |
| 970 | Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ( $\sqrt{s_{NN}} = 2.76$ TeV) with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4  | 143 |
| 969 | Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $s=7$ TeV proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 67-85 | 4.2  | 142 |
| 968 | Observation of Long-Range Elliptic Azimuthal Anisotropies in $\sqrt{s}=13$ and 2.76 TeV pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2016</b> , 116, 172301   | 7.4  | 140 |
| 967 | Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1  | 4.2  | 138 |
| 966 | Measurement of the differential cross-sections of inclusive, prompt and non-prompt $J/\psi$ production in proton-proton collisions at $s=7$ TeV. <i>Nuclear Physics B</i> , <b>2011</b> , 850, 387-444  | 2.8  | 130 |
| 965 | Measurement of the inelastic proton-proton cross-section at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Nature Communications</i> , <b>2011</b> , 2, 463   | 17.4 | 127 |
| 964 | Search for new high-mass phenomena in the dilepton final state using 36 $\text{fb}^{-1}$ of proton-proton collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                                      | 5.4  | 126 |
| 963 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $s=13$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 94,  | 4.9  | 126 |
| 962 | Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 91,  | 4.9  | 125 |
| 961 | Search for supersymmetry using final states with one lepton, jets, and missing transverse momentum with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions. <i>Physical Review Letters</i> , <b>2011</b> , 106, 131802  | 7.4  | 125 |
| 960 | Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4  | 124 |
| 959 | Combined measurements of Higgs boson production and decay using up to 80 $\text{fb}^{-1}$ of proton-proton collision data at $s=13$ TeV collected with the ATLAS experiment. <i>Physical Review D</i> , <b>2020</b> , 101,  | 4.9  | 121 |
| 958 | Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1        | 5.4  | 120 |
| 957 | Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 784, 173-191   | 4.2  | 118 |
| 956 | Search for scalar diphoton resonances in the mass range 65-600 GeV with the ATLAS detector in pp collision data at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , <b>2014</b> , 113, 171801   | 7.4  | 117 |
| 955 | Search for dark matter in events with a hadronically decaying W or Z boson and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2014</b> , 112, 041802   | 7.4  | 117 |

|     |   |     |     |
|-----|---|-----|-----|
| 954 | Measurement of the inclusive $W\rightarrow e\nu$ and $Z\rightarrow \ell\bar{\ell}$ cross sections in the $e$ and $\ell\bar{\ell}$ decay channels in $pp$ collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,  | 4.9 | 117 |
| 953 | Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 96,  | 4.9 | 116 |
| 952 | Measurement of hard double-parton interactions in $W(\rightarrow \ell\nu) + 2\text{-jet}$ events at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , <b>2013</b> , 15, 033038  | 2.9 | 116 |
| 951 | Search for pair-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in $pp$ collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,   | 4.9 | 115 |
| 950 | Search for Invisible Decays of a Higgs Boson Produced in Association with a Z Boson in ATLAS. <i>Physical Review Letters</i> , <b>2014</b> , 112,   | 7.4 | 113 |
| 949 | Search for new resonances in $W\rightarrow l\nu$ and $Z\rightarrow ll$ final states in $pp$ collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 738, 428-447                             | 4.2 | 112 |
| 948 | Search for charged Higgs bosons decaying via $H\rightarrow b\bar{b}$ ( $t\bar{t}$ ) events using $pp$ collision data at ( $\sqrt{s} = 7$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 112 |
| 947 | Measurement of the inclusive isolated prompt photon cross section in $pp$ collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 83,   | 4.9 | 112 |
| 946 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , <b>2015</b> , 75, 510  | 4.2 | 109 |
| 945 | Measurement of inclusive jet charged-particle fragmentation functions in $Pb+Pb$ collisions at $s_{NN}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 739, 320-342                                | 4.2 | 109 |
| 944 | Measurement of event-plane correlations in $s_{NN}=2.76$ TeV lead-lead collisions with the ATLAS detector. <i>Physical Review C</i> , <b>2014</b> , 90,   | 2.7 | 109 |
| 943 | Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ( $\sqrt{s}=8$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 108 |
| 942 | Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 186-203   | 4.2 | 108 |
| 941 | A search for new physics in dijet mass and angular distributions in $pp$ collisions at $\sqrt{s}=7$ TeV measured with the ATLAS detector. <i>New Journal of Physics</i> , <b>2011</b> , 13, 053044  | 2.9 | 108 |
| 940 | Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3109 | 4.2 | 107 |
| 939 | Measurement of inclusive jet and dijet production in $pp$ collisions at $s=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,  | 4.9 | 107 |
| 938 | Measurement of the total cross section from elastic scattering in $pp$ collisions at $s=7$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , <b>2014</b> , 889, 486-548   | 2.8 | 105 |
| 937 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 476   | 4.2 | 104 |

|     |  |     |     |
|-----|--|-----|-----|
| 936 | Search for new phenomena in dijet mass and angular distributions from pp collisions at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 754, 302-322                       | 4.2 | 104 |
| 935 | Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead-lead collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 363-382                               | 4.2 | 104 |
| 934 | Search for doubly charged Higgs bosons in like-sign dilepton final states at $(\sqrt{s}) = 7\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1   | 4.2 | 104 |
| 933 | Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $4.7\text{ fb}^{-1}$ of $s=7\text{ TeV}$ proton-proton collision data. <i>Physical Review D</i> , <b>2013</b> , 87,                                   | 4.9 | 101 |
| 932 | Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 101 |
| 931 | Measurements of the Nuclear Modification Factor for Jets in Pb+Pb Collisions at $\text{[s]NN}=2.76\text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , <b>2015</b> , 114, 072302   | 7.4 | 99  |
| 930 | Search for dark matter candidates and large extra dimensions in events with a photon and missing transverse momentum in pp collision data at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , <b>2013</b> , 110, 011802                     | 7.4 | 99  |
| 929 | Determination of the strange-quark density of the proton from ATLAS measurements of the W-B and Z-B cross sections. <i>Physical Review Letters</i> , <b>2012</b> , 109, 012001   | 7.4 | 98  |
| 928 | Measurement of the centrality dependence of $J/\psi$ yields and observation of Z production in lead-lead collisions with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 697, 294-312 | 4.2 | 97  |
| 927 | Combined search for the Standard Model Higgs boson in pp collisions at $s=7\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,  | 4.9 | 96  |
| 926 | Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 349         | 4.2 | 94  |
| 925 | Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s}=13\text{ TeV}$ with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , <b>2016</b> , 117, 182002  | 7.4 | 92  |
| 924 | Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $(\sqrt{s}=8\text{ TeV})$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1                  | 5.4 | 92  |
| 923 | Search for charginos nearly mass degenerate with the lightest neutralino based on a disappearing-track signature in pp collisions at $(s)=8\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 88,  | 4.9 | 92  |
| 922 | Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 91  |
| 921 | Measurement of the t-channel single top-quark production cross section in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 330-350  | 4.2 | 91  |
| 920 | Search for Higgs boson pair production in the $Bb[\overline{b}]$ final state using pp collision data at $\sqrt{s}=8\text{ TeV}$ from the ATLAS detector. <i>Physical Review Letters</i> , <b>2015</b> , 114, 081802  | 7.4 | 90  |
| 919 | Search for new phenomena in dijet events using $37\text{ fb}^{-1}$ of pp collision data collected at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 96,   | 4.9 | 89  |

|     |  |     |    |
|-----|--|-----|----|
| 918 | Search for a CP-odd Higgs boson decaying to Z $\nu$ in pp collisions at s=8TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 744, 163-183   | 4.2 | 88 |
| 917 | Searches for Higgs boson pair production in the hh- $b\bar{b}WW^*$ , Bb, bbbb channels with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 92,   | 4.9 | 87 |
| 916 | Measurement of long-range pseudorapidity correlations and azimuthal harmonics in sNN=5.02 TeV proton-lead collisions with the ATLAS detector. <i>Physical Review C</i> , <b>2014</b> , 90,   | 2.7 | 87 |
| 915 | Observation of H- $b\bar{b}$ decays and VH production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 59-86  | 4.2 | 87 |
| 914 | Search for the Standard Model Higgs boson in the decay channel H- $\rightarrow Z\gamma$ with 4.8 fb $^{-1}$ of pp collision data at s=7 TeV with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 383-402 | 4.2 | 86 |
| 913 | Observation and measurement of Higgs boson decays to WW* with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 92,   | 4.9 | 86 |
| 912 | Search for high-mass diphoton resonances in pp collisions at s=8 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 92,   | 4.9 | 85 |
| 911 | Search for high-mass dilepton resonances using 139 fb $^{-1}$ of pp collision data collected at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 796, 68-87                         | 4.2 | 82 |
| 910 | Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2043  | 4.2 | 82 |
| 909 | Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at ( sqrt{s}=13 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                                  | 5.4 | 81 |
| 908 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 36 fb $^{-1}$ of s=13 TeV pp collision data with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,   | 4.9 | 80 |
| 907 | Search for dark matter in events with a Z boson and missing transverse momentum in pp collisions at s=8 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,  | 4.9 | 79 |
| 906 | Measurement of the Z/ $\Gamma$ boson transverse momentum distribution in pp collisions at ( sqrt{s}=7 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 79 |
| 905 | Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2039  | 4.2 | 78 |
| 904 | Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2056   | 4.2 | 78 |
| 903 | Centrality and rapidity dependence of inclusive jet production in sNN=5.02 TeV proton-lead collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 748, 392-413                          | 4.2 | 77 |
| 902 | Observation of a new [b] state in radiative transitions to [1S] and [2S] at ATLAS. <i>Physical Review Letters</i> , <b>2012</b> , 108, 152001  | 7.4 | 77 |
| 901 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in ( sqrt{s} ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1                           | 5.4 | 76 |

|     |  |     |    |
|-----|--|-----|----|
| 900 | Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2465                           | 4.2 | 76 |
| 899 | Search for massive, long-lived particles using multitrack displaced vertices or displaced lepton pairs in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 92,   | 4.9 | 75 |
| 898 | Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 74 |
| 897 | Search for dilepton resonances in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2011</b> , 107, 272002  | 7.4 | 74 |
| 896 | Measurements of Higgs boson properties in the diphoton decay channel with 36 $\text{fb}^{-1}$ of pp collision data at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 74 |
| 895 | Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 209                     | 4.2 | 73 |
| 894 | Evidence for electroweak production of $W\rightarrow W\rightarrow jj$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2014</b> , 113, 141803   | 7.4 | 73 |
| 893 | Search for new physics in the dijet mass distribution using 1 $\text{fb}^{-1}$ of pp collision data at $s=7$ TeV collected by the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 708, 37-54 | 4.2 | 72 |
| 892 | ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ( $\sqrt{s}=7$ )TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 72 |
| 891 | Measurement of the total cross section from elastic scattering in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 761, 158-178                           | 4.2 | 72 |
| 890 | Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2509                   | 4.2 | 71 |
| 889 | Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ( $\sqrt{s}=7$ $\text{mbox}{\sim}\text{TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1  | 4.2 | 70 |
| 888 | Search for direct top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=7$ TeV pp collisions using 4.7 $\text{fb}^{-1}$ of ATLAS data. <i>Physical Review Letters</i> , <b>2012</b> , 109, 211803  | 7.4 | 70 |
| 887 | Measurement of $W+W$ production in pp collisions at $s=7$ TeV with the ATLAS detector and limits on anomalous WWZ and WW $\gamma$ couplings. <i>Physical Review D</i> , <b>2013</b> , 87,  | 4.9 | 70 |
| 886 | Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 5   | 4.2 | 68 |
| 885 | Measurement of upsilon production in 7 TeV pp collisions at ATLAS. <i>Physical Review D</i> , <b>2013</b> , 87,  | 4.9 | 68 |
| 884 | Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 67 |
| 883 | Jet mass and substructure of inclusive jets in ( $\sqrt{s}=7$ ;{text{TeV}} ) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 67 |

|     |   |     |    |
|-----|---|-----|----|
| 882 | Observation of spin correlation in $t\bar{t}$ events from pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 212001  | 7.4 | 67 |
| 881 | Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 412                                      | 4.2 | 66 |
| 880 | Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-39                                      | 5.4 | 66 |
| 879 | Search for Higgs boson decays to a photon and a Z boson in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 732, 8-27   | 4.2 | 66 |
| 878 | Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 903   | 4.2 | 66 |
| 877 | Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 65 |
| 876 | Search for the ( $b\bar{b}$ ) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 64 |
| 875 | Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 711, 244-263                          | 4.2 | 64 |
| 874 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ( $\sqrt{s}=8$ ) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1 | 5.4 | 64 |
| 873 | Measurements of normalized differential cross sections for $t\bar{t}$ production in pp collisions at ( $s=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,   | 4.9 | 64 |
| 872 | Measurement of W and Z-boson production cross sections in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 759, 601-621               | 4.2 | 64 |
| 871 | Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 291 | 4.2 | 63 |
| 870 | Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 91,  | 4.9 | 62 |
| 869 | Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 69                     | 4.2 | 62 |
| 868 | Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2017</b> , 77, 195  | 4.2 | 61 |
| 867 | Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 92   | 4.2 | 60 |
| 866 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1              | 5.4 | 60 |
| 865 | Measurement of the -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 110  | 4.2 | 59 |

|     |   |      |    |
|-----|---|------|----|
| 864 | Measurement of the correlation between flow harmonics of different order in lead-lead collisions at sNN=2.76 TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2015</b> , 92,  | 2.7  | 59 |
| 863 | Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4  | 59 |
| 862 | A search for ( $t\bar{t}$ ) resonances using lepton-plus-jets events in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4  | 57 |
| 861 | Search for a supersymmetric partner to the top quark in final states with jets and missing transverse momentum at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 109, 211802  | 7.4  | 57 |
| 860 | Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu$ in fully hadronic final states using pp collision data at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4  | 56 |
| 859 | Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 335  | 4.2  | 56 |
| 858 | Precision measurement and interpretation of inclusive , and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 367   | 4.2  | 56 |
| 857 | A particle consistent with the Higgs boson observed with the ATLAS detector at the Large Hadron Collider. <i>Science</i> , <b>2012</b> , 338, 1576-82   | 33.3 | 56 |
| 856 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 199   | 4.2  | 55 |
| 855 | Measurement of the high-mass Drell-Yan differential cross-section in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 725, 223-242   | 4.2  | 55 |
| 854 | Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4  | 55 |
| 853 | Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at ( $\sqrt{s} = 7$ mbox{TeV} ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1   | 4.2  | 55 |
| 852 | Summary of the searches for squarks and gluinos using ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4  | 55 |
| 851 | Search for $H^\pm$ produced in association with top quarks and constraints on the Yukawa coupling between the top quark and the Higgs boson using data taken at 7 TeV and 8 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 740, 222-242 | 4.2  | 55 |
| 850 | Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at $s=8$ TeVwith the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 738, 234-253                                       | 4.2  | 55 |
| 849 | Search for the decay . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 713, 387-407   | 4.2  | 55 |
| 848 | Evidence for the associated production of a W boson and a top quark in ATLAS at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 716, 142-159  | 4.2  | 55 |
| 847 | Measurement of the transverse momentum distribution of . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 415-434   | 4.2  | 55 |

|     |   |     |    |
|-----|---|-----|----|
| 846 | Measurements of the [Formula: see text] production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 82   | 4.2 | 54 |
| 845 | Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in $s=7\text{TeV}$ proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 709, 137-157      | 4.2 | 54 |
| 844 | Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 54 |
| 843 | Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 54 |
| 842 | Measurement of $W \rightarrow Z$ production in proton-proton collisions at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1   | 4.2 | 54 |
| 841 | Search for supersymmetry in pp collisions at $s=7$ TeV in final states with missing transverse momentum and b-jets. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 398-416  | 4.2 | 54 |
| 840 | Search for scalar bottom quark pair production with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 108, 181802   | 7.4 | 54 |
| 839 | Search for squarks and gluinos in final states with jets and missing transverse momentum at [Formula: see text] =13 [Formula: see text]with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 392  | 4.2 | 53 |
| 838 | Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 210   | 4.2 | 53 |
| 837 | Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 53 |
| 836 | Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $s=7$ TeV pp collisions using 1 $\text{fb}^{-1}$ of ATLAS data. <i>Physical Review D</i> , <b>2012</b> , 85,   | 4.9 | 53 |
| 835 | Search for long-lived stopped R-hadrons decaying out of time with pp collisions using the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 88,  | 4.9 | 53 |
| 834 | Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1  | 4.2 | 53 |
| 833 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , <b>2016</b> , 76, 666  | 4.2 | 53 |
| 832 | Search for new phenomena in high-mass diphoton final states using 37 $\text{fb}^{-1}$ of proton-proton collisions collected at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 775, 105-125 | 4.2 | 52 |
| 831 | Search for direct top-squark pair production in final states with two leptons in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 52 |
| 830 | Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 70   | 4.2 | 52 |
| 829 | Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 393  | 4.2 | 52 |

|     |   |     |    |
|-----|---|-----|----|
| 828 | Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 92,  | 4.9 | 52 |
| 827 | Search for WZ resonances in the fully leptonic channel using pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 737, 223-243                   | 4.2 | 52 |
| 826 | Search for the Standard Model Higgs boson decay to $\tau\bar{\tau}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 738, 68-86   | 4.2 | 52 |
| 825 | Observation of an excited $B_c(\square)$ meson state with the ATLAS detector. <i>Physical Review Letters</i> , <b>2014</b> , 113, 212004  | 7.4 | 52 |
| 824 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3157   | 4.2 | 52 |
| 823 | Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 52 |
| 822 | Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 294-312                  | 4.2 | 52 |
| 821 | Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 1-19   | 4.2 | 52 |
| 820 | Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 120   | 4.2 | 51 |
| 819 | Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 749, 519-541 | 4.2 | 51 |
| 818 | Search for scalar leptoquarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>New Journal of Physics</i> , <b>2016</b> , 18, 093016   | 2.9 | 51 |
| 817 | Measurement of Z boson production in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2013</b> , 110, 022301   | 7.4 | 51 |
| 816 | Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1                                  | 4.2 | 51 |
| 815 | Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P12006-P12006  | 1   | 51 |
| 814 | Measurement of the production cross section of jets in association with a Z boson in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1                                       | 5.4 | 50 |
| 813 | Evidence for the ( $H \rightarrow b\bar{b}$ ) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 50 |
| 812 | Search for direct pair production of a chargino and a neutralino decaying to the 125[GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 208      | 4.2 | 50 |
| 811 | Study of jet shapes in inclusive jet production in pp collisions at $s=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 83,  | 4.9 | 50 |

|     |   |     |    |
|-----|---|-----|----|
| 810 | Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1 | 4.2 | 50 |
| 809 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 303  | 4.2 | 49 |
| 808 | Measurement of charged-particle spectra in Pb+Pb collisions at ( $\sqrt{s_{\text{NN}}}=2.76$ ) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 49 |
| 807 | Search for high-mass resonances decaying to dilepton final states in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 49 |
| 806 | Measurements of W and Z production in pp collisions at $s=7$ TeV with the ATLAS detector at the LHC. <i>Physical Review D</i> , <b>2013</b> , 87,   | 4.9 | 49 |
| 805 | Search for resonances in diphoton events at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 49 |
| 804 | Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 995  | 4.2 | 49 |
| 803 | Measurement of spin correlation in top-antitop quark events and search for top squark pair production in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Physical Review Letters</i> , <b>2015</b> , 114, 142001                                   | 7.4 | 48 |
| 802 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 538   | 4.2 | 48 |
| 801 | Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 259  | 4.2 | 48 |
| 800 | Measurement of multi-particle azimuthal correlations in pp, p $\bar{p}$ -Pb and low-multiplicity Pb $\bar{p}$ -Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 428  | 4.2 | 48 |
| 799 | Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7 \text{ fb}^{-1}$ of ( $\sqrt{s} = 7$ TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1                        | 5.4 | 48 |
| 798 | Search for a light Higgs boson decaying to long-lived weakly interacting particles in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 251801  | 7.4 | 48 |
| 797 | Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 761, 372-392   | 4.2 | 48 |
| 796 | Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 211801   | 7.4 | 48 |
| 795 | Search for long-lived charginos based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1  | 5.4 | 48 |
| 794 | Measurement of the prompt /[Formula: see text] pair production cross-section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 76  | 4.2 | 47 |
| 793 | Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 24  | 4.2 | 47 |

|     |   |     |    |
|-----|---|-----|----|
| 792 | Measurements of $WZ$ production cross sections in $pp$ collisions at $s=8$ TeV with the ATLAS detector and limits on anomalous gauge boson self-couplings. <i>Physical Review D</i> , <b>2016</b> , 93,   | 4.9 | 47 |
| 791 | Measurement of the $t\bar{t}$ production cross-section using events with b-tagged jets in $pp$ collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 761, 136-157 | 4.2 | 47 |
| 790 | Search for the neutral Higgs bosons of the minimal supersymmetric standard model in $pp$ collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 47 |
| 789 | Comprehensive measurements of t-channel single top-quark production cross sections at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,   | 4.9 | 47 |
| 788 | Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,  | 4.9 | 47 |
| 787 | Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 263   | 4.2 | 46 |
| 786 | Search for the electroweak production of supersymmetric particles in $s=8$ TeV $pp$ collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 93,  | 4.9 | 46 |
| 785 | Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3023  | 4.2 | 46 |
| 784 | Search for lepton-flavour-violating $H \rightarrow$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 46 |
| 783 | Measurement of dijet azimuthal decorrelations in $pp$ collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 172002  | 7.4 | 46 |
| 782 | Search for new phenomena in $t\bar{t}$ events with large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 041805  | 7.4 | 46 |
| 781 | Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ( $\sqrt{s}=8$ ) TeV $pp$ collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1                      | 5.4 | 45 |
| 780 | Search for invisible decays of a Higgs boson using vector-boson fusion in $pp$ collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 45 |
| 779 | Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2019</b> , 122, 231801  | 7.4 | 45 |
| 778 | Measurement of $ZZ$ production in $pp$ collisions at ( $\sqrt{s}=7$ ) TeV and limits on anomalous $ZZZ$ and $ZZ\bar{Z}$ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 45 |
| 777 | Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3034  | 4.2 | 45 |
| 776 | Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ( $\sqrt{s}=7$ ;mathrm{TeV}) $pp$ collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 45 |
| 775 | Search for magnetic monopoles in $\sqrt{s}=7$ TeV $pp$ collisions with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 109, 261803   | 7.4 | 45 |

|     |   |     |    |
|-----|---|-----|----|
| 774 | Measurement of the azimuthal angle dependence of inclusive jet yields in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2013</b> , 111, 152301   | 7.4 | 45 |
| 773 | Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $s_{NN}=5.02$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 790, 108-128  | 4.2 | 44 |
| 772 | Search for pair-produced long-lived neutral particles decaying to jets in the ATLAS hadronic calorimeter in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 743, 15-34  | 4.2 | 44 |
| 771 | Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text]TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 318  | 4.2 | 44 |
| 770 | Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,  | 4.9 | 44 |
| 769 | Charged-particle distributions in $s=13$ TeV pp interactions measured with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 758, 67-88 <sup>4.2</sup>   | 4.2 | 44 |
| 768 | Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text]TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 154   | 4.2 | 44 |
| 767 | Measurement of isolated-photon pair production in pp collisions at ( $\sqrt{s}=7$ ;TeV ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 44 |
| 766 | Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}= 7$ mbox{TeV} ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1   | 4.2 | 44 |
| 765 | Search for vectorlike B quarks in events with one isolated lepton, missing transverse momentum, and jets at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 91,   | 4.9 | 44 |
| 764 | Search for the Standard Model Higgs boson in the $H \rightarrow WW(?)\rightarrow$ decay mode with 4.7 $fb^{-1}$ of ATLAS data at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 716, 62-81  | 4.2 | 44 |
| 763 | Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1  | 4.2 | 44 |
| 762 | Search for charged Higgs bosons produced in association with a top quark and decaying via $H \rightarrow b\bar{b}$ using pp collision data recorded at $s=13$ TeV by the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 759, 555-574 | 4.2 | 44 |
| 761 | Angular analysis of $B \rightarrow K^* \ell \nu$ decays in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 44 |
| 760 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 43 |
| 759 | Measurement of the cross section for top-quark pair production in pp collisions at ( $\sqrt{s} = 7$ ,{text{TeV}} ) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 43 |
| 758 | Search for a heavy gauge boson decaying to a charged lepton and a neutrino in 1 $fb^{-1}$ of pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 28-46  | 4.2 | 43 |
| 757 | ATLAS b-jet identification performance and efficiency measurement with (t{bar{t}}) events in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 43 |

|     |  |     |    |
|-----|--|-----|----|
| 756 | Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 466   | 4.2 | 42 |
| 755 | Search for $W^{\pm}tb\bar{b}$ in the lepton plus jets final state in proton-proton collisions at a centre-of-mass energy of $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 743, 235-255              | 4.2 | 42 |
| 754 | Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 283                             | 4.2 | 42 |
| 753 | Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 438-458  | 4.2 | 42 |
| 752 | Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2046  | 4.2 | 42 |
| 751 | Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 42 |
| 750 | Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $s=7$ TeV using 35 pb $^{-1}$ of ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 706, 150-167  | 4.2 | 42 |
| 749 | Further search for supersymmetry at $s=7$ TeV in final states with jets, missing transverse momentum, and isolated leptons with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,   | 4.9 | 42 |
| 748 | Measurement of the top quark mass in the $t\bar{t}$ -dilepton channel from $s=8$ TeV ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 761, 350-371  | 4.2 | 42 |
| 747 | Search for heavy resonances in the and final states using proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 293   | 4.2 | 41 |
| 746 | Observation of Light-by-Light Scattering in Ultraperipheral Pb+Pb Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2019</b> , 123, 052001   | 7.4 | 41 |
| 745 | Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2883 | 4.2 | 41 |
| 744 | Measurement of the top quark pair production cross section in pp collisions at $s=7$ TeV in dilepton final states with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 459-477   | 4.2 | 41 |
| 743 | Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1   | 4.2 | 41 |
| 742 | Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in ( $\sqrt{s}=7$ TeV) proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1  | 4.2 | 41 |
| 741 | Study of jets produced in association with a W boson in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,   | 4.9 | 41 |
| 740 | Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 94,   | 4.9 | 41 |
| 739 | Measurement of the Higgs boson mass in the $H \rightarrow ZZ^*$ and $H \rightarrow b\bar{b}$ channels with $s=13$ TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 784, 345-366               | 4.2 | 41 |

|     |   |     |    |
|-----|---|-----|----|
| 738 | Search for new particles in events with one lepton and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 40 |
| 737 | Search for first generation scalar leptoquarks in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 709, 158-176  | 4.2 | 40 |
| 736 | Search for Higgs bosons decaying to aa in the final state in pp collisions at $s=8$ TeV with the ATLAS experiment. <i>Physical Review D</i> , <b>2015</b> , 92,   | 4.9 | 40 |
| 735 | Search for pair production of a new heavy quark that decays into a W boson and a light quark in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 92,  | 4.9 | 40 |
| 734 | Measurement of top quark polarization in top-antitop events from proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review Letters</i> , <b>2013</b> , 111, 232002  | 7.4 | 40 |
| 733 | Search for heavy long-lived charged particles with the ATLAS detector in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 703, 428-446   | 4.2 | 40 |
| 732 | Search for neutral MSSM Higgs bosons decaying to . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 174-192   | 4.2 | 40 |
| 731 | Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 199  | 4.2 | 39 |
| 730 | Search for supersymmetry at ( $\sqrt{s}$ ) = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 39 |
| 729 | Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton-proton collisions at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 719, 280-298      | 4.2 | 39 |
| 728 | Measurement of the inclusive isolated prompt photons cross section in pp collisions at $s=7$ TeV with the ATLAS detector using 4.6 $\text{fb}^{-1}$ . <i>Physical Review D</i> , <b>2014</b> , 89,  | 4.9 | 39 |
| 727 | A search for ( $t\bar{t}$ ) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 39 |
| 726 | Search for charged Higgs bosons decaying into top and bottom quarks at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 39 |
| 725 | Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text]= 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 241   | 4.2 | 38 |
| 724 | Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 229 | 4.2 | 38 |
| 723 | Search for $t\bar{t}$ resonances in the lepton plus jets final state with ATLAS using 4.7 $\text{fb}^{-1}$ of pp collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 88,  | 4.9 | 38 |
| 722 | Search for supersymmetry in events with four or more leptons in $s=8$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,   | 4.9 | 38 |
| 721 | Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 38 |

|     |  |     |    |
|-----|--|-----|----|
| 720 | Measurement of the top quark pair cross section with ATLAS in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 89-108   | 4.2 | 38 |
| 719 | Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 776, 318-337       | 4.2 | 38 |
| 718 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at ( $\sqrt{s}=13$ ) (text {TeV}). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 37 |
| 717 | Measurement of the production of a W boson in association with a charm quark in pp collisions at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 37 |
| 716 | Search for pair production of heavy top-like quarks decaying to a high-pT W boson and a b quark in the lepton plus jets final state at $s=7\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 1284-1302 | 4.2 | 37 |
| 715 | Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 37 |
| 714 | Search for the lepton flavor violating decay $Z \rightarrow e \bar{\nu} \mu \bar{\nu}$ in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,   | 4.9 | 37 |
| 713 | Search for the Standard Model Higgs boson in the $H \rightarrow b \bar{b}$ decay mode in ( $\sqrt{s}=7,\text{TeV}$ ) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 37 |
| 712 | Limits on the production of the standard model Higgs boson in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1  | 4.2 | 37 |
| 711 | Search for massive colored scalars in four-jet final states in ( $\sqrt{s}=7\text{TeV}$ ) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1   | 4.2 | 37 |
| 710 | Charged-particle distributions at low transverse momentum in [Formula: see text] TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 502  | 4.2 | 37 |
| 709 | Measurement of the Higgs boson coupling properties in the $H \rightarrow Z^* \rightarrow l^+l^-$ decay channel at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 36 |
| 708 | Searches for heavy long-lived sleptons and R-hadrons with the ATLAS detector in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 720, 277-308  | 4.2 | 36 |
| 707 | Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay $H \rightarrow W^\pm Z$ using pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2015</b> , 114, 231801   | 7.4 | 36 |
| 706 | Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at ( $\sqrt{s}=8$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 36 |
| 705 | Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 142  | 4.2 | 35 |
| 704 | Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 171  | 4.2 | 35 |
| 703 | Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 322  | 4.2 | 35 |

|     |  |     |    |
|-----|--|-----|----|
| 702 | Search for pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 94,  | 4.9 | 35 |
| 701 | Search for heavy charged long-lived particles in the ATLAS detector in $36.1 \text{ fb}^{-1}$ of proton-proton collision data at $s=13$ TeV. <i>Physical Review D</i> , <b>2019</b> , 99,  | 4.9 | 35 |
| 700 | Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 478-496 <sup>A-2</sup>  | 35  |    |
| 699 | Search for extra dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 538-556  | 4.2 | 35 |
| 698 | Search for FCNC single top-quark production at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 351-369   | 4.2 | 35 |
| 697 | Search for long-lived, multi-charged particles in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 722, 305-323  | 4.2 | 35 |
| 696 | Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 379   | 4.2 | 35 |
| 695 | Search for nonpointing and delayed photons in the diphoton and missing transverse momentum final state in 8 TeV pp collisions at the LHC using the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,  | 4.9 | 35 |
| 694 | Measurement of the isolated diphoton cross section in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,   | 4.9 | 35 |
| 693 | Search for second generation scalar leptoquarks in pp collisions at $(\sqrt{s})=7\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1   | 4.2 | 35 |
| 692 | Search for direct slepton and gaugino production in final states with two leptons and missing transverse momentum with the ATLAS detector in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 879-901 | 4.2 | 35 |
| 691 | Search for extra dimensions in diphoton events from proton-proton collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector at the LHC. <i>New Journal of Physics</i> , <b>2013</b> , 15, 043007  | 2.9 | 35 |
| 690 | Measurement of the production cross section for W-bosons in association with jets in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 698, 325-345   | 4.2 | 35 |
| 689 | Search for gluinos in events with two same-sign leptons, jets, and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 108, 241802  | 7.4 | 35 |
| 688 | Search for down-type fourth generation quarks with the ATLAS detector in events with one lepton and hadronically decaying W bosons. <i>Physical Review Letters</i> , <b>2012</b> , 109, 032001   | 7.4 | 35 |
| 687 | Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for pp collisions at $s=5.02$ and $13$ TeV and p+Pb collisions at $s_{NN}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2017</b> , 96,                                      | 2.7 | 34 |
| 686 | Search for magnetic monopoles and stable particles with high electric charges in 8 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 93,   | 4.9 | 34 |
| 685 | Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $(\sqrt{s})=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1   | 5.4 | 34 |

|     |   |     |    |
|-----|---|-----|----|
| 684 | Measurements of four-lepton production at the Z resonance in pp collisions at $\sqrt{s} = 7$ and 8 TeV with ATLAS. <i>Physical Review Letters</i> , <b>2014</b> , 112, 231806   | 7.4 | 34 |
| 683 | Measurement of the transverse momentum distribution of W bosons in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,   | 4.9 | 34 |
| 682 | ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1  | 4.2 | 34 |
| 681 | Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ( $\sqrt{s} = 7$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 34 |
| 680 | Search for contact interactions and large extra dimensions in dilepton events from pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 87,   | 4.9 | 34 |
| 679 | Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 $\text{fb}^{-1}$ of proton-proton collision data at $s=13\text{TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 760, 647-665                  | 4.2 | 34 |
| 678 | Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 34 |
| 677 | Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 565   | 4.2 | 34 |
| 676 | Search for Higgs and Z Boson Decays to J/ $\psi$ and $(nS)\ell\bar{\ell}$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2015</b> , 114, 121801   | 7.4 | 33 |
| 675 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $Bb$ final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 783, 392-414 | 4.2 | 33 |
| 674 | Search for new phenomena in photon+jet events collected in proton-proton collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 728, 562-578   | 4.2 | 33 |
| 673 | Measurement of the WW cross section in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 289-308   | 4.2 | 33 |
| 672 | Measurement of angular correlations in Drell-Yan lepton pairs to probe Z/ $\ell\ell$ boson transverse momentum at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 720, 32-51                   | 4.2 | 33 |
| 671 | Search for light top squark pair production in final states with leptons and b-jets with the ATLAS detector in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 720, 13-31   | 4.2 | 33 |
| 670 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , <b>2017</b> , 77, 673   | 4.2 | 33 |
| 669 | Measurement of the W charge asymmetry in the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 31-49   | 4.2 | 33 |
| 668 | Search for charged Higgs bosons in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at ( $\sqrt{s}=8$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 33 |
| 667 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 $\text{fb}^{-1}$ of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                  | 5.4 | 33 |

|     |  |     |    |
|-----|--|-----|----|
| 666 | Search for charged Higgs bosons decaying via $H^\pm \rightarrow \text{jet} \nu$ in the jets and lepton final states with 36 $\text{fb}^{-1}$ of pp collision data recorded at ( $\sqrt{s}=13$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1             | 5.4 | 33 |
| 665 | Measurement of the top quark mass in the [ $\text{Formula: see text}$ ] and [ $\text{Formula: see text}$ ] channels using [ $\text{Formula: see text}$ ][ $\text{Formula: see text}$ ] ATLAS data. <i>European Physical Journal C</i> , <b>2015</b> , 75, 330  | 4.2 | 32 |
| 664 | Search for dark matter produced in association with bottom or top quarks in 7 TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 18  | 4.2 | 32 |
| 663 | Measurements of the Total and Differential Higgs Boson Production Cross Sections Combining the $H \rightarrow \text{bb}$ and $H \rightarrow Z Z^{\ast} \rightarrow \ell^+ \ell^-$ Decay Channels at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2015</b> , 115, 091801 | 7.4 | 32 |
| 662 | Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2015</b> , 115, 131801   | 7.4 | 32 |
| 661 | Search for the Higgs boson in the $H \rightarrow WW^{(\ast)} \rightarrow \ell^+ \ell^- \nu \bar{\nu}$ decay channel in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 111802   | 7.4 | 32 |
| 660 | Measurement of $D_s^0$ , $D^+$ and $D_s^+$ meson production cross sections in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , <b>2016</b> , 907, 717-763   | 2.8 | 32 |
| 659 | Search for pair production of Higgs bosons in the ( $\bar{b}b$ ) final state using proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 31 |
| 658 | Search for metastable heavy charged particles with large ionization energy loss in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS experiment. <i>Physical Review D</i> , <b>2016</b> , 93,   | 4.9 | 31 |
| 657 | Constraints on mediator-based dark matter and scalar dark energy models using ( $\sqrt{s}=13$ ) TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1   | 5.4 | 31 |
| 656 | Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ( $\sqrt{s}=7$ TeV) with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1  | 4.2 | 31 |
| 655 | Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ( $\sqrt{s}=7$ ) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 31 |
| 654 | Measurement of the production and lepton charge asymmetry of [ $\text{Formula: see text}$ ] bosons in Pb+Pb collisions at [ $\text{Formula: see text}$ ] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 23  | 4.2 | 31 |
| 653 | Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [ $\text{Formula: see text}$ ] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3134   | 4.2 | 31 |
| 652 | Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ( $\sqrt{s}=8$ ) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1                              | 5.4 | 31 |
| 651 | A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ( $\sqrt{s}=7$ TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 31 |
| 650 | Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ( $\sqrt{s}=7$ TeV) proton-proton collisions. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1   | 4.2 | 31 |
| 649 | Inclusive search for same-sign dilepton signatures in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1   | 5.4 | 31 |

|     |   |     |    |
|-----|---|-----|----|
| 648 | Search for tb resonances in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 109, 081801  | 7.4 | 31 |
| 647 | Searches for electroweak production of supersymmetric particles with compressed mass spectra in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 101,   | 4.9 | 31 |
| 646 | Measurements of b-jet tagging efficiency with the ATLAS detector using ( $t\bar{t}$ ) events at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1  | 5.4 | 31 |
| 645 | Search for the standard model Higgs boson produced in association with top quarks and decaying into a $b\bar{b}$ pair in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,  | 4.9 | 31 |
| 644 | Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $s=8$ TeV proton-proton collisions using the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 93,                                      | 4.9 | 30 |
| 643 | Search for top quark decays $t \rightarrow qH$ with $H \rightarrow b\bar{b}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014,  | 5.4 | 30 |
| 642 | Measurement of the cross section for the production of a W boson in association with b-jets in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 418-437 | 4.2 | 30 |
| 641 | Search for third generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 30 |
| 640 | Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2017</b> , 119, 191803   | 7.4 | 30 |
| 639 | Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 30 |
| 638 | Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ( $\sqrt{s}=8$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 30 |
| 637 | Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2328   | 4.2 | 30 |
| 636 | Measurements of underlying-event properties using neutral and charged particles in pp collisions at ( $\sqrt{s}=900$ ) GeV and ( $\sqrt{s}=7$ ) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1                        | 4.2 | 30 |
| 635 | Search for high mass dilepton resonances in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 700, 163-180   | 4.2 | 30 |
| 634 | Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,   | 4.9 | 30 |
| 633 | Search for supersymmetry in events with three leptons and missing transverse momentum in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 261804   | 7.4 | 30 |
| 632 | Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1   | 4.2 | 30 |
| 631 | Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2020</b> , 125, 051801  | 7.4 | 30 |

|     |   |     |    |
|-----|---|-----|----|
| 630 | Measurement of total and differential $W + W$ production cross sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016,  | 5.4 | 30 |
| 629 | Cross-section measurements of the Higgs boson decaying into a pair of leptons in proton-proton collisions at $s=13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,   | 4.9 | 29 |
| 628 | Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $(\sqrt{s}=8) \text{ TeV}$ . <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 29 |
| 627 | Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,  | 4.9 | 29 |
| 626 | Measurements of $Z$ and $Z'$ production in pp collisions at $s=8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 93,   | 4.9 | 29 |
| 625 | Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $(\sqrt{s}=8) \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 29 |
| 624 | Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $s=7 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 22-39   | 4.2 | 29 |
| 623 | Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2017</b> , 119, 051802  | 7.4 | 29 |
| 622 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 332   | 4.2 | 29 |
| 621 | Search for pair production of heavy vector-like quarks decaying to high-p T $W$ bosons and $b$ quarks in the lepton-plus-jets final state in pp collisions at $(\sqrt{s}=13) \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 29 |
| 620 | Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at $s=8 \text{ TeV}$ . <i>Physical Review D</i> , <b>2015</b> , 91,   | 4.9 | 29 |
| 619 | $Z$ boson production in p+Pb collisions at $s_{NN}=5.02 \text{ TeV}$ measured with the ATLAS detector. <i>Physical Review C</i> , <b>2015</b> , 92,   | 2.7 | 29 |
| 618 | Measurement of exclusive $t\bar{t}$ production in proton-proton collisions at $s=7 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 749, 242-261   | 4.2 | 29 |
| 617 | Search for pair and single production of new heavy quarks that decay to a $Z$ boson and a third-generation quark in pp collisions at $(\sqrt{s}=8) \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 29 |
| 616 | Search for supersymmetry in pp collisions at $s=7 \text{ TeV}$ in final states with missing transverse momentum and $b$ -jets with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,   | 4.9 | 29 |
| 615 | Measurement of the $ZZ$ production cross section and limits on anomalous neutral triple gauge couplings in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 041804   | 7.4 | 29 |
| 614 | Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in $s_{NN}=5.02 \text{ TeV}$ p+ Pb collisions measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 763, 313-336  | 4.2 | 29 |
| 613 | Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow b\bar{b}$ decay channel at $s=8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 753, 69-85 | 4.2 | 29 |

|     |   |     |    |
|-----|---|-----|----|
| 612 | Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2018</b> , 121, 081801   | 7.4 | 29 |
| 611 | Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 466   | 4.2 | 28 |
| 610 | A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 250   | 4.2 | 28 |
| 609 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 295  | 4.2 | 28 |
| 608 | Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 55  | 4.2 | 28 |
| 607 | Measurement of the production cross section for $Z/\gamma$ in association with jets in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,   | 4.9 | 28 |
| 606 | Search for massive long-lived highly ionising particles with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 698, 353-370  | 4.2 | 28 |
| 605 | Search for minimal supersymmetric standard model Higgs Bosons $\tilde{H}$ and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 585                  | 4.2 | 28 |
| 604 | Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 28 |
| 603 | Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ $\rightarrow 4l$ and ZZ $\rightarrow \ell\ell\nu\bar{\nu}$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 223-244 | 4.2 | 28 |
| 602 | Search for a Structure in the $B_{\{s\}^0\}\otimes\{b\}}$ Invariant Mass Spectrum with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2018</b> , 120, 202007   | 7.4 | 28 |
| 601 | Fiducial, total and differential cross-section measurements of -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 531   | 4.2 | 27 |
| 600 | Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 fb of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 27 |
| 599 | Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 337   | 4.2 | 27 |
| 598 | Measurement of the exclusive $t\bar{t}b\bar{b}$ process in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 777, 303-323   | 4.2 | 27 |
| 597 | Search for diboson resonances with boson-tagged jets in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 777, 91-113  | 4.2 | 27 |
| 596 | Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 755, 285-305   | 4.2 | 27 |
| 595 | A search for prompt lepton-jets in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 719, 299-317  | 4.2 | 27 |

|     |  |     |    |
|-----|--|-----|----|
| 594 | Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 27 |
| 593 | Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $s=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 90,   | 4.9 | 27 |
| 592 | Search for a standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4l$ decay channel with the ATLAS detector. <i>Physical Review Letters</i> , <b>2011</b> , 107, 221802   | 7.4 | 27 |
| 591 | Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 513   | 4.2 | 27 |
| 590 | Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW \rightarrow e\mu$ decay channel in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 789, 508-529 | 4.2 | 27 |
| 589 | Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2018</b> , 120, 211802  | 7.4 | 27 |
| 588 | Observation of Electroweak Production of a Same-Sign W Boson Pair in Association with Two Jets in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2019</b> , 123, 161801   | 7.4 | 26 |
| 587 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 26 |
| 586 | Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 26 |
| 585 | Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $s_{NN}=2.76$ TeV measured with the ATLAS detector. <i>Physical Review C</i> , <b>2016</b> , 93,  | 2.7 | 26 |
| 584 | Measurement of $t\bar{t}1$ and $t\bar{t}2$ production with ( $\sqrt{s}=7$ ) TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 26 |
| 583 | Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 361  | 4.2 | 26 |
| 582 | Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 26 |
| 581 | Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 26 |
| 580 | Search for pair production of a heavy up-type quark decaying to a W boson and a b quark in the lepton + jets channel with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 261802   | 7.4 | 26 |
| 579 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 658   | 4.2 | 26 |
| 578 | Study of the rare decays of $B_s^0$ and $B^0$ mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019,  | 5.4 | 25 |
| 577 | Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P03017-P03017   | 1   | 25 |

|     |  |     |    |
|-----|--|-----|----|
| 576 | Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in pp and p+Pb collisions with the ATLAS detector at the CERN Large Hadron Collider. <i>Physical Review C</i> , <b>2018</b> , 97,   | 2.7 | 25 |
| 575 | Measurement of the ZZ Production Cross Section in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2016</b> , 116, 101801   | 7.4 | 25 |
| 574 | Evidence for single top-quark production in the s-channel in proton-proton collisions at $s=8$ TeV with the ATLAS detector using the Matrix Element Method. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 756, 228-246 | 4.2 | 25 |
| 573 | Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 721, 32-50                        | 4.2 | 25 |
| 572 | Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2362   | 4.2 | 25 |
| 571 | Measurement of the cross section for inclusive isolated-photon production in pp collisions at $s=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 770, 473-493                          | 4.2 | 25 |
| 570 | Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ Using $36 \text{ fb}^{-1}$ of pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2017</b> , 119, 181804                                    | 7.4 | 25 |
| 569 | Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4l$ decay channel in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                               | 5.4 | 25 |
| 568 | Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 165   | 4.2 | 25 |
| 567 | Search for quantum black hole production in high-invariant-mass lepton+jet final states using pp collisions at $\sqrt{s}=8$ TeV and the ATLAS detector. <i>Physical Review Letters</i> , <b>2014</b> , 112, 091804   | 7.4 | 25 |
| 566 | Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 547  | 4.2 | 25 |
| 565 | Measurement of the inclusive isolated prompt photon cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 25 |
| 564 | Search for long-lived particles produced in pp collisions at $s=13$ TeV that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , <b>2019</b> , 99,   | 4.9 | 24 |
| 563 | Measurement of the top quark mass in the ( $t\bar{t} \rightarrow l\nu + jets$ ) channel from ( $\sqrt{s}=8$ ) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 24 |
| 562 | Search for pair production of gluinos decaying via stop and sbottom in events with b-jets and large missing transverse momentum in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 94,   | 4.9 | 24 |
| 561 | Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 24 |
| 560 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 24 |
| 559 | Measurement of the production cross section of prompt J/ $\psi$ mesons in association with a $W\gamma$ boson in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1                                     | 5.4 | 24 |

|     |   |     |    |
|-----|---|-----|----|
| 558 | Measurement of the differential cross-section of B + meson production in pp collisions at ( $\sqrt{s}=7$ ) TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 24 |
| 557 | Dynamics of isolated-photon plus jet production in pp collisions at . <i>Nuclear Physics B</i> , <b>2013</b> , 875, 483-535.8   | 24  |    |
| 556 | Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1  | 4.2 | 24 |
| 555 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $s=7$ TeV pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 841-859 | 4.2 | 24 |
| 554 | Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 84,  | 4.9 | 24 |
| 553 | Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,   | 4.9 | 24 |
| 552 | Combination of searches for Higgs boson pairs in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 800, 135103   | 4.2 | 24 |
| 551 | Search for single production of vector-like quarks decaying into in collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 442  | 4.2 | 24 |
| 550 | Measurement of the Soft-Drop Jet Mass in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 092001   | 7.4 | 24 |
| 549 | Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 765, 11-31  | 4.2 | 23 |
| 548 | Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 154  | 4.2 | 23 |
| 547 | Measurement of exclusive $\text{WW}+\text{W}\bar{b}$ production and search for exclusive Higgs boson production in pp collisions at $s=8$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 94,  | 4.9 | 23 |
| 546 | Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1  | 5.4 | 23 |
| 545 | Measurement of the cross-section for b-jets produced in association with a Z boson at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 706, 295-313  | 4.2 | 23 |
| 544 | Time-dependent angular analysis of the decay $B_s \rightarrow J/\psi \phi$ and extraction of $\Delta m$ and the CP-violating weak phase $\delta$ by ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012,  | 5.4 | 23 |
| 543 | Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a b-quark pair with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 718, 369-390                              | 4.2 | 23 |
| 542 | Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 23 |
| 541 | Measurement of the W+ W- cross section in $\sqrt{s} = 7$ TeV pp collisions with ATLAS. <i>Physical Review Letters</i> , <b>2011</b> , 107, 041802   | 7.4 | 23 |

|     |  |     |    |
|-----|--|-----|----|
| 540 | Search for pair production of a new b' quark that decays into a Z boson and a bottom quark with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 109, 071801   | 7.4 | 23 |
| 539 | Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 763, 251-268                                  | 4.2 | 23 |
| 538 | Dijet production in $s=7$ TeV pp collisions with large rapidity gaps at the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 754, 214-234   | 4.2 | 23 |
| 537 | Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 788, 316-335 | 4.2 | 23 |
| 536 | Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at 13 TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 401   | 4.2 | 23 |
| 535 | Search for Resonant and Nonresonant Higgs Boson Pair Production in the $b\bar{b}$ Decay Channel in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 191801  | 7.4 | 23 |
| 534 | Search for Higgs boson pair production in the ( $upgamma upgamma b\bar{b}$ ) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1  | 5.4 | 23 |
| 533 | Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36 fb of proton-proton collision data at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 23 |
| 532 | Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 762  | 4.2 | 23 |
| 531 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 26   | 4.2 | 22 |
| 530 | Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 22 |
| 529 | Observation of electroweak $W\pm Z$ boson pair production in association with two jets in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 793, 469-492                                    | 4.2 | 22 |
| 528 | Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 362  | 4.2 | 22 |
| 527 | Search for $W W/W Z$ resonance production in $\ell\ell q\bar{q}$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 22 |
| 526 | A search for prompt lepton-jets in pp collisions at ( $\sqrt{\text{mathrm{s}}}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 22 |
| 525 | Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 22 |
| 524 | Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $s=8$ TeV with the ATLAS detector at the LHC. <i>Physical Review D</i> , <b>2015</b> , 92,   | 4.9 | 22 |
| 523 | A search for high-mass resonances decaying to $\ell\ell n$ pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 22 |

|     |   |     |    |
|-----|---|-----|----|
| 522 | Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 22 |
| 521 | Search for new phenomena in the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 860-878  | 4.2 | 22 |
| 520 | . <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1   | 5.4 | 22 |
| 519 | Search for the Higgs boson in the $H \rightarrow WW \rightarrow l\bar{l}$ decay channel in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2011</b> , 107, 231801  | 7.4 | 22 |
| 518 | Search for pair and single production of vectorlike quarks in final states with at least one Z boson decaying into a pair of electrons or muons in pp collision data collected with the ATLAS detector at $s=13$ TeV. <i>Physical Review D</i> , <b>2018</b> , 98,                | 4.9 | 22 |
| 517 | Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 22 |
| 516 | Search for invisible Higgs boson decays in vector boson fusion at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 793, 499-519  | 4.2 | 21 |
| 515 | Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1                                | 5.4 | 21 |
| 514 | Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 79   | 4.2 | 21 |
| 513 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $s=13$ TeV proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 757, 334-355 | 4.2 | 21 |
| 512 | Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 11  | 4.2 | 21 |
| 511 | Flavor tagged time-dependent angular analysis of the $B_s \rightarrow J/\psi$ decay and extraction of $\beta$ and the weak phase $\gamma$ in ATLAS. <i>Physical Review D</i> , <b>2014</b> , 90,  | 4.9 | 21 |
| 510 | Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3195                                  | 4.2 | 21 |
| 509 | Search for pair-produced heavy quarks decaying to Wq in the two-lepton channel at ( $s=7$ ) TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,   | 4.9 | 21 |
| 508 | Study of hard double-parton scattering in four-jet events in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 21 |
| 507 | Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 21 |
| 506 | A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 812, 135980  | 4.2 | 21 |
| 505 | Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1007   | 4.2 | 21 |

|     |   |     |    |
|-----|---|-----|----|
| 504 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 21 |
| 503 | Measurement of the azimuthal anisotropy of charged particles produced in = 5.02 TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 997  | 4.2 | 21 |
| 502 | ZZ- $\rightarrow\text{ll}+\text{ll}$ cross-section measurements and search for anomalous triple gauge couplings in 13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,   | 4.9 | 21 |
| 501 | Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 58  | 4.2 | 20 |
| 500 | Search for Scalar Charm Quark Pair Production in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2015</b> , 114, 161801  | 7.4 | 20 |
| 499 | Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 20 |
| 498 | Searches for heavy diboson resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 20 |
| 497 | Measurement of ( $W^{\pm}Z$ ) production cross sections and gauge boson polarisation in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 20 |
| 496 | Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $q\bar{q}\rightarrow\text{bb}$ final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 774, 494-515 | 4.2 | 20 |
| 495 | Searches for the Z decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 20 |
| 494 | Measurement of the top pair production cross section in 8 TeV proton-proton collisions using kinematic information in the lepton+jets final state with ATLAS. <i>Physical Review D</i> , <b>2015</b> , 91,  | 4.9 | 20 |
| 493 | Evidence of $W^{\pm}Z$ Production in pp Collisions at $\sqrt{s}=8$ TeV and Limits on Anomalous Quartic Gauge Couplings with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2015</b> , 115, 031802  | 7.4 | 20 |
| 492 | $K_S$ and $\Lambda$ production in pp interactions at $s=0.9$ and 7 TeV measured with the ATLAS detector at the LHC. <i>Physical Review D</i> , <b>2012</b> , 85,  | 4.9 | 20 |
| 491 | Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 452-470  | 4.2 | 20 |
| 490 | Search for high-mass states with one lepton plus missing transverse momentum in proton-proton collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 50-69  | 4.2 | 20 |
| 489 | ATLAS measurements of the properties of jets for boosted particle searches. <i>Physical Review D</i> , <b>2012</b> , 86,  | 4.9 | 20 |
| 488 | Search for new resonances in mass distributions of jet pairs using 139 fb $^{-1}$ of pp collisions at ( $\sqrt{\text{mathrm{s}}}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 20 |
| 487 | Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 Te V with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 565   | 4.2 | 20 |

|     |  |     |    |
|-----|--|-----|----|
| 486 | Search for Higgs boson decays into a pair of light bosons in the $b\bar{b}$ final state in pp collision at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 790, 1-21   | 4.2 | 20 |
| 485 | Measurement of the boson polarisation in [Formula: see text] events from collisions at [Formula: see text] = 8 TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , <b>2017</b> , 77, 264   | 4.2 | 19 |
| 484 | Performance of top-quark and ( $\text{varvec}\{W\}$ )-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 19 |
| 483 | Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 898  | 4.2 | 19 |
| 482 | Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P12009-P12009  | 1   | 19 |
| 481 | Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 872  | 4.2 | 19 |
| 480 | Measurement of differential $J/\psi$ -production cross sections and forward-backward ratios in $p + \text{Pb}$ collisions with the ATLAS detector. <i>Physical Review C</i> , <b>2015</b> , 92,  | 2.7 | 19 |
| 479 | Measurement of transverse energy-energy correlations in multi-jet events in pp collisions at $s=7\text{TeV}$ using the ATLAS detector and determination of the strong coupling constant $\alpha_s(m_Z)$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 750, 427-447 | 4.2 | 19 |
| 478 | Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , <b>2014</b> , 16, 113013   | 2.9 | 19 |
| 477 | Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 718, 411-430  | 4.2 | 19 |
| 476 | Measurement of $D^*\pi$ meson production in jets from pp collisions at $s=7\text{TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,   | 4.9 | 19 |
| 475 | Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 403   | 4.2 | 19 |
| 474 | Search for pair production of heavy vectorlike quarks decaying into hadronic final states in pp collisions at $s=13\text{TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 19 |
| 473 | Measurement of three-jet production cross-sections in [Formula: see text] collisions at $7\text{TeV}$ centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 228   | 4.2 | 18 |
| 472 | Search for High-Mass Resonances Decaying to $\pi\pi$ in pp Collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 120, 161802   | 7.4 | 18 |
| 471 | Measurement of jet charge in dijet events from $s=8\text{TeV}$ pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 93,   | 4.9 | 18 |
| 470 | Search for long-lived neutral particles in pp collisions at $(\sqrt{s}) = 13\sim\{1\text{TeV}\}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 18 |
| 469 | Searches for third-generation scalar leptoquarks in $(\sqrt{s}) = 13\text{TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1   | 5.4 | 18 |

|     |   |     |    |
|-----|---|-----|----|
| 468 | Measurement of the underlying event in jet events from 7 (text {TeV}) proton $\bar{\text{p}}\text{p}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1  | 4.2 | 18 |
| 467 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2982   | 4.2 | 18 |
| 466 | Measurement of the low-mass Drell-Yan differential cross section at ( sqrt{s} ) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 18 |
| 465 | Measurement of the W $\rightarrow$ Z production cross section and limits on anomalous triple gauge couplings in proton $\bar{\text{p}}\text{p}$ collisions at s=7 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 709, 341-357 | 4.2 | 18 |
| 464 | Search for diphoton events with large missing transverse momentum in 1 fb $^{-1}$ of 7 TeV proton $\bar{\text{p}}\text{p}$ collision data with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 519-537                             | 4.2 | 18 |
| 463 | Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2676   | 4.2 | 18 |
| 462 | Observation of top-quark pair production in association with a photon and measurement of the tt $\rightarrow$ t $\bar{t}$ production cross section in pp collisions at s=7 TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 91,   | 4.9 | 18 |
| 461 | Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at sqrt[s]=8 TeV Measured with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2015</b> , 114, 221802   | 7.4 | 18 |
| 460 | Search for a Heavy Neutral Particle Decaying to e $\rightarrow$ e or $\mu\rightarrow\mu$ in pp Collisions at sqrt[s]=8 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2015</b> , 115, 031801  | 7.4 | 18 |
| 459 | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ( sqrt{s}=7 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 18 |
| 458 | Search for flavour-changing neutral current top quark decays t $\rightarrow$ Hq in pp collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-65   | 5.4 | 18 |
| 457 | Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , <b>2015</b> , 75, 407   | 4.2 | 18 |
| 456 | Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at (sqrt{mathbf{s}}=7) TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1  | 4.2 | 18 |
| 455 | Search for resonant diboson production in the WW/WZ- $\rightarrow$ decay channels with the ATLAS detector at s=7 TeV. <i>Physical Review D</i> , <b>2013</b> , 87,  | 4.9 | 18 |
| 454 | Search for the Standard Model Higgs boson in the decay channel . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 435-451   | 4.2 | 18 |
| 453 | Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in (sqrt{s}=7) TeV proton $\bar{\text{p}}\text{p}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1  | 4.2 | 18 |
| 452 | Measurement of the Z $\rightarrow$ cross section with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 84,  | 4.9 | 18 |
| 451 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 87  | 4.2 | 18 |

|     |  |     |    |
|-----|--|-----|----|
| 450 | Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in Pb+Pb Collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 212301  | 7.4 | 18 |
| 449 | Search for new resonances decaying to a W or Z boson and a Higgs boson in the $t\bar{t}b\bar{b}$ , $t\bar{b}b\bar{t}$ , and $b\bar{b}b\bar{b}$ channels with pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 765, 32-52 | 4.2 | 17 |
| 448 | Search for anomalous electroweak production of WW/WZ in association with a high-mass dijet system in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 95,  | 4.9 | 17 |
| 447 | Search for chargino-neutralino production with mass splittings near the electroweak scale in three-lepton final states in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 101,  | 4.9 | 17 |
| 446 | Searches for heavy ZZ and ZW resonances in the $t\bar{q}q$ and $b\bar{q}q$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 17 |
| 445 | Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 17 |
| 444 | Measurement of polarization in $\tau$ -decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2062  | 4.2 | 17 |
| 443 | Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 96,  | 4.9 | 17 |
| 442 | Search for type-III seesaw heavy leptons in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 92,   | 4.9 | 17 |
| 441 | Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3117  | 4.2 | 17 |
| 440 | Measurement of the parity-violating asymmetry parameter $B_b$ and the helicity amplitudes for the decay $B^0 \rightarrow J/\psi$ with the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 89,   | 4.9 | 17 |
| 439 | Measurement of the b-hadron production cross section using decays to . <i>Nuclear Physics B</i> , <b>2012</b> , 864, 341-381   | 2.8 | 17 |
| 438 | Measurement of the $B^0$ lifetime and mass in the ATLAS experiment. <i>Physical Review D</i> , <b>2013</b> , 87,   | 4.9 | 17 |
| 437 | Measurement of the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 9-27   | 4.2 | 17 |
| 436 | Search for diphoton events with large missing transverse energy in 7 TeV proton-proton collisions with the ATLAS detector. <i>Physical Review Letters</i> , <b>2011</b> , 106, 121803  | 7.4 | 17 |
| 435 | Search for a scalar partner of the top quark in the all-hadronic ( $t\bar{t}b\bar{b}$ ) plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 17 |
| 434 | Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\pm 13$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 517  | 4.2 | 17 |
| 433 | Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 759, 229-246  | 4.2 | 17 |

|     |  |     |    |
|-----|--|-----|----|
| 432 | Measurement of the $W\bar{Z}$ boson pair-production cross section in pp collisions at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 762, 1-22                          | 4.2 | 17 |
| 431 | Search for heavy charged long-lived particles in proton-proton collisions at $s=13\text{TeV}$ using an ionisation measurement with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 788, 96-116 | 4.2 | 17 |
| 430 | Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 764, 11-30                            | 4.2 | 16 |
| 429 | In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 16 |
| 428 | ATLAS data quality operations and performance for 2015-2018 data-taking. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P04003-P04003   | 1   | 16 |
| 427 | Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $s=8\text{TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 93,  | 4.9 | 16 |
| 426 | Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 16 |
| 425 | Search for the Standard Model Higgs boson decaying into ( $b\bar{b}$ ) produced in association with top quarks decaying hadronically in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1       | 5.4 | 16 |
| 424 | Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 709, 322-340  | 4.2 | 16 |
| 423 | Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 580  | 4.2 | 16 |
| 422 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 16 |
| 421 | Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 92,  | 4.9 | 16 |
| 420 | Search for new phenomena in events with three or more charged leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 16 |
| 419 | Measurement of the ( $t\bar{t}W$ ) and ( $t\bar{t}Z$ ) production cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 16 |
| 418 | Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 16 |
| 417 | Search for s-channel single top-quark production in proton-proton collisions at $s=8\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 740, 118-136                              | 4.2 | 16 |
| 416 | A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3168   | 4.2 | 16 |
| 415 | Measurement of the production cross-section of $Z\rightarrow e^+e^-$ in pp collisions at ( $\sqrt{s}=7$ TeV) at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1   | 5.4 | 16 |

|     |  |     |    |
|-----|--|-----|----|
| 414 | Search for anomalous production of prompt like-sign lepton pairs at ( $\sqrt{s}=7\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 16 |
| 413 | Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 715, 44-60                        | 4.2 | 16 |
| 412 | Measurement of $W^\pm$ and $Z^\pm$ production cross sections in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 49-69  | 4.2 | 16 |
| 411 | Search for excited electrons and muons in $\sqrt{s}=8\text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>New Journal of Physics</i> , <b>2013</b> , 15, 093011   | 2.9 | 16 |
| 410 | Search for pair production of first or second generation leptoquarks in proton-proton collisions at $s=7\text{ TeV}$ using the ATLAS detector at the LHC. <i>Physical Review D</i> , <b>2011</b> , 83,   | 4.9 | 16 |
| 409 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , <b>2016</b> , 76, 526  | 4.2 | 16 |
| 408 | Search for the Higgs boson produced in association with a boson and decaying to four -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 605   | 4.2 | 16 |
| 407 | Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 12                                  | 4.2 | 16 |
| 406 | Measurement of fiducial and differential ( $W^+ + W^-$ ) production cross-sections at ( $\sqrt{s}=13\text{ TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 16 |
| 405 | Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at ( $\sqrt{s_{\text{NN}}} = 5.02\text{ TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1                                 | 4.2 | 16 |
| 404 | Search for pair production of heavy vector-like quarks decaying into high-pT $W$ bosons and top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1 | 5.4 | 16 |
| 403 | Search for supersymmetry in events with four or more leptons in $s=13\text{ TeV}$ pp collisions with ATLAS. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 16 |
| 402 | Search for the $X_b$ and other hidden-beauty states in the $\Xi_b(1S)$ channel at ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 740, 199-217  | 4.2 | 15 |
| 401 | Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 231   | 4.2 | 15 |
| 400 | Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 Tev Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 031802   | 7.4 | 15 |
| 399 | Measurements of four-lepton production in pp collisions at $s=8\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 753, 552-572  | 4.2 | 15 |
| 398 | Search for $W \rightarrow b\bar{b}$ decays in the hadronic final state using pp collisions at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 781, 327-348                      | 4.2 | 15 |
| 397 | Monitoring and data quality assessment of the ATLAS liquid argon calorimeter. <i>Journal of Instrumentation</i> , <b>2014</b> , 9, P07024-P07024   | 1   | 15 |

|     |  |     |    |
|-----|--|-----|----|
| 396 | Search for a heavy Standard Model Higgs boson in the channel $H \rightarrow Z\bar{Z} \rightarrow 4q$ using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 27-45                            | 4.2 | 15 |
| 395 | Search for new particles decaying to $ZZ$ using final states with leptons and jets with the ATLAS detector in $s=7\text{TeV}$ proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 331-350 | 4.2 | 15 |
| 394 | A search for high-mass resonances decaying to . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 719, 242-260   | 4.2 | 15 |
| 393 | Measurement of the top quark charge in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 15 |
| 392 | Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1        | 5.4 | 15 |
| 391 | Measurement of jet pT correlations in Pb + Pb and pp collisions at $s_{\text{NN}}=2.76\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 774, 379-402                              | 4.2 | 15 |
| 390 | Measurements of $\chi(2S)$ and $X(3872) \rightarrow J/\psi \pi^{\pm}$ production in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 15 |
| 389 | Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2017</b> , 77, 563  | 4.2 | 15 |
| 388 | Determination of the Ratio of b-Quark Fragmentation Fractions $f(s)/f(d)$ in pp Collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2015</b> , 115, 262001   | 7.4 | 15 |
| 387 | Determination of the top-quark pole mass using ( $\overline{t}t$ ) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 15 |
| 386 | Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , <b>2013</b> , 15, 043009   | 2.9 | 15 |
| 385 | Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1   | 4.2 | 15 |
| 384 | Search for resonant top quark plus jet production in $t\bar{t}+j$ events with the ATLAS detector in pp collisions at $s=7\text{TeV}$ . <i>Physical Review D</i> , <b>2012</b> , 86,  | 4.9 | 15 |
| 383 | Dijet Resonance Search with Weak Supervision Using $\sqrt{s}=13\text{TeV}$ pp Collisions in the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 131801   | 7.4 | 15 |
| 382 | CP Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}H$ and $tH$ Processes Using $H\rightarrow\tau\tau$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 061802   | 7.4 | 15 |
| 381 | Measurement of photon+jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 789, 167-190  | 4.2 | 15 |
| 380 | Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                                  | 5.4 | 15 |
| 379 | Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\gamma$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 625            | 4.2 | 15 |

|     |   |     |    |
|-----|---|-----|----|
| 378 | Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the $\eta$ final state in pp collisions at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 782, 750-767                   | 4.2 | 15 |
| 377 | Measurement of the [Formula: see text] and [Formula: see text] production cross sections in multilepton final states using 3.2 fb[Formula: see text] of [Formula: see text] collisions at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 40 | 4.2 | 14 |
| 376 | Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 474   | 4.2 | 14 |
| 375 | Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 789, 444-471  | 4.2 | 14 |
| 374 | Search for single production of vector-like quarks decaying into Wb in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 14 |
| 373 | Measurement of the ( $t\bar{t}$ ) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 14 |
| 372 | Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 780, 557-577                       | 4.2 | 14 |
| 371 | Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 14 |
| 370 | Measurement of jet fragmentation in 5.02 TeV proton-lead and proton-proton collisions with the ATLAS detector. <i>Nuclear Physics A</i> , <b>2018</b> , 978, 65-106   | 1.3 | 14 |
| 369 | Measurement of the ttZ and ttW cross sections in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,   | 4.9 | 14 |
| 368 | Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 798, 134942                       | 4.2 | 14 |
| 367 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at ( $\sqrt{s}$ ) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1                        | 5.4 | 14 |
| 366 | Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1   | 4.2 | 14 |
| 365 | Search for charged Higgs bosons through the violation of lepton universality in ( $t\bar{t}$ ) events using pp collision data at ( $\sqrt{s}=7$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 14 |
| 364 | Measurement of the production of neighbouring jets in lead-lead collisions at sNN=2.76TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 751, 376-395   | 4.2 | 14 |
| 363 | Measurement of colour flow with the jet pull angle in tt events using the ATLAS detector at $s=8\text{TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 750, 475-493  | 4.2 | 14 |
| 362 | Study of (W/Z)H production and Higgs boson couplings using H→W W * decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 14 |
| 361 | A search for [Formula: see text] resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2083  | 4.2 | 14 |

|     |  |     |    |
|-----|--|-----|----|
| 360 | Search for new phenomena in events with three charged leptons at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 87,   | 4.9 | 14 |
| 359 | Search for a heavy particle decaying into an electron and a muon with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. <i>Physical Review Letters</i> , <b>2011</b> , 106, 251801  | 7.4 | 14 |
| 358 | A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 14 |
| 357 | Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a \rightarrow b$ channel in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1 | 5.4 | 14 |
| 356 | Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 787, 68-88  | 4.2 | 14 |
| 355 | Search for pair production of Higgsinos in final states with at least three b-tagged jets in $s=13$ TeV pp collisions using the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 14 |
| 354 | Combined measurement of differential and total cross sections in the $H \rightarrow b$ and the $H \rightarrow ZZ^*$ decay channels at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 114-133   | 4.2 | 14 |
| 353 | Searches for exclusive Higgs and Z boson decays into $J/\psi(2S)$ and $(nS)$ at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 134-155   | 4.2 | 14 |
| 352 | Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,  | 4.9 | 14 |
| 351 | Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text]TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 292   | 4.2 | 13 |
| 350 | High-ET isolated-photon plus jets production in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , <b>2017</b> , 918, 257-316  | 2.8 | 13 |
| 349 | Search for triboson [Formula: see text] production in collisions at [Formula: see text][Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 141   | 4.2 | 13 |
| 348 | Search for long-lived particles in final states with displaced dimuon vertices in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,  | 4.9 | 13 |
| 347 | Search for top-quark decays $t \rightarrow q$ with $36 \text{ fb}^{-1}$ of pp collision data at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1   | 5.4 | 13 |
| 346 | Simultaneous measurements of the $t\bar{t}$ , $W+W^-$ and $Z+\bar{Z}$ production cross-sections in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 91,  | 4.9 | 13 |
| 345 | Measurement of the transverse polarization of $\Lambda$ and $\bar{\Lambda}$ hyperons produced in proton-proton collisions at $s=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 91,  | 4.9 | 13 |
| 344 | Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^*$ - $e\bar{\nu}$ with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 13 |
| 343 | Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 13 |

|     |   |     |    |
|-----|---|-----|----|
| 342 | Identification of high transverse momentum top quarks in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 13 |
| 341 | Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $s=7$ and 8 TeV with ATLAS. <i>Physical Review D</i> , <b>2016</b> , 94,  | 4.9 | 13 |
| 340 | Addendum to Measurement of the ( $t\bar{t}$ ) production cross-section using (emu) events with b-tagged jets in pp collisions at ( $\sqrt{s}) = 7$ and 8 (,mathrm{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 1               | 4.2 | 13 |
| 339 | Search for single production of a vector-like quark via a heavy gluon in the 4b final state with the ATLAS detector in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 758, 249-268 | 4.2 | 13 |
| 338 | Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 4   | 4.2 | 13 |
| 337 | Standalone vertex finding in the ATLAS muon spectrometer. <i>Journal of Instrumentation</i> , <b>2014</b> , 9, P02001,P02001  |     |    |
| 336 | Search for a heavy narrow resonance decaying to $e^+e^-$ or $\eta$ with the ATLAS detector in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 723, 15-32  | 4.2 | 13 |
| 335 | Measurement of $W\rightarrow W\gamma$ vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 96,   | 4.9 | 13 |
| 334 | Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. <i>Physical Review C</i> , <b>2017</b> , 95,   | 2.7 | 13 |
| 333 | Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 13 |
| 332 | Search for R-parity-violating supersymmetry in events with four or more leptons in ( $\sqrt{s}=7$ ;mathrm{TeV}) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 13 |
| 331 | Search for excited leptons in proton-proton collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,   | 4.9 | 13 |
| 330 | Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ( $\sqrt{s} = 7$ -mathrm{TeV}). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1   | 4.2 | 13 |
| 329 | Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1   | 4.2 | 13 |
| 328 | Search for nonpointing photons in the diphoton and ETmiss final state in $s=7$ TeV proton-proton collisions using the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 88,  | 4.9 | 13 |
| 327 | Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 88,   | 4.9 | 13 |
| 326 | Search for a heavy neutral particle decaying into an electron and a muon using 1 fb $\cdot$ of ATLAS data. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1   | 4.2 | 13 |
| 325 | Searches for lepton-flavour-violating decays of the Higgs boson in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 800, 135069                                | 4.2 | 13 |

|     |   |     |    |
|-----|---|-----|----|
| 324 | Fluctuations of anisotropic flow in Pb+Pb collisions at ( $\sqrt{\{s\}}_{\mathrm{NN}}$ ) = 5.02 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 13 |
| 323 | Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P09015-P09015  | 13  |    |
| 322 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1 | 4.2 | 13 |
| 321 | Search for direct stau production in events with two hadronic leptons in s=13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 101,  | 4.9 | 13 |
| 320 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1  | 4.2 | 13 |
| 319 | Measurements of top-quark pair differential and double-differential cross-sections in the (ell )+jets channel with pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 13 |
| 318 | Operation and performance of the ATLAS Tile Calorimeter in Run1. <i>European Physical Journal C</i> , <b>2018</b> , 78, 987   | 4.2 | 13 |
| 317 | Measurements of W and Z boson production in pp collisions at ( $\sqrt{s}=5.02$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 12 |
| 316 | Measurement of the WW + WZ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 12 |
| 315 | Higgs boson production cross-section measurements and their EFT interpretation in the (4ell ) decay channel at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 12 |
| 314 | Search for long-lived, massive particles in events with a displaced vertex and a muon with large impact parameter in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 102,   | 4.9 | 12 |
| 313 | Search for new phenomena with photon+jet events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 12 |
| 312 | Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 12 |
| 311 | Search for strong gravity in multijet final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 12 |
| 310 | Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 232  | 4.2 | 12 |
| 309 | Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1-46                            | 5.4 | 12 |
| 308 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 12 |
| 307 | Measurements of tt differential cross-sections of highly boosted top quarks decaying to all-hadronic final states in pp collisions at s=13 TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 12 |

|     |  |     |    |
|-----|--|-----|----|
| 306 | Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from pp and Pb+Pb Collisions in ATLAS. <i>Physical Review Letters</i> , <b>2019</b> , 123, 042001  | 7.4 | 12 |
| 305 | Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,   | 4.9 | 12 |
| 304 | Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at $(\sqrt{\text{mathrm{s}}}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 12 |
| 303 | Search for low-mass resonances decaying into two jets and produced in association with a photon using pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 795, 56-75          | 4.2 | 12 |
| 302 | The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2895   | 4.2 | 12 |
| 301 | Operation and performance of the ATLAS semiconductor tracker. <i>Journal of Instrumentation</i> , <b>2014</b> , 9, P08009-P08009   | 1   | 12 |
| 300 | Measurement of the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 706, 276-294  | 4.2 | 12 |
| 299 | Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 775, 206-228       | 4.2 | 12 |
| 298 | Measurement of the inclusive jet cross-sections in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 12 |
| 297 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 12 |
| 296 | Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow l^+l^-$ in $(\sqrt{s}=13)$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 12 |
| 295 | Measurements of top quark spin observables in $(\overline{t}t)$ events using dilepton final states in $(\sqrt{s}=8)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 12 |
| 294 | Search for a multi-Higgs-boson cascade in $W+W\bar{b}b$ events with the ATLAS detector in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , <b>2014</b> , 89,   | 4.9 | 12 |
| 293 | Search for TeV-scale gravity signatures in final states with leptons and jets with the ATLAS detector at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 716, 122-141  | 4.2 | 12 |
| 292 | Search for a standard model Higgs boson in the $H \rightarrow ZZ \rightarrow ll$ decay channel using $4.7\text{fb}^{-1}$ of $s=7$ TeV data with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 29-48 | 4.2 | 12 |
| 291 | Measurement of the flavour composition of dijet events in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1  | 4.2 | 12 |
| 290 | Search for resonant WZ production in the $WZ \rightarrow ll$ channel in $(s)=7$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,  | 4.9 | 12 |
| 289 | Measurement of the azimuthal anisotropy of charged-particle production in Xe+Xe collisions at $\text{SNN}=5.44$ TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2020</b> , 101,   | 2.7 | 12 |

|     |  |     |    |
|-----|--|-----|----|
| 288 | Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 762, 334-352     | 4.2 | 12 |
| 287 | Measurement of the top-quark mass in ( $\overline{t}t$ ) + 1-jet events collected with the ATLAS detector in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 12 |
| 286 | Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from pp collisions at $s=13\text{TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 100,   | 4.9 | 12 |
| 285 | Search for flavor-changing neutral currents in top quark decays $t \rightarrow H c$ and $t \rightarrow H u$ in multilepton final states in proton-proton collisions at $s=13\text{TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,              | 4.9 | 12 |
| 284 | Measurement of jet fragmentation in Pb+Pb and pp collisions at $s_{\text{NN}}=5.02\text{TeV}$ with the ATLAS detector. <i>Physical Review C</i> , <b>2018</b> , 98,  | 2.7 | 12 |
| 283 | Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at ( $\sqrt{s}=8\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 11 |
| 282 | Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 129   | 4.2 | 11 |
| 281 | Measurement of the charge asymmetry in highly boosted top-quark pair production in $s=8\text{TeV}$ pp collision data collected by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 756, 52-71 | 4.2 | 11 |
| 280 | Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $13\text{TeV}$ . <i>European Physical Journal C</i> , <b>2019</b> , 79,  | 4.2 | 11 |
| 279 | Measurement of lepton differential distributions and the top quark mass in production in collisions at $8\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 804   | 4.2 | 11 |
| 278 | Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at ( $\sqrt{s}=8\text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 11 |
| 277 | Search for dark matter in association with a Higgs boson decaying to two photons at $s=13\text{TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 96,   | 4.9 | 11 |
| 276 | Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2017</b> , 77, 646  | 4.2 | 11 |
| 275 | Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ( $\sqrt{s}=7\text{TeV}$ ) with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1   | 5.4 | 11 |
| 274 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1                                       | 4.2 | 11 |
| 273 | Measurement of W and Z production in proton-proton collisions at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1   | 5.4 | 11 |
| 272 | Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at ( $s=7\text{TeV}$ ) with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,   | 4.9 | 11 |
| 271 | Search for production of resonant states in the photon-jet mass distribution using pp collisions at $E=7\text{TeV}$ collected by the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 211802  | 7.4 | 11 |

|     |  |     |    |
|-----|--|-----|----|
| 270 | Search for long-lived neutral particles produced in pp collisions at $s=13$ TeV decaying into displaced hadronic jets in the ATLAS inner detector and muon spectrometer. <i>Physical Review D</i> , <b>2020</b> , 101,   | 4.9 | 11 |
| 269 | Measurement of soft-drop jet observables in pp collisions with the ATLAS detector at $s=13$ TeV. <i>Physical Review D</i> , <b>2020</b> , 101,   | 4.9 | 11 |
| 268 | Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 760, 520-537                          | 4.2 | 11 |
| 267 | Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,   | 4.9 | 11 |
| 266 | Jet energy scale and resolution measured in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1  | 4.2 | 11 |
| 265 | Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 95,   | 4.9 | 10 |
| 264 | . <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 10 |
| 263 | Search for heavy neutral Higgs bosons produced in association with b-quarks and decaying into b-quarks at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 102,  | 4.9 | 10 |
| 262 | Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at ( $\sqrt{s}=13$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1  | 5.4 | 10 |
| 261 | Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $s=8$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 776, 295-317 | 4.2 | 10 |
| 260 | Measurement of the cross section for isolated-photon plus jet production in pp collisions at $s=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 780, 578-602                       | 4.2 | 10 |
| 259 | Measurement of the correlation between the polar angles of leptons from top quark decays in the helicity basis at $s=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 93,   | 4.9 | 10 |
| 258 | A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 10 |
| 257 | Measurement of the CP-violating phase $\delta_s$ and the $B^0 \rightarrow D^+ \pi^-$ meson decay width difference with $B^0 \rightarrow D^+ \pi^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 10 |
| 256 | Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 100,  | 4.9 | 10 |
| 255 | Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1   | 5.4 | 10 |
| 254 | Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2040   | 4.2 | 10 |
| 253 | Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 765         | 4.2 | 10 |

|     |  |     |    |
|-----|--|-----|----|
| 252 | Measurement of the cross section of high transverse momentum Z- $\bar{b}b$ production in proton-proton collisions at $s=8\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 738, 25-43                          | 4.2 | 10 |
| 251 | Study of heavy-flavor quarks produced in association with top-quark pairs at $s=7\text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , <b>2014</b> , 89,   | 4.9 | 10 |
| 250 | Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1  | 5.4 | 10 |
| 249 | Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 714, 180-196                           | 4.2 | 10 |
| 248 | Search for the Higgs boson in the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 718, 391-410   | 4.2 | 10 |
| 247 | Measurement of charged-particle event shape variables in inclusive ( $s=7\text{ TeV}$ ) proton-proton interactions with the ATLAS detector. <i>Physical Review D</i> , <b>2013</b> , 88,   | 4.9 | 10 |
| 246 | Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 801, 135114                         | 4.2 | 10 |
| 245 | Search for new phenomena in events with an energetic jet and missing transverse momentum in pp collisions at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2021</b> , 103,  | 4.9 | 10 |
| 244 | Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $s_{\text{NN}}=2.76\text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , <b>2018</b> , 98,   | 2.7 | 10 |
| 243 | Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 10 |
| 242 | Search for R-parity-violating supersymmetric particles in multi-jet final states produced in p $\bar{p}$ collisions at $s=13\text{ TeV}$ using the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 785, 136-158         | 4.2 | 10 |
| 241 | . <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 9  |
| 240 | Search for Higgs boson decays into two new low-mass spin-0 particles in the 4b channel with the ATLAS detector using pp collisions at $s=13\text{ TeV}$ . <i>Physical Review D</i> , <b>2020</b> , 102,  | 4.9 | 9  |
| 239 | Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in dilepton events from pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80,   | 4.2 | 9  |
| 238 | Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at $s=2.76\text{ TeV}$ with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 756, 10-28  | 4.2 | 9  |
| 237 | Search for single . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 721, 171-189   | 4.2 | 9  |
| 236 | Measurement of the ZZ production cross section in proton-proton collisions at ( $\sqrt{s}=8\text{ TeV}$ ) using the ZZ - $\ell^+\ell^-$ and ( ZZto $\{\ell\}^-\{\ell\}^+\{\nu\}\overline{\{\nu\}}$ ) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1 | 5.4 | 9  |
| 235 | Measurement of charged-particle distributions sensitive to the underlying event in ( $\sqrt{s}=13\text{ TeV}$ ) proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 9  |

|     |  |     |   |
|-----|--|-----|---|
| 234 | Measurement of the branching ratio $(B0-\bar{D}S)/B0-\bar{D}$ ) with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 751, 63-80  | 4.2 | 9 |
| 233 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20 \text{ fb}^{-1}$ of $(\sqrt{s}) = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1           | 5.4 | 9 |
| 232 | Search for a Standard Model Higgs boson in the mass range $200 \text{--} 800 \text{ GeV}$ in the $H \rightarrow ZZ \rightarrow q\bar{q}$ decay channel with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 70-88 | 4.2 | 9 |
| 231 | Search for the Higgs boson decays $H \rightarrow ee$ and $H \rightarrow \mu\mu$ in pp collisions at $s=13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 801, 135148                                | 4.2 | 9 |
| 230 | A search for the $Z \rightarrow \tau\tau$ decay mode of the Higgs boson in pp collisions at $s=13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 809, 135754  | 4.2 | 9 |
| 229 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 9 |
| 228 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell\ell)$ decay channel at $(\sqrt{s}) = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 9 |
| 227 | Search for squarks and gluinos in final states with hadronically decaying leptons, jets, and missing transverse momentum using pp collisions at $s=13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,   | 4.9 | 9 |
| 226 | Search for supersymmetry in final states with charm jets and missing transverse momentum in $13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1  | 5.4 | 9 |
| 225 | Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in pp Collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 152002   | 7.4 | 9 |
| 224 | Measurement of W boson angular distributions in events with high transverse momentum jets at $s=8 \text{ TeV}$ using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 765, 132-153                                      | 4.2 | 8 |
| 223 | Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $(\sqrt{s}) = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1   | 5.4 | 8 |
| 222 | Measurement of VH, ( $H \rightarrow b\bar{b}$ ) production as a function of the vector-boson transverse momentum in $13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 8 |
| 221 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $(\sqrt{s}) = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 8 |
| 220 | Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in pp Collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 082301   | 7.4 | 8 |
| 219 | Search for squarks and gluinos in final states with same-sign leptons and jets using $139 \text{ fb}^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 8 |
| 218 | Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P05013-P05013   | 1   | 8 |
| 217 | Search for scalar resonances decaying into $\tau\tau$ events with and without b-tagged jets produced in proton-proton collisions at $(\sqrt{s})=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1   | 5.4 | 8 |

|     |   |     |   |
|-----|---|-----|---|
| 216 | Measurement of the mass difference between top and anti-top quarks in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 728, 363-379   | 4.2 | 8 |
| 215 | A measurement of the ratio of the W and Z cross sections with exactly one associated jet in pp collisions at $s=7\text{TeV}$ with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 708, 221-240   | 4.2 | 8 |
| 214 | Search for contact interactions in dilepton events from pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 40-58   | 4.2 | 8 |
| 213 | Measurement of splitting scales in $\tau$ -events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2432   | 4.2 | 8 |
| 212 | Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 144                   | 4.2 | 8 |
| 211 | Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 8 |
| 210 | Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 158  | 4.2 | 8 |
| 209 | Evidence for $(t\bar{t})t\bar{t}$ production in the multilepton final state in proton-proton collisions at $(\sqrt{s}=13)$ (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1   | 4.2 | 8 |
| 208 | Search for light long-lived neutral particles produced in pp collisions at $(\sqrt{s} = 13\text{TeV})$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 8 |
| 207 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 8 |
| 206 | Measurements of top-quark pair spin correlations in the (emu) channel at $(\sqrt{s} = 13)$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 8 |
| 205 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | 8 |
| 204 | Search for heavy resonances decaying into a pair of Z bosons in the ( $e^+e^-e^+e^-$ ) and ( $e^+e^-e^-\nu \{\bar{\nu}\}$ ) final states using 139 (mathrm {fb}^{-1}) of proton-proton collisions at $(\sqrt{s} = 13,\text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1 | 4.2 | 8 |
| 203 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | 8 |
| 202 | Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $(\sqrt{s}=8)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1  | 5.4 | 8 |
| 201 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb $\text{\AA}$ of $(\sqrt{s}) = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | 8 |
| 200 | Prompt and non-prompt elliptic flow in Pb+Pb collisions at Tev with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 784  | 4.2 | 8 |
| 199 | Search for heavy resonances decaying to a photon and a hadronically decaying Z/W/H boson in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 8 |

|     |  |     |   |
|-----|--|-----|---|
| 198 | Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1  | 5.4 | 8 |
| 197 | Search for B $\Box$ R-parity-violating top squarks in $s=13$ TeV pp collisions with the ATLAS experiment. <i>Physical Review D</i> , <b>2018</b> , 97,   | 4.9 | 8 |
| 196 | Measurement of the $W+W\Box$ production cross section in pp collisions at a centre-of-mass energy of $s=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 773, 354-374  | 4.2 | 7 |
| 195 | Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 788, 347-370                     | 4.2 | 7 |
| 194 | Search for heavy long-lived multicharged particles in proton-proton collisions at $s=13$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,  | 4.9 | 7 |
| 193 | Measurements of inclusive and differential fiducial cross-sections of ( $t\bar{t}\gamma$ ) production in leptonic final states at ( $\sqrt{s}=13$ ~TeV) in ATLAS. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 7 |
| 192 | Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 790, 595-614  | 4.2 | 7 |
| 191 | A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P11020-P11020   | 1   | 7 |
| 190 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s} = 13$ TeV) proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 7 |
| 189 | Transverse momentum and process dependent azimuthal anisotropies in ( $\sqrt{s_{NN}}=8.16$ ) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1   | 4.2 | 7 |
| 188 | Search for new phenomena in high-mass final states with a photon and a jet from collisions at = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 102   | 4.2 | 7 |
| 187 | Measurement of the production cross section of three isolated photons in pp collisions at $s=8$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 781, 55-76   | 4.2 | 7 |
| 186 | Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 683  | 4.2 | 7 |
| 185 | Measurement of differential cross sections and $W+W\Box$ cross-section ratios for W boson production in association with jets at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 7 |
| 184 | Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at ( $\sqrt{s}=13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 7 |
| 183 | Measurement of the production cross section for a Higgs boson in association with a vector boson in the $H \rightarrow WW^*$ channel in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 798, 134949 | 4.2 | 7 |
| 182 | Measurement of the ( $t\bar{t}\gamma$ ) production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 7 |
| 181 | Measurements of top-quark pair to Z-boson cross-section ratios at ( $\sqrt{s}=13$ ), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 7 |

|     |   |     |   |
|-----|---|-----|---|
| 180 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                               | 5.4 | 7 |
| 179 | Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ( $\sqrt{s}=13$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 7 |
| 178 | Studies of Z production in association with a high-mass dijet system in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 7 |
| 177 | Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                    | 5.4 | 7 |
| 176 | Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P05002-P05002  | 1   | 7 |
| 175 | Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 7 |
| 174 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ( $\sqrt{s} = 13$ ,{text {TeV}}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1  | 4.2 | 7 |
| 173 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the (ell ell bb) and (ell ell WW) final states in pp collisions at ( $\sqrt{s}=13$ ) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1 | 4.2 | 7 |
| 172 | Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 670   | 4.2 | 7 |
| 171 | Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 541  | 4.2 | 7 |
| 170 | Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 81   | 4.2 | 7 |
| 169 | Measurement of ( $W^{\pm\mu}$ ) boson production in Pb+Pb collisions at ( $\sqrt{s_{\text{NN}}} = 5.02$ ~text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 7 |
| 168 | Dijet azimuthal correlations and conditional yields in pp and p+Pb collisions at $s_{\text{NN}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2019</b> , 100,  | 2.7 | 7 |
| 167 | Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 100,   | 4.9 | 7 |
| 166 | Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1   | 5.4 | 7 |
| 165 | Measurements of WH and ZH production in the ( $H \rightarrow b\bar{b}$ ) decay channel in pp collisions at (13, text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | 7 |
| 164 | Search for lepton-flavor violation in different-flavor, high-mass final states in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 7 |
| 163 | Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 221802   | 7.4 | 6 |

|     |   |     |   |
|-----|---|-----|---|
| 162 | A search for resonances decaying into a Higgs boson and a new particle X in the $XH \rightarrow q\bar{q}bb$ final state with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 779, 24-45   | 4.2 | 6 |
| 161 | A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 238   | 4.2 | 6 |
| 160 | Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 6 |
| 159 | Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 719, 261-279 | 4.2 | 6 |
| 158 | Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $(\sqrt{s})=8$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 6 |
| 157 | Top-quark mass measurement in the all-hadronic ( $t\bar{t}$ ) decay channel at $(\sqrt{s})=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 6 |
| 156 | Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying lepton in proton-proton collisions at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 714, 197-214          | 4.2 | 6 |
| 155 | Search for contact interactions in dimuon events from pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 84,  | 4.9 | 6 |
| 154 | Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 102,   | 4.9 | 6 |
| 153 | Search for ( $t\bar{t}$ ) resonances in fully hadronic final states in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 6 |
| 152 | Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 $\text{fb}^{-1}$ of pp collisions at $s=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 800, 135082             | 4.2 | 6 |
| 151 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | 6 |
| 150 | Search for new phenomena in final states with b-jets and missing transverse momentum in ( $\sqrt{\text{mathrm{s}}}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | 6 |
| 149 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | 6 |
| 148 | Measurement of the ( $Z\gamma\gamma \rightarrow \nu\bar{\nu}\gamma\gamma$ ) production cross section in pp collisions at $(\sqrt{s})=13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                      | 5.4 | 6 |
| 147 | Search for exclusive Higgs and Z boson decays to $\tau^+\tau^-$ and $\ell^+\ell^-$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 6 |
| 146 | Search for top squarks decaying to tau sleptons in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,  | 4.9 | 6 |
| 145 | Measurement of jet activity produced in top-quark events with an electron, a muon and two $\tau$ -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 220   | 4.2 | 5 |

|     |   |     |   |
|-----|---|-----|---|
| 144 | Evidence for the production of three massive vector bosons with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 798, 134913   | 4.2 | 5 |
| 143 | Combinations of single-top-quark production cross-section measurements and $ f_{LVVtb} $ determinations at $(\sqrt{s}) = 7$ and $8$ TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1   | 5.4 | 5 |
| 142 | Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2019</b> , 122, 151801   | 7.4 | 5 |
| 141 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $(\sqrt{s}) = 13$ and $8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 5 |
| 140 | Test of CP invariance in vector-boson fusion production of the Higgs boson in the H → $t\bar{t}$ channel in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 805, 135426 | 4.2 | 5 |
| 139 | Z boson production in Pb+Pb collisions at $s_{NN}=5.02$ TeV measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 802, 135262   | 4.2 | 5 |
| 138 | Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , <b>2018</b> , 78, 186   | 4.2 | 5 |
| 137 | Search for Higgs and Z Boson Decays to $t\bar{t}$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2016</b> , 117, 111802   | 7.4 | 5 |
| 136 | Measurement of prompt photon production in $s_{NN}=8.16$ TeV p + Pb collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 796, 230-252   | 4.2 | 5 |
| 135 | Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $(\sqrt{s})=8$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 5 |
| 134 | Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 92,  | 4.9 | 5 |
| 133 | Measurement of four-jet differential cross sections in $(\sqrt{s})=8$ TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-76   | 5.4 | 5 |
| 132 | Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , <b>2020</b> , 125, 261801   | 7.4 | 5 |
| 131 | Evidence for electroweak production of two jets in association with a Z pair in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 803, 135341  | 4.2 | 5 |
| 130 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 5 |
| 129 | Search for the $HH \rightarrow b\bar{b}b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 5 |
| 128 | Observation of the associated production of a top quark and a Z boson in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 5 |
| 127 | Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | 5 |

|     |  |     |   |
|-----|--|-----|---|
| 126 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | 5 |
| 125 | Measurement of the associated production of a Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 816, 136204 | 4.2 | 5 |
| 124 | Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text][Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 375  | 4.2 | 5 |
| 123 | Measurement of the relative width difference of the ( {B}^0hbox{-} {overline{B}}{}^0 ) system with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 5 |
| 122 | Search for pairs of highly collimated photon-jets in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,   | 4.9 | 5 |
| 121 | Measurement of angular and momentum distributions of charged particles within and around jets in Pb+Pb and pp collisions at $s_{NN}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2019</b> , 100,   | 2.7 | 5 |
| 120 | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1  | 4.2 | 5 |
| 119 | Search for dark matter in association with an energetic photon in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | 5 |
| 118 | Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 847   | 4.2 | 5 |
| 117 | Search for lepton-flavor-violating decays of the Z boson into a $\ell$ -lepton and a light lepton with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,  | 4.9 | 5 |
| 116 | Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 487  | 4.2 | 5 |
| 115 | Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,   | 4.9 | 4 |
| 114 | Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 222002   | 7.4 | 4 |
| 113 | Measurement of jet activity in top quark events using the $e\tau$ final state with two b-tagged jets in pp collisions at $(\sqrt{s})=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1   | 5.4 | 4 |
| 112 | Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 94,   | 4.9 | 4 |
| 111 | Combination of inclusive and differential ( $t\overline{t}$ ) charge asymmetry measurements using ATLAS and CMS data at $(\sqrt{s})=7$ and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1  | 5.4 | 4 |
| 110 | Search for heavy diboson resonances in semileptonic final states in pp collisions at $(\sqrt{s})=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1   | 4.2 | 4 |
| 109 | Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1   | 4.2 | 4 |

|     |   |      |   |
|-----|---|------|---|
| 108 | Measurement of J/ $\psi$ production in association with a W boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4  | 4 |
| 107 | Search for non-resonant Higgs boson pair production in the bb final state with the ATLAS detector in pp collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 801, 135145 | 4.2  | 4 |
| 106 | Measurement of the tt production cross-section in the lepton+jets channel at s=13 TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 810, 135797                | 4.2  | 4 |
| 105 | Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. <i>Nature Physics</i> , <b>2021</b> , 17, 819-825  | 16.2 | 4 |
| 104 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1                         | 4.2  | 4 |
| 103 | Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ( sqrt{s}=13 ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                    | 5.4  | 4 |
| 102 | Measurement of dijet azimuthal decorrelations in pp collisions at s=8 TeV with the ATLAS detector and determination of the strong coupling. <i>Physical Review D</i> , <b>2018</b> , 98,  | 4.9  | 4 |
| 101 | Search for dark matter produced in association with a single top quark in (sqrt{s}=13) TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1  | 4.2  | 4 |
| 100 | Search for dijet resonances in events with an isolated charged lepton using ( sqrt{s} ) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1                        | 5.4  | 3 |
| 99  | Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at (sqrt{s}=8) and 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1   | 4.2  | 3 |
| 98  | Search for the standard model Higgs boson produced in association with a vector boson and decaying into a tau pair in pp collisions at s=8 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2016</b> , 93,                                | 4.9  | 3 |
| 97  | Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 163  | 4.2  | 3 |
| 96  | Search for excited electrons singly produced in proton-proton collisions at \$\$sqrt{s} \sim\sim 13\text{-text}\{TeV\}\$\$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79,                             | 4.2  | 3 |
| 95  | Measurement of the k t splitting scales in Z -> events in pp collisions at ( sqrt{s}=8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4  | 3 |
| 94  | Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 251802                                   | 7.4  | 3 |
| 93  | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector <b>2015</b> , 75, 1   |      | 3 |
| 92  | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider <b>2015</b> , 75, 1  |      | 3 |
| 91  | Measurement of \$\$K_S^0\$\$ and \$\$\Lambda^0\$\$ production in \$\$t\bar{t}\$\$ dileptonic events in pp collisions at \$\$sqrt{s} = 7\$\$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1                   | 4.2  | 3 |

|    |   |     |   |
|----|---|-----|---|
| 90 | Determination of jet calibration and energy resolution in proton-proton collisions at ( $\sqrt{s} = 8\text{ TeV}$ ) using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 3 |
| 89 | Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7\text{ TeV}$ ) using 4.5 $\text{fb}^{-1}$ of data with the ATLAS detector <b>2015</b> , 2015, 1  |     | 3 |
| 88 | Reconstruction and identification of boosted di-jet systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 3 |
| 87 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{\text{mathrm{s}}}=13\text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1 | 5.4 | 3 |
| 86 | Measurement of $W+W^{\pm}$ production in association with one jet in proton-proton collisions at $s=8\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 763, 114-133                  | 4.2 | 3 |
| 85 | Measurement of hadronic event shapes in high-pT multijet final states at ( $\sqrt{s}=13\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | 3 |
| 84 | Medium-Induced Modification of Z-Tagged Charged Particle Yields in Pb+Pb Collisions at 5.02 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 072301   | 7.4 | 3 |
| 83 | Search for resonances decaying into photon pairs in 139 $\text{fb}^{-1}$ of pp collisions at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 822, 136651                     | 4.2 | 3 |
| 82 | Properties of jet fragmentation using charged particles measured with the ATLAS detector in pp collisions at $s=13\text{ TeV}$ . <i>Physical Review D</i> , <b>2019</b> , 100,  | 4.9 | 2 |
| 81 | Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at ( $\sqrt{s}=13\text{ TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 2 |
| 80 | Properties of $g-bb\bar{b}$ at small opening angles in pp collisions with the ATLAS detector at $s=13\text{ TeV}$ . <i>Physical Review D</i> , <b>2019</b> , 99,  | 4.9 | 2 |
| 79 | Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P11016-P11016  | 1   | 2 |
| 78 | Measurement of the $Z(\rightarrow \ell\ell)$ production cross-section in pp collisions at ( $\sqrt{s}=13\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 2 |
| 77 | Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ( $\sqrt{s}=8\text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1   | 5.4 | 2 |
| 76 | Measurement of the ( $t\overline{t}$ ) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at ( $\sqrt{s}=7\text{ and }8\text{ TeV}$ ) with the ATLAS detector <b>2014</b> , 74, 1  |     | 2 |
| 75 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ( $\sqrt{s}=8\sim\text{TeV}$ ) with the ATLAS detector <b>2015</b> , 75, 1   |     | 2 |
| 74 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using ( $\sqrt{s}=13\text{ TeV}$ ) proton-proton collision data. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1                               | 4.2 | 2 |
| 73 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at ( $\sqrt{s}=13\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1                           | 5.4 | 2 |

|    |  |     |   |
|----|--|-----|---|
| 72 | Measurement of the inclusive isolated-photon cross section in pp collisions at ( $\sqrt{s}$ ) = 13 TeV using 36 fb $\cdot$ of ATLAS data. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 2 |
| 71 | Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at sNN=5.02 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 807, 135595                  | 4.2 | 2 |
| 70 | Measurements of inclusive and differential cross-sections of combined ( $t\bar{t}\gamma$ ) and $tW$ -production in the $e\bar{e}$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1                                   | 5.4 | 2 |
| 69 | Measurement of isolated-photon plus two-jet production in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 2 |
| 68 | Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into $W^{\pm}W^{\mp}$ or ZZ in Fully Hadronic Final States from $\sqrt{s}=13$ TeV pp Collisions Recorded with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 121802 | 7.4 | 2 |
| 67 | Longitudinal Flow Decorrelations in Xe+Xe Collisions at $\sqrt{s_{NN}}=5.44$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 122301   | 7.4 | 2 |
| 66 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1  | 4.2 | 2 |
| 65 | Search for Displaced Leptons in $\sqrt{s}=13$ TeV pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 127, 051802  | 7.4 | 2 |
| 64 | Two-particle azimuthal correlations in photonuclear ultraperipheral Pb+Pb collisions at 5.02 TeV with ATLAS. <i>Physical Review C</i> , <b>2021</b> , 104,   | 2.7 | 2 |
| 63 | Search for supersymmetry in events with four or more charged leptons in 139 fb $\cdot$ of ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | 2 |
| 62 | Measurement of ZZ production in the final state with the ATLAS detector in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1   | 5.4 | 2 |
| 61 | Measurement of ( $W^{\pm}$ )-boson and Z-boson production cross-sections in pp collisions at ( $\sqrt{s}=2.76$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 2 |
| 60 | Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at Ebeam=4 TeV. <i>Journal of Instrumentation</i> , <b>2018</b> , 13, P12006-P12006   | 1   | 2 |
| 59 | Evidence for Higgs boson decays to a low-mass dilepton system and a photon in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 819, 136412                         | 4.2 | 2 |
| 58 | Exclusive dimuon production in ultraperipheral Pb+Pb collisions at sNN=5.02TeV with ATLAS. <i>Physical Review C</i> , <b>2021</b> , 104,   | 2.7 | 2 |
| 57 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at ( $\sqrt{\text{mathrm{s}}}$ ) = 13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1                 | 5.4 | 2 |
| 56 | A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , <b>2016</b> , 18, 073021  | 2.9 | 1 |
| 55 | Measurement of the $t\bar{t}$ -production cross section in the 4-jets final state in pp collisions at s=8 TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 95,   | 4.9 | 1 |

|    |   |      |   |
|----|---|------|---|
| 54 | Femtoscopy with identified charged pions in proton-lead collisions at $s_{NN}=5.02$ TeV with ATLAS.<br><i>Physical Review C</i> , <b>2017</b> , 96,   | 2.7  | 1 |
| 53 | Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,  | 4.9  | 1 |
| 52 | Search for heavy particles in the b-tagged dijet mass distribution with additional b-tagged jets in proton-proton collisions at $s=13$ TeV with the ATLAS experiment. <i>Physical Review D</i> , <b>2022</b> , 105,   | 4.9  | 1 |
| 51 | Operation and performance of the ATLAS semiconductor tracker in LHC Run2. <i>Journal of Instrumentation</i> , <b>2022</b> , 17, P01013  | 1    | 1 |
| 50 | Search for Higgs boson decays into a pair of pseudoscalar particles in the bb final state with the ATLAS detector in pp collisions at $s=13$ TeV. <i>Physical Review D</i> , <b>2022</b> , 105,   | 4.9  | 1 |
| 49 | Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector <b>2015</b> , 75, 1  |      | 1 |
| 48 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ( $\sqrt{s}=8$ ,mathrm TeV{}) with the ATLAS detector <b>2016</b> , 76, 1  |      | 1 |
| 47 | Measurement of the W-boson mass in pp collisions at ( $\sqrt{s}=7$ , hbox {TeV}) with the ATLAS detector <b>2018</b> , 78, 1  |      | 1 |
| 46 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using protonproton collisions at ( $\sqrt{s}=13$ ,text {TeV}) <b>2018</b> , 78, 1   |      | 1 |
| 45 | Search for top squarks in events with a Higgs or Z boson using 139 fb(^{-1}) of pp collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2  | 1 |
| 44 | Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^-1 of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector <b>2018</b> , 2018, 1   |      | 1 |
| 43 | Measurement of differential cross sections for single diffractive dissociation in ( $\sqrt{s}$ ) = 8 TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4  | 1 |
| 42 | Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1 | 5.4  | 1 |
| 41 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1                     | 5.4  | 1 |
| 40 | Measurement of the CP-violating phase \$\$phi _s\$\$ in \$\$ B_{s}^{0} rightarrow J/\psi phi \$\$ decays in ATLAS at 13 TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81,   | 4.2  | 1 |
| 39 | Test of the universality of l and l lepton couplings in W-boson decays with the ATLAS detector. <i>Nature Physics</i> , <b>2021</b> , 17, 813-818   | 16.2 | 1 |
| 38 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential W and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4  | 1 |
| 37 | A search for the decays of stopped long-lived particles at ( $\sqrt{mathrm{s}}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4  | 1 |

|    |  |     |   |
|----|--|-----|---|
| 36 | Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , <b>2021</b> , 16, P07029   | 1   | 1 |
| 35 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1  | 4.2 | 1 |
| 34 | Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , <b>2021</b> , 16, P08025   | 1   | 1 |
| 33 | Measurements of the inclusive and differential production cross sections of a top-quark+antiquark pair in association with a Z boson at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1  | 4.2 | 1 |
| 32 | Search for New Phenomena in Final States with Two Leptons and One or No b-Tagged Jets at $\sqrt{s}=13$ TeV Using the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 127, 141801  | 7.4 | 1 |
| 31 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | 1 |
| 30 | Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | 1 |
| 29 | Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | 1 |
| 28 | Search for new phenomena in pp collisions in final states with tau leptons, b -jets, and missing transverse momentum with the ATLAS detector. <i>Physical Review D</i> , <b>2021</b> , 104,  | 4.9 | 1 |
| 27 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s}=7$ , 8 and 13 TeV. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1  | 4.2 | 1 |
| 26 | Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. <i>Computing and Software for Big Science</i> , <b>2022</b> , 6, 1  | 6   | 0 |
| 25 | Performance of the ATLAS Level-1 topological trigger in Run2. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1   | 4.2 | 0 |
| 24 | Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1   | 5.4 | 0 |
| 23 | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1 | 4.2 | 0 |
| 22 | Measurement of the $t(\bar{t})$ production cross section in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | 0 |
| 21 | Search for new phenomena in three- or four-lepton events in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2022</b> , 824, 136832   | 4.2 | 0 |
| 20 | Observation of photon-induced $W+W^-$ production in pp collisions at $s=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 816, 136190  | 4.2 | 0 |
| 19 | Measurements of $W+W^-$ jet production cross-sections in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | 0 |

|    |   |     |   |
|----|---|-----|---|
| 18 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $(\sqrt{s})=13\text{TeV}$ . <i>European Physical Journal C</i> , <b>2021</b> , 81, 1  | 4.2 | O |
| 17 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | O |
| 16 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $(\sqrt{s})=13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | O |
| 15 | The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , <b>2021</b> , 16, P07006   | 1   | O |
| 14 | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139\text{fb}^{-1}$ of pp collision data at $\sqrt{s}=13\text{TeV}$ . <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1               | 5.4 | O |
| 13 | AtFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , <b>2022</b> , 6, 1  | 6   | O |
| 12 | Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm}\rightarrow\tau^{\pm}\rightarrow\pi^{\pm}\nu_{\tau}$ events in Run 2 data. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1   | 4.2 | O |
| 11 | Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2022</b> , 137066      | 4.2 | O |
| 10 | Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2022</b> , 137077                  | 4.2 | O |
| 9  | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | O |
| 8  | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | O |
| 7  | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s}=13\text{TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | O |
| 6  | Search for Lepton-Flavor Violation in Z-Boson Decays with Leptons with the ATLAS Detector.. <i>Physical Review Letters</i> , <b>2021</b> , 127, 271801  | 7.4 | O |
| 5  | Measurement of b-quark fragmentation properties in jets using the decay $B_s \rightarrow J/\psi \ell^+\ell^-$ in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1                                | 5.4 | O |
| 4  | Muon momentum scale and resolution in pp collisions at $s=8\text{TeV}$ in ATLAS. <i>Nuclear and Particle Physics Proceedings</i> , <b>2016</b> , 273-275, 2542-2544   | 0.4 |   |
| 3  | Measurement of the jet mass in high transverse momentum $Z(\rightarrow b\bar{b})$ production at $s=13\text{TeV}$ using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 812, 135991                  | 4.2 |   |
| 2  | The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1  | 4.2 |   |
| 1  | A search for an unexpected asymmetry in the production of $e^+$ and $e^-$ pairs in proton-proton collisions recorded by the ATLAS detector at $s=13\text{TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2022</b> , 137106 | 4.2 |   |

