

Philip Conaghan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4061068/philip-conaghan-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

362
papers

15,978
citations

61
h-index

119
g-index

428
ext. papers

19,202
ext. citations

4
avg, IF

6.74
L-index

#	Paper	IF	Citations
362	The Rasch measurement model in rheumatology: what is it and why use it? When should it be applied, and what should one look for in a Rasch paper?. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1358-62		954
361	EULAR recommendations for the non-pharmacological core management of hip and knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1125-35	2.4	753
360	Musculoskeletal ultrasound including definitions for ultrasonographic pathology. <i>Journal of Rheumatology</i> , 2005 , 32, 2485-7	4.1	725
359	Secukinumab, a human anti-interleukin-17A monoclonal antibody, in patients with psoriatic arthritis (FUTURE 2): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet, The</i> , 2015 , 386, 1137-46	4.0	566
358	Osteoarthritis. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16072	51.1	534
357	Developing core outcome measurement sets for clinical trials: OMERACT filter 2.0. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 745-53	5.7	508
356	The value of sonography in the detection of bone erosions in patients with rheumatoid arthritis: a comparison with conventional radiography. <i>Arthritis and Rheumatism</i> , 2000 , 43, 2762-70		470
355	Very early treatment with infliximab in addition to methotrexate in early, poor-prognosis rheumatoid arthritis reduces magnetic resonance imaging evidence of synovitis and damage, with sustained benefit after infliximab withdrawal: results from a twelve-month randomized, double-blind, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , 2005 , 52, 27-35		451
354	OMERACT Rheumatoid Arthritis Magnetic Resonance Imaging Studies. Core set of MRI acquisitions, joint pathology definitions, and the OMERACT RA-MRI scoring system. <i>Journal of Rheumatology</i> , 2003 , 30, 1385-6	4.1	424
353	Elucidation of the relationship between synovitis and bone damage: a randomized magnetic resonance imaging study of individual joints in patients with early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 64-71		398
352	EULAR recommendations for the use of imaging of the joints in the clinical management of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 804-14	2.4	376
351	Synovitis in osteoarthritis: current understanding with therapeutic implications. <i>Arthritis Research and Therapy</i> , 2017 , 19, 18	5.7	359
350	Effect of tight control of inflammation in early psoriatic arthritis (TICOPA): a UK multicentre, open-label, randomised controlled trial. <i>Lancet, The</i> , 2015 , 386, 2489-98	4.0	271
349	Care and management of osteoarthritis in adults: summary of NICE guidance. <i>BMJ, The</i> , 2008 , 336, 502-35.9		257
348	Paracetamol: not as safe as we thought? A systematic literature review of observational studies. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 552-9	2.4	235
347	A turbulent decade for NSAIDs: update on current concepts of classification, epidemiology, comparative efficacy, and toxicity. <i>Rheumatology International</i> , 2012 , 32, 1491-502	3.6	230
346	Effect of risedronate on joint structure and symptoms of knee osteoarthritis: results of the BRISK randomized, controlled trial [ISRCTN01928173]. <i>Arthritis Research</i> , 2005 , 7, R625-33		176

345	A systematic literature review analysis of ultrasound joint count and scoring systems to assess synovitis in rheumatoid arthritis according to the OMERACT filter. <i>Journal of Rheumatology</i> , 2011 , 38, 2055-62	4.1	158
344	Combined chondroitin sulfate and glucosamine for painful knee osteoarthritis: a multicentre, randomised, double-blind, non-inferiority trial versus celecoxib. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 37-44	2.4	148
343	Acupuncture for chronic knee pain: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 1313-22	27.4	148
342	Systematic review of the concurrent and predictive validity of MRI biomarkers in OA. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 557-88	6.2	147
341	Should imaging be a component of rheumatoid arthritis remission criteria? A comparison between traditional and modified composite remission scores and imaging assessments. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 792-8	2.4	144
340	Scoring ultrasound synovitis in rheumatoid arthritis: a EULAR-OMERACT ultrasound taskforcePart 1: definition and development of a standardised, consensus-based scoring system. <i>RMD Open</i> , 2017 , 3, e000428	5.9	139
339	The OMERACT psoriatic arthritis magnetic resonance imaging scoring system (PsAMRIS): definitions of key pathologies, suggested MRI sequences, and preliminary scoring system for PsA Hands. <i>Journal of Rheumatology</i> , 2009 , 36, 1816-24	4.1	138
338	Can flare be predicted in DMARD treated RA patients in remission, and is it important? A cohort study. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1316-21	2.4	136
337	Patients with RA in remission on TNF blockers: when and in whom can TNF blocker therapy be stopped?. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1636-42	2.4	134
336	Summary and recommendations of the OARSI FDA osteoarthritis Assessment of Structural Change Working Group. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 606-10	6.2	130
335	Targeting ultrasound remission in early rheumatoid arthritis: the results of the TaSER study, a randomised clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1043-50	2.4	129
334	Dysregulated lymphocyte proliferation and differentiation in patients with rheumatoid arthritis. <i>Blood</i> , 2002 , 100, 4550-6	2.2	127
333	An ultrasonographic study of osteoarthritis of the hand: synovitis and its relationship to structural pathology and symptoms. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1756-63		111
332	A systematic review of the relationship between subchondral bone features, pain and structural pathology in peripheral joint osteoarthritis. <i>Arthritis Research and Therapy</i> , 2015 , 17, 228	5.7	102
331	EULAR recommendations for the use of imaging in the clinical management of peripheral joint osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1484-1494	2.4	99
330	Osteoarthritis in Europe: impact on health status, work productivity and use of pharmacotherapies in five European countries. <i>Rheumatology</i> , 2014 , 53, 937-47	3.9	99
329	Therapeutic options for targeting inflammatory osteoarthritis pain. <i>Nature Reviews Rheumatology</i> , 2019 , 15, 355-363	8.1	97
328	Osteoarthritis research priorities: a report from a EULAR ad hoc expert committee. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1442-5	2.4	95

327	The OMERACT ultrasound task force--status and perspectives. <i>Journal of Rheumatology</i> , 2011 , 38, 2063-74	4.1	93
326	The effects of golimumab on radiographic progression in rheumatoid arthritis: results of randomized controlled studies of golimumab before methotrexate therapy and golimumab after methotrexate therapy. <i>Arthritis and Rheumatism</i> , 2011 , 63, 1200-10		90
325	Scoring ultrasound synovitis in rheumatoid arthritis: a EULAR-OMERACT ultrasound taskforce-Part 2: reliability and application to multiple joints of a standardised consensus-based scoring system. <i>RMD Open</i> , 2017 , 3, e000427	5.9	89
324	MRI and non-cartilaginous structures in knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2006 , 14 Suppl A, A87-94	6.2	89
323	The ability of synovitis to predict structural damage in rheumatoid arthritis: a comparative study between clinical examination and ultrasound. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 665-71	2.4	86
322	Synovitis and osteitis are very frequent in rheumatoid arthritis clinical remission: results from an MRI study of 294 patients in clinical remission or low disease activity state. <i>Journal of Rheumatology</i> , 2011 , 38, 2039-44	4.1	85
321	Effects of a Single Intra-Articular Injection of a Microsphere Formulation of Triamcinolone Acetonide on Knee Osteoarthritis Pain: A Double-Blinded, Randomized, Placebo-Controlled, Multinational Study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018 , 100, 666-677	5.6	83
320	The TICOPA protocol (Tight Control of Psoriatic Arthritis): a randomised controlled trial to compare intensive management versus standard care in early psoriatic arthritis. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 101	2.8	83
319	Clinical and radiographic outcomes at 2 years and the effect of tocilizumab discontinuation following sustained remission in the second and third year of the ACT-RAY study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 35-43	2.4	82
318	Reducing invasiveness, duration, and cost of magnetic resonance imaging in rheumatoid arthritis by omitting intravenous contrast injection -- Does it change the assessment of inflammatory and destructive joint changes by the OMERACT RAMRIS?. <i>Journal of Rheumatology</i> , 2009 , 36, 1806-10	4.1	82
317	A Phase II Trial of Lutikizumab, an Anti-Interleukin-17 Dual Variable Domain Immunoglobulin, in Knee Osteoarthritis Patients With Synovitis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1056-1069	9.5	82
316	Association of FCGR3A and FCGR3B haplotypes with rheumatoid arthritis and primary Sjögren's syndrome. <i>Arthritis Research</i> , 2005 , 7, P121		78
315	The OMERACT Ultrasound Group: status of current activities and research directions. <i>Journal of Rheumatology</i> , 2007 , 34, 848-51	4.1	74
314	Comparing the effects of tofacitinib, methotrexate and the combination, on bone marrow oedema, synovitis and bone erosion in methotrexate-naive, early active rheumatoid arthritis: results of an exploratory randomised MRI study incorporating semiquantitative and quantitative techniques. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1824-33	2.4	72
313	Mesenchymal Stem Cell Alterations in Bone Marrow Lesions in Patients With Hip Osteoarthritis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1648-59	9.5	72
312	Significant improvement in synovitis, osteitis, and bone erosion following golimumab and methotrexate combination therapy as compared with methotrexate alone: a magnetic resonance imaging study of 318 methotrexate-naive rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 2011 , 63, 3712-22		71
311	Ultrasound findings predict progression to inflammatory arthritis in anti-CCP antibody-positive patients without clinical synovitis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 2060-2067	2.4	70
310	Inadequate pain relief and large functional loss among patients with knee osteoarthritis: evidence from a prospective multinational longitudinal study of osteoarthritis real-world therapies. <i>Rheumatology</i> , 2015 , 54, 270-7	3.9	70

309	Synovial and systemic pharmacokinetics (PK) of triamcinolone acetonide (TA) following intra-articular (IA) injection of an extended-release microsphere-based formulation (FX006) or standard crystalline suspension in patients with knee osteoarthritis (OA). <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 34-42.	6.2	68
308	The OMERACT Rheumatoid Arthritis Magnetic Resonance Imaging (MRI) Scoring System: Updated Recommendations by the OMERACT MRI in Arthritis Working Group. <i>Journal of Rheumatology</i> , 2017 , 44, 1706-1712	4.1	66
307	Is there subclinical synovitis in early psoriatic arthritis? A clinical comparison with gray-scale and power Doppler ultrasound. <i>Arthritis Care and Research</i> , 2014 , 66, 432-9	4.7	64
306	Development and preliminary validation of a magnetic resonance imaging joint space narrowing score for use in rheumatoid arthritis: potential adjunct to the OMERACT RA MRI scoring system. <i>Journal of Rheumatology</i> , 2011 , 38, 2045-50	4.1	64
305	Greater body mass independently predicts less radiographic progression on X-ray and MRI over 1-2 years. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1923-8	2.4	63
304	OMERACT Rheumatoid Arthritis Magnetic Resonance Imaging Studies. Summary of OMERACT 6 MR Imaging Module. <i>Journal of Rheumatology</i> , 2003 , 30, 1387-92	4.1	63
303	The OMERACT ultrasound task force -- Advances and priorities. <i>Journal of Rheumatology</i> , 2009 , 36, 1829-32	4.2	62
302	Early MRI measures independently predict 1-year and 2-year radiographic progression in rheumatoid arthritis: secondary analysis from a large clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1968-74	2.4	61
301	Determining a magnetic resonance imaging inflammatory activity acceptable state without subsequent radiographic progression in rheumatoid arthritis: results from a followup MRI study of 254 patients in clinical remission or low disease activity. <i>Journal of Rheumatology</i> , 2014 , 41, 398-406	4.1	61
300	The specificity of ultrasound-detected bone erosions for rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 897-903	2.4	60
299	A novel method for bone area measurement provides new insights into osteoarthritis and its progression. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 519-25	2.4	59
298	OMERACT Definitions for Ultrasonographic Pathologies and Elementary Lesions of Rheumatic Disorders 15 Years On. <i>Journal of Rheumatology</i> , 2019 , 46, 1388-1393	4.1	57
297	The contribution of musculoskeletal disorders in multimorbidity: Implications for practice and policy. <i>Best Practice and Research in Clinical Rheumatology</i> , 2017 , 31, 129-144	5.3	57
296	Brief Report: Secukinumab Provides Significant and Sustained Inhibition of Joint Structural Damage in a Phase III Study of Active Psoriatic Arthritis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1914-21	9.5	56
295	How do people with knee osteoarthritis use osteoarthritis pain medications and does this change over time? Data from the Osteoarthritis Initiative. <i>Arthritis Research and Therapy</i> , 2013 , 15, R106	5.7	56
294	Is there subclinical enthesitis in early psoriatic arthritis? A clinical comparison with power doppler ultrasound. <i>Arthritis Care and Research</i> , 2012 , 64, 1617-21	4.7	55
293	The OMERACT Psoriatic Arthritis Magnetic Resonance Imaging Score (PsAMRIS) is reliable and sensitive to change: results from an OMERACT workshop. <i>Journal of Rheumatology</i> , 2011 , 38, 2034-8	4.1	55
292	Brief Report: A Phase IIb Trial of a Novel Extended-Release Microsphere Formulation of Triamcinolone Acetonide for Intraarticular Injection in Knee Osteoarthritis. <i>Arthritis and Rheumatology</i> , 2018 , 70, 204-211	9.5	51

291	Cognitive Impairment in Rheumatoid Arthritis: A Systematic Review. <i>Arthritis Care and Research</i> , 2018 , 70, 39-52	4.7	50
290	Internal construct validity of the Oxford Knee Scale: evidence from Rasch measurement. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1363-7		50
289	Disease-Modifying Effects of a Novel Cathepsin K Inhibitor in Osteoarthritis: A Randomized Controlled Trial. <i>Annals of Internal Medicine</i> , 2020 , 172, 86-95	8	50
288	Report from the OMERACT Hand Osteoarthritis Working Group: Set of Core Domains and Preliminary Set of Instruments for Use in Clinical Trials and Observational Studies. <i>Journal of Rheumatology</i> , 2015 , 42, 2190-7	4.1	48
287	Autoantibodies to posttranslationally modified type II collagen as potential biomarkers for rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2013 , 65, 1702-12		48
286	OMERACT Filter 2.1: Elaboration of the Conceptual Framework for Outcome Measurement in Health Intervention Studies. <i>Journal of Rheumatology</i> , 2019 , 46, 1021-1027	4.1	47
285	A multicentre, randomized, placebo- and active-controlled trial comparing the efficacy and safety of topical ketoprofen in Transfersome gel (IDEA-033) with ketoprofen-free vehicle (TDT 064) and oral celecoxib for knee pain associated with osteoarthritis. <i>Rheumatology</i> , 2013 , 52, 1303-12	3.9	46
284	Assessment by MRI of inflammation and damage in rheumatoid arthritis patients with methotrexate inadequate response receiving golimumab: results of the GO-FORWARD trial. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1968-74	2.4	46
283	A randomized, double-blind, placebo-controlled trial of low-dose oral prednisolone for treating painful hand osteoarthritis. <i>Rheumatology</i> , 2012 , 51, 2286-94	3.9	46
282	Impact and therapy of osteoarthritis: the Arthritis Care OA Nation 2012 survey. <i>Clinical Rheumatology</i> , 2015 , 34, 1581-8	3.9	43
281	Development and validation of modified disease activity scores in rheumatoid arthritis: superior correlation with magnetic resonance imaging-detected synovitis and radiographic progression. <i>Arthritis and Rheumatology</i> , 2014 , 66, 794-802	9.5	43
280	Methotrexate for pain relief in knee osteoarthritis: an open-label study. <i>Rheumatology</i> , 2013 , 52, 888-92	3.9	43
279	Benefits 8 years after a remission induction regime with an infliximab and methotrexate combination in early rheumatoid arthritis. <i>Rheumatology</i> , 2010 , 49, 1971-4	3.9	42
278	Safety of Opioids in Osteoarthritis: Outcomes of a Systematic Review and Meta-Analysis. <i>Drugs and Aging</i> , 2019 , 36, 129-143	4.7	41
277	Update on novel pharmacological therapies for osteoarthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2019 , 11, 1759720X19864492	3.8	41
276	Validation of the OMERACT Psoriatic Arthritis Magnetic Resonance Imaging Score (PsAMRIS) for the Hand and Foot in a Randomized Placebo-controlled Trial. <i>Journal of Rheumatology</i> , 2015 , 42, 2473-9	4.1	41
275	Safety of Paracetamol in Osteoarthritis: What Does the Literature Say?. <i>Drugs and Aging</i> , 2019 , 36, 7-14	4.7	40
274	An immunological biomarker to predict MTX response in early RA. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 2047-53	2.4	40

273	Hydroxychloroquine Effectiveness in Reducing Symptoms of Hand Osteoarthritis: A Randomized Trial. <i>Annals of Internal Medicine</i> , 2018 , 168, 385-395	8	39
272	Effects of Interleukin-1 Inhibition on Incident Hip and Knee Replacement : Exploratory Analyses From a Randomized, Double-Blind, Placebo-Controlled Trial. <i>Annals of Internal Medicine</i> , 2020 , 173, 509-515	8.1	39
271	Changes in peripheral blood immune cell composition in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1870-8	6.2	38
270	The effects of tocilizumab on osteitis, synovitis and erosion progression in rheumatoid arthritis: results from the ACT-RAY MRI substudy. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 810-6	2.4	38
269	Impact of intravenous abatacept on synovitis, osteitis and structural damage in patients with rheumatoid arthritis and an inadequate response to methotrexate: the ASSET randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1287-94	2.4	38
268	Osteoarthritis in 2012: Parallel evolution of OA phenotypes and therapies. <i>Nature Reviews Rheumatology</i> , 2013 , 9, 68-70	8.1	36
267	Responsiveness in rheumatoid arthritis. a report from the OMERACT 11 ultrasound workshop. <i>Journal of Rheumatology</i> , 2014 , 41, 379-82	4.1	36
266	Transdermal buprenorphine plus oral paracetamol vs an oral codeine-paracetamol combination for osteoarthritis of hip and/or knee: a randomised trial. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 930-8	6.2	36
265	Imaging in rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2011 , 25, 569-84	5.3	36
264	MRI comes of age in RA clinical trials. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 794-6	2.4	35
263	Relationship of patient-reported outcomes with MRI measures in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 486-490	2.4	34
262	Does sports participation (including level of performance and previous injury) increase risk of osteoarthritis? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1459-1466	10.3	34
261	Whole-body Magnetic Resonance Imaging in Inflammatory Arthritis: Systematic Literature Review and First Steps Toward Standardization and an OMERACT Scoring System. <i>Journal of Rheumatology</i> , 2017 , 44, 1699-1705	4.1	33
260	Instrument Selection Using the OMERACT Filter 2.1: The OMERACT Methodology. <i>Journal of Rheumatology</i> , 2019 , 46, 1028-1035	4.1	33
259	The OMERACT-OARSI Core Domain Set for Measurement in Clinical Trials of Hip and/or Knee Osteoarthritis. <i>Journal of Rheumatology</i> , 2019 , 46, 981-989	4.1	33
258	Attitudes of people with osteoarthritis towards their conservative management: a systematic review and meta-ethnography. <i>Rheumatology International</i> , 2014 , 34, 299-313	3.6	32
257	Which patellofemoral joint imaging features are associated with patellofemoral pain? Systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 224-36	6.2	31
256	The OMERACT-RAMRIS rheumatoid arthritis magnetic resonance imaging joint space narrowing score: intrareader and interreader reliability and agreement with computed tomography and conventional radiography. <i>Journal of Rheumatology</i> , 2014 , 41, 392-7	4.1	31

255	Successful Stepwise Development of Patient Research Partnership: 14 Years' Experience of Actions and Consequences in Outcome Measures in Rheumatology (OMERACT). <i>Patient</i> , 2017 , 10, 141-152	3.7	31
254	Core Domain Set Selection According to OMERACT Filter 2.1: The OMERACT Methodology. <i>Journal of Rheumatology</i> , 2019 , 46, 1014-1020	4.1	30
253	International patellofemoral osteoarthritis consortium: Consensus statement on the diagnosis, burden, outcome measures, prognosis, risk factors and treatment. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 47, 666-675	5.3	30
252	Practical guidance for engaging patients in health research, treatment guidelines and regulatory processes: results of an expert group meeting organized by the World Health Organization (WHO) and the European Society for Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases (ESCEO). <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 905-915	4.8	29
251	Hand bone densitometry: a more sensitive standard for the assessment of early bone damage in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1513-7	2.4	29
250	The relationship between three-dimensional knee MRI bone shape and total knee replacement-a case control study: data from the Osteoarthritis Initiative. <i>Rheumatology</i> , 2016 , 55, 1585-93	3.9	28
249	Exploratory analyses of the association of MRI with clinical, laboratory and radiographic findings in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 2126-30	2.4	28
248	Review: the utility of magnetic resonance imaging for assessing structural damage in randomized controlled trials in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2513-23		27
247	Do non-steroidal anti-inflammatory drugs have a significant effect on detection and grading of ultrasound-detected synovitis in patients with rheumatoid arthritis? Results from a randomised study. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1746-51	2.4	27
246	Testing an OMERACT MRI scoring system for peripheral psoriatic arthritis in cross-sectional and longitudinal settings. <i>Journal of Rheumatology</i> , 2009 , 36, 1811-5	4.1	26
245	The OMERACT MRI in Enthesitis Initiative: Definitions of Key Pathologies, Suggested MRI Sequences, and a Novel Heel Enthesitis Scoring System. <i>Journal of Rheumatology</i> , 2019 , 46, 1232-1238	4.1	25
244	Examining a whole-organ magnetic resonance imaging scoring system for osteoarthritis of the knee using Rasch analysis. <i>Osteoarthritis and Cartilage</i> , 2006 , 14 Suppl A, A116-21	6.2	25
243	Obesity and rates of clinical remission and low MRI inflammation in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1743-1746	2.4	24
242	Pain reduction with oral methotrexate in knee osteoarthritis, a pragmatic phase iii trial of treatment effectiveness (PROMOTE): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 77	2.8	24
241	Development and Validation of an OMERACT MRI Whole-Body Score for Inflammation in Peripheral Joints and Entheses in Inflammatory Arthritis (MRI-WIPE). <i>Journal of Rheumatology</i> , 2019 , 46, 1215-1221 ^{4.1}		24
240	Validation of the OMERACT Magnetic Resonance Imaging Joint Space Narrowing Score for the Wrist in a Multireader Longitudinal Trial. <i>Journal of Rheumatology</i> , 2015 , 42, 2480-5	4.1	23
239	Systematic review of MRI, ultrasound, and scintigraphy as outcome measures for structural pathology in interventional therapeutic studies of knee arthritis: focus on responsiveness. <i>Journal of Rheumatology</i> , 2011 , 38, 142-54	4.1	23
238	Development and Reliability of the OMERACT Thumb Base Osteoarthritis Magnetic Resonance Imaging Scoring System. <i>Journal of Rheumatology</i> , 2017 , 44, 1694-1698	4.1	22

237	Towards prevention of post-traumatic osteoarthritis: report from an international expert working group on considerations for the design and conduct of interventional studies following acute knee injury. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 23-33	6.2	22
236	Validity of a two-component imaging-derived disease activity score for improved assessment of synovitis in early rheumatoid arthritis. <i>Rheumatology</i> , 2019 ,	3.9	21
235	Monitoring in established RA: Role of imaging and soluble biomarkers. <i>Best Practice and Research in Clinical Rheumatology</i> , 2015 , 29, 566-79	5.3	21
234	Validity of early MRI structural damage end points and potential impact on clinical trial design in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1114-9	2.4	21
233	Persistently moderate DAS-28 is not benign: loss of function occurs in early RA despite step-up DMARD therapy. <i>Rheumatology</i> , 2010 , 49, 1894-9	3.9	21
232	Marked and rapid change of bone shape in acutely ACL injured knees - an exploratory analysis of the Kanon trial. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 638-645	6.2	21
231	Machine-learning, MRI bone shape and important clinical outcomes in osteoarthritis: data from the Osteoarthritis Initiative. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	21
230	Development and Validation of the OMERACT Rheumatoid Arthritis Magnetic Resonance Tenosynovitis Scoring System in a Multireader Exercise. <i>Journal of Rheumatology</i> , 2017 , 44, 1688-1693	4.1	20
229	The Longitudinal Reliability and Responsiveness of the OMERACT Hand Osteoarthritis Magnetic Resonance Imaging Scoring System (HOAMRIS). <i>Journal of Rheumatology</i> , 2015 , 42, 2486-91	4.1	20
228	Osteoarthritic bone marrow lesions almost exclusively collocate with denuded cartilage: a 3D study using data from the Osteoarthritis Initiative. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1852-7	2.4	20
227	Hydroxychloroquine effectiveness in reducing symptoms of hand osteoarthritis (HERO): study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 64	2.8	20
226	Can very high-dose anti-tumor necrosis factor blockade at onset of rheumatoid arthritis produce long-term remission?. <i>Arthritis and Rheumatism</i> , 2002 , 46, 1971-2; author reply 1973		20
225	Improving Study Conduct and Data Quality in Clinical Trials of Chronic Pain Treatments: IMMPACT Recommendations. <i>Journal of Pain</i> , 2020 , 21, 931-942	5.2	20
224	Ultrasound assessment of response to intra-articular therapy in osteoarthritis of the knee. <i>Rheumatology</i> , 2015 , 54, 1385-91	3.9	18
223	Prospects for Therapies in Osteoarthritis. <i>Calcified Tissue International</i> , 2021 , 109, 339-350	3.9	18
222	Improvement in insulin resistance is greater when infliximab is added to methotrexate during intensive treatment of early rheumatoid arthritis-results from the IDEA study. <i>Rheumatology</i> , 2016 , 55, 2181-2190	3.9	18
221	Psoriatic arthritis: lessons from imaging studies and implications for therapy. <i>Expert Review of Clinical Immunology</i> , 2017 , 13, 133-142	5.1	18
220	Does joint position affect US findings in inflammatory arthritis?. <i>Rheumatology</i> , 2012 , 51, 921-5	3.9	18

219	Statin Use and Knee Osteoarthritis Outcome Measures according to the Presence of Heberden Nodes: Results from the Osteoarthritis Initiative. <i>Radiology</i> , 2019 , 293, 396-404	20.5	17
218	What Imaging-Detected Pathologies Are Associated With Shoulder Symptoms and Their Persistence? A Systematic Literature Review. <i>Arthritis Care and Research</i> , 2018 , 70, 1169-1184	4.7	17
217	Osteoarthritis year in review 2021: epidemiology & therapy. <i>Osteoarthritis and Cartilage</i> , 2021 ,	6.2	17
216	Sustained improvements in MRI outcomes with abatacept following the withdrawal of all treatments in patients with early, progressive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1501-5	2.4	17
215	Short-term changes on MRI predict long-term changes on radiography in rheumatoid arthritis: an analysis by an OMERACT Task Force of pooled data from four randomised controlled trials. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 992-997	2.4	16
214	The clinical characteristics of older people with chronic multiple-site joint pains and their utilisation of therapeutic interventions: data from a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 194	2.8	16
213	The relationship between clinical characteristics, radiographic osteoarthritis and 3D bone area: data from the osteoarthritis initiative. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, 1703-9	6.2	16
212	Imaging of osteoarthritis (OA): What is new?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016 , 30, 653-669	5.3	16
211	What Should Be the Primary Target of "Treat to Target" in Psoriatic Arthritis?. <i>Journal of Rheumatology</i> , 2019 , 46, 38-42	4.1	16
210	The dynamics of response as measured by multiple composite outcome tools in the Tight Control of inflammation in early Psoriatic Arthritis (TICOPA) trial. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1688-1692	2.4	15
209	The OMERACT Stepwise Approach to Select and Develop Imaging Outcome Measurement Instruments: The Musculoskeletal Ultrasound Example. <i>Journal of Rheumatology</i> , 2019 , 46, 1394-1400	4.1	15
208	Preliminary Definitions for Sacroiliac Joint Pathologies in the OMERACT Juvenile Idiopathic Arthritis Magnetic Resonance Imaging Score (OMERACT JAMRIS-SIJ). <i>Journal of Rheumatology</i> , 2019 , 46, 1192-1197	4.1	15
207	Is Chronic Pain a Disease in Its Own Right? Discussions from a Pre-OMERACT 2014 Workshop on Chronic Pain. <i>Journal of Rheumatology</i> , 2015 , 42, 1947-1953	4.1	15
206	The role of ultrasound in assessing musculoskeletal symptoms of systemic lupus erythematosus: a systematic literature review. <i>Rheumatology</i> , 2016 , 55, 485-94	3.9	15
205	Relationship between early bone mineral density changes and long-term function and radiographic progression in rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2012 , 64, 66-70	4.7	15
204	Engaging Stakeholders and Promoting Uptake of OMERACT Core Outcome Instrument Sets. <i>Journal of Rheumatology</i> , 2017 , 44, 1551-1559	4.1	15
203	A home exercise programme is no more beneficial than advice and education for people with neurogenic claudication: results from a randomised controlled trial. <i>PLoS ONE</i> , 2013 , 8, e72878	3.7	15
202	Triamcinolone acetonide extended-release in patients with osteoarthritis and type 2 diabetes: a randomized, phase 2 study. <i>Rheumatology</i> , 2018 , 57, 2235-2241	3.9	15

201	The OMERACT Core Domain Set for Clinical Trials of Shoulder Disorders. <i>Journal of Rheumatology</i> , 2019 , 46, 969-975	4.1	14
200	Update on research and future directions of the OMERACT MRI inflammatory arthritis group. <i>Journal of Rheumatology</i> , 2011 , 38, 2031-3	4.1	14
199	Long-term structural and symptomatic effects of intra-articular sprifermin in patients with knee osteoarthritis: 5-year results from the FORWARD study. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	14
198	Defining inflammatory musculoskeletal manifestations in systemic lupus erythematosus. <i>Rheumatology</i> , 2019 , 58, 304-312	3.9	14
197	Predicting outcomes in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2011 , 30 Suppl 1, S41-7	3.9	13
196	How do you diagnose rheumatoid arthritis early?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2001 , 15, 49-66	5.3	13
195	What is the added value of ultrasound joint examination for monitoring synovitis in rheumatoid arthritis and can it be used to guide treatment decisions? A systematic review and cost-effectiveness analysis. <i>Health Technology Assessment</i> , 2018 , 22, 1-258	4.4	13
194	Upadacitinib in Rheumatoid Arthritis: A Benefit-Risk Assessment Across a Phase III Program. <i>Drug Safety</i> , 2021 , 44, 515-530	5.1	13
193	A multicenter reliability study of extremity-magnetic resonance imaging in the longitudinal evaluation of rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2007 , 34, 857-8	4.1	13
192	Is MRI useful in osteoarthritis?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006 , 20, 57-68	5.3	12
191	Biological therapies in osteoarthritis. <i>Current Pharmaceutical Design</i> , 2015 , 21, 2206-15	3.3	12
190	The effects of sprifermin on symptoms and structure in a subgroup at risk of progression in the FORWARD knee osteoarthritis trial. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 450-456	5.3	12
189	Implementation and role of modern musculoskeletal imaging in rheumatological practice in member countries of EULAR. <i>RMD Open</i> , 2019 , 5, e000950	5.9	12
188	Uptake of the OMERACT-OARSI Hip and Knee Osteoarthritis Core Outcome Set: Review of Randomized Controlled Trials from 1997 to 2017. <i>Journal of Rheumatology</i> , 2019 , 46, 976-980	4.1	11
187	Six months treatment with MIV-711, a novel Cathepsin K inhibitor induces osteoarthritis structure modification: results from a randomized double-blind placebo-controlled phase IIA trial. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, S25-S26	6.2	11
186	Cost-Effectiveness of Tight Control of Inflammation in Early Psoriatic Arthritis: Economic Analysis of a Multicenter Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2018 , 70, 462-468	4.7	11
185	Where does meniscal damage progress most rapidly? An analysis using three-dimensional shape models on data from the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 62-71	6.2	11
184	Recommendations for the conduct of efficacy trials of treatment devices for osteoarthritis: a report from a working group of the Arthritis Research UK Osteoarthritis and Crystal Diseases Clinical Studies Group. <i>Rheumatology</i> , 2016 , 55, 320-6	3.9	11

183	Updating the OMERACT filter: implications for imaging and soluble biomarkers. <i>Journal of Rheumatology</i> , 2014 , 41, 1016-24	4.1	11
182	Quality of reporting of harms in randomised controlled trials of pharmacological interventions for rheumatoid arthritis: a systematic review. <i>Evidence-Based Medicine</i> , 2017 , 22, 170-177		11
181	Drug-free gel containing ultra-deformable phospholipid vesicles (TDT 064) as topical therapy for the treatment of pain associated with osteoarthritis: a review of clinical efficacy and safety. <i>Current Medical Research and Opinion</i> , 2014 , 30, 599-611	2.5	11
180	Extremity magnetic resonance imaging in rheumatoid arthritis: Updated literature review. <i>Arthritis Care and Research</i> , 2011 , 63, 660-5	4.7	11
179	Patient-reported outcome measures in osteoarthritis: a systematic search and review of their use and psychometric properties. <i>RMD Open</i> , 2018 , 4, e000715	5.9	11
178	Serum IL-7 as diagnostic biomarker for rheumatoid arthritis, validation with EULAR 2010 classification criteria. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 115-120	2.2	11
177	Secukinumab provides rapid and persistent relief in pain and fatigue symptoms in patients with ankylosing spondylitis irrespective of baseline C-reactive protein levels or prior tumour necrosis factor inhibitor therapy: 2-year data from the MEASURE 2 study. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 260-269	2.2	11
176	Treating osteoarthritis pain: recent approaches using pharmacological therapies. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 120, 124-129	2.2	11
175	The prevalence, impact and management of musculoskeletal disorders in older people living in care homes: a systematic review. <i>Rheumatology International</i> , 2016 , 36, 55-64	3.6	10
174	Developing a Preliminary Definition and Domains of Flare in Knee and Hip Osteoarthritis (OA): Consensus Building of the Flare-in-OA OMERACT Group. <i>Journal of Rheumatology</i> , 2019 , 46, 1188-1191	4.1	10
173	The SPECTRA Collaboration OMERACT Special Interest Group: Current Research and Future Directions. <i>Journal of Rheumatology</i> , 2017 , 44, 1911-1915	4.1	10
172	The OMERACT MRI in Arthritis Working Group - Update on Status and Future Research Priorities. <i>Journal of Rheumatology</i> , 2015 , 42, 2470-2	4.1	10
171	Noninvasive techniques for assessing skeletal changes in inflammatory arthritis: imaging technique. <i>Current Opinion in Rheumatology</i> , 2004 , 16, 435-42	5.3	10
170	The effects of weight loss on imaging outcomes in osteoarthritis of the hip or knee in people who are overweight or obese: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 10-21	6.2	10
169	Long-term efficacy and safety of secukinumab in patients with psoriatic arthritis: 5-year (end-of-study) results from the phase 3 FUTURE 2 study. <i>Lancet Rheumatology, The</i> , 2020 , 2, e227-e235	14.2	10
168	Intra-articular Corticosteroid Injections for the Treatment of Hip and Knee Osteoarthritis-related Pain: Considerations and Controversies with a Focus on Imaging- Scientific Expert Panel. <i>Radiology</i> , 2020 , 297, 503-512	20.5	10
167	Does flare trial design affect the effect size of non-steroidal anti-inflammatory drugs in symptomatic osteoarthritis? A systematic review and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1971-1978	2.4	10
166	Agreement between a physiotherapist and an orthopaedic surgeon regarding management and prescription of corticosteroid injection for patients with shoulder pain. <i>Manual Therapy</i> , 2016 , 26, 216-222		10

165	EULAR recommendations for the reporting of ultrasound studies in rheumatic and musculoskeletal diseases (RMDs). <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 840-847	2.4	10
164	The SPECTRA Collaboration OMERACT Working Group: Construct Validity of Joint Space Outcomes with High-resolution Peripheral Quantitative Computed Tomography. <i>Journal of Rheumatology</i> , 2019 , 46, 1369-1373	4.1	9
163	Efficacy of Triamcinolone Acetonide Extended-Release in Participants with Unilateral Knee Osteoarthritis: A Post Hoc Analysis. <i>Advances in Therapy</i> , 2019 , 36, 1398-1411	4.1	9
162	Very early MRI responses to therapy as a predictor of later radiographic progression in early rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019 , 21, 214	5.7	9
161	Recommendations for the Reporting of Harms in Manuscripts on Clinical Trials Assessing Osteoarthritis Drugs: A Consensus Statement from the European Society for Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases (ESCEO). <i>Drugs and Aging</i> , 2019 , 36, 145-159	4.7	8
160	Dialogue on Developing Consensus on Measurement and Presentation of Patient-important Outcomes, Using Pain Outcomes as an Exemplar, in Systematic Reviews: A Preconference Meeting at OMERACT 12. <i>Journal of Rheumatology</i> , 2015 , 42, 1931-1933	4.1	8
159	Remission in psoriatic arthritis-where are we now?. <i>Rheumatology</i> , 2018 , 57, 1321-1331	3.9	8
158	Synovial incorporation of polyacrylamide hydrogel after injection into normal and osteoarthritic animal joints. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 1999-2002	6.2	8
157	Genetic associations with radiological damage in rheumatoid arthritis: Meta-analysis of seven genome-wide association studies of 2,775 cases. <i>PLoS ONE</i> , 2019 , 14, e0223246	3.7	8
156	Harmonising data collection from osteoarthritis studies to enable stratification: recommendations on core data collection from an Arthritis Research UK clinical studies group. <i>Rheumatology</i> , 2016 , 55, 1394-402	3.9	8
155	Report from the Hand Osteoarthritis Working Group at OMERACT 2018: Update on Core Instrument Set Development. <i>Journal of Rheumatology</i> , 2019 , 46, 1183-1187	4.1	8
154	Bisphosphonates as a treatment modality in osteoarthritis. <i>Bone</i> , 2021 , 143, 115352	4.7	8
153	Ultrasound-detected pathologies cluster into groups with different clinical outcomes: data from 3000 community referrals for shoulder pain. <i>Arthritis Research and Therapy</i> , 2017 , 19, 30	5.7	7
152	Utility of Magnetic Resonance Imaging in Diagnosis and Monitoring Enthesitis in Patients with Spondyloarthritis: An OMERACT Systematic Literature Review. <i>Journal of Rheumatology</i> , 2019 , 46, 1207-1214	4.1	7
151	Harmonizing Pain Outcome Measures: Results of the Pre-OMERACT Meeting on Partnerships for Consensus on Patient-important Pain Outcome Domains Between the Cochrane Musculoskeletal Group and OMERACT. <i>Journal of Rheumatology</i> , 2015 , 42, 1943-1946	4.1	7
150	Satisfaction, Adherence and Health-Related Quality of Life with Transdermal Buprenorphine Compared with Oral Opioid Medications in the Usual Care of Osteoarthritis Pain. <i>Patient</i> , 2016 , 9, 359-73	3.7	7
149	Novel Ultrasound Joint Selection Methods Using a Reduced Joint Number Demonstrate Inflammatory Improvement when Compared to Existing Methods and Disease Activity Score at 28 Joints. <i>Journal of Rheumatology</i> , 2016 , 43, 34-7	4.1	7
148	The relationship between two different measures of osteoarthritis bone pathology, bone marrow lesions and 3D bone shape: data from the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 1333-1337	6.2	7

147	The Relationship Between Synovial Pathobiology and Magnetic Resonance Imaging Abnormalities in Rheumatoid Arthritis: A Systematic Review. <i>Journal of Rheumatology</i> , 2017 , 44, 1311-1324	4.1	7
146	Increasing Capacity for the Treatment of Common Musculoskeletal Problems: A Non-Inferiority RCT and Economic Analysis of Corticosteroid Injection for Shoulder Pain Comparing a Physiotherapist and Orthopaedic Surgeon. <i>PLoS ONE</i> , 2016 , 11, e0162679	3.7	7
145	Imaging in rheumatoid arthritis, psoriatic arthritis, axial spondyloarthritis, and osteoarthritis: An international viewpoint on the current knowledge and future research priorities. <i>European Journal of Rheumatology</i> , 2019 , 6, 38-47	1.7	7
144	Automated MRI assessment confirms cartilage thickness modification in patients with knee osteoarthritis: post-hoc analysis from a phase II sprifermin study. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 1432-1436	6.2	7
143	Responsiveness of clinical and ultrasound outcome measures in musculoskeletal systemic lupus erythematosus. <i>Rheumatology</i> , 2019 ,	3.9	7
142	Precision, Reliability, and Responsiveness of a Novel Automated Quantification Tool for Cartilage Thickness: Data from the Osteoarthritis Initiative. <i>Journal of Rheumatology</i> , 2020 , 47, 282-289	4.1	7
141	Development and validation of rheumatoid arthritis magnetic resonance imaging inflammation thresholds associated with lack of damage progression. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 607-613	2.2	7
140	Rescue Analgesic Medication Use by Patients Treated with Triamcinolone Acetonide Extended-Release for Knee Osteoarthritis Pain: Pooled Analysis of Three Phase 2/3 Randomized Clinical Trials. <i>Pain and Therapy</i> , 2019 , 8, 271-280	3.6	6
139	Current State of Reporting Pain Outcomes in Cochrane Reviews of Chronic Musculoskeletal Pain Conditions and Considerations for an OMERACT Research Agenda. <i>Journal of Rheumatology</i> , 2015 , 42, 1934-1942	4.1	6
138	Design of a phase IV randomised, double-blind, placebo-controlled trial assessing the Impact of Residual Inflammation Detected via Imaging Techniques, rug Levels and Patient Characteristics on the Outcome of Dose Tapering of Adalimumab in Clinical Remission Rheumatoid Arthritis (O) patients (PREDICTRA). <i>BMJ Open</i> , 2019 , 9, e019997	3	6
137	Bisphosphonates intake and its association with changes of periarticular bone area and three-dimensional shape: data from the Osteoarthritis Initiative (OAI). <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 564-568	6.2	6
136	Utility of ultrasonography in guiding modification of disease modifying anti-rheumatic drugs and steroid therapy for inflammatory arthritis in routine clinical practice. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 155-160	2.3	6
135	Knee Pain Predicts Subsequent Shoulder Pain and the Association Is Mediated by Leg Weakness: Longitudinal Observational Data from the Osteoarthritis Initiative. <i>Journal of Rheumatology</i> , 2016 , 43, 2049-2055	4.1	6
134	The OMERACT MRI inflammatory arthritis group: advances and future research priorities. <i>Journal of Rheumatology</i> , 2009 , 36, 1803-5	4.1	6
133	Adalimumab dose tapering in patients with rheumatoid arthritis who are in long-standing clinical remission: results of the phase IV PREDICTRA study. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1023-1030	3.4	6
132	MRI of the joint and evaluation of the granulocyte-macrophage colony-stimulating factor-1 axis in patients with rheumatoid arthritis receiving otilimab: a phase 2a randomised mechanistic study. <i>Lancet Rheumatology</i> , 2020 , 2, e666-e676	14.2	6
131	Atlas of the OMERACT Heel Enthesitis MRI Scoring System (HEMRIS). <i>RMD Open</i> , 2020 , 6,	5.9	6
130	Towards UK post Arthroplasty Follow-up Recommendations (UK SAFE): protocol for an evaluation of the requirements for arthroplasty follow-up, and the production of consensus-based recommendations. <i>BMJ Open</i> , 2019 , 9, e031351	3	6

129	Update on magnetic resonance imaging and ultrasound in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 114, 16-23	2.2	6
128	Predicting disease progression and poor outcomes in patients with moderately active rheumatoid arthritis: a systematic review. <i>Rheumatology Advances in Practice</i> , 2019 , 3, rkz002	1.1	5
127	Validity and Responsiveness of Combined Inflammation and Combined Joint Damage Scores Based on the OMERACT Rheumatoid Arthritis MRI Scoring System (RAMRIS). <i>Journal of Rheumatology</i> , 2019 , 46, 1222-1227	4.1	5
126	T-cell subset abnormalities predict progression along the Inflammatory Arthritis disease continuum: Implications for management. <i>Scientific Reports</i> , 2020 , 10, 3669	4.9	5
125	Primary care approaches to musculoskeletal multiple-site joint pain pharmacological therapy: a survey of general practitioners. <i>Primary Health Care Research and Development</i> , 2014 , 15, 476-81	1.6	5
124	Comparing Psoriatic Arthritis Low-field Magnetic Resonance Imaging, Ultrasound, and Clinical Outcomes: Data from the TICOPA Trial. <i>Journal of Rheumatology</i> , 2020 , 47, 1338-1343	4.1	5
123	Investigating the patient acceptable symptom state cut-offs: longitudinal data from a community cohort using the shoulder pain and disability index. <i>Rheumatology International</i> , 2020 , 40, 599-605	3.6	5
122	The prevalence and impact of self-reported foot and ankle pain in the over 55 age group: a secondary data analysis from a large community sample. <i>Journal of Foot and Ankle Research</i> , 2019 , 12, 53	3.2	5
121	Development and Reliability of a Preliminary Foot Osteoarthritis Magnetic Resonance Imaging Score. <i>Journal of Rheumatology</i> , 2017 , 44, 1257-1264	4.1	4
120	Patellofemoral morphology is not related to pain using three-dimensional quantitative analysis in an older population: data from the Osteoarthritis Initiative. <i>Rheumatology</i> , 2017 , 56, 2135-2144	3.9	4
119	Atlas for the OMERACT thumb base osteoarthritis MRI scoring system (TOMS). <i>RMD Open</i> , 2018 , 4, e000583	5.3	4
118	A new lipid formulation of low dose ibuprofen shows non-inferiority to high dose standard ibuprofen: the FLARE study (flaring arthralgia relief evaluation in episodic flaring knee pain) - a randomised double-blind study. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 1942-1951	6.2	4
117	Effect of bisphosphonate use on trajectories of MRI-based three-dimensional bone shape of the knee over four years. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, S58	6.2	4
116	SAT0222 Effects of Tofacitinib on MRI Endpoints in Methotrexate-Naive Early Rheumatoid Arthritis: A Phase 2 MRI Study with Semi-Quantitative and Quantitative Endpoints. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 738-738	2.4	4
115	Comparative clinical utility of once-weekly subcutaneous abatacept in the management of rheumatoid arthritis. <i>Therapeutics and Clinical Risk Management</i> , 2014 , 10, 313-20	2.9	4
114	Bone Area Provides a Responsive Outcome Measure for Bone Changes in Short-term Knee Osteoarthritis Studies. <i>Journal of Rheumatology</i> , 2016 , 43, 2179-2182	4.1	4
113	Short-Term Recovery Trajectories of Acute Flares in Knee Pain: A UK-Netherlands Multicenter Prospective Cohort Analysis. <i>Arthritis Care and Research</i> , 2020 , 72, 1687-1692	4.7	4
112	Long-term follow-up of patients in the Tight Control of inflammation in early Psoriatic Arthritis (TICOPA) trial. <i>Rheumatology</i> , 2020 , 59, 807-810	3.9	4

111	Potential Effect Modifiers of the Association Between Physical Activity Patterns and Joint Symptoms in Middle-Aged Women. <i>Arthritis Care and Research</i> , 2018 , 70, 1012-1021	4.7	4
110	Improving Benefit-harm Assessment of Therapies from the Patient Perspective: OMERACT Premeeting Toward Consensus on Core Sets for Randomized Controlled Trials. <i>Journal of Rheumatology</i> , 2019 , 46, 1053-1058	4.1	3
109	Quantifying circulating Th17 cells by qPCR: potential as diagnostic biomarker for rheumatoid arthritis. <i>Rheumatology</i> , 2019 , 58, 2015-2024	3.9	3
108	Improvement in cardiovascular biomarkers sustained at 4 years following an initial treat-to-target strategy in early rheumatoid arthritis. <i>Rheumatology</i> , 2019 , 58, 1684-1686	3.9	3
107	Raising the quality of rheumatology management recommendations: lessons from the EULAR process 10 years after provision of standard operating procedures. <i>Rheumatology</i> , 2015 , 54, 1392-6	3.9	3
106	Osteoarthritis Preoperative Package for care of Orthotics, Rehabilitation, Topical and oral agent Usage and Nutrition to Improve outcomes at a Year (OPPORTUNITY); a feasibility study protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 209	2.8	3
105	Triamcinolone acetonide extended-release injectable suspension (TA-ER) is associated with reduced blood glucose elevation vs. standard triamcinolone in type 2 diabetes mellitus patients with knee osteoarthritis: a randomized, blinded, parallel-group study. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, S230	6.2	3
104	Determining MRI Inflammation Targets When Considering a Rheumatoid Arthritis Treat-to-Target Strategy: Results of a Randomized, Placebo-Controlled Trial. <i>Advances in Therapy</i> , 2019 , 36, 2384-2393	4.1	3
103	Variation in methods, results and reporting in electronic health record-based studies evaluating routine care in gout: A systematic review. <i>PLoS ONE</i> , 2019 , 14, e0224272	3.7	3
102	Steroid injection and regular shoulder-specific exercises reduce the need for surgery in subacromial impingement syndrome. <i>Evidence-Based Medicine</i> , 2013 , 18, e3		3
101	Dichotomous versus semi-quantitative scoring of ultrasound joint inflammation in rheumatoid arthritis using novel individualized joint selection methods. <i>Clinical Rheumatology</i> , 2017 , 36, 1137-1141	3.9	3
100	Update on the OMERACT magnetic resonance imaging task force: research and future directions. <i>Journal of Rheumatology</i> , 2014 , 41, 383-5	4.1	3
99	Corrigendum to Evolution of semi-quantitative whole joint assessment of knee OA: MOAKS (MRI Osteoarthritis Knee Score) [Osteoarthritis and Cartilage 2011;19:990-1002]. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 1168	6.2	3
98	021 RESPONSIVENESS AND RELIABILITY OF MRI IN OSTEOARTHRITIS: ANALYTIC LITERATURE REVIEW. <i>Osteoarthritis and Cartilage</i> , 2010 , 18, S17-S18	6.2	3
97	THU0093 Clinical, radiographic, and immunogenic effects after 1 year of tocilizumab (TCZ)-based treatment strategy with and without methotrexate (MTX) in RA: The act-ray study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 185.1-185	2.4	3
96	FRI0513 Validating MRI-Detected Inflammation Thresholds Predictive of Structural Damage Progression in Patients with Rheumatoid Arthritis in A Randomized Placebo-Controlled Trial. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 624.2-624	2.4	3
95	Secukinumab Provides Sustained Reduction in Fatigue in Patients with Ankylosing Spondylitis: Long-term Results of Two Phase III Randomized Controlled Trials. <i>Arthritis Care and Research</i> , 2020 ,	4.7	3
94	Individual Participant Symptom Responses to Intra-Articular Lorecivint in Knee Osteoarthritis: Post Hoc Analysis of a Phase 2B Trial. <i>Rheumatology and Therapy</i> , 2021 , 8, 973-985	4.4	3

93	Baseline Objective Inflammation by Magnetic Resonance Imaging as a Predictor of Therapeutic Benefit in Early Rheumatoid Arthritis With Poor Prognosis. <i>Arthritis Care and Research</i> , 2020 , 72, 959-964	4.7	3
92	A systematic review assessing non-pharmacological conservative treatment studies for people with non-inflammatory multi-joint pain: clinical outcomes and research design considerations. <i>Rheumatology International</i> , 2018 , 38, 331-341	3.6	3
91	Improving domain definition and outcome instrument selection: Lessons learned for OMERACT from imaging. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 1125-1133	5.3	3
90	Are pain severity and current pharmacotherapies associated with quality of life, work productivity, and healthcare utilisation for people with osteoarthritis in five large European countries?. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 819-828	2.2	3
89	Is MRI a predictive biomarker for clinical response to biologics in rheumatoid arthritis?. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, e45	2.4	2
88	Corticosteroids and osteoarthritis progression: a confounded issue. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, e5-e6	6.2	2
87	Response to: 'Paracetamol: is all the concern valid?' by Schwarz and Mullins. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, e49	2.4	2
86	Initiating factors for the onset of OA: A systematic review of animal bone and cartilage pathology in OA. <i>Journal of Orthopaedic Research</i> , 2020 , 38, 1810-1818	3.8	2
85	NSAIDs or paracetamol for short-term treatment of mild to moderate knee pain in early osteoarthritis: are they equivalent?. <i>Evidence-Based Medicine</i> , 2016 , 21, 14		2
84	Promoting self-management in older people with arthritis: Preliminary findings of the Northern Ireland Staying Connected Programme. <i>Musculoskeletal Care</i> , 2018 , 16, 489-493	1.6	2
83	Cartilage Thickness, Denudation and K1 Grade: A Study of Medial Femorotibial Joints in 8,890 Knees from the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, S223-S224	6.2	2
82	THU0414 Secukinumab Inhibits Radiographic Progression in Patients with Psoriatic Arthritis: Data from a Phase 3 Randomized, Multicenter, Double-Blind, Placebo-Controlled Study (Future 1). <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 347.2-348	2.4	2
81	How to manage musculoskeletal conditions. <i>Best Practice and Research in Clinical Rheumatology</i> , 2008 , 22, 387-94	5.3	2
80	A comparative study of patients presenting for planned and unplanned revision hip or knee arthroplasty.. <i>Bone and Joint Journal</i> , 2022 , 104-B, 59-67	5.6	2
79	A discrete-choice experiment to assess patients' preferences for osteoarthritis treatment: An ESCEO working group. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 859-866	5.3	2
78	Volumetric quantitative measurement of hip effusions by manual versus automated artificial intelligence techniques: An OMERACT preliminary validation study. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 623-626	5.3	2
77	Auto-antibodies to post-translationally modified proteins in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 924-933	6.2	2
76	Longitudinal Reliability of the OMERACT Thumb Base Osteoarthritis Magnetic Resonance Imaging Scoring System (TOMS). <i>Journal of Rheumatology</i> , 2019 , 46, 1228-1231	4.1	2

75	Changes in the pharmacological management of rheumatoid arthritis over two decades. <i>Rheumatology</i> , 2021 , 60, 4141-4151	3.9	2
74	Arthritis and enthesitis in the hip and pelvis region in spondyloarthritis - OMERACT validation of two whole-body MRI methods. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 940-945	5.3	2
73	New developments in osteoarthritis pharmacological therapies.. <i>Rheumatology</i> , 2021 , 60, vi1-vi11	3.9	2
72	Improving recognition of psoriatic arthritis. <i>Practitioner</i> , 2009 , 253, 15-8, 2-3		2
71	Improving joint pain and function in osteoarthritis. <i>Practitioner</i> , 2016 , 260, 17-20		2
70	Prediction of flare following remission and treatment withdrawal in early rheumatoid arthritis: post hoc analysis of a phase IIIb trial with abatacept.. <i>Arthritis Research and Therapy</i> , 2022 , 24, 47	5.7	2
69	152 The OMERACT-OARSI core domain set for measurement in clinical trials of hip and/or knee osteoarthritis. <i>Rheumatology</i> , 2019 , 58,	3.9	1
68	Pain Measurement in Rheumatic and Musculoskeletal Diseases: Where To Go from Here? Report from a Special Interest Group at OMERACT 2018. <i>Journal of Rheumatology</i> , 2019 , 46, 1355-1359	4.1	1
67	176 Secukinumab provides sustained reduction in fatigue in patients with ankylosing spondylitis through three years: long-term results of two randomised double-blind placebo-controlled phase III studies. <i>Rheumatology</i> , 2018 , 57,	3.9	1
66	OP0107 Pain still remains a high unmet need among psoriatic arthritis patients receiving existing biologic treatment: results from a multi national real-world survey 2017 ,		1
65	THU0425 Secukinumab Improves Signs and Symptoms of Active Psoriatic Arthritis in a Phase 3 Randomized, Multicenter, Double-Blind, Placebo-Controlled Study Using a Subcutaneous Dosing Regimen (Future 2). <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 352.3-353	2.4	1
64	FRI0569 The Role of Musculoskeletal Ultrasound in the Stratification of SLE; A Multicenter Cross-Sectional Study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 633.3-634	2.4	1
63	THU0426 Ultrasound Identifies Additional Erosive Disease in Patients with Early Psoriatic Arthritis □ Results from the Ticopa Study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 353.1-353	2.4	1
62	Osteoarthritis: recent advances in diagnosis and management. <i>The Prescriber</i> , 2014 , 25, 26-34	0.4	1
61	Statin use and MRI subchondral bone marrow lesion worsening in generalized osteoarthritis: longitudinal analysis from Osteoarthritis Initiative data.. <i>European Radiology</i> , 2022 , 1	8	1
60	Benefit-Risk Analysis of Upadacitinib Compared with Adalimumab in the Treatment of Patients with Moderate-to-Severe Rheumatoid Arthritis. <i>Rheumatology and Therapy</i> , 2021 , 1	4.4	1
59	Single and Composite Endpoints of Within-Patient Improvement in Symptoms: Pooled Tanezumab Data in Patients with Osteoarthritis. <i>Rheumatology and Therapy</i> , 2021 , 8, 1759-1774	4.4	1
58	Pain and Fatigue in Patients With Ankylosing Spondylitis Treated With Tumor Necrosis Factor Inhibitors: Multinational Real-World Findings. <i>Journal of Clinical Rheumatology</i> , 2021 , 27, e446-e455	1.1	1

57	An Update on Imaging in Rheumatoid Arthritis. <i>Current Treatment Options in Rheumatology</i> , 2020 , 6, 370-381	1.3	1
56	B-cell capacity for differentiation changes with age. <i>Aging Cell</i> , 2021 , 20, e13341	9.9	1
55	Harms reported by patients in rheumatology drug trials: a systematic review of randomized trials in the cochrane library from an OMERACT working group. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 607-617	5.3	1
54	Peer mentorship to improve self-management of hip and knee osteoarthritis: a randomised feasibility trial. <i>BMJ Open</i> , 2021 , 11, e045389	3	1
53	SAT0421 Reduction in Fatigue in Patients with Active Ankylosing Spondylitis: Results of Two Phase 3 Studies of Secukinumab. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 823.1-823	2.4	1
52	Reliability and Change in Erosion Measurements by High-resolution Peripheral Quantitative Computed Tomography in a Longitudinal Dataset of Rheumatoid Arthritis Patients. <i>Journal of Rheumatology</i> , 2021 , 48, 348-351	4.1	1
51	Real world effectiveness and satisfaction with secukinumab in the treatment of patients with psoriatic arthritis: a population survey in five European countries. <i>Current Medical Research and Opinion</i> , 2021 , 37, 1845-1853	2.5	1
50	Use and detailed metric properties of patient-reported outcome measures for rheumatoid arthritis: a systematic review covering two decades. <i>RMD Open</i> , 2021 , 7,	5.9	1
49	Cost-effectiveness of hydroxychloroquine placebo for hand osteoarthritis: economic evaluation of the HERO trial.. <i>F1000Research</i> , 2021 , 10, 821	3.6	1
48	Exploring the feasibility, acceptability and value of volunteer peer mentors in supporting self-management of osteoarthritis: a qualitative evaluation. <i>Disability and Rehabilitation</i> , 2021 , 1-11	2.4	1
47	Receptor activator of nuclear factor kappa-ligand (RANKL) serum levels are associated with progression to seropositive/negative rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 456-462	2.2	1
46	Flexion contracture is associated with knee joint degeneration on magnetic resonance imaging: data from the Osteoarthritis Initiative. <i>Clinical and Experimental Rheumatology</i> , 2021 ,	2.2	1
45	UK poSt Arthroplasty Follow-up rEcommendations (UK SAFE): what does analysis of linked, routinely collected national data sets tell us about mid-late term revision risk after hip replacement? Retrospective cohort study.. <i>BMJ Open</i> , 2022 , 12, e050877	3	1
44	Changes in ankylosing spondylitis incidence, prevalence and time to diagnosis over two decades. <i>RMD Open</i> , 2021 , 7,	5.9	1
43	Importance of Safety in the Management of Osteoarthritis and the Need for Updated Meta-Analyses and Recommendations for Reporting of Harms. <i>Drugs and Aging</i> , 2019 , 36, 3-6	4.7	0
42	Novel joint selection methods can reduce sample size for rheumatoid arthritis clinical trials with ultrasound endpoints. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 693-698	2.3	0
41	Impact of tanezumab on health status, non-work activities and work productivity in adults with moderate-to-severe osteoarthritis.. <i>BMC Musculoskeletal Disorders</i> , 2022 , 23, 106	2.8	0
40	Improved Treatment Effect of Triamcinolone Acetonide Extended-Release in Patients with Concordant Baseline Pain Scores on the Average Daily Pain and Western Ontario and McMaster Universities Osteoarthritis Index Pain Scales. <i>Pain and Therapy</i> , 2021 , 1	3.6	0

39	Bone in osteoarthritis: imaging and interventions. <i>Current Opinion in Rheumatology</i> , 2022 , 34, 73-78	5.3	o
38	Pharmacological treatments in rheumatic diseases 2010 , 199-209		o
37	Joint and entheseal inflammation in the knee region in spondyloarthritis - reliability and responsiveness of two OMERACT whole-body MRI scores. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 933-939	5.3	o
36	Core outcome measurement instrument selection for physical function in hand osteoarthritis using the OMERACT Filter 2.1 process. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 1311-1311	5.3	o
35	The design of a randomized, placebo-controlled, dose-ranging trial to investigate the efficacy and safety of the ADAMTS-5 inhibitor S201086/GLPG1972 in knee osteoarthritis. <i>Osteoarthritis and Cartilage Open</i> , 2021 , 3, 100209	1.5	o
34	Update on imaging in rheumatic diseases. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 114, 2	2.2	o
33	UK poSt Arthroplasty Follow-up rEcommendations (UK SAFE): what does analysis of linked, routinely collected national datasets tell us about mid-late term revision risk after knee replacement?. <i>BMJ Open</i> , 2022 , 12, e046900	3	o
32	Introduction. <i>Journal of Rheumatology</i> , 2015 , 42, 1926-1930	4.1	
31	AB0982 Dichotomous Scoring of Ra Ultrasound Inflammation Demonstrates Good Responsiveness Compared To Semi-Quantitative Scoring When Using Novel Joint Selection Methods. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1237.1-1237	2.4	
30	THU0411 Fatigue in Patients with Ankylosing Spondylitis and Low Vitality in Those with Psoriatic Arthritis: Results from A Large Real-World Survey in Europe and The USA. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 337.2-337	2.4	
29	OP0118 Development of The Eular Recommendations for The Use of Imaging in The Clinical Management of Osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 100.1-100	2.4	
28	THU0630 Treatment Failure, Treatment Switching and Health-Related Quality of Life in Patients with Ankylosing Spondylitis or Psoriatic Arthritis: Results from A Large Multinational Real-World Sample in Europe and The USA. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 421.2-422	2.4	
27	A5.01 The relationship between total knee replacement and 3D MRI knee bone shape: Data from the osteoarthritis initiative. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, A41.2-A41	2.4	
26	1.63 IL-7 drives the tissue architecture of the RA synovium providing a niche for B-cells to mature. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A27.2-A28	2.4	
25	Response to Letter to the Editor: Transdermal buprenorphine plus oral paracetamol vs an oral codeine/paracetamol combination for osteoarthritis of hip and/or knee: a randomised trial. Comments on the article by Conaghan et al. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, 337-338	6.2	
24	FRI0552 Why Does Joint Pain Spread? Knee Pain Predicts Later Shoulder Pain, Due to Muscle Weakness. Data from the Osteoarthritis Initiative. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 627.3-628	2.4	
23	FRI0503 Eular-Pres Points to Consider for the Use of Imaging in the Diagnosis and Management of Juvenile Idiopathic Arthritis in Clinical Practice. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 611.1-611	2.4	
22	THU0498 The Patients' Experience of Imaging: Views from a Group Convened to Support the Development of Points to Consider for the Use of Imaging in the Diagnosis and Management of Juvenile Idiopathic Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 380.2-380	2.4	

21	SAT0601 A Novel, Fully 3-Dimensional Dynamic Contrast MRI Method in the Hand Reveals Details of Synovial Inflammation and Provides a Sensitive Measure of Change. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 879.1-879	2.4
20	SAT0585 Can we Stop Using Contrast in RA MRI Clinical Trials? Quantitative MRI Demonstrates Similar Responsiveness for Contrast and Contrast-Free Synovitis Assessment. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 873.1-873	2.4
19	THU0016 Investigation of RA genetic susceptibility loci contribution to response outcomes following conventional DMARD treatment in early RA. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 159.1-159	2.4
18	SAT0005 RA genetic susceptibility loci are associated with baseline radiographic joint damage in early RA. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 472.2-472	2.4
17	Reduced interleukin 7 serum titres are associated with progression towards rheumatoid arthritis in very early inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, A68-A69	2.4
16	Reduced IL-7 serum titres are associated with progression towards rheumatoid arthritis in less than 6 months inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A2-A2	2.4
15	The Use of Mri in Elucidating the Pathogenesis of Rheumatoid Arthritis (Ra) and Its Use in Understanding Response to Therapy. <i>Clinical Science</i> , 2002 , 103, 35P-35P	
14	Preliminary Definitions for Sacroiliac Joint Pathologies in the OMERACT Juvenile Idiopathic Arthritis MRI Score (OMERACT JAMRIS-SIJ). <i>FASEB Journal</i> , 2019 , 33, 453.8	0.9
13	Imaging of osteoarthritis 2015 , 1483-1491	
12	Response letter to the Editor. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 52, 151839-151839	5.3
11	Ms. A.M. Taylor, et al reply. <i>Journal of Rheumatology</i> , 2016 , 43, 826	4.1
10	THU0442 Reduction in Fatigue in Patients with Active Psoriatic Arthritis Are Sustained over 2 Years: Long-Term Results of Two Phase 3 Studies with Secukinumab. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 351.1-351	2.4
9	FRI0521 Reliability of An Omeract Rheumatoid Arthritis Tenosynovitis Scoring System for Wrist and Hand. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 627.3-628	2.4
8	How to be NICER in treating osteoarthritis. <i>Nature Reviews Rheumatology</i> , 2018 , 14, 625-626	8.1
7	Interleukin-7: a potential factor supporting B-cell maturation in the rheumatoid arthritis synovium. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 253-262	2.2
6	Variation in methods, results and reporting in electronic health record-based studies evaluating routine care in gout: A systematic review 2019 , 14, e0224272	
5	Variation in methods, results and reporting in electronic health record-based studies evaluating routine care in gout: A systematic review 2019 , 14, e0224272	
4	Variation in methods, results and reporting in electronic health record-based studies evaluating routine care in gout: A systematic review 2019 , 14, e0224272	

- 3 Variation in methods, results and reporting in electronic health record-based studies evaluating routine care in gout: A systematic review **2019**, 14, e0224272
- 2 Impact of osteoarthritis disease severity on treatment patterns and healthcare resource use: analysis of real-world data.. *Scandinavian Journal of Rheumatology*, **2022**, 1-11 1.9
- 1 Evaluation of two electronic-rehabilitation programmes for persistent knee pain: protocol for a randomised feasibility trial. *BMJ Open*, **2022**, 12, e063608 3