List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4061136/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Late Awakening Is Common in Settings Without Withdrawal of Life-Sustaining Therapy in Out-of-Hospital Cardiac Arrest Survivors Who Undergo Targeted Temperature Management*. Critical Care Medicine, 2022, 50, 235-244.	0.9	13
2	Rearrest during hospitalisation in adult comatose out-of-hospital cardiac arrest patients: Risk factors and prognostic impact, and predictors of favourable long-term outcomes. Resuscitation, 2022, 170, 150-159.	3.0	4
3	Prediction of 6-Month Mortality Using Pre-Extracorporeal Membrane Oxygenation Lactate in Patients with Acute Coronary Syndrome Undergoing Veno-Arterial-Extracorporeal Membrane Oxygenation. Journal of Chest Surgery, 2022, 55, 143-150.	0.5	2
4	External validation of cardiac arrest-specific prognostication scores developed for early prognosis estimation after out-of-hospital cardiac arrest in a Korean multicenter cohort. PLoS ONE, 2022, 17, e0265275.	2.5	10
5	Heat loss augmented by extracorporeal circulation is associated with overcooling in cardiac arrest survivors who underwent targeted temperature management. Scientific Reports, 2022, 12, 6186.	3.3	0
6	Effects of Sodium Nitroprusside Administered Via a Subdural Intracranial Catheter on the Microcirculation, Oxygenation, and Electrocortical Activity of the Cerebral Cortex in a Pig Cardiac Arrest Model. Journal of the American Heart Association, 2022, 11, .	3.7	2
7	Slow Heart Rate Within 72 Hours After Cardiac Arrest Is Associated with Good Neurologic Outcome in Out-of-Hospital Cardiac Arrest Survivors Who Undergo Targeted Temperature Management with 33°C. Therapeutic Hypothermia and Temperature Management, 2021, 11, 145-154.	0.9	1
8	Benefit of Extracorporeal Membrane Oxygenation before Revascularization in Patients with Acute Myocardial Infarction Complicated by Profound Cardiogenic Shock after Resuscitated Cardiac Arrest. Korean Circulation Journal, 2021, 51, 533.	1.9	7
9	PROLOGUE (PROgnostication using LOGistic regression model for Unselected adult cardiac arrest) Tj ETQq1 prognostication in unselected adult cardiac arrest patients. Resuscitation, 2021, 159, 60-68.	1 0.784314 rg 3.0	gBT /Overlock 15
10	Relationship of common hemodynamic and respiratory target parameters with brain tissue oxygen tension in the absence of hypoxemia or hypotension after cardiac arrest: A post-hoc analysis of an experimental study using a pig model. PLoS ONE, 2021, 16, e0245931.	2.5	4
11	Pralidoxime improves the hemodynamics and survival of rats with peritonitis-induced sepsis. PLoS ONE, 2021, 16, e0249794.	2.5	2
12	Association between ion shift index and prognosis in severe trauma patients without isolated head injury. Injury, 2021, 52, 1151-1157.	1.7	4
13	Effect of Epinephrine Administered during Cardiopulmonary Resuscitation on Cerebral Oxygenation after Restoration of Spontaneous Circulation in a Swine Model with a Clinically Relevant Duration of Untreated Cardiac Arrest. International Journal of Environmental Research and Public Health, 2021, 18, 5896.	2.6	4
14	2020 Korean Guidelines for Cardiopulmonary Resuscitation. Part 5. Post-cardiac arrest care. Clinical and Experimental Emergency Medicine, 2021, 8, S41-S64.	1.6	17
15	Water Temperature Variability Is Associated with Neurologic Outcomes in Out-of-Hospital Cardiac Arrest Survivors Who Underwent Targeted Temperature Management at 33°C. Therapeutic Hypothermia and Temperature Management, 2021, , .	0.9	0
16	Combination of neuron-specific enolase measurement and initial neurological examination for the prediction of neurological outcomes after cardiac arrest. Scientific Reports, 2021, 11, 15067.	3.3	8
17	Discrimination between the presence and absence of spontaneous circulation using smartphone seismocardiography: A preliminary investigation. Resuscitation, 2021, 166, 66-73.	3.0	2
18	Comparison of hydrogel pad and water-circulating blanket cooling methods for targeted temperature management: A propensity score-matched analysis from a prospective multicentre registry. Resuscitation, 2021, 169, 78-85.	3.0	1

#	Article	IF	CITATIONS
19	Glycated Hemoglobin is Associated with Glycemic Control and 6-Month Neurologic Outcome in Cardiac Arrest Survivors Undergoing Therapeutic Hypothermia. Neurocritical Care, 2020, 32, 448-458.	2.4	6
20	Turn-to-Shockable Rhythm Has Comparable Neurologic Outcomes to Initial Shockable Rhythm in Out-of-Hospital Cardiac Arrest Patients Who Underwent Targeted Temperature Management. Therapeutic Hypothermia and Temperature Management, 2020, 10, 220-228.	0.9	2
21	Pralidoxime administered during cardiopulmonary resuscitation facilitates successful resuscitation in a pig model of cardiac arrest. Clinical and Experimental Pharmacology and Physiology, 2020, 47, 236-246.	1.9	4
22	Early Post-Rewarming Fever Is Associated with Favorable 6-Month Neurologic Outcomes in Patients with Out-Of-Hospital Cardiac Arrest: A Multicenter Registry Study. Journal of Clinical Medicine, 2020, 9, 2927.	2.4	2
23	Pralidoxime-Induced Potentiation of the Pressor Effect of Adrenaline and Hastened Successful Resuscitation by Pralidoxime in a Porcine Cardiac Arrest Model. Cardiovascular Drugs and Therapy, 2020, 34, 619-628.	2.6	3
24	Effects of Different Doses of Pralidoxime Administered During Cardiopulmonary Resuscitation and the Role of αâ€Adrenergic Receptors in Its Pressor Action. Journal of the American Heart Association, 2020, 9, e015076.	3.7	4
25	Prognostic value of OHCA, C-GRApH and CAHP scores with initial neurologic examinations to predict neurologic outcomes in cardiac arrest patients treated with targeted temperature management. PLoS ONE, 2020, 15, e0232227.	2.5	17
26	Neuron-specific enolase and neuroimaging for prognostication after cardiac arrest treated with targeted temperature management. PLoS ONE, 2020, 15, e0239979.	2.5	2
27	The association between lipid profiles and the neurologic outcome in patients with out-of-hospital cardiac arrest. Resuscitation, 2019, 145, 26-31.	3.0	6
28	Association between Achievement of Estimated Average Glucose Level and 6-Month Neurologic Outcome in Comatose Cardiac Arrest Survivors: A Propensity Score-Matched Analysis. Journal of Clinical Medicine, 2019, 8, 1480.	2.4	0
29	Time course of platelet counts in relation to the neurologic outcome in patients undergoing targeted temperature management after cardiac arrest. Resuscitation, 2019, 140, 113-119.	3.0	6
30	lon shift index as a promising prognostic indicator in adult patients resuscitated from cardiac arrest. Resuscitation, 2019, 137, 116-123.	3.0	10
31	Effect of pralidoxime on coronary perfusion pressure during cardiopulmonary resuscitation in a pig model. Clinical and Experimental Emergency Medicine, 2019, 6, 204-211.	1.6	7
32	Use of amplitude-integrated electroencephalography in decision-making for extracorporeal membrane oxygenation in comatose cardiac arrest patients whose eventual neurologic recovery is uncertain. Clinical and Experimental Emergency Medicine, 2019, 6, 362-365.	1.6	1
33	The Cumulative Partial Pressure of Arterial Oxygen Is Associated With Neurological Outcomes After Cardiac Arrest Treated With Targeted Temperature Management. Critical Care Medicine, 2018, 46, e279-e285.	0.9	21
34	Prognostic value of serum phosphate level in adult patients resuscitated from cardiac arrest. Resuscitation, 2018, 128, 56-62.	3.0	20
35	Quantitative analysis of relative volume of low apparent diffusion coefficient value can predict neurologic outcome after cardiac arrest. Resuscitation, 2018, 126, 36-42.	3.0	29
36	Association of plasma neutrophil gelatinase-associated lipocalin with acute kidney injury and clinical outcome in cardiac arrest survivors depends on the time of measurement. Biomarkers, 2018, 23, 487-494.	1.9	8

#	Article	IF	CITATIONS
37	Relationship Between Left Ventricle Position and Haemodynamic Parameters During Cardiopulmonary Resuscitation in a Pig Model. Heart Lung and Circulation, 2018, 27, 1489-1497.	0.4	7
38	Plasma Neutrophil Gelatinase-Associated Lipocalin Measured Immediately After Restoration of Spontaneous Circulation Predicts Acute Kidney Injury in Cardiac Arrest Survivors Who Underwent Therapeutic Hypothermia. Therapeutic Hypothermia and Temperature Management, 2018, 8, 99-107.	0.9	3
39	Relationship between hemodynamic parameters and severity of ischemia-induced left ventricular wall thickening during cardiopulmonary resuscitation of consistent quality. PLoS ONE, 2018, 13, e0208140.	2.5	1
40	Relationship between ventricular characteristics on brain computed tomography and 6-month neurologic outcome in cardiac arrest survivors who underwent targeted temperature management. Resuscitation, 2018, 129, 37-42.	3.0	17
41	Effect of one-lung ventilation on end-tidal carbon dioxide during cardiopulmonary resuscitation in a pig model of cardiac arrest. PLoS ONE, 2018, 13, e0195826.	2.5	2
42	"Pseudo-subarachnoid hemorrhage sign―on early brain computed tomography in out-of-hospital cardiac arrest survivors receiving targeted temperature management. Journal of Critical Care, 2017, 40, 36-40.	2.2	17
43	The Role of Post-Resuscitation ElectrocardiogramÂin Patients WithÂST-SegmentÂChanges in the ImmediateÂPost-Cardiac Arrest Period. JACC: Cardiovascular Interventions, 2017, 10, 451-459.	2.9	37
44	Neuromuscular blockade requirement is associated with good neurologic outcome in cardiac arrest survivors treated with targeted temperature management. Journal of Critical Care, 2017, 40, 218-224.	2.2	10
45	Disseminated intravascular coagulation is associated with the neurologic outcome of cardiac arrest survivors. American Journal of Emergency Medicine, 2017, 35, 1617-1623.	1.6	10
46	Relationship between age and outcomes of comatose cardiac arrest survivors in a setting without withdrawal of life support. Resuscitation, 2017, 115, 75-81.	3.0	12
47	Relationship between timing of cooling and outcomes in adult comatose cardiac arrest patients treated with targeted temperature management. Resuscitation, 2017, 113, 135-141.	3.0	31
48	Association between lactate clearance during post-resuscitation care and neurologic outcome in cardiac arrest survivors treated with targeted temperature management. Clinical and Experimental Emergency Medicine, 2017, 4, 10-18.	1.6	20
49	Five-year Experience of Extracorporeal Life Support in Emergency Physicians. Korean Journal of Critical Care Medicine, 2017, 32, 52-59.	0.1	4
50	Prognostic value of gray matter to white matter ratio in hypoxic and non-hypoxic cardiac arrest with non-cardiac etiology. American Journal of Emergency Medicine, 2016, 34, 1583-1588.	1.6	39
51	2,3-Butanedione monoxime facilitates successful resuscitation in a dose-dependent fashion in a pig model of cardiac arrest. American Journal of Emergency Medicine, 2016, 34, 1053-1058.	1.6	5
52	The impact of downtime on neurologic intact survival in patients with targeted temperature management after out-of-hospital cardiac arrest: National multicenter cohort study. Resuscitation, 2016, 105, 203-208.	3.0	31
53	Extracorporeal life support for cardiac arrest in a 13-year-old girl caused by Wolff-Parkinson-White syndrome. American Journal of Emergency Medicine, 2015, 33, 1539.e1-1539.e2.	1.6	3
54	Safely completed therapeutic hypothermia in postpartum cardiac arrest survivors. American Journal of Emergency Medicine, 2015, 33, 861.e5-861.e6.	1.6	5

#	Article	IF	CITATIONS
55	Prognostic values of gray matter to white matter ratios on early brain computed tomography in adult comatose patients after out-of-hospital cardiac arrest of cardiac etiology. Resuscitation, 2015, 96, 46-52.	3.0	62
56	Reliability of blood color and blood gases in discriminating arterial from venous puncture during cardiopulmonary resuscitation. American Journal of Emergency Medicine, 2015, 33, 553-558.	1.6	2
57	An observational study of surface versus endovascular cooling techniques in cardiac arrest patients: a propensity-matched analysis. Critical Care, 2015, 19, 85.	5.8	38
58	Adverse events associated with poor neurological outcome during targeted temperature management and advanced critical care after out-of-hospital cardiac arrest. Critical Care, 2015, 19, 283.	5.8	36
59	Effectiveness and feasibility of assistant push on improvement of chest compression quality: a crossover study. American Journal of Emergency Medicine, 2015, 33, 373-377.	1.6	0
60	Femoral venous oxygen saturation obtained during CPR predicts successful resuscitation in a pig model. American Journal of Emergency Medicine, 2015, 33, 941-945.	1.6	1
61	The influence of post-rewarming temperature management on post-rewarming fever development after cardiac arrest. Resuscitation, 2015, 97, 20-26.	3.0	10
62	Impact of case volume on outcome and performance of targeted temperature management in out-of-hospital cardiac arrest survivors. American Journal of Emergency Medicine, 2015, 33, 31-36.	1.6	22
63	Effects of the administration of 2,3-butanedione monoxime during conventional cardiopulmonary resuscitation on ischaemic contracture and resuscitability in a pig model of out-of-hospital cardiac arrest. Resuscitation, 2015, 87, 26-32.	3.0	11
64	Effects of Potassium/Lidocaine-induced Cardiac Standstill During Cardiopulmonary Resuscitation in a Pig Model of Prolonged Ventricular Fibrillation. Academic Emergency Medicine, 2014, 21, 392-400.	1.8	4
65	Association between mean arterial blood gas tension and outcome in cardiac arrest patients treated with therapeutic hypothermia. American Journal of Emergency Medicine, 2014, 32, 55-60.	1.6	79
66	The effect of inclined step stool on the quality of chest compression during in-hospital cardiopulmonary resuscitation. American Journal of Emergency Medicine, 2014, 32, 851-855.	1.6	8
67	Confirmation of intraosseous cannula placement based on pressure measured at the cannula during squeezing the extremity in a piglet model. Resuscitation, 2014, 85, 143-147.	3.0	7
68	Outcome and adverse events with 72-hour cooling at 32°C as compared to 24-hour cooling at 33°C in comatose asphyxial arrest survivors. American Journal of Emergency Medicine, 2014, 32, 297-301.	1.6	22
69	Association of blood glucose variability with outcomes in comatose cardiac arrest survivors treated with therapeutic hypothermia. American Journal of Emergency Medicine, 2013, 31, 566-572.	1.6	18
70	Potassium induced cardiac standstill during conventional cardiopulmonary resuscitation in a pig model of prolonged ventricular fibrillation cardiac arrest: A feasibility study. Resuscitation, 2013, 84, 378-383.	3.0	11
71	Combining brain computed tomography and serum neuron specific enolase improves the prognostic performance compared to either alone in comatose cardiac arrest survivors treated with therapeutic hypothermia. Resuscitation, 2013, 84, 1387-1392.	3.0	84
72	Estimation of central venous pressure using inferior vena caval pressure from a femoral endovascular cooling catheter. American Journal of Emergency Medicine, 2013, 31, 240-243.	1.6	9

#	Article	IF	CITATIONS
73	Blood Gases during Cardiopulmonary Resuscitation in Predicting Arrest Cause between Primary Cardiac Arrest and Asphyxial Arrest. The Korean Journal of Critical Care Medicine, 2013, 28, 33.	0.2	0
74	Outcomes of therapeutic hypothermia in unconscious patients after near-hanging. Emergency Medicine Journal, 2012, 29, 748-752.	1.0	27
75	The Changing Pattern of Blood Glucose Levels and Its Association with In-hospital Mortality in the Out-of-hospital Cardiac Arrest Survivors Treated with Therapeutic Hypothermia. The Korean Journal of Critical Care Medicine, 2012, 27, 255.	0.2	Ο
76	Mortality rate and pattern following carbamate methomyl poisoning. Comparison with organophosphate poisoning of comparable toxicity. Clinical Toxicology, 2011, 49, 828-833.	1.9	25
77	A case of iatrogenic ilio-iliac arteriovenous fistula after percutaneous cardiopulmonary support in a patient with a tortuous iliac artery. Journal of Artificial Organs, 2011, 14, 151-154.	0.9	3
78	Variable effects of high-dose adrenaline relative to standard-dose adrenaline on resuscitation outcomes according to cardiac arrest duration. Resuscitation, 2011, 82, 932-936.	3.0	16
79	Adequacy of Epinephrine Administration during Advanced Cardiovascular Life Support in terms of Dosing and Intervals between Doses. The Korean Journal of Critical Care Medicine, 2011, 26, 69.	0.2	1
80	Performance of an automated external defibrillator in a moving ambulance vehicle. Resuscitation, 2010, 81, 457-462.	3.0	5
81	Rapidly induced selective cerebral hypothermia using a cold carotid arterial flush during cardiac arrest in a dog model. Resuscitation, 2008, 77, 235-241.	3.0	9
82	The Association Between Induction Rate and Neurologic Outcome in Patients Undergoing Targeted Temperature Management at 33°C. Therapeutic Hypothermia and Temperature Management, 0, , .	0.9	1