

George Poinar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4061624/publications.pdf>

Version: 2024-02-01

162
papers

2,489
citations

236925
25
h-index

302126
39
g-index

168
all docs

168
docs citations

168
times ranked

1879
citing authors

#	ARTICLE	IF	CITATIONS
1	First record of the tribe Lymantini (Coleoptera: Curculionidae) from Dominican amber. Historical Biology, 2022, 34, 67-71.	1.4	1
2	A new species of the genus <i>Archaeosciaphilus</i> Legalov, 2012 (Coleoptera: Đjurculionidae) with a list of Entiminae weevils described from Baltic amber. Historical Biology, 2022, 34, 2218-2223.	1.4	3
3	A New Species of the Genus <i>Amberophytum</i> Yu, Slipinski et Pang, 2019 (Coleoptera: Cerophytidae) from mid-Cretaceous Burmese Amber. Biosis: Biological Systems, 2022, 3, e005.	0.3	0
4	Palaeotanyrhina exophthalma gen. et sp. nov. (Palaeotanyrhinidae fam. nov.) (Reduvioidae: Hemiptera) in mid-Cretaceous Burmese amber. Palaeodiversity, 2022, 15, .	1.1	0
5	Macrodrilidae fam. nov. (Hemiptera: Sternorrhyncha: Coccoidea), a new family of scale insects in mid-Cretaceous Burmese amber. Historical Biology, 2021, 33, 1726-1730.	1.4	1
6	A green algae (Chaetophorales: Chaetophoraceae) in Burmese amber. Historical Biology, 2021, 33, 323-327.	1.4	1
7	Mid-Cretaceous cellular slime mold (Eukarya: Dictyostelia?) in Burmese amber. Historical Biology, 2021, 33, 712-715.	1.4	4
8	Fossil Record of Viruses, Parasitic Bacteria and Parasitic Protozoa. Topics in Geobiology, 2021, , 29-68.	0.5	7
9	Allocordyceps baltica gen. et sp. nov. (Hypocreales: Clavicipitaceae), an ancient fungal parasite of an ant in Baltic amber. Fungal Biology, 2021, 125, 886-890.	2.5	2
10	A new tribe, genus and species of weevil, <i>Rhamphophorus legalovii</i> gen. et sp. nov., (Coleoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 2021, 127, 104948.	1.4	1
11	<i>Jatoba</i> gen. nov. (Hemiptera: Fulgoromorpha: Nogodinidae), a new genus of planthoppers from Dominican amber. Historical Biology, 2021, 33, 3291-3296.	1.4	4
12	First record of the tribe Madarini (Coleoptera: Curculionidae) from Dominican amber. Historical Biology, 2021, 33, 2755-2759.	1.4	0
13	<i>Parasitylenchus myiophagus</i> n. sp. (Nematoda: Parasytlenchidae), a tylenchid nematode parasite of long-legged flies (Diptera: Dolichopodidae). Zootaxa, 2021, 5072, 43-52.	0.5	0
14	Vertebrate pathogens vectored by ancient hematophagous arthropods. Historical Biology, 2020, 32, 888-901.	1.4	5
15	<i>Priscoculex burmanicus</i> n. gen. et sp. (Diptera: Culicidae: Anophelinae) from mid-Cretaceous Myanmar amber. Historical Biology, 2020, 32, 1157-1162.	1.4	6
16	A mid-Cretaceous pycnidia, <i>Palaeomycus epallelus</i> gen. et sp. nov., in Myanmar amber. Historical Biology, 2020, 32, 234-237.	1.4	2
17	Pygmy mole crickets (Orthoptera: Tridactylidae) in Dominican and Burmese amber. Historical Biology, 2020, 32, 238-243.	1.4	10
18	The antiquity of floral secretory tissues that provide todayâ€™s fragrances. Historical Biology, 2020, 32, 494-499.	1.4	5

#	ARTICLE	IF	CITATIONS
19	A new genus of terrestrial isopods (Crustacea: Oniscidea: Armadillidae) in Myanmar amber. <i>Historical Biology</i> , 2020, 32, 583-588.	1.4	4
20	The first jumping plant-louse from mid-Cretaceous Burmese amber and its impact on the classification of Mesozoic psylloids (Hemiptera: Sternorrhyncha: Psylloidea s. l.). <i>Cretaceous Research</i> , 2020, 106, 104240.	1.4	6
21	A mid-Cretaceous female scale insect (Hemiptera: Sternorrhyncha: Coccoidea) in Burmese amber. <i>Zootaxa</i> , 2020, 4810, zootaxa.4810.3.7.	0.5	5
22	Ensign wasps (Hymenoptera: Evaniiidae) in Dominican and Mexican amber. <i>Historical Biology</i> , 2020, , 1-17.	1.4	1
23	A New Species of the Weevil Genus <i>Anthonomus</i> Germar, 1817 (Coleoptera: Curculionidae) in Dominican Amber. <i>Paleontological Journal</i> , 2020, 54, 385-388.	0.5	2
24	Entomopathogenic fungi (Hypocreales: Ophiocordycipitaceae) infecting bark lice (Psocoptera) in Dominican and Baltic amber. <i>Mycology</i> , 2020, 11, 71-77.	4.4	6
25	Synopsis of rare fossil animal spermatozoa in amber and sedimentary deposits. <i>Bulletin - Societie Geologique De France</i> , 2020, 191, 31.	2.2	1
26	A new genus of leafhoppers (Hemiptera: Cicadellidae) in mid-Cretaceous Myanmar amber. <i>Historical Biology</i> , 2020, 32, 160-163.	1.4	15
27	A new microinvertebrate with features of mites and tardigrades in Dominican amber. <i>Invertebrate Biology</i> , 2019, 138, e12265.	0.9	1
28	Poisonous setae on a Baltic amber caterpillar. <i>Arthropod Structure and Development</i> , 2019, 51, 37-40.	1.4	4
29	Associations between Fossil Beetles and Other Organisms. <i>Geosciences (Switzerland)</i> , 2019, 9, 184.	2.2	4
30	A mid-Cretaceous trichomycete, <i>Priscadvena corymbosa</i> gen. et sp. nov., in Burmese amber. <i>Fungal Biology</i> , 2019, 123, 393-396.	2.5	2
31	A primitive triatomine bug, <i>Paleotriatoma metaxytaxa</i> gen. et sp. nov. (Hemiptera: Reduviidae:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 10	1.4	35
32	A new genus of moths (Lepidoptera: Gracillarioidea: Douglasiidae) in Myanmar amber. <i>Historical Biology</i> , 2019, 31, 898-902.	1.4	7
33	Developmental stages of the fungus, <i>< i>Synaptomitus orchiphilus, </i></i> in the germinating seed, <i>< i>Mycophoris elongatus</i></i> (Orchidaceae), in Dominican amber. <i>Historical Biology</i> , 2019, 31, 947-951.	1.4	1
34	A new genus and species of aphids, <i>Tanyaulus caudisetula</i> gen. et sp. nov. (Hemiptera: Aphidoidea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.4	10
35	<i>Furcalabratum burmanicum</i> gen. et sp. nov., a Short-winged Flower Beetle (Coleoptera: Kateretidae) in mid-Cretaceous Myanmar amber. <i>Cretaceous Research</i> , 2018, 84, 240-244.	1.4	10
36	A new family of aphids (Hemiptera: Aphidoidea) in mid-Cretaceous Myanmar amber. <i>Cretaceous Research</i> , 2017, 75, 7-10.	1.4	8

#	ARTICLE	IF	CITATIONS
37	Two new genera, <i>Mycophoris</i> gen. nov., (Orchidaceae) and <i>Synaptomitus</i> gen. nov. (Basidiomycota) based on a fossil seed with developing embryo and associated fungus in Dominican amber. <i>Botany</i> , 2017, 95, 1-8.	1.0	7
38	An exotic insect Aethiocarenus burmanicus gen. et sp. nov. (Aethiocarenidae ord. nov.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (A 100-104.	1.4	22
39	X-ray microcomputed tomography reveals putative trematode metacercaria in a 100 million year-old lizard (Squamata: Agamidae). <i>Cretaceous Research</i> , 2017, 80, 27-30.	1.4	6
40	Fossilized Mammalian Erythrocytes Associated With a Tick Reveal Ancient Piroplasms. <i>Journal of Medical Entomology</i> , 2017, 54, 895-900.	1.8	15
41	A scientific note on rare parasitism of the bumble bee pollinator, <i>Bombus impatiens</i> , by a mermithid nematode, <i>Pheromermis</i> sp. (Nematoda: Mermithidae). <i>Apidologie</i> , 2017, 48, 75-77.	2.0	6
42	A new actinomycete from a Guadalupian vertebrate coprolite from Brazil. <i>Historical Biology</i> , 2017, 29, 770-776.	1.4	16
43	A mid-Cretaceous Lauraceae flower, Cascolaurus burmitis gen. et sp. nov., in Myanmar amber. <i>Cretaceous Research</i> , 2017, 71, 96-101.	1.4	22
44	Bizzare wingless parasitic wasp from mid-Cretaceous Burmese amber (Hymenoptera, Ceraphronoidea,) Tj ETQq0 0 0 rgBT /Overlock 10 T 25	1.4	25
45	Endoparasitism of a Cretaceous adult weevil by a euphorine wasp (Hymenoptera: Braconidae). <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2016, 282, 109-113.	0.4	3
46	Fossil species in Boehmerieae (Urticaceae) in Dominican and Mexican amber: a new genus (<i>Ekrixanthera</i>) and two new species with anemophilous pollination by explosive pollen release, and possible lepidopteran herbivory. <i>Botany</i> , 2016, 94, 599-606.	1.0	9
47	A mid-Cretaceous Eccrinales infesting a primitive wasp in Myanmar amber. <i>Fungal Biology</i> , 2016, 120, 1537-1539.	2.5	1
48	Beetles with Orchid Pollinaria in Dominican and Mexican Amber. <i>American Entomologist</i> , 2016, 62, 172-177.	0.2	16
49	A gilled mushroom, Gerontomyces lepidotus gen. et sp. nov. (Basidiomycota: Agaricales), in Baltic amber. <i>Fungal Biology</i> , 2016, 120, 1090-1093.	2.5	6
50	Ancient hastisetae of Cretaceous carrion beetles (Coleoptera: Dermestidae) in Myanmar amber. <i>Arthropod Structure and Development</i> , 2016, 45, 642-645.	1.4	9
51	A new species of the genus Anthonomus Germar (Curculionidae) in Mexican amber. <i>Paleontological Journal</i> , 2016, 50, 986-990.	0.5	7
52	A sphere-forming scarab beetle (Ceratocanthinae: Hybosoridae) in Dominican amber. <i>Historical Biology</i> , 2016, 28, 433-437.	1.4	2
53	What Fossils Reveal About the Protozoa Progenitors, Geographic Provinces, and Early Hosts of Malarial Organisms. <i>American Entomologist</i> , 2016, 62, 22-25.	0.2	6
54	Toad bugs (Hemiptera: Gelastocoridae) in Myanmar amber. <i>Cretaceous Research</i> , 2016, 63, 39-44.	1.4	6

#	ARTICLE	IF	CITATIONS
55	A Mid-Cretaceous Ectoparasitic Fungus, <i>Spheciophila adercia</i> gen et sp. nov., Attached to a Wasp in Myanmar Amber. <i>Fungal Genomics & Biology</i> , 2016, 06, .	0.4	4
56	First record of the genus <i> <i>Pseudopilolabus</i> </i> Legalov, 2003 (Coleoptera: Attelabidae) in Dominican amber. <i>Fossil Record</i> , 2016, 19, 11-16.	1.4	5
57	New species of the subfamily Cossoninae (Coleoptera: Curculionidae) in Dominican amber. <i>Historical Biology</i> , 2015, 27, 491-502.	1.4	9
58	Proparasitylenchus californicus n. sp. (Tylenchida: Allantonematidae), parasitic in the intertidal rove beetle <i>Tarphiota geniculata</i> (MÄklin) (Coleoptera: Staphylinidae) in California, USA. <i>Systematic Parasitology</i> , 2015, 92, 57-64.	1.1	1
59	New tribes of the superfamily Curculionoidea (Coleoptera) in Burmese amber. <i>Historical Biology</i> , 2015, 27, 558-564.	1.4	15
60	New species of the genera< i>Dryophthorus</i> Germ. and< i>Stenommatus</i> Woll. (Coleoptera:) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.4	7
61	A case of mistaken identification of an amber fossil male strepsipteran (Insecta: Strepsiptera). <i>Historical Biology</i> , 2015, 27, 1062-1069.	1.4	5
62	New Apioninae (Coleoptera: Brentidae) in Dominican amber. <i>Historical Biology</i> , 2015, 27, 134-157.	1.4	14
63	< i>Pulchellaranea pedunculata</i>< b>n. gen.< b>n. sp.(Araneae: Araneidae), a new genus of spiders with a review of araneid spiders in Cenozoic Dominican amber. <i>Historical Biology</i> , 2015, 27, 103-108.	1.4	1
64	Anomalomermis ephemerophagis n. g., n. sp. (Nematoda: Mermithidae) parasitic in the mayfly <i>Ephemerella maculata</i> Traver (Ephemeroptera: Ephemerellidae) in California, USA. <i>Systematic Parasitology</i> , 2015, 90, 231-236.	1.1	2
65	Natural parasitism of< i>Metaparasitylenchus hypohenemi</i>(Tylenchida: Allantonematidae) on the coffee berry borer in Chiapas, Mexico. <i>Biocontrol Science and Technology</i> , 2015, 25, 608-612.	1.3	4
66	Two new species of the genus< i>Rhynchitobius</i> Sharp, 1889 (Coleoptera: Rhynchitidae) in Dominican amber. <i>Annales De La Societe Entomologique De France</i> , 2015, 51, 70-77.	0.9	7
67	A New Genus of Fleas with Associated Microorganisms in Dominican Amber. <i>Journal of Medical Entomology</i> , 2015, 52, 1234-1240.	1.8	10
68	Rickettsial-like cells in the Cretaceous tick, <i>Cornupalpatum burmanicum</i> (Ixodida: Ixodidae). <i>Cretaceous Research</i> , 2015, 52, 623-627.	1.4	13
69	Spirochete-like cells in a Dominican amberAmbylomatick (Arachnida: Ixodidae). <i>Historical Biology</i> , 2015, 27, 565-570.	1.4	18
70	First record of the genus <i> <i>Baris</i> </i> Germar, 1817 (Coleoptera: Curculionidae), in Dominican amber. <i>Fossil Record</i> , 2015, 18, 31-35.	1.4	9
71	Evolutionary History of Terrestrial Pathogens and Endoparasites as Revealed in Fossils and Subfossils. <i>Advances in Biology</i> , 2014, 2014, 1-29.	1.2	25
72	Predatory behaviour of Cretaceous social orb-weaving spiders: response to Penney. <i>Historical Biology</i> , 2014, 26, 135-136.	1.4	3

#	ARTICLE	IF	CITATIONS
73	New genera and species of Jumping Ground Bugs (Hemiptera: Schizopteridae) in Dominican and Burmese amber, with a description of a meloid (Coleoptera: Meloidae) triungulin on a Burmese specimen. <i>Annales De La Societe Entomologique De France</i> , 2014, 50, 372-381.	0.9	10
74	Bicalcasura maculatan. gen., n. sp. (Curculionoidea: Dryophthoridae) with a list of weevils described from Dominican amber. <i>Historical Biology</i> , 2014, 26, 449-453.	1.4	15
75	Tripus gyraloura n. sp. (Aphelenchoidea: Sphaerulariidae) parasitic in the gall midge Lasioptera donacis Coutin (Diptera: Cecidomyiidae). <i>Systematic Parasitology</i> , 2014, 89, 247-252.	1.1	4
76	< i>Pleurambus strongylus</i>n. gen., n. sp. (Coleoptera: Belidae) in Dominican amber. <i>Historical Biology</i> , 2014, 26, 670-674.	1.4	12
77	Bird's nest fungi (Nidulariales: Nidulariaceae) in Baltic and Dominican amber. <i>Fungal Biology</i> , 2014, 118, 325-329.	2.5	15
78	New species of the subfamily Conoderinae (Coleoptera: Curculionidae) in Dominican amber. <i>Historical Biology</i> , 2014, 26, 556-562.	1.4	12
79	A snail-killing fly, < i>Dominimyza tanyacaena</i>< b>n. gen.< b>n. sp. (Diptera: Sciomyzidae) in Dominican amber. <i>Historical Biology</i> , 2014, 26, 428-432.	1.4	0
80	New Cryptorhynchinae (Coleoptera: Curculionidae) in Dominican amber. <i>Historical Biology</i> , 2014, 26, 502-534.	1.4	12
81	< i>Virola dominicana</i> sp. nov. (Myristicaceae) from Dominican amber. <i>Botany</i> , 2013, 91, 530-534.	1.0	8
82	Minysporops dominicanusgen. n., sp. n. (Hemiptera: Pentatomoidea: Megarididae), a megaridid in Dominican amber. <i>Historical Biology</i> , 2013, 25, 95-100.	1.4	1
83	< i>Alarista</i>< i>succina</i>< b>gen.et< b>sp. nov. (Poaceae: Bambusoideae) in Dominican amber. <i>Historical Biology</i> , 2013, 25, 691-696.	1.4	7
84	< i>Burmaplebia reifi</i>< b>gen.et< b>sp. nov., the first anisozygopteran damsel-dragonfly (Odonata: Epiophlebiptera: Burmaplebiidae fam. nov.) from Early Cretaceous Burmese amber. <i>Historical Biology</i> , 2013, 25, 233-237.	1.4	16
85	The Geographic Distribution of Parasite-Induced Fruit Mimicry in < i>Cephalotes atratus</i> (Formicidae: Myrmicinae). <i>Journal of Parasitology</i> , 2013, 99, 155-157.	0.7	0
86	Stenaspidiotus microtilusn. gen., n. sp. (Coleoptera: Chrysomelidae: Chrysomeliniae) in Dominican amber, with evidence of tachinid (Diptera: Tachinidae) oviposition. <i>Historical Biology</i> , 2013, 25, 101-105.	1.4	5
87	< i>Discoclavata dominicana</i>n. gen., n. sp., (Coleoptera: Bostrichidae) and < i>Lissantauga epicrana</i>n. gen., n. sp. (Coleoptera: Ecumenidae) in Dominican amber. <i>Historical Biology</i> , 2013, 25, 107-113.	1.4	7
88	Tapeworm Eggs in a 270 Million-Year-Old Shark Coprolite. <i>PLoS ONE</i> , 2013, 8, e55007.	2.5	87
89	Nematode Parasites and Associates of Ants: Past and Present. <i>Psyche: Journal of Entomology</i> , 2012, 2012, 1-13.	0.9	16
90	A stink bug, < i>Edessa protera</i> sp. n. (Pentatomidae: Edessinae) in Mexican amber. <i>Historical Biology</i> , 2012, 24, 207-211.	1.4	1

#	ARTICLE	IF	CITATIONS
91	Predatory behaviour of the social orb-weaver spider, <i>< i>Geratonephila burmanica</i></i> n. gen., n. sp. (Araneae: Nephilidae) with its wasp prey, <i>< i>Cascoscelio incassus</i></i> n. gen., n. sp. (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock		
92	A fungal-like organism associated with a wasp (Hymenoptera: Pteromalidae) in Dominican amber. Journal of Invertebrate Pathology, 2012, 110, 132-134.	3.2	0
93	Morphological conservatism in the foreleg structure of cicada hatchlings, <i>< i>Burmacicada protera</i></i> n. gen., n. sp. in Burmese amber, <i>< i>Dominicicada youngi</i></i> n. gen., n. sp. in Dominican amber and the extant <i>< i>Magicicada septendecim</i></i> (L.) (Hemiptera: Cicadidae). Historical Biology, 2012, 24, 461-466.	1.4	15
94	The first fossil streblid bat fly, <i>Enischnomyia stegosoma</i> n. g., n. sp. (Diptera: Hippoboscoidea: Tj ETQq0 0 0 rgBT /Overlock	1.1	10 Tf 50 622
95	<i>Minyscapheus dominicanus</i> n. gen., n. sp. (Hemiptera: Cicadidae), a fossil cicada in Dominican amber. Historical Biology, 2011, , 1-5.	1.4	1
96	Doratomantispa burmanica n. gen., n. sp. (Neuroptera: Mantispidae), a new genus of mantidflies in Burmese amber. Historical Biology, 2011, 23, 169-176.	1.4	22
97	Protoresinacarus brevipedisgen. n., sp. n. from Early Cretaceous Burmese amber: the first fossil record of mites of the Family Resinacaridae (Acari: Heterostigmata: Pyemotoidea). Historical Biology, 2011, 23, 219-222.	1.4	12
98	<i>< i>Paleotrichius dominicanus</i></i> n. gen., n. sp. (Coleoptera; Cetoniidae), a flower beetle in Dominican amber. Historical Biology, 2011, 23, 109-113.	1.4	0
99	A walking stick, <i>Clonistria dominicanan.</i> sp. (Phasmatodea: Diapheromeridae) in Dominican amber. Historical Biology, 2011, 23, 223-226.	1.4	25
100	Hexamermis eurygasteri n. sp. (Nematoda: Mermithidae) parasitising the sunn pest <i>Eurygaster integriceps</i> Puton (Hemiptera: Scutelleridae) in Turkey. Systematic Parasitology, 2011, 79, 195-200.	1.1	8
101	<i>< i>Vetuformosa buckleyi</i></i> n. gen., n. sp. (Ephemeroptera: Baetidae; Vetuformosinae n. subfam.), a new subfamily of mayflies in Early Cretaceous Burmese amber. Historical Biology, 2011, 23, 369-374.	1.4	12
102	Descriptions of a broad-nosed weevil (Eudiagogini: Curculionidae) and false ladybird beetle (Nilionini:) Tj ETQq0 0 0 rgBT /Overlock	1.4	10 Tf
103	Systematic affinity of the sea urchin parasite, <i>Echinomermella matsi</i> Jones & Hagen (Enoplida: Tj ETQq1 1 0.784314 rgBT /Overlock	0.6	5
104	Palaeoecological perspectives in Dominican amber. Annales De La Societe Entomologique De France, 2010, 46, 23-52.	0.9	38
105	Halomonhystera parasitica n. sp. (Nematoda: Monhysteridae), a parasite of <i>Talorchestia brito</i> (Crustacea: Talitridae) in Portugal. Systematic Parasitology, 2010, 75, 53-58.	1.1	10
106	How long can insect species exist? Evidence from extant and fossil <i>Micromalthus</i> beetles (Insecta: Tj ETQq0 0 0 rgBT /Overlock	2.3	10 Tf 50
107	Tropidogyne, a New Genus of Early Cretaceous Eudicots (Angiospermae) from Burmese Amber. Novon, 2010, 20, 23-29.	0.3	44
108	Cascoplecia insolitis (Diptera: Cascopleciidae), a new family, genus, and species of flower-visiting, unicorn fly (Bibionomorpha) in Early Cretaceous Burmese amber. Cretaceous Research, 2010, 31, 71-76.	1.4	15

#	ARTICLE	IF	CITATIONS
109	Amber., 2009, , 8-11.		1
110	<i>Dominibrentus leptus</i>, n. gen., n. sp. (Curculionoidea, Brentidae, Cyphagoginae, Dominibrentini.) Tj ETQq0 0.0 rgBT /Overlock 10	1.4	14
111	Palaeocryptorhynchus burmanus, a new genus and species of Early Cretaceous weevils (Coleoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 17	1.4	17
112	Early Cretaceous protist flagellates (Parabasalia: Hypermastigia: Oxymonada) of cockroaches (Insecta:) Tj ETQq0 0 0 rgBT /Overlock 10	1.4	20
113	Anchineus dolichobothris, A New Genus and Species of Early Cretaceous Weevils (Curculionidae:) Tj ETQq1 1 0.784314 rgBT /Overlock 14 263-270.	0.2	14
114	Mermithids (Nematoda: Mermithidae) of biting midges (Diptera: Ceratopogonidae): Heleidomermis cataloniensis n. sp. from Culicoides circumscriptus Kieffer in Spain and a species of Cretacimermis Poinar, 2001 from a ceratopogonid in Burmese amber. Systematic Parasitology, 2008, 69, 13-21.	1.1	11
115	Myrmeconema neotropicum n. g., n. sp., a new tetradonematid nematode parasitising South American populations of Cephalotes atratus (Hymenoptera: Formicidae), with the discovery of an apparent parasite-induced host morph. Systematic Parasitology, 2008, 69, 145-153.	1.1	28
116	Global diversity of hairworms (Nematomorpha: Gordiaceae) in freshwater. Hydrobiologia, 2008, 595, 79-83.	2.0	27
117	Lutzomyia adiketis sp. n. (Diptera: Phlebotomidae), a vector of Paleoleishmania neotropicum sp. n. (Kinetoplastida: Trypanosomatidae) in Dominican amber. Parasites and Vectors, 2008, 1, 22.	2.5	32
118	Palaeonema phyticum gen. n., sp. n. (Nematoda: Palaeonematidae fam. n.), a Devonian nematode associated with early land plants. Nematology, 2008, 10, 9-14.	0.6	64
119	Amber of Jordan, Third Edition Hani Faig Kaddumi . Amman, Jordan. The Eternal River Museum of Natural History. 2007. 298 pp \$60 U.S... Proceedings of the Entomological Society of Washington, 2008, 110, 1251-1252.	0.2	1
120	Parasite-Induced Fruit Mimicry in a Tropical Canopy Ant. American Naturalist, 2008, 171, 536-544.	2.1	94
121	Leptoconops nosopheris sp. n. (Diptera: Ceratopogonidae) and Paleotrypanosoma burmanicus gen. n., sp. n. (Kinetoplastida: Trypanosomatidae), a biting midge - trypanosome vector association from the Early Cretaceous. Memorias Do Instituto Oswaldo Cruz, 2008, 103, 468-471.	1.6	20
122	Early Cretaceous trypanosomatids associated with fossil sand fly larvae in Burmese amber. Memorias Do Instituto Oswaldo Cruz, 2007, 102, 635-637.	1.6	36
123	BIRD EGGSHELL IN DOMINICAN AMBER. Palaeontology, 2007, 50, 1381-1383.	2.2	6
124	Species of two paleoendemic sap beetle genera of the Tribe Nitidulini (Nitidulidae: Coleoptera) from the Baltic and Dominican amber. Paleontological Journal, 2007, 41, 629-641.	0.5	12
125	Evidence of intestinal parasites of dinosaurs. Parasitology, 2006, 133, 245.	1.5	79
126	Recent and fossil nematode parasites (Nematoda: Mermithidae) of Neotropical ants. Journal of Invertebrate Pathology, 2006, 91, 19-26.	3.2	20

#	ARTICLE	IF	CITATIONS
127	Nematode (Nematoda: Mermithidae) and hairworm (Nematomorpha: Chordodidae) parasites in Early Cretaceous amber. <i>Journal of Invertebrate Pathology</i> , 2006, 93, 36-41.	3.2	46
128	Chroniodiplogaster formosiana sp. n. (Rhabditida: Diplogastridae) from Chinese populations of <i>Odontotermes formosanus</i> Shiraki (Isoptera: Termitidae). <i>Journal of Nematology</i> , 2006, 38, 181-6.	0.9	1
129	Triatoma dominicana sp. n. (Hemiptera: Reduviidae: Triatominae), and Trypanosoma antiquus sp. n. (Sternocerata: Trypanosomatidae), the First Fossil Evidence of a Triatomine-Trypanosomatid Vector Association. <i>Vector-Borne and Zoonotic Diseases</i> , 2005, 5, 72-81.	1.5	61
130	Plasmodium dominicana n. sp. (Plasmodiidae: Haemospororida) from Tertiary Dominican amber. <i>Systematic Parasitology</i> , 2005, 61, 47-52.	1.1	68
131	Fossil evidence of insect pathogens. <i>Journal of Invertebrate Pathology</i> , 2005, 89, 243-250.	3.2	65
132	Paleohaemoproteus burmacis gen. n., sp. n. (Haemospororida: Plasmodiidae) from an Early Cretaceous biting midge (Diptera: Ceratopogonidae). <i>Parasitology</i> , 2005, 131, 79-84.	1.5	29
133	NMR ANALYSIS OF AMBER IN THE ZUBAIR FORMATION, KHAFJI OILFIELD (SAUDI ARABIA - KUWAIT): COAL AS AN OIL SOURCE ROCK?. <i>Journal of Petroleum Geology</i> , 2004, 27, 207-209.	1.5	10
134	Paleoleishmania proterus n. gen., n. sp., (Trypanosomatidae: Kinetoplastida) from Cretaceous Burmese Amber. <i>Protist</i> , 2004, 155, 305-310.	1.5	67
135	Evidence of parasitism by Strepsiptera in Dominican amber. <i>BioControl</i> , 2004, 49, 239-244.	2.0	14
136	Parachordodes tegonotus n. sp. (Gordioidea: Nematomorpha), a hairworm parasite of ground beetles (Carabidae: Coleoptera), with a summary of gordiid parasites of carabids. <i>Systematic Parasitology</i> , 2004, 58, 139-148.	1.1	16
137	METAPARASITYLENCHUS HYPOTHENEMI N. SP. (NEMATODA: ALLANTONEMATIDAE), A PARASITE OF THE COFFEE BERRY BORER, HYPOTHENEMUS HAMPEI (CURCULIONIDAE: SCOLYTINAE). <i>Journal of Parasitology</i> , 2004, 90, 1106-1110.	0.7	10
138	Evidence of Vector-Borne Disease of Early Cretaceous Reptiles. <i>Vector-Borne and Zoonotic Diseases</i> , 2004, 4, 281-284.	1.5	43
139	Behaviour and development of Elasmosoma sp. (Neoneurinae: Braconidae: Hymenoptera), an endoparasite of Formica ants (Formicidae: Hymenoptera). <i>Parasitology</i> , 2004, 128, 521-531.	1.5	9
140	Formicitylenchus oregonensis n. g., n. sp. (Allantonematidae: Nematoda), the first tylenchid parasite of ants, with a review of nematodes described from ants. <i>Systematic Parasitology</i> , 2003, 56, 69-76.	1.1	8
141	A new genus of hard ticks in Cretaceous Burmese amber (Acari: Ixodida: Ixodidae). <i>Systematic Parasitology</i> , 2003, 54, 199-205.	1.1	52
142	Coelomycetes in Dominican and Mexican amber. <i>Mycological Research</i> , 2003, 107, 117-122.	2.5	20
143	Fossil evidence of phorid parasitism (Diptera: Phoridae) by allantonematid nematodes (Tylenchida: Tj ETQq1 1 0.784314 rgBT ₉ /Overlock	1.5	
144	A rhabdocoel turbellarian (Platyhelminthes, Typhloplanoida) in Baltic amber with a review of fossil and subfossil platyhelminths. <i>Invertebrate Biology</i> , 2003, 122, 308-312.	0.9	22

#	ARTICLE	IF	CITATIONS
145	First fossil record of nematode parasitism of ants; a 40 million year tale. <i>Parasitology</i> , 2002, 125, 457-459.	1.5	21
146	First Fossil Record of Endoparasitism of Adult Ants (Formicidae: Hymenoptera) by Braconidae (Hymenoptera). <i>Annals of the Entomological Society of America</i> , 2002, 95, 41-43.	2.5	16
147	Fossil palm flowers in Dominican and Mexican amber. <i>Botanical Journal of the Linnean Society</i> , 2002, 138, 57-61.	1.6	53
148	Fossil palm flowers in Dominican and Baltic amber. <i>Botanical Journal of the Linnean Society</i> , 2002, 139, 361-367.	1.6	25
149	Hymenaea mexicana sp. nov. (Leguminosae: Caesalpinioideae) from Mexican amber indicates Old World connections. <i>Botanical Journal of the Linnean Society</i> , 2002, 139, 125-132.	1.6	97
150	Nectonema zealandica n. sp. (Nematomorpha: Nectonematoidea) parasitising the purple rock crab Hemigrapsus edwardsi (Brachyura: Decapoda) in New Zealand, with notes on the prevalence of infection and host defence reactions. <i>Systematic Parasitology</i> , 2001, 50, 149-157.	1.1	18
151	Fossil puffballs(Gasteromycetes: Lycoperdales)in Mexican amber. <i>Historical Biology</i> , 2001, 15, 219-222.	1.4	11
152	Heydenius brownii sp. n. (Nematoda: Mermithidae) parasitising a planthopper (Homoptera: Achilidae) in Baltic amber. <i>Nematology</i> , 2001, 3, 753-757.	0.6	10
153	< i>Heydenius araneus</i> n.sp. (Nematoda: Mermithidae), a parasite of a fossil spider, with an examination of helminths from extant spiders (Arachnida: Araneae). <i>Invertebrate Biology</i> , 2000, 119, 388-393.	0.9	18
154	Fossil onychophorans from Dominican and Baltic amber: < i>Tertiapatus dominicanus</i> n.g., n.sp. (Tertiapatidae n.fam.) and < i>Succinipatopsis balticus</i> n.g., n.sp. (Succinipatopsidae n.fam.) with a proposed classification of the subphylum Onychophora. <i>Invertebrate Biology</i> , 2000, 119, 104-109.	0.9	17
155	Paleochordodes protus n.g., n.sp. (Nematomorpha, Chordodidae), Parasites of a Fossil Cockroach, with a Critical Examination of Other Fossil Hairworms and Helminths of Extant Cockroaches (Insecta:) Tj ETQq1 1 00784314 n.g.BT /Overl...		
156	A larval brush-footed butterfly (Lepidoptera: Nymphalidae) in Dominican amber, with a summary of fossil Nymphalidae. <i>Insect Systematics and Evolution</i> , 1998, 29, 375-279.	0.7	6
157	< i>Paleorhodococcus dominicanus</i>n. gen., n sp. (Actinobacteria) in a faecal droplet of< i>Triatoma dominicana</i>(Hemiptera: Reduviidae: Triatominae) in Dominican amber. <i>Historical Biology</i> , 0, , 1-3.	1.4	3
158	Burmese amber: evidence of Gondwanan origin and Cretaceous dispersion. <i>Historical Biology</i> , 0, , 1-6.	1.4	61
159	Two new species of the genus Anchonus Schoenherr, 1825 (Coleoptera: Curculionidae: Molytinae) in Dominican amber. <i>Palaeontologia Electronica</i> , 0, , .	0.9	2
160	Precocious germination of a pine cone in Eocene Baltic amber. <i>Historical Biology</i> , 0, , 1-4.	1.4	2
161	New Cretaceous fossil mantispids highlight the palaeodiversity of the extinct subfamily Doratomantispinae (Neuroptera: Mantispidae). <i>Organisms Diversity and Evolution</i> , 0, , 1.	1.6	1
162	< i>Plukenetia minima</i> sp. nov. (Euphorbiaceae) in Dominican Republic amber. <i>Historical Biology</i> , 0, , 1-5.	1.4	0