

Toshihiro Nanki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4062748/publications.pdf>

Version: 2024-02-01

63
papers

2,185
citations

279487

23
h-index

223531

46
g-index

67
all docs

67
docs citations

67
times ranked

3293
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemokines Regulate IL-6 and IL-8 Production by Fibroblast-Like Synoviocytes from Patients with Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2001, 167, 5381-5385.	0.4	176
2	Cutting Edge: Stromal Cell-Derived Factor-1 Is a Costimulator for CD4+ T Cell Activation. <i>Journal of Immunology</i> , 2000, 164, 5010-5014.	0.4	175
3	Incidence and Risk Factors for Serious Infection in Patients with Rheumatoid Arthritis Treated with Tumor Necrosis Factor Inhibitors: A Report from the Registry of Japanese Rheumatoid Arthritis Patients for Longterm Safety. <i>Journal of Rheumatology</i> , 2011, 38, 1258-1264.	1.0	141
4	Inhibition of Fractalkine Ameliorates Murine Collagen-Induced Arthritis. <i>Journal of Immunology</i> , 2004, 173, 7010-7016.	0.4	136
5	Pathogenic role of the CXCL16-CXCR6 pathway in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2005, 52, 3004-3014.	6.7	136
6	Migration of CX3CR1-positive T cells producing type 1 cytokines and cytotoxic molecules into the synovium of patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 2878-2883.	6.7	128
7	Identification of a human peripheral blood monocyte subset that differentiates into osteoclasts. <i>Arthritis Research and Therapy</i> , 2006, 8, R152.	1.6	126
8	Synovial stromal cells from rheumatoid arthritis patients attract monocytes by producing MCP-1 and IL-8. <i>Arthritis Research and Therapy</i> , 2001, 3, 118-26.	1.6	112
9	Chemokine receptor expression and functional effects of chemokines on B cells: implication in the pathogenesis of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2009, 11, R149.	1.6	102
10	Cannabinoid receptor 2 as a potential therapeutic target in rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 275.	0.8	72
11	Necessity of Lysophosphatidic Acid Receptor 1 for Development of Arthritis. <i>Arthritis and Rheumatism</i> , 2013, 65, 2037-2047.	6.7	67
12	Pathogenic role of CXCR7 in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 3211-3220.	6.7	66
13	Fractalkine/CX3CL1 in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2017, 27, 392-397.	0.9	54
14	Safety, pharmacokinetics, and efficacy of E6011, an antifractalkine monoclonal antibody, in a first-in-patient phase 1/2 study on rheumatoid arthritis. <i>Modern Rheumatology</i> , 2018, 28, 58-65.	0.9	54
15	Inhibition of CX3CL1 (Fractalkine) Improves Experimental Autoimmune Myositis in SJL/J Mice. <i>Journal of Immunology</i> , 2005, 175, 6987-6996.	0.4	53
16	Head-to-head comparison of the safety of tocilizumab and tumor necrosis factor inhibitors in rheumatoid arthritis patients (RA) in clinical practice: results from the registry of Japanese RA patients on biologics for long-term safety (REAL) registry. <i>Arthritis Research and Therapy</i> , 2015, 17, 74.	1.6	53
17	Resistin upregulates chemokine production by fibroblast-like synoviocytes from patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017, 19, 263.	1.6	48
18	<i>Pneumocystis jirovecii</i> pneumonia associated with etanercept treatment in patients with rheumatoid arthritis: a retrospective review of 15 cases and analysis of risk factors. <i>Modern Rheumatology</i> , 2012, 22, 849-858.	0.9	46

#	ARTICLE	IF	CITATIONS
19	Folypolyglutamate synthase is a major determinant of intracellular methotrexate polyglutamates in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2016, 6, 35615.	1.6	35
20	The growth factor midkine may play a pathophysiological role in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2017, 27, 54-59.	0.9	31
21	Activation of fibroblast-like synoviocytes derived from rheumatoid arthritis via lysophosphatidic acid-lysophosphatidic acid receptor 1 cascade. <i>Arthritis Research and Therapy</i> , 2014, 16, 461.	1.6	26
22	Serum level of soluble CX3CL1/fractalkine is elevated in patients with polymyositis and dermatomyositis, which is correlated with disease activity. <i>Arthritis Research and Therapy</i> , 2012, 14, R48.	1.6	25
23	Am80, a retinoic acid receptor agonist, ameliorates murine vasculitis through the suppression of neutrophil migration and activation. <i>Arthritis and Rheumatism</i> , 2013, 65, 503-512.	6.7	25
24	Glucocorticoid therapy causes contradictory changes of serum Wnt signaling-related molecules in systemic autoimmune diseases. <i>Clinical Rheumatology</i> , 2018, 37, 2169-2178.	1.0	21
25	High prevalence of cardiovascular comorbidities in patients with rheumatoid arthritis from a population-based cross-sectional study of a Japanese health insurance database. <i>Modern Rheumatology</i> , 2016, 26, 522-528.	0.9	20
26	Identification of molecules associated with response to abatacept in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2020, 22, 46.	1.6	19
27	Apparent Hypothalamic-Pituitary-Adrenal Axis Suppression via Reduction of Interleukin-6 by Glucocorticoid Therapy in Systemic Autoimmune Diseases. <i>PLoS ONE</i> , 2016, 11, e0167854.	1.1	19
28	Epstein-Barr virus infection and variants of Epstein-Barr nuclear antigen-1 in synovial tissues of rheumatoid arthritis. <i>PLoS ONE</i> , 2018, 13, e0208957.	1.1	17
29	Efficacy and Safety of E6011, an Anti-Fractalkine Monoclonal Antibody, in Patients With Active Rheumatoid Arthritis With Inadequate Response to Methotrexate: Results of a Randomized, Double-Blind, Placebo-Controlled Phase II Study. <i>Arthritis and Rheumatology</i> , 2021, 73, 587-595.	2.9	17
30	Etanercept-induced necrotizing crescentic glomerulonephritis in two patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 632-636.	0.9	16
31	The REAL database reveals no significant risk of serious infection during treatment with a methotrexate dose of more than 8 mg/week in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2011, 21, 444-448.	0.9	16
32	Response of early active rheumatoid arthritis to tumor necrosis factor inhibitors: evaluation by magnetic resonance imaging. <i>Modern Rheumatology</i> , 2009, 19, 20-26.	0.9	14
33	A case of paraneoplastic syndrome mimicking adult-onset Still's disease. <i>Modern Rheumatology</i> , 2004, 14, 410-413.	0.9	12
34	The effect of synthetic retinoid, Am80, on T helper cell development and antibody production in murine collagen-induced arthritis. <i>Modern Rheumatology</i> , 2010, 20, 244-251.	0.9	11
35	A sphingosine 1-phosphate receptor agonist ameliorates animal model of vasculitis. <i>Inflammation Research</i> , 2017, 66, 335-340.	1.6	11
36	Abrogation of lysophosphatidic acid receptor 1 ameliorates murine vasculitis. <i>Arthritis Research and Therapy</i> , 2019, 21, 191.	1.6	11

#	ARTICLE	IF	CITATIONS
37	Antirheumatic Drugs against COVID-19 from the Perspective of Rheumatologists. <i>Pharmaceuticals</i> , 2021, 14, 1256.	1.7	10
38	New Assay System Elecsys Anti-p53 to Detect Serum Anti-p53 Antibodies in Esophageal Cancer Patients and Colorectal Cancer Patients: Multi-institutional Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 4007-4015.	0.7	9
39	Glucocorticoid therapy suppresses Wnt signaling by reducing the ratio of serum Wnt3a to Wnt inhibitors, sFRP-1 and Wif-1. <i>Clinical Rheumatology</i> , 2021, 40, 2947-2954.	1.0	9
40	Diagnostic performance of measuring antibodies to the glycopeptidolipid core antigen specific to <i>Mycobacterium avium</i> complex in patients with rheumatoid arthritis: results from a cross-sectional observational study. <i>Arthritis Research and Therapy</i> , 2015, 17, 273.	1.6	8
41	CX3CL1/fractalkine regulates the differentiation of human peripheral blood monocytes and monocyte-derived dendritic cells into osteoclasts. <i>Cytokine</i> , 2021, 146, 155652.	1.4	8
42	Efficacy of mycophenolate mofetil in Japanese patients with systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2019, 38, 1571-1578.	1.0	7
43	Serum Resistin Level and Progression of Atherosclerosis during Glucocorticoid Therapy for Systemic Autoimmune Diseases. <i>Metabolites</i> , 2016, 6, 28.	1.3	6
44	Low body mass index and lymphocytopenia associate with <i>Mycobacterium avium</i> complex pulmonary disease in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2019, 29, 105-112.	0.9	6
45	Treatment with an Anti-CX3CL1 Antibody Suppresses M1 Macrophage Infiltration in Interstitial Lung Disease in SKG Mice. <i>Pharmaceuticals</i> , 2021, 14, 474.	1.7	5
46	Abatacept is Efficacious in the Treatment of Older Patients with csDMARD-Refractory Rheumatoid Arthritis: A Prospective, Multicenter, Observational Study. <i>Rheumatology and Therapy</i> , 2021, 8, 1585-1601.	1.1	5
47	Rationale for and clinical development of anti-fractalkine antibody in rheumatic diseases. <i>Expert Opinion on Biological Therapy</i> , 2020, 20, 1309-1319.	1.4	4
48	Clinical characteristics of patients with polyarteritis nodosa based on a nationwide database in Japan. <i>Modern Rheumatology</i> , 2022, 32, 598-605.	0.9	3
49	Effects of CX3CL1 inhibition on murine bleomycin-induced interstitial pneumonia. <i>European Journal of Inflammation</i> , 2020, 18, 205873922095990.	0.2	2
50	A case of nasal T cell lymphoma with lethal midline granuloma which is clinically indistinguishable from Wegener's granulomatosis. <i>Japanese Journal of Rheumatology</i> , 1997, 7, 183-188.	0.0	1
51	OP0223...EFFICACY AND SAFETY OF E6011, AN ANTI-FRACTALKINE MONOCLONAL ANTIBODY, IN MTX-IR PATIENTS WITH RHEUMATOID ARTHRITIS. , 2019, , .		1
52	Clinical effectiveness of iguratimod based on real-world data of patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2021, 40, 123-132.	1.0	1
53	Efficacy and Safety of E6011, an Anti-Fractalkine Monoclonal Antibody, in Active Rheumatoid Arthritis Patients with Inadequate Response to Methotrexate: Results of a Randomized, Double-Blind, Placebo-Controlled Phase 2 Study. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1
54	Safety and effectiveness of certolizumab pegol in Japanese patients with rheumatoid arthritis: Results from a 24-week post-marketing surveillance study. <i>Modern Rheumatology</i> , 2023, 33, 460-471.	0.9	1

#	ARTICLE	IF	CITATIONS
55	A case of nasal T cell lymphoma with lethal midline granuloma which is clinically indistinguishable from Wegener's granulomatosis. Japanese Journal of Rheumatology, 1997, 7, 183-188.	0.0	0
56	Double-Negative BV8S3 T Cells Expanded in MRL <i>lpr/lpr</i> Lymph Nodes Conserve TCRBJ Gene Usage of Single-Positive BV8S3 T Cells. Microbiology and Immunology, 1997, 41, 253-260.	0.7	0
57	Successful treatment of eosinophilic granulomatosis with polyangiitis (EGPA; formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 and IVIG. Modern Rheumatology, 0, , 1.	0.9	0
58	Recurrent mitral valve regurgitation with neutrophil infiltration in a patient with multiple aseptic abscesses. Modern Rheumatology, 2012, , 1.	0.9	0
59	SAT0126...A PHASE 2 STUDY OF E6011, AN ANTI-FRACTALKINE MONOCLONAL ANTIBODY, IN PATIENTS WITH RHEUMATOID ARTHRITIS INADEQUATELY RESPONDING TO BIOLOGICS. , 2019, ,		0
60	Efficacy and safety of iguratimod in patients with rheumatoid arthritis. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO2-5-17.	0.0	0
61	The efficacy of mycophenolate mofetil in Japanese patients with systemic lupus erythematosus. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, YIA-5.	0.0	0
62	The efficacy of mycophenolate mofetil in Japanese patients with systemic lupus erythematosus. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO3-4-26.	0.0	0
63	Rationale and Design of the Orenzia Atherosclerosis and Rheumatoid Arthritis Study (ORACLE) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Complications, Subclinical Atherosclerosis. Methods and Protocols, 2021, 4, 83.	0.9	0