
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4063937/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Global patterns of opioid use and dependence: harms to populations, interventions, and future action. Lancet, The, 2019, 394, 1560-1579. | 13.7 | 404 |
| 2 | Opiate substitution treatment and HIV transmission in people who inject drugs: systematic review and meta-analysis. BMJ, The, 2012, 345, e5945-e5945. | 6.0 | 363 |
| 3 | Management of opioid use disorders: a national clinical practice guideline. Cmaj, 2018, 190, E247-E257. | 2.0 | 297 |
| 4 | Needle and syringe programmes and opioid substitution therapy for preventing HCV transmission among people who inject drugs: findings from a Cochrane Review and metaâ€analysis. Addiction, 2018, 113, 545-563. | 3.3 | 242 |
| 5 | Sofosbuvir and velpatasvir for hepatitis C virus infection in people with recent injection drug use (SIMPLIFY): an open-label, single-arm, phase 4, multicentre trial. The Lancet Gastroenterology and Hepatology, 2018, 3, 153-161. | 8.1 | 231 |
| 6 | Interleukin-10 Directly Inhibits CD8+ T Cell Function by Enhancing N-Glycan Branching to Decrease Antigen Sensitivity. Immunity, 2018, 48, 299-312.e5. | 14.3 | 183 |
| 7 | Needle syringe programmes and opioid substitution therapy for preventing hepatitis C transmission in people who inject drugs. The Cochrane Library, 2017, 2017, CD012021. | 2.8 | 158 |
| 8 | Illicit Opioid Use in Canada: Comparing Social, Health, and Drug Use Characteristics of Untreated Users in Five Cities (OPICAN Study). Journal of Urban Health, 2005, 82, 250-266. | 3.6 | 149 |
| 9 | The rising prevalence of prescription opioid injection and its association with hepatitis C incidence among streetâ€drug users. Addiction, 2012, 107, 1318-1327. | 3.3 | 149 |
| 10 | Incarceration history and risk of HIV and hepatitis C virus acquisition among people who inject drugs: a systematic review and meta-analysis. Lancet Infectious Diseases, The, 2018, 18, 1397-1409. | 9.1 | 147 |
| 11 | Using latent class analysis (LCA) to analyze patterns of drug use in a population of illegal opioid users. Drug and Alcohol Dependence, 2007, 88, 1-8. | 3.2 | 129 |
| 12 | Early Interferon Therapy for Hepatitis C Virus Infection Rescues Polyfunctional, Long-Lived CD8 ⁺ Memory T Cells. Journal of Virology, 2008, 82, 10017-10031. | 3.4 | 125 |
| 13 | Hepatitis C reinfection after successful antiviral treatment among people who inject drugs: A meta-analysis. Journal of Hepatology, 2020, 72, 643-657. | 3.7 | 103 |
| 14 | Hepatitis C elimination among people who inject drugs: Challenges and recommendations for action within a health systems framework. Liver International, 2019, 39, 20-30. | 3.9 | 88 |
| 15 | Determinants of overdose incidents among illicit opioid users in 5 Canadian cities. Cmaj, 2004, 171, 235-239. | 2.0 | 86 |
| 16 | Needle exchange, HIV infection, and the politics of science: Confronting Canada's cocaine injection epidemic with participant observation. Medical Anthropology: Cross Cultural Studies in Health and Illness, 2000, 18, 325-350. | 1.2 | 76 |
| 17 | Restrictions for reimbursement of direct-acting antiviral treatment for hepatitis C virus infection in Canada: a descriptive study. CMAJ Open, 2016, 4, E605-E614. | 2.4 | 74 |
| 18 | Satellite Needle Distribution Among Injection Drug Users: Policy and Practice in Two Canadian Cities. Journal of Acquired Immune Deficiency Syndromes (1999), 2002, 31, 98-105. | 2.1 | 67 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Sustained Drug Use Changes After Hepatitis C Screening and Counseling Among Recently Infected Persons Who Inject Drugs: A Longitudinal Study. Clinical Infectious Diseases, 2014, 58, 755-761. | 5.8 | 65 |
| 20 | HIV Protective KIR3DL1/S1-HLA-B Genotypes Influence NK Cell-Mediated Inhibition of HIV Replication in Autologous CD4 Targets. PLoS Pathogens, 2014, 10, e1003867. | 4.7 | 62 |
| 21 | Plasma interferon-gamma-inducible protein-10 (IP-10) levels during acute hepatitis C virus infection. Hepatology, 2013, 57, 2124-2134. | 7.3 | 61 |
| 22 | Geographic Differences in Temporal Incidence Trends of Hepatitis C Virus Infection Among People Who Inject Drugs: The InC3 Collaboration. Clinical Infectious Diseases, 2017, 64, 860-869. | 5.8 | 61 |
| 23 | Adherence to sofosbuvir and velpatasvir among people with chronic HCV infection and recent injection drug use: The SIMPLIFY study. International Journal of Drug Policy, 2018, 62, 14-23. | 3.3 | 58 |
| 24 | Trends in Human Immunodeficiency Virus Incidence and Risk Behavior Among Injection Drug Users in Montreal, Canada: A 16-Year Longitudinal Study. American Journal of Epidemiology, 2011, 173, 1049-1058. | 3.4 | 56 |
| 25 | Signatures of Protective Memory Immune Responses During Hepatitis C Virus Reinfection. Gastroenterology, 2014, 147, 870-881.e8. | 1.3 | 56 |
| 26 | Research priorities to achieve universal access to hepatitis C prevention, management and direct-acting antiviral treatment among people who inject drugs. International Journal of Drug Policy, 2017, 47, 51-60. | 3.3 | 54 |
| 27 | Elimination of hepatitis C virus infection among PWID: The beginning of a new era of interferon-free DAA therapy. International Journal of Drug Policy, 2017, 47, 26-33. | 3.3 | 53 |
| 28 | Global opioid agonist treatment: a review of clinical practices by country. Addiction, 2020, 115, 2243-2254. | 3.3 | 50 |
| 29 | Cohort Profile: The International Collaboration of Incident HIV and Hepatitis C in Injecting Cohorts (InC3) Study. International Journal of Epidemiology, 2013, 42, 1649-1659. | 1.9 | 48 |
| 30 | A rapid review of the impacts of "Big Events ―on risks, harms, and service delivery among people who use drugs: Implications for responding to COVID-19. International Journal of Drug Policy, 2021, 92, 103127. | 3.3 | 47 |
| 31 | IL2RÎ ² -dependent signals drive terminal exhaustion and suppress memory development during chronic viral infection. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E5444-53. | 7.1 | 45 |
| 32 | Injecting risk behaviours following treatment for hepatitis C virus infection among people who inject drugs: The Australian Trial in Acute Hepatitis C. International Journal of Drug Policy, 2015, 26, 976-983. | 3.3 | 44 |
| 33 | Comorbid Depression among Untreated Illicit Opiate Users: Results from a Multisite Canadian Study. Canadian Journal of Psychiatry, 2005, 50, 512-518. | 1.9 | 43 |
| 34 | Patterns of cocaine and opioid co-use and polyroutes of administration among street-based cocaine users in Montréal, Canada. International Journal of Drug Policy, 2013, 24, 142-149. | 3.3 | 43 |
| 35 | Intensity of drug injection as a determinant of sustained injection cessation among chronic drug users: the interface with social factors and service utilization. Addiction, 2004, 99, 727-737. | 3.3 | 40 |
| 36 | Elimination of hepatitis C virus infection among people who use drugs: Ensuring equitable access to prevention, treatment, and care for all. International Journal of Drug Policy, 2019, 72, 1-10. | 3.3 | 40 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Conceptualising access in the direct-acting antiviral era: An integrated framework to inform research and practice in HCV care for people who inject drugs. International Journal of Drug Policy, 2019, 72, 11-23. | 3.3 | 36 |
| 38 | Associations of substance use patterns with attempted suicide among persons who inject drugs: Can distinct use patterns play a role?. Drug and Alcohol Dependence, 2015, 147, 208-214. | 3.2 | 35 |
| 39 | A Higher Frequency of NKG2A ⁺ than of NKG2A ^{â^²} NK Cells Responds to Autologous HIV-Infected CD4 Cells irrespective of Whether or Not They Coexpress KIR3DL1. Journal of Virology, 2015, 89, 9909-9919. | 3.4 | 35 |
| 40 | Medication Treatment for Opioid use Disorder and Community Pharmacy: Expanding Care during a National Epidemic and Global Pandemic. Substance Abuse, 2020, 41, 269-274. | 2.3 | 35 |
| 41 | Epidemiology of Injection Drug Use. Canadian Journal of Psychiatry, 2016, 61, 136-144. | 1.9 | 31 |
| 42 | The need for treatment scale-up to impact HCV transmission in people who inject drugs in Montréal, Canada: a modelling study. BMC Infectious Diseases, 2017, 17, 162. | 2.9 | 30 |
| 43 | Cannabidiol as a treatment for craving and relapse in individuals with cocaine use disorder: a randomized placeboâ€controlled trial. Addiction, 2021, 116, 2431-2442. | 3.3 | 30 |
| 44 | Reinfection Following Successful Direct-acting Antiviral Therapy for Hepatitis C Virus Infection Among People Who Inject Drugs. Clinical Infectious Diseases, 2021, 72, 1392-1400. | 5.8 | 26 |
| 45 | Determinants of Antiviral Treatment Initiation in a Hepatitis C-infected Population Benefiting from Universal Health Care Coverage. Canadian Journal of Gastroenterology & Hepatology, 2007, 21, 355-361. | 1.7 | 25 |
| 46 | Association between neighbourhood socioeconomic characteristics and high-risk injection behaviour amongst injection drug users living in inner and other city areas in Montréal, Canada. International Journal of Drug Policy, 2010, 21, 49-55. | 3.3 | 25 |
| 47 | High hepatitis C incidence in relation to prescription opioid injection and poly-drug use: Assessing barriers to hepatitis C prevention. International Journal of Drug Policy, 2017, 47, 61-68. | 3.3 | 24 |
| 48 | Opioid agonist treatment dosage and patient-perceived dosage adequacy, and risk of hepatitis C infection among people who inject drugs. Cmaj, 2019, 191, E462-E468. | 2.0 | 24 |
| 49 | Injection of drug residue as a potential risk factor for HCV acquisition among Montréal young injection drug users. Drug and Alcohol Dependence, 2012, 126, 246-250. | 3.2 | 23 |
| 50 | Time to Seroconversion in HIV-Exposed Subjects Carrying Protective versus Non Protective KIR3DS1/L1 and HLA-B Genotypes. PLoS ONE, 2014, 9, e110480. | 2.5 | 23 |
| 51 | Estimating the size of the population of persons who inject drugs in the island of Montréal, Canada, using a six-source capture–recapture model. Drug and Alcohol Dependence, 2014, 142, 174-180. | 3.2 | 23 |
| 52 | Flexible Buprenorphine/Naloxone Model of Care for Reducing Opioid Use in Individuals With Prescription-Type Opioid Use Disorder: An Open-Label, Pragmatic, Noninferiority Randomized Controlled Trial. American Journal of Psychiatry, 2022, 179, 726-739. | 7.2 | 23 |
| 53 | The OPTIMA study, buprenorphine/naloxone and methadone models of care for the treatment of prescription opioid use disorder: Study design and rationale. Contemporary Clinical Trials, 2018, 69, 21-27. | 1.8 | 22 |
| 54 | The evolving drug epidemic of prescription opioid injection and its association with HCV transmission among people who inject drugs in Montréal, Canada. Addiction, 2019, 114, 366-373. | 3.3 | 22 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Paritaprevir, ritonavir, ombitasvir, and dasabuvir with and without ribavirin in people with HCV genotype 1 and recent injecting drug use or receiving opioid substitution therapy. International Journal of Drug Policy, 2018, 62, 94-103. | 3.3 | 22 |
| 56 | A Prognostic Model for HIV Seroconversion Among Injection Drug Users as a Tool for Stratification in Clinical Trials. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 39, 489-495. | 2.1 | 21 |
| 57 | The Effect of Female Sex on Hepatitis C Incidence Among People Who Inject Drugs: Results From the International Multicohort InC3 Collaborative. Clinical Infectious Diseases, 2018, 66, 20-28. | 5.8 | 21 |
| 58 | Functional analysis of NK cell subsets activated by 721.221 and K562 HLA-null cells. Journal of Leukocyte Biology, 2015, 97, 761-767. | 3.3 | 20 |
| 59 | Estimating the contribution of stimulant injection to HIV and HCV epidemics among people who inject drugs and implications for harm reduction: A modeling analysis. Drug and Alcohol Dependence, 2020, 213, 108135. | 3.2 | 20 |
| 60 | Transitioning from interferon-based to direct antiviral treatment options: A potential shift in barriers and facilitators of treatment initiation among people who use drugs?. International Journal of Drug Policy, 2019, 72, 69-76. | 3.3 | 19 |
| 61 | Patterns of Drug and Alcohol Use and Injection Equipment Sharing Among People With Recent Injecting Drug Use or Receiving Opioid Agonist Treatment During and Following Hepatitis C Virus Treatment With Direct-acting Antiviral Therapies: An International Study. Clinical Infectious Diseases, 2020, 70, 2369-2376. | 5.8 | 19 |
| 62 | Associations between housing stability and injecting frequency fluctuations: findings from a cohort of people who inject drugs in Montréal, Canada. Drug and Alcohol Dependence, 2020, 206, 107744. | 3.2 | 19 |
| 63 | Exploring the contingent reality of biomedicine: Injecting drug users, hepatitis C virus and risk1. Health, Risk and Society, 2005, 7, 123-140. | 1.7 | 18 |
| 64 | The effect of social functioning and living arrangement on treatment intent, specialist assessment and treatment uptake for hepatitis C virus infection among people with a history of injecting drug use: The ETHOS study. International Journal of Drug Policy, 2015, 26, 1094-1102. | 3.3 | 18 |
| 65 | Short-term injection drug use changes following hepatitis C virus (HCV) assessment and treatment among persons who inject drugs with acute HCV infection. International Journal of Drug Policy, 2017, 47, 239-243. | 3.3 | 17 |
| 66 | Antibody-Dependent Cellular Cytotoxicity-Competent Antibodies against HIV-1-Infected Cells in Plasma from HIV-Infected Subjects. MBio, 2019, 10, . | 4.1 | 17 |
| 67 | Licit and illicit substance use among people who inject drugs and the association with subsequent suicidal attempt. Addiction, 2015, 110, 1636-1643. | 3.3 | 16 |
| 68 | HIV-Positive Notification and Behavior Changes in Montreal Injection Drug Users. AIDS Education and Prevention, 2002, 14, 17-28. | 1.1 | 15 |
| 69 | Anxiety, mood disorders and injection risk behaviors among cocaine users: Results from the COSMO study. American Journal on Addictions, 2015, 24, 654-660. | 1.4 | 15 |
| 70 | HIV exposed seronegative (HESN) compared to HIV infected individuals have higher frequencies of telomeric Killer Immunoglobulin-like Receptor (KIR) B motifs; Contribution of KIR B motif encoded genes to NK cell responsiveness. PLoS ONE, 2017, 12, e0185160. | 2.5 | 15 |
| 71 | Strategies to reduce drug-related harm: responding to the evidence base. Lancet, The, 2019, 394, 1490-1493. | 13.7 | 15 |
| 72 | Availability of body art facilities and body art piercing do not predict hepatitis C acquisition among injection drug users in Montreal, Canada: Results from a cohort study. International Journal of Drug Policy, 2010, 21, 477-484. | 3.3 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Examining the link between psychological distress, mental health disorders and sharing behaviors among cocaine users. Addictive Behaviors, 2016, 62, 54-59. | 3.0 | 12 |
| 74 | Examining the link between cocaine binging and individual, social and behavioral factors among street-based cocaine users. Addictive Behaviors, 2017, 68, 66-72. | 3.0 | 12 |
| 75 | Ageing and older people who use illicit opioids, cocaine or methamphetamine: a scoping review and literature map. Addiction, 2022, 117, 2168-2188. | 3.3 | 12 |
| 76 | The role of living context in prescription opioid injection and the associated risk of hepatitis C infection. Addiction, 2016, 111, 1985-1996. | 3.3 | 11 |
| 77 | Hepatitis C Virus seroconversion among persons who inject drugs in relation to primary care physician visiting: The potential role of primary healthcare in a combined approach to Hepatitis C prevention. International Journal of Drug Policy, 2015, 26, 970-975. | 3.3 | 9 |
| 78 | Depression, Anxiety, and Stress Among People With Chronic Hepatitis C Virus Infection and a History of Injecting Drug Use in New South Wales, Australia. Journal of Addiction Medicine, 2017, 11, 10-18. | 2.6 | 9 |
| 79 | Influence of NKG2C Genotypes on HIV Susceptibility and Viral Load Set Point. Journal of Virology, 2021, 95, e0041721. | 3.4 | 9 |
| 80 | Self-reported impacts of the COVID-19 pandemic among people who use drugs: a rapid assessment study in Montreal, Canada. Harm Reduction Journal, 2022, 19, 38. | 3.2 | 9 |
| 81 | Association between Binge Drug use and Suicide Attempt among People who Inject Drugs. Substance Abuse, 2018, 39, 315-321. | 2.3 | 8 |
| 82 | Telehealth for people who inject drugs: An acceptable method of treatment but challenging to access. Journal of Addictive Diseases, 2022, 40, 514-517. | 1.3 | 8 |
| 83 | Sexual behaviour as a risk factor for hepatitis C virus infection among people who inject drugs in Montreal, Canada. Journal of Viral Hepatitis, 2019, 26, 1413-1422. | 2.0 | 7 |
| 84 | Association between mental health service utilisation and sharing of injection material among people who inject drugs in Montreal, Canada. Addictive Behaviors, 2019, 96, 175-182. | 3.0 | 7 |
| 85 | Harm Reduction Coverage and Hepatitis C Incidence: Findings From a Cohort of People Who Inject Drugs. American Journal of Preventive Medicine, 2020, 58, 845-853. | 3.0 | 7 |
| 86 | Exploring cannabidiol effects on inflammatory markers in individuals with cocaine use disorder: a randomized controlled trial. Neuropsychopharmacology, 2021, 46, 2101-2111. | 5.4 | 7 |
| 87 | Socioeconomic stability is associated with lower injection frequency among people with distinct trajectories of injection drug use. International Journal of Drug Policy, 2021, 94, 103205. | 3.3 | 7 |
| 88 | The role of prevention strategies in achieving HCV elimination in Canada: what are the remaining challenges?. Canadian Liver Journal, 2018, 1, 4-13. | 0.9 | 7 |
| 89 | Cannabidiol effects on cognition in individuals with cocaine use disorder: Exploratory results from a randomized controlled trial. Pharmacology Biochemistry and Behavior, 2022, 216, 173376. | 2.9 | 7 |
| 90 | Prevalence and correlates of prescription opioid residue injection. Drug and Alcohol Dependence, 2016, 166, 69-74. | 3.2 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Gender-specific associations between psychological distress and injecting risk behaviours among people who inject drugs in Montreal, Canada. International Journal of Drug Policy, 2021, 96, 103319. | 3.3 | 6 |
| 92 | Impact of fentanyl use on initiation and discontinuation of methadone and buprenorphine/naloxone among people with prescriptionâ€ŧype opioid use disorder: secondary analysis of a Canadian treatment trial. Addiction, 2022, 117, 2662-2672. | 3.3 | 6 |
| 93 | Some PWID communities are ready for PrEP, so what's next?. Addiction, 2017, 112, 582-584. | 3.3 | 5 |
| 94 | Tranquilizer misuse among active cocaine users: Predictors of initiation. Drug and Alcohol Review, 2018, 37, 520-526. | 2.1 | 5 |
| 95 | SAT-233-Hepatitis C virus reinfection following antiviral treatment among people who inject drugs: A systematic review, meta-analysis, and meta-regression. Journal of Hepatology, 2019, 70, e733. | 3.7 | 5 |
| 96 | Short and sporadic injecting cessation episodes as predictors of incident hepatitis C virus infection: findings from a cohort study of people who inject drugs in Montréal, Canada. Addiction, 2019, 114, 1495-1503. | 3.3 | 5 |
| 97 | Deconstructing the â€~cheque effect': shortâ€ŧerm changes in injection drug use after receiving income assistance and associated factors. Addiction, 2021, 116, 571-582. | 3.3 | 5 |
| 98 | Injecting frequency trajectories and hepatitis C virus acquisition: Findings from a cohort of people who inject drugs in Montréal, Canada. International Journal of Drug Policy, 2021, 96, 103439. | 3.3 | 5 |
| 99 | Gender-Specific Situational Correlates of Syringe Sharing During a Single Injection Episode. AIDS and Behavior, 2011, 15, 75-85. | 2.7 | 4 |
| 100 | M2HepPrEP: study protocol for a multi-site multi-setting randomized controlled trial of integrated HIV prevention and HCV care for PWID. Trials, 2022, 23, 341. | 1.6 | 4 |
| 101 | Examining the Association Between Psychiatric Disorders and Cocaine Binges: Results From the COSMO Study. Journal of Addiction Medicine, 2018, 12, 136-142. | 2.6 | 3 |
| 102 | Prevalence, Characteristics, and Management of Chronic Noncancer Pain Among People Who Use Drugs: A Cross-Sectional Study. Pain Medicine, 2020, 21, 3205-3214. | 1.9 | 3 |
| 103 | Real-World Eligibility for HIV Pre-exposure Prophylaxis Among People Who Inject Drugs. AIDS and Behavior, 2020, 24, 2400-2408. | 2.7 | 3 |
| 104 | Portraying Persons Who Inject Drugs Recently Infected with Hepatitis C Accessing Antiviral Treatment: A Cluster Analysis. Hepatitis Research and Treatment, 2014, 2014, 1-7. | 2.0 | 2 |
| 105 | New developments and opportunities for preventing hepatitis C virus (HCV) among people who use and inject drugs-announcing an <i>Addiction</i> series. Addiction, 2017, 112, 1126-1127. | 3.3 | 2 |
| 106 | Estimates are not enough: scaling-up interventions to improve the health of people who inject drugs. The Lancet Global Health, 2017, 5, e1162-e1163. | 6.3 | 2 |
| 107 | Diversity of incarceration patterns among people who inject drugs and the association with incident hepatitis C virus infection. International Journal of Drug Policy, 2021, 96, 103419. | 3.3 | 2 |
| 108 | The authors respond to "Opioid agonist dosage adequacy from clinical and patient perspectives: further considerations― Cmaj, 2019, 191, E1085-E1085. | 2.0 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Characterization of HCV-infected people who inject drugs (PWID) in the setting of clinical care in Canada (CAPICA): A retrospective study. Canadian Liver Journal, 2020, 3, 358-371. | 0.9 | 0 |