Akinori Futamura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4064408/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The relationship between the distinct ratios of benserazide and carbidopa to levodopa and motor complications in Parkinson's disease: A retrospective cohort study. Journal of the Neurological Sciences, 2022, 437, 120263.	0.6	2
2	Numbsense of shape, texture, and objects after left parietal infarction: A case report. Journal of Neuropsychology, 2021, 15, 204-214.	1.4	2
3	Stopwatch training improves cognitive functions in patients with Parkinson's disease. Journal of Neuroscience Research, 2021, 99, 1325-1336.	2.9	5
4	Sex Differences in the Relationship of Serum Vitamin B1 and B12 to Dementia Among Memory Clinic Outpatients in Japan. Frontiers in Aging Neuroscience, 2021, 13, 667215.	3.4	2
5	Contraction of distance and duration production in autism spectrum disorder. Scientific Reports, 2019, 9, 8806.	3.3	5
6	Impairment of cross-modality of vision and olfaction in Parkinson disease. Neurology, 2018, 90, e977-e984.	1.1	7
7	Singular case of the driving instructor: Temporal and topographical disorientation. Neurology and Clinical Neuroscience, 2018, 6, 16-18.	0.4	3
8	Impaired cognitive modification for estimating time duration in Parkinson's disease. PLoS ONE, 2018, 13, e0208956.	2.5	6
9	The subjective perception of past, present, and future time in patients with Alzheimer's disease: a qualitative study. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 3185-3192.	2.2	4
10	Diagonistic Apraxia: A Unique Case of Corpus Callosal Disconnection Syndrome and Neuromyelitis Optica Spectrum Disorder. Frontiers in Neurology, 2018, 9, 653.	2.4	5
11	Spatial distortion related to time compression during spatiotemporal production in Parkinson's disease. Neuropsychologia, 2017, 102, 61-69.	1.6	9
12	Interhemispheric cortical connections and time perception: A case study with agenesis of the corpus callosum. Brain and Cognition, 2017, 117, 12-16.	1.8	2
13	Accumulation of 123I-Ioflupane Is a Useful Marker of the Efficacy of Selegiline Monotherapy in Drug-NaÃ⁻ve Parkinson's Disease. Frontiers in Aging Neuroscience, 2017, 9, 321.	3.4	4
14	Dysfunctional counting of mental time in Parkinson's disease. Scientific Reports, 2016, 6, 25421.	3.3	17
15	Improvement in Language Function Correlates with Gait Improvement in Drug-naÃ⁻ve Parkinson's Disease Patients Taking Dopaminergic Medication. Journal of Parkinson's Disease, 2016, 6, 209-217.	2.8	3
16	What you see is not necessarily what you perceive: PictureÂagnosia and Alzheimer's disease. Neurology and Clinical Neuroscience, 2016, 4, 16-18.	0.4	0
17	Increased detection of mild cognitive impairment with type 2 diabetes mellitus using the Japanese version of the Montreal Cognitive Assessment: A pilot study. Neurology and Clinical Neuroscience, 2015, 3, 89-93.	0.4	7
18	Autobiographical age awareness disturbance syndrome in autoimmune limbic encephalitis: two case reports. BMC Neurology, 2015, 15, 238.	1.8	8

Akinori Futamura

#	Article	IF	CITATIONS
19	Modified <scp>S</scp> ix <scp>E</scp> lements <scp>T</scp> est: <scp>E</scp> arlier diagnosis of the correlation between motor and executive dysfunction in <scp>P</scp> arkinson's disease without dementia. Neurology and Clinical Neuroscience, 2015, 3, 209-214.	0.4	3
20	Perceiving "ghost" images: a unique case of visual allesthesia with hemianopsia in mitochondrial disease. Neuropsychiatric Disease and Treatment, 2014, 10, 999.	2.2	3
21	Parietal Ataxia: 13 Cases Plus a Review of Relevant Literature. The Showa University Journal of Medical Sciences, 2014, 26, 263-269.	0.1	2
22	Successful use of antiâ€epileptic drugs in three cases of epilepsy with higher brain dysfunction. Neurology and Clinical Neuroscience, 2013, 1, 18-23.	0.4	2
23	Correlation between motor and cognitive functions in the progressive course of Parkinson's disease. Neurology and Clinical Neuroscience, 2013, 1, 172-176.	0.4	9
24	Does a lesion in Broca's area cause apraxia?. Neurology and Clinical Neuroscience, 2013, 1, 55-62.	0.4	3
25	The Montreal Cognitive Assessment and Neurobehavioral Cognitive Status Examination are useful for screening mild cognitive impairment in Japanese patients with Parkinson's disease. Neurology and Clinical Neuroscience, 2013, 1, 103-108.	0.4	14
26	Headache associated with focal brain edema in non-convulsive status epilepticus. , 2012, , .		0
27	Picture Agnosia as a Characteristic of Posterior Cortical Atrophy. European Neurology, 2012, 68, 34-41.	1.4	5
28	Is this a new type of primary prosopagnosia, both progressive and apperceptive?. Neuropsychiatric Disease and Treatment, 2012, 8, 169.	2.2	3
29	Impairment of odor recognition and odor-induced emotions in type 1 myotonic dystrophy. Neuroscience Letters, 2011, 503, 163-166.	2.1	6