

ÅaÄrÄ± Ulusoy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4065194/publications.pdf>

Version: 2024-02-01

15
papers

245
citations

1163117

8
h-index

1125743

13
g-index

15
all docs

15
docs citations

15
times ranked

250
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Orthodontic Brackets on the Accuracy of Apex Locators: A Pilot Study. <i>BioMed Research International</i> , 2021, 2021, 1-5.	1.9	0
2	Virgin Olive Oil, Soybean Oil, and Hank's Balanced Salt Solution Used as Storage Media on Periodontal Ligament Cell Viability. <i>Pediatric Dentistry (discontinued)</i> , 2019, 41, 485-488.	0.4	0
3	A new method for the treatment of unilateral posterior cross-bite: a three-dimensional finite element stress analysis study. <i>Progress in Orthodontics</i> , 2018, 19, 31.	3.5	7
4	A practical formula for determining growth. <i>Diagnostic and Interventional Radiology</i> , 2017, 23, 194-198.	1.5	7
5	Changes in airway dimensions and hyoid bone position following class II correction with forsus fatigue resistant device. <i>Clinical Oral Investigations</i> , 2016, 20, 1747-1755.	3.0	29
6	Effects of reverse headgear on pharyngeal airway in patients with different vertical craniofacial features. <i>Brazilian Oral Research</i> , 2015, 29, 1-8.	1.4	7
7	Effects of a newly designed orthodontic miniplate platform for elevating the miniplate over the gingiva: A 3-dimensional finite element analysis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015, 148, 110-122.	1.7	1
8	Evaluation of airway dimensions and changes in hyoid bone position following class II functional therapy with activator. <i>Acta Odontologica Scandinavica</i> , 2014, 72, 917-925.	1.6	33
9	Effect of premolar extraction on mandibular third molar impaction in young adults. <i>Angle Orthodontist</i> , 2013, 83, 572-577.	2.4	38
10	Post-treatment evaluation of a magnetic activator device in Class II high-angle malocclusions. <i>European Journal of Orthodontics</i> , 2010, 32, 425-429.	2.4	3
11	Comparison of finishing and polishing systems for residual resin removal after debonding. <i>Journal of Applied Oral Science</i> , 2009, 17, 209-215.	1.8	48
12	The effect of herbal teas on the shear bond strength of orthodontic brackets. <i>European Journal of Orthodontics</i> , 2009, 31, 385-389.	2.4	23
13	Effect of light-cured filled sealant on shear bond strength of metal and ceramic brackets bonded with a resin-modified glass ionomer cement. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 135, 194-198.	1.7	11
14	Effects of Class II activator and Class II activator high-pull headgear combination on the mandible: A 3-dimensional finite element stress analysis study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008, 133, 490.e9-490.e15.	1.7	22
15	Temperature rise and shear bond strength of bondable buccal tubes bonded by various light sources. <i>European Journal of Orthodontics</i> , 2008, 30, 413-417.	2.4	16