

Troels S Jensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4065363/publications.pdf>

Version: 2024-02-01

499
papers

55,367
citations

1461

110
h-index

1680

220
g-index

517
all docs

517
docs citations

517
times ranked

28388
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuropathy and pain after breast cancer treatment: a prospective observational study. <i>Scandinavian Journal of Pain</i> , 2023, 23, 49-58.	0.5	2
2	Association of sensory phenotype with quality of life, functionality, and emotional well-being in patients suffering from neuropathic pain. <i>Pain</i> , 2022, 163, 1378-1387.	2.0	9
3	Analysis of Macrophages and Peptidergic Fibers in the Skin of Patients With Painful Diabetic Polyneuropathy. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2022, 9, e1111.	3.1	12
4	Effects of progressive resistance training in individuals with type 2 diabetic polyneuropathy: a randomised assessor-blinded controlled trial. <i>Diabetologia</i> , 2022, 65, 620-631.	2.9	5
5	Axonal Excitability Does Not Differ between Painful and Painless Diabetic or Chemotherapy-Induced Distal Symmetrical Polyneuropathy in a Multicenter Observational Study. <i>Annals of Neurology</i> , 2022, 91, 506-520.	2.8	8
6	The characteristics of pain and dysesthesia in patients with diabetic polyneuropathy. <i>PLoS ONE</i> , 2022, 17, e0263831.	1.1	9
7	Comparison of diabetic and idiopathic sensory polyneuropathies with respect to nerve fibre affection and risk factors. <i>BMJ Neurology Open</i> , 2022, 4, e000247.	0.7	0
8	Dorsal horn volume loss and pain pathway changes in Cavalier King Charles Spaniels with syringomyelia, signs of pain, and phantom scratching. <i>Pain</i> , 2022, 163, 2365-2379.	2.0	4
9	Neuropathic Pain: From Mechanisms to Treatment. <i>Physiological Reviews</i> , 2021, 101, 259-301.	13.1	546
10	Small and large fiber sensory polyneuropathy in type 2 diabetes: Influence of diagnostic criteria on neuropathy subtypes. <i>Journal of the Peripheral Nervous System</i> , 2021, 26, 55-65.	1.4	20
11	Axonal swellings are related to type 2 diabetes, but not to distal diabetic sensorimotor polyneuropathy. <i>Diabetologia</i> , 2021, 64, 923-931.	2.9	11
12	Pregabalin for neuropathic pain in primary care settings: recommendations for dosing and titration. <i>Postgraduate Medicine</i> , 2021, 133, 1-9.	0.9	8
13	Painful and non-painful diabetic neuropathy, diagnostic challenges and implications for future management. <i>Brain</i> , 2021, 144, 1632-1645.	3.7	81
14	Diabetic Polyneuropathy Early in Type 2 Diabetes Is Associated With Higher Incidence Rate of Cardiovascular Disease: Results From Two Danish Cohort Studies. <i>Diabetes Care</i> , 2021, 44, 1714-1721.	4.3	8
15	Plasma lipid metabolites associate with diabetic polyneuropathy in a cohort with type 2 diabetes. <i>Annals of Clinical and Translational Neurology</i> , 2021, 8, 1292-1307.	1.7	27
16	Falls and fractures associated with type 2 diabetic polyneuropathy: A cross-sectional nationwide questionnaire study. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1827-1834.	1.1	8
17	Test-retest and time dependent variation and diagnostic values of vibratory sensation determined by biothesiometer and the Rydel-Seiffer tuning fork. <i>Brain and Behavior</i> , 2021, 11, e2230.	1.0	6
18	Impact of variability in baseline pain on the placebo response in randomized, placebo-controlled, crossover trials in peripheral neuropathic pain. <i>Pain</i> , 2021, Publish Ahead of Print, .	2.0	5

#	ARTICLE	IF	CITATIONS
19	Sensory and motor axonal excitability testing in early diabetic neuropathy. <i>Clinical Neurophysiology</i> , 2021, 132, 1407-1415.	0.7	7
20	Large fibre, small fibre and autonomic neuropathy in adolescents with type 1 diabetes: A systematic review. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 108027.	1.2	10
21	Normative reference values for the dorsal sural nerve derived from a large multicenter cohort. <i>Clinical Neurophysiology Practice</i> , 2021, 6, 239-243.	0.6	5
22	Distal symmetric polyneuropathy in diabetes: a progressive disorder?. <i>Brain</i> , 2021, 144, 2912-2914.	3.7	2
23	Increased peptidergic fibers as a potential cutaneous marker of pain in diabetic small fiber neuropathy. <i>Pain</i> , 2021, 162, 778-786.	2.0	28
24	No pain, still gain (of function): the relation between sensory profiles and the presence or absence of self-reported pain in a large multicenter cohort of patients with neuropathy. <i>Pain</i> , 2021, 162, 718-727.	2.0	44
25	A randomized, controlled trial of a $\hat{1}2$ -agonist in painful polyneuropathy. <i>Pain</i> , 2021, 162, 1364-1373.	2.0	4
26	Neurotransmitter systems involved in placebo and nocebo effects in healthy participants and patients with chronic pain: a systematic review. <i>Pain</i> , 2020, 161, 11-23.	2.0	21
27	Diabetic polyneuropathy and pain, prevalence, and patient characteristics: a cross-sectional questionnaire study of 5,514 patients with recently diagnosed type 2 diabetes. <i>Pain</i> , 2020, 161, 574-583.	2.0	81
28	Statin Therapy and Risk of Polyneuropathy in Type 2 Diabetes: A Danish Cohort Study. <i>Diabetes Care</i> , 2020, 43, 2945-2952.	4.3	18
29	Schwann cell p75 neurotrophin receptor modulates small fiber degeneration in diabetic neuropathy. <i>Glia</i> , 2020, 68, 2725-2743.	2.5	15
30	MScanFit motor unit number estimation and muscle velocity recovery cycle recordings in diabetic polyneuropathy. <i>Clinical Neurophysiology</i> , 2020, 131, 2591-2599.	0.7	12
31	Revisiting Risk-stratified Whiplash-exposed Patients 12 to 14 Years After Injury. <i>Clinical Journal of Pain</i> , 2020, 36, 923-931.	0.8	6
32	Diagnosis and prevalence of diabetic polyneuropathy: a cross-sectional study of Danish patients with type 2 diabetes. <i>European Journal of Neurology</i> , 2020, 27, 2575-2585.	1.7	28
33	Diabetic polyneuropathy and neuropathic pain: findings from a qualitative study. <i>Practical Diabetes</i> , 2020, 37, 211-215.	0.1	0
34	Diabetic foot distress: we should pay attention. <i>Practical Diabetes</i> , 2020, 37, 47-48.	0.1	2
35	Long-term symptoms of polyneuropathy in breast and colorectal cancer patients treated with and without adjuvant chemotherapy. <i>Cancer Medicine</i> , 2020, 9, 5114-5123.	1.3	26
36	Pain thresholds and intensities of CRPS type I and neuropathic pain in respect to sex. <i>European Journal of Pain</i> , 2020, 24, 1058-1071.	1.4	14

#	ARTICLE	IF	CITATIONS
37	Metabolic Factors, Lifestyle Habits, and Possible Polyneuropathy in Early Type 2 Diabetes: A Nationwide Study of 5,249 Patients in the Danish Centre for Strategic Research in Type 2 Diabetes (DD2) Cohort. <i>Diabetes Care</i> , 2020, 43, 1266-1275.	4.3	43
38	Factors with impact on magnitude of the placebo response in randomized, controlled, cross-over trials in peripheral neuropathic pain. <i>Pain</i> , 2020, 161, 2731-2736.	2.0	7
39	Oxaliplatin- and docetaxel-induced polyneuropathy: clinical and neurophysiological characteristics. <i>Journal of the Peripheral Nervous System</i> , 2020, 25, 377-387.	1.4	28
40	Effect of lacosamide in peripheral neuropathic pain: study protocol for a randomized, placebo-controlled, phenotype-stratified trial. <i>Trials</i> , 2019, 20, 588.	0.7	13
41	Prospective Study of Neuropathic Symptoms Preceding Clinically Diagnosed Diabetic Polyneuropathy: ADDITION-Denmark. <i>Diabetes Care</i> , 2019, 42, 2282-2289.	4.3	13
42	Detection of early motor involvement in diabetic polyneuropathy using a novel MUNE method "MScanFit MUNE". <i>Clinical Neurophysiology</i> , 2019, 130, 1981-1987.	0.7	22
43	<p>Can diabetic polyneuropathy and foot ulcers in patients with type 2 diabetes be accurately identified based on ICD-10 hospital diagnoses and drug prescriptions?</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 311-321.	1.5	11
44	Painful and non-painful diabetic polyneuropathy: Clinical characteristics and diagnostic issues. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1148-1157.	1.1	54
45	European Academy of Neurology guideline on trigeminal neuralgia. <i>European Journal of Neurology</i> , 2019, 26, 831-849.	1.7	324
46	Precollision Medical Diagnoses Predict Chronic Neck Pain Following Acute Whiplash Trauma. <i>Clinical Journal of Pain</i> , 2019, 35, 304-314.	0.8	10
47	The utility of a point-of-care sural nerve conduction device for detection of diabetic polyneuropathy: A cross-sectional study. <i>Muscle and Nerve</i> , 2019, 59, 187-193.	1.0	9
48	Trigeminal nociceptive function and oral somatosensory functional and structural assessment in patients with diabetic peripheral neuropathy. <i>Scientific Reports</i> , 2019, 9, 169.	1.6	11
49	Structural, functional, and symptom relations in painful distal symmetric polyneuropathies: a systematic review. <i>Pain</i> , 2019, 160, 286-297.	2.0	44
50	Risk Factors for Incident Diabetic Polyneuropathy in a Cohort With Screen-Detected Type 2 Diabetes Followed for 13 Years: ADDITION-Denmark. <i>Diabetes Care</i> , 2018, 41, 1068-1075.	4.3	146
51	Heterozygous mutations in GTP-cyclohydrolase-1 reduce BH4 biosynthesis but not pain sensitivity. <i>Pain</i> , 2018, 159, 1012-1024.	2.0	8
52	Pain-relieving effectiveness, quality of life and tolerability of repeated capsaicin 8% patch treatment of peripheral neuropathic pain in Scandinavian clinical practice. <i>European Journal of Pain</i> , 2018, 22, 941-950.	1.4	22
53	Does conditioned pain modulation predict the magnitude of placebo effects in patients with neuropathic pain?. <i>European Journal of Pain</i> , 2018, 22, 784-792.	1.4	14
54	Chronic Pain and Neuropathy Following Adjuvant Chemotherapy. <i>Pain Medicine</i> , 2018, 19, 1813-1824.	0.9	35

#	ARTICLE	IF	CITATIONS
55	Dopaminergic tone does not influence pain levels during placebo interventions in patients with chronic neuropathic pain. <i>Pain</i> , 2018, 159, 261-272.	2.0	22
56	Bilaterally Reduced Intraepidermal Nerve Fiber Density in Unilateral CRPS-I. <i>Pain Medicine</i> , 2018, 19, 2021-2030.	0.9	31
57	Neuropathic pain clinical trials: factors associated with decreases in estimated drug efficacy. <i>Pain</i> , 2018, 159, 2339-2346.	2.0	97
58	Corneal confocal microscopy as a tool for detecting diabetic polyneuropathy in a cohort with screen-detected type 2 diabetes: ADDITION-Denmark. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 1153-1159.	1.2	37
59	Risk Factors for the Presence and Progression of Cardiovascular Autonomic Neuropathy in Type 2 Diabetes: ADDITION-Denmark. <i>Diabetes Care</i> , 2018, 41, 2586-2594.	4.3	67
60	Response to Comment on Andersen et al. Risk-Factor Trajectories Preceding Diabetic Polyneuropathy: ADDITION-Denmark. <i>Diabetes Care</i> 2018;41:1955-1962. <i>Diabetes Care</i> , 2018, 41, e148-e149.	4.3	0
61	Hyperpathia: to be or not to be: that is the question. <i>Pain</i> , 2018, 159, 1005-1009.	2.0	9
62	Risk-Factor Trajectories Preceding Diabetic Polyneuropathy: ADDITION-Denmark. <i>Diabetes Care</i> , 2018, 41, 1955-1962.	4.3	25
63	Functional and Structural Changes of the Blood-Nerve-Barrier in Diabetic Neuropathy. <i>Frontiers in Neuroscience</i> , 2018, 12, 1038.	1.4	77
64	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. <i>Wellcome Open Research</i> , 2018, 3, 63.	0.9	26
65	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. <i>Wellcome Open Research</i> , 2018, 3, 63.	0.9	20
66	Schwann cell interactions with axons and microvessels in diabetic neuropathy. <i>Nature Reviews Neurology</i> , 2017, 13, 135-147.	4.9	202
67	Selective sodium channel blockers in trigeminal neuralgia. <i>Lancet Neurology</i> , The, 2017, 16, 255-256.	4.9	5
68	History of facial pain diagnosis. <i>Cephalalgia</i> , 2017, 37, 604-608.	1.8	11
69	The Potential Role of Sensory Testing, Skin Biopsy, and Functional Brain Imaging as Biomarkers in Chronic Pain Clinical Trials: IMMPACT Considerations. <i>Journal of Pain</i> , 2017, 18, 757-777.	0.7	115
70	Imipramine versus placebo for multiple functional somatic syndromes (STreSS-3): a double-blind, randomised study. <i>Lancet Psychiatry</i> , the, 2017, 4, 378-388.	3.7	32
71	Delta and gamma oscillations in operculo-insular cortex underlie innocuous cold thermosensation. <i>Journal of Neurophysiology</i> , 2017, 117, 1959-1968.	0.9	30
72	The Impact of Serum Drug Concentration on the Efficacy of Imipramine, Pregabalin, and their Combination in Painful Polyneuropathy. <i>Clinical Journal of Pain</i> , 2017, 33, 1047-1052.	0.8	3

#	ARTICLE	IF	CITATIONS
73	Peripheral neuropathic pain: a mechanism-related organizing principle based on sensory profiles. <i>Pain</i> , 2017, 158, 261-272.	2.0	462
74	Stratifying patients with peripheral neuropathic pain based on sensory profiles: algorithm and sample size recommendations. <i>Pain</i> , 2017, 158, 1446-1455.	2.0	150
75	Impact of etiology and duration of pain on pharmacological treatment effects in painful polyneuropathy. <i>European Journal of Pain</i> , 2017, 21, 1443-1450.	1.4	5
76	New Horizons in Diabetic Neuropathy: Mechanisms, Bioenergetics, and Pain. <i>Neuron</i> , 2017, 93, 1296-1313.	3.8	599
77	Autonomic function testing: Compliance and consequences. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017, 208, 150-155.	1.4	6
78	The diagnostic challenge of small fibre neuropathy: clinical presentations, evaluations, and causes. <i>Lancet Neurology</i> , The, 2017, 16, 934-944.	4.9	215
79	Painful diabetic polyneuropathy and quality of life in Danish type 2 diabetic patients. <i>Scandinavian Journal of Pain</i> , 2017, 16, 173-173.	0.5	4
80	Imipramine for multiple functional somatic syndromes – Authors' reply. <i>Lancet Psychiatry</i> , the, 2017, 4, 518-519.	3.7	0
81	AAPT Diagnostic Criteria for Central Neuropathic Pain. <i>Journal of Pain</i> , 2017, 18, 1417-1426.	0.7	38
82	Effects of Pregabalin in Patients with Neuropathic Pain Previously Treated with Gabapentin: A Pooled Analysis of Parallel-Group, Randomized, Placebo-controlled Clinical Trials. <i>Pain Practice</i> , 2017, 17, 718-728.	0.9	19
83	Functional and structural assessment of patients with and without persistent pain after thoracotomy. <i>European Journal of Pain</i> , 2017, 21, 238-249.	1.4	5
84	Reduced Pain Sensation and Reduced BOLD Signal in Parietofrontal Networks during Religious Prayer. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 337.	1.0	16
85	Neuropathic pain: an updated grading system for research and clinical practice. <i>Pain</i> , 2016, 157, 1599-1606.	2.0	824
86	Symptom profiles in the painDETECT Questionnaire in patients with peripheral neuropathic pain stratified according to sensory loss in quantitative sensory testing. <i>Pain</i> , 2016, 157, 1810-1818.	2.0	29
87	Quantitative sensory testing using DFNS protocol in Europe. <i>Pain</i> , 2016, 157, 750-758.	2.0	71
88	Experimental manipulations of pain catastrophizing influence pain levels in patients with chronic pain and healthy volunteers. <i>Pain</i> , 2016, 157, 1287-1296.	2.0	29
89	Chemotherapy-induced pain and neuropathy. <i>Pain</i> , 2016, 157, 560-568.	2.0	88
90	Fibromyalgia and Chronic Pain Syndromes. <i>Clinical Journal of Pain</i> , 2016, 32, 737-746.	0.8	81

#	ARTICLE	IF	CITATIONS
91	A prospective study of pain and psychological functioning following traumatic spinal cord injury. <i>Spinal Cord</i> , 2016, 54, 816-821.	0.9	66
92	Important development: Extended Acute Pain Service for patients at high risk of chronic pain after surgery. <i>Scandinavian Journal of Pain</i> , 2016, 12, 58-59.	0.5	8
93	A comparison of coping strategies in patients with fibromyalgia, chronic neuropathic pain, and pain-free controls. <i>Scandinavian Journal of Psychology</i> , 2016, 57, 516-522.	0.8	22
94	Reply. <i>Pain</i> , 2016, 157, 2619-2620.	2.0	0
95	Trigeminal neuralgia. <i>Neurology</i> , 2016, 87, 220-228.	1.5	354
96	Pain phenotype as a predictor for drug response in painful polyneuropathy—a retrospective analysis of data from controlled clinical trials. <i>Pain</i> , 2016, 157, 1305-1313.	2.0	45
97	Assessment of acute oxaliplatin-induced cold allodynia: a pilot study. <i>Acta Neurologica Scandinavica</i> , 2016, 133, 152-155.	1.0	19
98	Plasticity of pain revisited in 2015. <i>Lancet Neurology</i> , The, 2016, 15, 19-21.	4.9	6
99	Structural and functional characterization of nerve fibres in polyneuropathy and healthy subjects. <i>Scandinavian Journal of Pain</i> , 2016, 10, 28-35.	0.5	24
100	Autonomic Dysfunction in Patients with Mild to Moderate Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 681-689.	1.2	31
101	Predictors of the placebo analgesia response in randomized controlled trials of chronic pain. <i>Pain</i> , 2015, 156, 1795-1802.	2.0	88
102	Contact Heat Evoked Potentials (CHEPs) in Patients with Mild-Moderate Alzheimer's Disease and Matched Control—A Pilot Study. <i>Pain Medicine</i> , 2015, 17, pnv012.	0.9	12
103	Structural and functional assessment of skin nerve fibres in small-fibre pathology. <i>European Journal of Pain</i> , 2015, 19, 1059-1070.	1.4	25
104	Effect of Spinal Cord Stimulation on Sensory Characteristics. <i>Clinical Journal of Pain</i> , 2015, 31, 384-392.	0.8	23
105	Pain following blood donation: a questionnaire study of long-term morbidity (<scp>LTM</scp>) in blood donors. <i>Vox Sanguinis</i> , 2015, 109, 18-24.	0.7	4
106	Neuropathic pain phenotyping by international consensus (NeuroPPIC) for genetic studies. <i>Pain</i> , 2015, 156, 2337-2353.	2.0	86
107	Chronic pain in the pelvic area or lower extremities after rectal cancer treatment and its impact on quality of life. <i>Pain</i> , 2015, 156, 1765-1771.	2.0	39
108	Who is healthy? Aspects to consider when including healthy volunteers in QST-based studies—a consensus statement by the EUROPAIN and NEUROPPAIN consortia. <i>Pain</i> , 2015, 156, 2203-2211.	2.0	53

#	ARTICLE	IF	CITATIONS
109	Pain relief with lidocaine 5% patch in localized peripheral neuropathic pain in relation to pain phenotype. <i>Pain</i> , 2015, 156, 2234-2244.	2.0	112
110	Sick Leave within 5 Years of Whiplash Trauma Predicts Recovery: A Prospective Cohort and Register-Based Study. <i>PLoS ONE</i> , 2015, 10, e0130298.	1.1	20
111	Music reduces pain and increases resting state fMRI BOLD signal amplitude in the left angular gyrus in fibromyalgia patients. <i>Frontiers in Psychology</i> , 2015, 6, 1051.	1.1	60
112	The magnitude of placebo analgesia effects depends on how they are conceptualized. <i>Journal of Psychosomatic Research</i> , 2015, 79, 663-668.	1.2	13
113	Modulation of the muscle and nerve compound muscle action potential by evoked pain. <i>Scandinavian Journal of Pain</i> , 2015, 6, 55-60.	0.5	0
114	Pharmacotherapy for neuropathic pain in adults: a systematic review and meta-analysis. <i>Lancet Neurology</i> , The, 2015, 14, 162-173.	4.9	2,776
115	Painful Stimulation and Transient Blocking of Nerve Transduction Due to Local Anesthesia Evoke Perceptual Distortions of the Face in Healthy Volunteers. <i>Journal of Pain</i> , 2015, 16, 335-345.	0.7	10
116	Imipramine and pregabalin combination for painful polyneuropathy. <i>Pain</i> , 2015, 156, 958-966.	2.0	57
117	Neuropathic Pain Following Surgery. , 2015, , 113-127.		2
118	The effects of capillary dysfunction on oxygen and glucose extraction in diabetic neuropathy. <i>Diabetologia</i> , 2015, 58, 666-677.	2.9	67
119	Development of persistent headache following stroke: A 3-year follow-up. <i>Cephalalgia</i> , 2015, 35, 399-409.	1.8	40
120	Neuropathic Pain: Principles of Diagnosis and Treatment. <i>Mayo Clinic Proceedings</i> , 2015, 90, 532-545.	1.4	397
121	Discrepancy between stimulus response and tolerance of pain in Alzheimer disease. <i>Neurology</i> , 2015, 84, 1575-1581.	1.5	25
122	Preoperative baroreflex sensitivity and efferent cardiac parasympathetic activity are correlated with postoperative pain. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 475-485.	0.7	23
123	Topical Capsaicin Response as a Phenotypic Measure in Patients with Pain. <i>Pain Medicine</i> , 2015, 16, 823-825.	0.9	5
124	1505 Chemotherapy-induced pain and neuropathy: A prospective study in patients treated with adjuvant oxaliplatin or docetaxel. <i>European Journal of Cancer</i> , 2015, 51, S206.	1.3	2
125	Can Acupuncture Treatment Be Double-Blinded? An Evaluation of Double-Blind Acupuncture Treatment of Postoperative Pain. <i>PLoS ONE</i> , 2015, 10, e0119612.	1.1	48
126	Randomised Controlled Trials May Underestimate Drug Effects: Balanced Placebo Trial Design. <i>PLoS ONE</i> , 2014, 9, e84104.	1.1	63

#	ARTICLE	IF	CITATIONS
127	Music reduces pain and increases functional mobility in fibromyalgia. <i>Frontiers in Psychology</i> , 2014, 5, 90.	1.1	68
128	Pain frequency moderates the relationship between pain catastrophizing and pain. <i>Frontiers in Psychology</i> , 2014, 5, 1421.	1.1	29
129	Early evoked pain or dysesthesia is a predictor of central poststroke pain. <i>Pain</i> , 2014, 155, 2699-2706.	2.0	35
130	Expectations and positive emotional feelings accompany reductions in ongoing and evoked neuropathic pain following placebo interventions. <i>Pain</i> , 2014, 155, 2687-2698.	2.0	75
131	Effect of training on corticomotor excitability in clinical neck pain. <i>European Journal of Pain</i> , 2014, 18, 1207-1216.	1.4	8
132	Tolerability of the capsaicin 8% patch following pretreatment with lidocaine or tramadol in patients with peripheral neuropathic pain: A multicentre, randomized, assessor-blinded study. <i>European Journal of Pain</i> , 2014, 18, 1240-1247.	1.4	18
133	Chronic pain in children after cardiac surgery via sternotomy. <i>Cardiology in the Young</i> , 2014, 24, 893-899.	0.4	32
134	Reduced Areas of Spontaneous Neuropathic Pain After Spinal Cord Stimulation Treatment. <i>Clinical Journal of Pain</i> , 2014, 30, 232-237.	0.8	9
135	Capillary dysfunction and impaired tissue oxygenation in complex regional pain syndrome: A hypothesis. <i>Pain</i> , 2014, 155, 1922-1926.	2.0	10
136	Prolactinoma-associated headache and dopamine agonist treatment. <i>Cephalalgia</i> , 2014, 34, 493-502.	1.8	31
137	Quantitative sensory testing and pain tolerance in patients with mild to moderate Alzheimer disease compared to healthy control subjects. <i>Pain</i> , 2014, 155, 1439-1445.	2.0	57
138	Central sensitization in spinal cord injured humans assessed by reflex receptive fields. <i>Clinical Neurophysiology</i> , 2014, 125, 352-362.	0.7	29
139	The role of neuroplasticity in experimental neck pain: A study of potential mechanisms impeding clinical outcomes of training. <i>Manual Therapy</i> , 2014, 19, 288-293.	1.6	16
140	Phenotypes and Predictors of Pain Following Traumatic Spinal Cord Injury: A Prospective Study. <i>Journal of Pain</i> , 2014, 15, 40-48.	0.7	194
141	The effect of oxcarbazepine in peripheral neuropathic pain depends on pain phenotype: A randomised, double-blind, placebo-controlled phenotype-stratified study. <i>Pain</i> , 2014, 155, 2263-2273.	2.0	367
142	Allodynia and hyperalgesia in neuropathic pain: clinical manifestations and mechanisms. <i>Lancet Neurology</i> , The, 2014, 13, 924-935.	4.9	612
143	Placebo responses in patients with peripheral neuropathic pain. <i>Scandinavian Journal of Pain</i> , 2014, 5, 210-210.	0.5	2
144	A brief history of pain. <i>Lancet Neurology</i> , The, 2014, 13, 872.	4.9	5

#	ARTICLE	IF	CITATIONS
145	Corrigendum to "Value of quantitative sensory testing in neurological and pain disorders: NEUPSIG consensus" [PAIN® 2013;154(9):1807-1819]. Pain, 2014, 155, 205.	2.0	0
146	Primary afferent input critical for maintaining spontaneous pain in peripheral neuropathy. Pain, 2014, 155, 1272-1279.	2.0	195
147	Letter to the Editor. Pain, 2014, 155, 197-198.	2.0	4
148	The magnitude of placebo effects in pain: A meta-analysis. Pain, 2014, 155, 1426-1434.	2.0	154
149	P2-169: STIMULUS-RESPONSE FUNCTION TO HEAT PAIN IN PATIENTS WITH MILD-MODERATE ALZHEIMER'S DISEASE. , 2014, 10, P532-P532.		1
150	Bilateral Hypersensitivity to Capsaicin, Thermal, and Mechanical Stimuli in Unilateral Complex Regional Pain Syndrome. Anesthesiology, 2014, 120, 1225-1236.	1.3	36
151	Impaired Behavioural Pain Responses in <i>hph-1</i> Mice with Inherited Deficiency in GTP Cyclohydrolase 1 in Models of Inflammatory Pain. Molecular Pain, 2013, 9, 1744-8069-9-5.	1.0	20
152	Expectations contribute to reduced pain levels during prayer in highly religious participants. Journal of Behavioral Medicine, 2013, 36, 413-426.	1.1	27
153	Emotional modulation of muscle pain is associated with polymorphisms in the serotonin transporter gene. Pain, 2013, 154, 1469-1476.	2.0	31
154	Management of painful neuropathies. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2013, 115, 279-290.	1.0	40
155	Value of quantitative sensory testing in neurological and pain disorders: NeuPSIG consensus. Pain, 2013, 154, 1807-1819.	2.0	428
156	DNIC in whiplash and ankle-injured controls. 1-year prospective findings. Journal of Headache and Pain, 2013, 14, .	2.5	0
157	Combination pharmacotherapy for management of chronic pain: from bench to bedside. Lancet Neurology, The, 2013, 12, 1084-1095.	4.9	212
158	The Aarhus Neuromodulation Database. Neuromodulation, 2013, 16, 506-513.	0.4	14
159	The effects of menthol on cold allodynia and wind-up-like pain in upper limb amputees with different levels of phantom limb pain. Neuroscience Letters, 2013, 534, 52-57.	1.0	5
160	New understanding of mechanisms of painful diabetic neuropathy: A path to prevention and better treatment?. Scandinavian Journal of Pain, 2013, 4, 127-128.	0.5	2
161	Specifying the nonspecific components of acupuncture analgesia. Pain, 2013, 154, 1659-1667.	2.0	58
162	Cutaneous noradrenaline measured by microdialysis in complex regional pain syndrome during whole-body cooling and heating. Experimental Neurology, 2013, 247, 456-465.	2.0	9

#	ARTICLE	IF	CITATIONS
163	The neuropathic component in persistent postsurgical pain: A systematic literature review. <i>Pain</i> , 2013, 154, 95-102.	2.0	368
164	Dermal innervation in healthy subjects and small fiber neuropathy patients: a stereological reappraisal. <i>Journal of the Peripheral Nervous System</i> , 2013, 18, 48-53.	1.4	22
165	Differential Effects of a 5% lidocaine medicated patch in peripheral nerve injury. <i>Muscle and Nerve</i> , 2013, 48, 265-271.	1.0	11
166	Differential effect of visual and gustatory stimuli on experimental jaw muscle pain. <i>European Journal of Pain</i> , 2013, 17, 811-819.	1.4	6
167	Epidermal Nerve Fiber Length Density Estimation Using Global Spatial Sampling in Healthy Subjects and Neuropathy Patients. <i>Journal of Neuropathology and Experimental Neurology</i> , 2013, 72, 186-193.	0.9	34
168	Chronic Pain After Inguinal Hernia Repair in Children. <i>Survey of Anesthesiology</i> , 2013, 57, 138.	0.1	0
169	Specific Neck Training Induces Sustained Corticomotor Hyperexcitability as Assessed by Motor Evoked Potentials. <i>Spine</i> , 2013, 38, E979-E984.	1.0	13
170	A new stratified risk assessment tool for whiplash injuries developed from a prospective observational study. <i>BMJ Open</i> , 2013, 3, e002050.	0.8	23
171	Polymorphism in Serotonin Receptor 3B Is Associated with Pain Catastrophizing. <i>PLoS ONE</i> , 2013, 8, e78889.	1.1	29
172	Chronic pain after inguinal hernia repair in children. <i>British Journal of Anaesthesia</i> , 2012, 109, 603-608.	1.5	56
173	Persistent Pain After Surgery for Cutaneous Melanoma. <i>Clinical Journal of Pain</i> , 2012, 28, 149-156.	0.8	22
174	Increased contact heat pain and shortened latencies of contact heat evoked potentials following capsaicin-induced heat hyperalgesia. <i>Clinical Neurophysiology</i> , 2012, 123, 1429-1436.	0.7	41
175	Are there gender differences in coping with neck pain following acute whiplash trauma? A 12-month follow-up study. <i>European Journal of Pain</i> , 2012, 16, 49-60.	1.4	38
176	Randomized controlled trial of the combined monoaminergic and opioid investigational compound <sc>GRT9906</sc> in painful polyneuropathy. <i>European Journal of Pain</i> , 2012, 16, 849-859.	1.4	15
177	Pain following stroke: A prospective study. <i>European Journal of Pain</i> , 2012, 16, 1128-1136.	1.4	136
178	The effect of nerve compression and capsaicin on contact heat-evoked potentials related to A δ - and C-fibers. <i>Neuroscience</i> , 2012, 223, 92-101.	1.1	25
179	Tailored treatment of peripheral neuropathic pain. <i>Pain</i> , 2012, 153, 1781-1782.	2.0	13
180	High prevalence of posttraumatic stress disorder (PTSD) and pain sensitization in two Scandinavian samples of patients referred for pain rehabilitation. <i>Scandinavian Journal of Pain</i> , 2012, 3, 38-38.	0.5	1

#	ARTICLE	IF	CITATIONS
181	Differential pain modulation in patients with peripheral neuropathic pain and fibromyalgia. <i>Scandinavian Journal of Pain</i> , 2012, 3, 116-123.	0.5	13
182	Neuropathic pain—From guidelines to clinical practice. <i>Scandinavian Journal of Pain</i> , 2012, 3, 178-178.	0.5	0
183	Chronic thoracic pain in children after cardiac surgery. <i>Scandinavian Journal of Pain</i> , 2012, 3, 195-195.	0.5	1
184	Distribution of concussion related symptoms after whiplash injury in risk strata. <i>Scandinavian Journal of Pain</i> , 2012, 3, 197-197.	0.5	1
185	Heart Rate Variability in Complex Regional Pain Syndrome during Rest and Mental and Orthostatic Stress. <i>Anesthesiology</i> , 2012, 116, 133-146.	1.3	83
186	Pain catastrophizing and cortical responses in amputees with varying levels of phantom limb pain: a high-density EEG brain-mapping study. <i>Experimental Brain Research</i> , 2012, 218, 407-417.	0.7	31
187	How is neuropathic cancer pain assessed in randomised controlled trials?. <i>Pain</i> , 2012, 153, 13-17.	2.0	6
188	Are we neglecting spinal reorganization following nerve damage?. <i>Pain</i> , 2012, 153, 269-272.	2.0	11
189	Corrigendum to “Neurophysiological characterization of postherniotomy pain” [Pain 137 (2008) 173–181]. <i>Pain</i> , 2012, 153, 253.	2.0	0
190	Response to letters by Oaklander et al. and Horowitz. <i>Pain</i> , 2012, 153, 935-936.	2.0	0
191	Placebo manipulations reduce hyperalgesia in neuropathic pain. <i>Pain</i> , 2012, 153, 1292-1300.	2.0	91
192	Acute and chronic pain: where we are and where we have to go. <i>Minerva Anestesiologica</i> , 2012, 78, 222-35.	0.6	23
193	Botulinum toxin for the treatment of pain?. <i>Scandinavian Journal of Pain</i> , 2011, 2, 24-24.	0.5	0
194	Chronic postoperative pain and sensory changes following reduction mammoplasty. <i>Scandinavian Journal of Pain</i> , 2011, 2, 57-61.	0.5	10
195	Coexisting mechanical hypersensitivity and anxiety in a rat model of spinal cord injury and the effect of pregabalin, morphine, and midazolam treatment. <i>Scandinavian Journal of Pain</i> , 2011, 2, 139-145.	0.5	9
196	Review of neuroimaging studies related to pain modulation. <i>Scandinavian Journal of Pain</i> , 2011, 2, 108-120.	0.5	42
197	Pain Following Stroke: A Population-Based Follow-Up Study. <i>PLoS ONE</i> , 2011, 6, e27607.	1.1	78
198	The Risk Assessment Score in Acute Whiplash Injury Predicts Outcome and Reflects Biopsychosocial Factors. <i>Spine</i> , 2011, 36, S263-S267.	1.0	37

#	ARTICLE	IF	CITATIONS
199	Consequences of persistent pain after lung cancer surgery: a nationwide questionnaire study. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 60-68.	0.7	121
200	NeuPSIG guidelines on neuropathic pain assessment. <i>Pain</i> , 2011, 152, 14-27.	2.0	871
201	Cognitive-emotional sensitization contributes to wind-up-like pain in phantom limb pain patients. <i>Pain</i> , 2011, 152, 157-162.	2.0	96
202	Pain following thoracotomy: Is it neuropathic?. <i>Pain</i> , 2011, 152, 12-13.	2.0	15
203	Central poststroke pain: A population-based study. <i>Pain</i> , 2011, 152, 818-824.	2.0	128
204	Authors'™ reply to Letter to Editor by Peppin and Webster. <i>Pain</i> , 2011, 152, 1440-1441.	2.0	1
205	A new definition of neuropathic pain. <i>Pain</i> , 2011, 152, 2204-2205.	2.0	1,074
206	Persistent pain after lymph node excision in patients with malignant melanoma is neuropathic. <i>Pain</i> , 2011, 152, 2721-2728.	2.0	17
207	Pregabalin attenuates place escape/avoidance behavior in a rat model of spinal cord injury. <i>Brain Research</i> , 2011, 1370, 129-135.	1.1	51
208	Intra- and interrater agreement of pressure pain thresholds in children with orthopedic disorders. <i>Journal of Children's Orthopaedics</i> , 2011, 5, 173-178.	0.4	13
209	MRI of the central nervous system in MS patients with and without pain. <i>European Journal of Pain</i> , 2011, 15, 395-401.	1.4	23
210	The anticonvulsant levetiracetam for the treatment of pain in polyneuropathy: A randomized, placebo-controlled, cross-over trial. <i>European Journal of Pain</i> , 2011, 15, 608-614.	1.4	32
211	Persistent pain and sensory changes following cosmetic breast augmentation. <i>European Journal of Pain</i> , 2011, 15, 328-332.	1.4	45
212	Mechanosensitivity before and after hysterectomy: a prospective study on the prediction of acute and chronic postoperative pain. <i>British Journal of Anaesthesia</i> , 2011, 107, 940-947.	1.5	51
213	The role of botulinum toxin in management of pain: an evidence-based review. <i>Current Opinion in Anaesthesiology</i> , 2010, 23, 602-610.	0.9	58
214	Neuroma Removal for Neuropathic Pain. <i>Clinical Journal of Pain</i> , 2010, 26, 788-793.	0.8	28
215	Predicting Postoperative Pain Based on Preoperative Pain Perception. <i>Anesthesiology</i> , 2010, 112, 1311-1312.	1.3	34
216	Defining post-stroke pain: diagnostic challenges – Authors' reply. <i>Lancet Neurology</i> , The, 2010, 9, 344-345.	4.9	2

#	ARTICLE	IF	CITATIONS
217	Heterogeneous sensory processing in persistent postherniotomy pain. <i>Pain</i> , 2010, 150, 237-242.	2.0	58
218	The evidence for pharmacological treatment of neuropathic pain. <i>Pain</i> , 2010, 150, 573-581.	2.0	881
219	Spinal-, brainstem- and cerebrally mediated responses at- and below-level of a spinal cord contusion in rats: Evaluation of pain-like behavior. <i>Pain</i> , 2010, 151, 670-679.	2.0	75
220	Electrophysiological characteristics of motor units and muscle fibers in trained and untrained young male subjects. <i>Muscle and Nerve</i> , 2010, 42, 177-183.	1.0	12
221	Depression, anxiety, health-related quality of life and pain in patients with chronic fibromyalgia and neuropathic pain. <i>European Journal of Pain</i> , 2010, 14, 127.e1-8.	1.4	196
222	EFNS guidelines on neuropathic pain assessment: revised 2009. <i>European Journal of Neurology</i> , 2010, 17, 1010-1018.	1.7	442
223	EFNS guidelines on the pharmacological treatment of neuropathic pain: 2010 revision. <i>European Journal of Neurology</i> , 2010, 17, 1113.	1.7	1,499
224	Pain, referred sensations, and involuntary muscle movements in brachial plexus injury. <i>Acta Neurologica Scandinavica</i> , 2010, 121, 320-327.	1.0	17
225	Recent advances in pharmacological treatment of neuropathic pain. <i>F1000 Medicine Reports</i> , 2010, 2, 52.	2.9	43
226	Chronic pain in adults after thoracotomy in childhood or youth. <i>British Journal of Anaesthesia</i> , 2010, 104, 75-79.	1.5	78
227	Reporting of Trials of Gabapentin. <i>New England Journal of Medicine</i> , 2010, 362, 1641-1642.	13.9	2
228	Anticonvulsants in the Management of Chronic Pain. , 2010, , 121-127.		2
229	Pain and genes: Genetic contribution to pain variability, chronic pain and analgesic responses. <i>European Journal of Pain Supplements</i> , 2010, 4, 197-201.	0.0	3
230	Chronic pain conditions after herniorrhaphy decrease with time, but slowly. <i>Scandinavian Journal of Pain</i> , 2010, 1, 10-10.	0.5	0
231	Scandinavian Journal of Pain: A networking and publishing tool for pain researchers and pain clinicians in the Nordic countries. <i>Scandinavian Journal of Pain</i> , 2010, 1, 1-2.	0.5	3
232	Inguinal hernia surgeryâ€”A minor surgery that can cause major pain. <i>Scandinavian Journal of Pain</i> , 2010, 1, 106-107.	0.5	0
233	Functional and structural nerve fiber findings in heterozygote patients with Fabry disease. <i>Pain</i> , 2009, 145, 237-245.	2.0	63
234	Experimental forearm immobilization in humans reduces capsaicin-induced pain and flare. <i>Brain Research</i> , 2009, 1263, 43-49.	1.1	7

#	ARTICLE	IF	CITATIONS
235	Central post-stroke pain: clinical characteristics, pathophysiology, and management. <i>Lancet Neurology</i> , The, 2009, 8, 857-868.	4.9	515
236	Incidence of symptoms and signs of TMD following third molar surgery: a controlled, prospective study. <i>Journal of Oral Rehabilitation</i> , 2009, 36, 199-209.	1.3	29
237	Levetiracetam in spinal cord injury pain: a randomized controlled trial. <i>Spinal Cord</i> , 2009, 47, 861-867.	0.9	74
238	Autonomic skin responses in females with Fabry disease. <i>Journal of the Peripheral Nervous System</i> , 2009, 14, 159-164.	1.4	21
239	Pain and somatosensory findings in patients 3 years after total hip arthroplasty. <i>European Journal of Pain</i> , 2009, 13, 576-581.	1.4	27
240	Assessment of Neuropathic Pain in Primary Care. <i>American Journal of Medicine</i> , 2009, 122, S13-S21.	0.6	177
241	Neuropathic pain: Peripheral and central mechanisms. <i>European Journal of Pain Supplements</i> , 2009, 3, 33-36.	0.0	15
242	Neuropathic pain following spinal cord injury pain: mechanisms and treatment. <i>Scandinavian Journal of Pain</i> , 2009, 1, S3-S11.	0.5	19
243	Neuropathic pain treatment: a further step forward. <i>Lancet</i> , The, 2009, 374, 1218-1219.	6.3	21
244	A Prospective Study of Risk Factors for Pain Persisting 4 Months After Hysterectomy. <i>Clinical Journal of Pain</i> , 2009, 25, 263-268.	0.8	91
245	Pharmacology and treatment of neuropathic pains. <i>Current Opinion in Neurology</i> , 2009, 22, 467-474.	1.8	138
246	Increased energy expenditure and glucose oxidation during acute nontraumatic skin pain in humans. <i>European Journal of Anaesthesiology</i> , 2009, 26, 311-317.	0.7	18
247	The Efficacy of the AMPA Receptor Antagonist NS1209 and Lidocaine in Nerve Injury Pain: A Randomized, Double-Blind, Placebo-Controlled, Three-Way Crossover Study. <i>Anesthesia and Analgesia</i> , 2009, 108, 1311-1319.	1.1	44
248	Cold hyposensitivity after topical application of capsaicin in humans. <i>Experimental Brain Research</i> , 2008, 191, 447-452.	0.7	22
249	Are early MRI findings correlated with long-lasting symptoms following whiplash injury? A prospective trial with 1-year follow-up. <i>European Spine Journal</i> , 2008, 17, 996-1005.	1.0	52
250	Multiple sodium channel isoforms and mitogen-activated protein kinases are present in painful human neuromas. <i>Annals of Neurology</i> , 2008, 64, 644-653.	2.8	224
251	Central sensitization phenomena after third molar surgery: A quantitative sensory testing study. <i>European Journal of Pain</i> , 2008, 12, 116-127.	1.4	61
252	Acute stress response and recovery after whiplash injuries. A one-year prospective study. <i>European Journal of Pain</i> , 2008, 12, 455-463.	1.4	82

#	ARTICLE	IF	CITATIONS
253	Neuropathic pain. <i>Neurology</i> , 2008, 70, 1630-1635.	1.5	2,363
254	Abdominal pain in long-term spinal cord injury. <i>Spinal Cord</i> , 2008, 46, 198-203.	0.9	56
255	Clinical assessment of prognostic factors for long-term pain and handicap after whiplash injury: a 1-year prospective study. <i>European Journal of Neurology</i> , 2008, 15, 1222-1230.	1.7	61
256	Chronic pain after hysterectomy. <i>Acta Anaesthesiologica Scandinavica</i> , 2008, 52, 327-331.	0.7	79
257	Effects of intra-articular ketamine on pain and somatosensory function in temporomandibular joint arthralgia patients. <i>Pain</i> , 2008, 137, 286-294.	2.0	31
258	Neurophysiological characterization of postherniotomy pain. <i>Pain</i> , 2008, 137, 173-181.	2.0	129
259	Gabapentin in traumatic nerve injury pain: A randomized, double-blind, placebo-controlled, cross-over, multi-center study. <i>Pain</i> , 2008, 138, 255-266.	2.0	116
260	Post-trauma ratings of pre-collision pain and psychological distress predict poor outcome following acute whiplash trauma: A 12-month follow-up study. <i>Pain</i> , 2008, 139, 248-259.	2.0	55
261	Escitalopram in painful polyneuropathy: A randomized, placebo-controlled, cross-over trial. <i>Pain</i> , 2008, 139, 275-283.	2.0	70
262	Deep muscle pain, tender points and recovery in acute whiplash patients: A 1-year follow-up study. <i>Pain</i> , 2008, 140, 65-73.	2.0	31
263	New pain terminology: A work in progress. <i>Pain</i> , 2008, 140, 399-400.	2.0	13
264	PERINATAL RISK FACTORS AND FIRST-YEAR VOCALIZATIONS: INFLUENCE ON PRESCHOOL LANGUAGE AND MOTOR PERFORMANCE. <i>Developmental Medicine and Child Neurology</i> , 2008, 30, 153-161.	1.1	21
265	Pathophysiology of pain: from theory to clinical evidence. <i>European Journal of Pain Supplements</i> , 2008, 2, 13-17.	0.0	8
266	Neurology in fabry disease. <i>Clinical Therapeutics</i> , 2008, 30, S47-S49.	1.1	3
267	Education of Patients After Whiplash Injury. <i>Spine</i> , 2008, 33, E843-E848.	1.0	29
268	14-3-3. , 2008, , 1-1.		2
269	Experimental Forearm Immobilization in Humans Induces Cold and Mechanical Hyperalgesia. <i>Anesthesiology</i> , 2008, 109, 297-307.	1.3	133
270	Neurological manifestations in Fabry's disease. <i>Nature Clinical Practice Neurology</i> , 2007, 3, 95-106.	2.7	56

#	ARTICLE	IF	CITATIONS
271	Hypersensitivity to Mechanical and Intra-articular Electrical Stimuli in Persons with Painful Temporomandibular Joints. <i>Journal of Dental Research</i> , 2007, 86, 1187-1192.	2.5	54
272	Neck Collar, "Act-as-Usual" or Active Mobilization for Whiplash Injury?. <i>Spine</i> , 2007, 32, 618-626.	1.0	81
273	Management of neuropathic pain. <i>Current Opinion in Supportive and Palliative Care</i> , 2007, 1, 126-131.	0.5	51
274	Pulsed radiofrequency: A novel treatment for chronic cervical radicular pain?. <i>Pain</i> , 2007, 127, 3-4.	2.0	9
275	Are sodium channel blockers useless in peripheral neuropathic pain?. <i>Pain</i> , 2007, 128, 6-7.	2.0	22
276	Differential effect of intravenous S-ketamine and fentanyl on atypical odontalgia and capsaicin-evoked pain. <i>Pain</i> , 2007, 129, 46-54.	2.0	52
277	Using screening tools to identify neuropathic pain. <i>Pain</i> , 2007, 127, 199-203.	2.0	462
278	Pharmacologic management of neuropathic pain: Evidence-based recommendations. <i>Pain</i> , 2007, 132, 237-251.	2.0	1,740
279	Reaction to topical capsaicin in spinal cord injury patients with and without central pain. <i>Experimental Neurology</i> , 2007, 205, 190-200.	2.0	24
280	Segmental hypersensitivity and spinothalamic function in spinal cord injury pain. <i>Experimental Neurology</i> , 2007, 207, 139-149.	2.0	97
281	Duloxetine for the Management of Diabetic Peripheral Neuropathic Pain: Evidence-Based Findings from Post Hoc Analysis of Three Multicenter, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group Studies. <i>Clinical Therapeutics</i> , 2007, 29, 2536-2546.	1.1	115
282	Diversity of neuropathy in a family with Fabry disease. <i>Clinical Therapeutics</i> , 2007, 29, S24-S25.	1.1	0
283	Health-related quality of life and its predictive role for analgesic effect in patients with painful polyneuropathy. <i>European Journal of Pain</i> , 2007, 11, 572-578.	1.4	26
284	Chronic neuropathic pain: mechanisms, drug targets and measurement. <i>Fundamental and Clinical Pharmacology</i> , 2007, 21, 129-136.	1.0	101
285	EFNS guidelines on neurostimulation therapy for neuropathic pain. <i>European Journal of Neurology</i> , 2007, 14, 952-970.	1.7	601
286	Somatosensory function following painful repetitive electrical stimulation of the human temporomandibular joint and skin. <i>Experimental Brain Research</i> , 2007, 179, 415-425.	0.7	24
287	Clinical use of pregabalin in the management of central neuropathic pain. <i>Neuropsychiatric Disease and Treatment</i> , 2007, Volume 3, 885-891.	1.0	37
288	Risk Factors for Chronic Pain after Hysterectomy. <i>Anesthesiology</i> , 2007, 106, 1003-1012.	1.3	224

#	ARTICLE	IF	CITATIONS
289	Miembro fantasma. , 2007, , 985-996.		1
290	An evidence-based algorithm for the treatment of neuropathic pain. MedGenMed: Medscape General Medicine, 2007, 9, 36.	0.2	24
291	Persistent postsurgical pain: risk factors and prevention. Lancet, The, 2006, 367, 1618-1625.	6.3	3,242
292	Mechanisms of Disease: mechanism-based classification of neuropathic pain—a critical analysis. Nature Clinical Practice Neurology, 2006, 2, 107-115.	2.7	115
293	A double-blind, controlled study of botulinum toxin A in chronic myofascial pain. Neurology, 2006, 67, 241-245.	1.5	101
294	A PET activation study of brush-evoked allodynia in patients with nerve injury pain. Pain, 2006, 120, 145-154.	2.0	122
295	Differential Effect of Ketamine and Lidocaine on Spontaneous and Mechanical Evoked Pain in Patients with Nerve Injury Pain. Anesthesiology, 2006, 104, 527-536.	1.3	91
296	A Randomized Study of the Effects of Gabapentin on Postamputation Pain. Anesthesiology, 2006, 105, 1008-1015.	1.3	187
297	Small-fibre neuropathy in female Fabry patients: reduced allodynia and skin blood flow after topical capsaicin. Journal of the Peripheral Nervous System, 2006, 11, 119-125.	1.4	35
298	Chronic pain following total hip arthroplasty: a nationwide questionnaire study. Acta Anaesthesiologica Scandinavica, 2006, 50, 495-500.	0.7	230
299	EFNS guidelines on pharmacological treatment of neuropathic pain. European Journal of Neurology, 2006, 13, 1153-1169.	1.7	770
300	Patterns of Experimentally Induced Pain in Pericranial Muscles. Cephalalgia, 2006, 26, 568-577.	1.8	78
301	Phantom limb pain: a case of maladaptive CNS plasticity?. Nature Reviews Neuroscience, 2006, 7, 873-881.	4.9	767
302	Analgesic efficacy and safety of intravenous paracetamol (acetaminophen) administered as a 2 g starting dose following third molar surgery. European Journal of Pain, 2006, 10, 371-371.	1.4	84
303	Blink reflexes in patients with atypical odontalgia and matched healthy controls. Experimental Brain Research, 2006, 172, 498-506.	0.7	56
304	Chapter 57 Principles of pharmacological treatment. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2006, 81, 843-853.	1.0	0
305	New perspectives on the management of diabetic peripheral neuropathic pain. Diabetes and Vascular Disease Research, 2006, 3, 108-119.	0.9	164
306	Chapter 34 Classification of neuropathic pain syndromes based on symptoms and signs. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2006, 81, 517-526.	1.0	10

#	ARTICLE	IF	CITATIONS
307	Phantom limb. , 2006, , 961-971.		28
308	Long-lasting mechanical sensitization following third molar surgery. Journal of Orofacial Pain, 2006, 20, 59-73.	1.7	13
309	Increased pain sensitivity to intraoral capsaicin in patients with atypical odontalgia. Journal of Orofacial Pain, 2006, 20, 107-14.	1.7	25
310	Intravenous Lidocaine Relieves Spinal Cord Injury Pain. Anesthesiology, 2005, 102, 1023-1030.	1.3	178
311	Breakthrough pain in malignant and non-malignant diseases: a review of prevalence, characteristics and mechanisms. European Journal of Pain, 2005, 9, 195-206.	1.4	175
312	Reduced cold pressor pain tolerance in non-recovered whiplash patients: a 1-year prospective study. European Journal of Pain, 2005, 9, 561-561.	1.4	139
313	Antidepressants in the Treatment of Neuropathic Pain. Basic and Clinical Pharmacology and Toxicology, 2005, 96, 399-409.	1.2	472
314	Effects of evoked pain on the electromyogram and compound muscle action potential of the brachial biceps muscle. Muscle and Nerve, 2005, 31, 25-33.	1.0	15
315	Response letter regarding Thompson 00258. Pain, 2005, 113, 245.	2.0	0
316	Sensory function and quality of life in patients with multiple sclerosis and pain. Pain, 2005, 114, 473-481.	2.0	176
317	Algorithm for neuropathic pain treatment: An evidence based proposal. Pain, 2005, 118, 289-305.	2.0	1,142
318	Acute pain increases heart rate: Differential mechanisms during rest and mental stress. Autonomic Neuroscience: Basic and Clinical, 2005, 121, 101-109.	1.4	70
319	Blink reflexes in patients with atypical odontalgia. Journal of Orofacial Pain, 2005, 19, 239-47.	1.7	10
320	Does the cannabinoid dronabinol reduce central pain in multiple sclerosis? Randomised double blind placebo controlled crossover trial. BMJ: British Medical Journal, 2004, 329, 253.	2.4	398
321	Valproic acid has no effect on pain in polyneuropathy. Neurology, 2004, 62, 285-288.	1.5	76
322	Chronic pain following Caesarean section. Acta Anaesthesiologica Scandinavica, 2004, 48, 111-116.	0.7	314
323	Mental stress inhibits pain perception and heart rate variability but not a nociceptive withdrawal reflex. Acta Physiologica Scandinavica, 2004, 180, 405-414.	2.3	90
324	Differential effects of peripheral ketamine and lidocaine on skin flux and hyperalgesia induced by intradermal capsaicin in humans. Clinical Physiology and Functional Imaging, 2004, 24, 103-108.	0.5	15

#	ARTICLE	IF	CITATIONS
325	EFNS guidelines on neuropathic pain assessment. <i>European Journal of Neurology</i> , 2004, 11, 153-162.	1.7	453
326	Therapeutic outcome in neuropathic pain: relationship to evidence of nervous system lesion. <i>European Journal of Neurology</i> , 2004, 11, 545-553.	1.7	41
327	Development and validation of a brief, descriptive Danish pain questionnaire (BDDPQ). <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 486-490.	0.7	24
328	Interaction between histamine-induced itch and experimental muscle pain. <i>European Journal of Pain</i> , 2004, 8, 179-185.	1.4	17
329	Sensory perception in complete spinal cord injury. <i>Acta Neurologica Scandinavica</i> , 2004, 109, 194-199.	1.0	58
330	Spinal cord injury pain - mechanisms and treatment. <i>European Journal of Neurology</i> , 2004, 11, 73-82.	1.7	196
331	Evoked pain in the motor endplate region of the brachial biceps muscle: An experimental study. <i>Muscle and Nerve</i> , 2004, 29, 393-400.	1.0	29
332	Pain thresholds during and after treatment of severe depression with electroconvulsive therapy. <i>European Journal of Pain</i> , 2004, 8, 487-493.	1.4	45
333	Central representation of muscle pain and mechanical hyperesthesia in the orofacial region: a positron emission tomography study. <i>Pain</i> , 2004, 108, 284-293.	2.0	78
334	Symptoms and signs in patients with suspected neuropathic pain. <i>Pain</i> , 2004, 110, 461-469.	2.0	242
335	Expansion of nociceptive withdrawal reflex receptive fields in spinal cord injured humans. <i>Clinical Neurophysiology</i> , 2004, 115, 2798-2810.	0.7	51
336	Chronic Oral Gabapentin Reduces Elements of Central Sensitization in Human Experimental Hyperalgesia. <i>Anesthesiology</i> , 2004, 101, 1400-1408.	1.3	113
337	TDM-Based Imipramine Treatment in Neuropathic Pain. <i>Therapeutic Drug Monitoring</i> , 2004, 26, 352-360.	1.0	25
338	Overview on tools and methods to assess neuropathic trigeminal pain. <i>Journal of Orofacial Pain</i> , 2004, 18, 332-8.	1.7	27
339	Recommendations for using opioids in chronic non-cancer pain. <i>European Journal of Pain</i> , 2003, 7, 381-386.	1.4	223
340	Sodium valproate in painful diabetic polyneuropathy. <i>Acta Neurologica Scandinavica</i> , 2003, 108, 443-444.	1.0	6
341	Pain phenomena and possible mechanisms in patients with painful polyneuropathy. <i>Pain</i> , 2003, 101, 187-192.	2.0	81
342	Aftersensations in experimental and clinical hypersensitivity. <i>Pain</i> , 2003, 103, 57-64.	2.0	61

#	ARTICLE	IF	CITATIONS
343	Differential recruitment of endogenous pain inhibitory systems in neuropathic pain patients. <i>Pain</i> , 2003, 103, 75-81.	2.0	45
344	Translation of symptoms and signs into mechanisms in neuropathic pain. <i>Pain</i> , 2003, 102, 1-8.	2.0	395
345	Sensory function above lesion level in spinal cord injury patients with and without pain. <i>Somatosensory & Motor Research</i> , 2003, 20, 71-76.	0.4	42
346	Venlafaxine versus imipramine in painful polyneuropathy. <i>Neurology</i> , 2003, 60, 1284-1289.	1.5	353
347	MRI in chronic spinal cord injury patients with and without central pain. <i>Neurology</i> , 2003, 61, 1569-1575.	1.5	63
348	Sensory function in spinal cord injury patients with and without central pain. <i>Brain</i> , 2003, 126, 57-70.	3.7	230
349	Pain in Patients With Multiple Sclerosis. <i>Archives of Neurology</i> , 2003, 60, 1089.	4.9	211
350	Development in pain and neurologic complaints after whiplash. <i>Neurology</i> , 2003, 60, 743-749.	1.5	39
351	A human model of intraoral pain and heat hyperalgesia. <i>Journal of Orofacial Pain</i> , 2003, 17, 333-40.	1.7	25
352	Anticonvulsants in central pain. <i>Expert Opinion on Pharmacotherapy</i> , 2002, 3, 1411-1420.	0.9	68
353	Handicap after acute whiplash injury. <i>Neurology</i> , 2002, 58, 157-159.	1.5	10
354	Pharmacotherapy of Trigeminal Neuralgia. <i>Clinical Journal of Pain</i> , 2002, 18, 22-27.	0.8	221
355	Human masseter inhibitory reflexes evoked by repetitive electrical stimulation. <i>Clinical Neurophysiology</i> , 2002, 113, 236-242.	0.7	4
356	A multicenter, double-blind, randomized, placebo-controlled crossover evaluation of a short course of 4030W92 in patients with chronic neuropathic pain. <i>Journal of Pain</i> , 2002, 3, 227-233.	0.7	56
357	Clarifying the definition of neuropathic pain. <i>Pain</i> , 2002, 96, 407-408.	2.0	13
358	Lamotrigine in spinal cord injury pain: a randomized controlled trial. <i>Pain</i> , 2002, 96, 375-383.	2.0	238
359	Effect of sympathetic muscle vasoconstrictor activity on capsaicin-induced muscle pain. <i>Muscle and Nerve</i> , 2002, 26, 113-121.	1.0	13
360	An improved understanding of neuropathic pain. <i>European Journal of Pain</i> , 2002, 6, 3-11.	1.4	19

#	ARTICLE	IF	CITATIONS
361	Anticonvulsants in neuropathic pain: rationale and clinical evidence. <i>European Journal of Pain</i> , 2002, 6, 61-68.	1.4	249
362	Acute Non-Traumatic Pain Increases Energy Expenditure and Leads to Accelerated Fat Oxidation. <i>Anesthesiology</i> , 2002, 96, A842.	1.3	0
363	Temporomandibular disorders after whiplash injury: a controlled, prospective study. <i>Journal of Orofacial Pain</i> , 2002, 16, 118-28.	1.7	22
364	St. John's wort has no effect on pain in polyneuropathy. <i>Pain</i> , 2001, 91, 361-365.	2.0	43
365	Headache, Neck Pain, and Neck Mobility After Acute Whiplash Injury. <i>Spine</i> , 2001, 26, 1246-1251.	1.0	93
366	Acute Pain Induces Insulin Resistance in Humans. <i>Anesthesiology</i> , 2001, 95, 578-584.	1.3	140
367	Recent Advances in Pain Research: Implications for Chronic Headache. <i>Cephalalgia</i> , 2001, 21, 765-769.	1.8	7
368	Effects of heterotopic- and segmental counter-stimulation on the nociceptive withdrawal reflex in humans. <i>Acta Physiologica Scandinavica</i> , 2001, 172, 211-217.	2.3	52
369	Pain Thresholds and Tenderness in Neck and Head Following Acute Whiplash Injury: A Prospective Study. <i>Cephalalgia</i> , 2001, 21, 189-197.	1.8	88
370	Has basic research contributed to chronic pain treatment?. <i>Acta Anaesthesiologica Scandinavica</i> , 2001, 45, 1128-1135.	0.7	37
371	Pain and dysesthesia in patients with spinal cord injury: A postal survey. <i>Spinal Cord</i> , 2001, 39, 256-262.	0.9	259
372	The clinical picture of neuropathic pain. <i>European Journal of Pharmacology</i> , 2001, 429, 1-11.	1.7	287
373	Recent advances in pain research: implications for chronic headache. <i>Cephalalgia</i> , 2001, 21, 765-769.	1.8	14
374	Lamotrigine for central poststroke pain. <i>Neurology</i> , 2001, 56, 184-190.	1.5	308
375	Experimental brush-evoked allodynia activates posterior parietal cortex. <i>Neurology</i> , 2001, 57, 1817-1824.	1.5	97
376	Phantom limb pain. <i>British Journal of Anaesthesia</i> , 2001, 87, 107-116.	1.5	376
377	Handicap after acute whiplash injury. <i>Neurology</i> , 2001, 56, 1637-1643.	1.5	131
378	Differential effects of systemically administered ketamine and lidocaine on dynamic and static hyperalgesia induced by intradermal capsaicin in humans. <i>British Journal of Anaesthesia</i> , 2000, 84, 155-162.	1.5	46

#	ARTICLE	IF	CITATIONS
379	Duration and distribution of experimental muscle hyperalgesia in humans following combined infusions of serotonin and bradykinin. <i>Brain Research</i> , 2000, 853, 275-281.	1.1	44
380	Relationship between mechanical sensitivity and postamputation pain: a prospective study. <i>European Journal of Pain</i> , 2000, 4, 327-334.	1.4	77
381	Phantom limb pain. <i>Current Review of Pain</i> , 2000, 4, 166-170.	0.8	56
382	Memantine (a N-Methyl-d-Aspartate Receptor Antagonist) in the Treatment of Neuropathic Pain After Amputation or Surgery: A Randomized, Double-Blinded, Cross-Over Study. <i>Anesthesia and Analgesia</i> , 2000, 91, 960-966.	1.1	159
383	Pre-emptive analgesia in postamputation pain: an update. <i>Progress in Brain Research</i> , 2000, 129, 493-503.	0.9	25
384	Pharmacologic treatment of pain in polyneuropathy. <i>Neurology</i> , 2000, 55, 915-920.	1.5	297
385	Peripheral lidocaine but not ketamine inhibits capsaicin-induced hyperalgesia in humans. <i>British Journal of Anaesthesia</i> , 2000, 85, 520-528.	1.5	36
386	Psychophysical examination in patients with post-mastectomy pain. <i>Pain</i> , 2000, 87, 275-284.	2.0	155
387	The important time parameter is missing. Comment on Sindrup and Jensen, <i>Pain</i> 83 (1999) 389-400. <i>Pain</i> , 2000, 88, 313.	2.0	0
388	Intramuscular and intradermal injection of capsaicin: a comparison of local and referred pain. <i>Pain</i> , 2000, 84, 407-412.	2.0	105
389	Repetitive intradermal capsaicin: differential effect on pain and areas of allodynia and punctate hyperalgesia. <i>Somatosensory & Motor Research</i> , 2000, 17, 5-12.	0.4	19
390	Acute pain induces an instant increase in natural killer cell cytotoxicity in humans and this response is abolished by local anaesthesia. <i>British Journal of Anaesthesia</i> , 1999, 83, 235-240.	1.5	44
391	The effect of tramadol in painful polyneuropathy in relation to serum drug and metabolite levels. <i>Clinical Pharmacology and Therapeutics</i> , 1999, 66, 636-641.	2.3	45
392	Experimental human muscle pain induced by intramuscular injections of bradykinin, serotonin, and substance P. <i>European Journal of Pain</i> , 1999, 3, 93-102.	1.4	75
393	The effect of differential and complete nerve block on experimental muscle pain in humans. <i>Muscle and Nerve</i> , 1999, 22, 1564-1570.	1.0	54
394	The effect of compression and regional anaesthetic block on referred pain intensity in humans. <i>Pain</i> , 1999, 80, 257-263.	2.0	56
395	Experimental human muscle pain and muscular hyperalgesia induced by combinations of serotonin and bradykinin. <i>Pain</i> , 1999, 82, 1-8.	2.0	114
396	Tramadol relieves pain and allodynia in polyneuropathy: a randomised, double-blind, controlled trial. <i>Pain</i> , 1999, 83, 85-90.	2.0	283

#	ARTICLE	IF	CITATIONS
397	Efficacy of pharmacological treatments of neuropathic pain: an update and effect related to mechanism of drug action. <i>Pain</i> , 1999, 83, 389-400.	2.0	994
398	Acute non-traumatic pain increases the hepatic amino- to urea-N conversion in normal man. <i>Journal of Hepatology</i> , 1999, 31, 647-655.	1.8	16
399	Relation between perceived stimulus intensity and exteroceptive reflex responses in the human masseter muscles. <i>Clinical Neurophysiology</i> , 1999, 110, 1290-1296.	0.7	20
400	The effect of differential and complete nerve block on experimental muscle pain in humans. <i>Muscle and Nerve</i> , 1999, 22, 1564-1570.	1.0	4
401	The effect of tramadol in painful polyneuropathy in relation to serum drug and metabolite levels. <i>Clinical Pharmacology and Therapeutics</i> , 1999, 66, 636-641.	2.3	10
402	Cerebral blood-flow changes evoked by two levels of painful heat stimulation: A positron emission tomography study in humans. <i>European Journal of Pain</i> , 1998, 2, 95-106.	1.4	29
403	Differential effect of painful heterotopic stimulation on capsaicin-induced pain and allodynia. <i>Brain Research</i> , 1998, 801, 206-210.	1.1	28
404	The relationship between sensory thresholds and mechanical hyperalgesia in nerve injury. <i>Pain</i> , 1998, 75, 321-329.	2.0	88
405	Quantification of deep and superficial sensibility in saline-induced muscle pain-a psychophysical study. <i>Somatosensory & Motor Research</i> , 1998, 15, 46-53.	0.4	39
406	Muscular Sensibility Assessed by Electrical Stimulation and Mechanical Pressure. <i>Journal of Musculoskeletal Pain</i> , 1998, 6, 33-44.	0.3	3
407	Effect of preoperative extradural bupivacaine and morphine on stump sensation in lower limb amputees. <i>British Journal of Anaesthesia</i> , 1998, 81, 348-354.	1.5	52
408	Pain after amputation. <i>British Journal of Anaesthesia</i> , 1998, 81, 486.	1.5	8
409	Mortality and survival in myasthenia gravis: a Danish population based study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 64, 78-83.	0.9	52
410	Exteroceptive suppression of masseter muscle: assessment of two methods for quantitating suppression periods. <i>Acta Neurologica Scandinavica</i> , 1998, 97, 204-213.	1.0	16
411	Experimental Muscle Pain: A Quantitative Study of Local and Referred Pain in Humans Following Injection of Hypertonic Saline. <i>Journal of Musculoskeletal Pain</i> , 1997, 5, 49-69.	0.3	131
412	Randomised trial of epidural bupivacaine and morphine in prevention of stump and phantom pain in lower-limb amputation. <i>Lancet</i> , The, 1997, 350, 1353-1357.	6.3	332
413	Quantification of local and referred muscle pain in humans after sequential i.m. injections of hypertonic saline. <i>Pain</i> , 1997, 69, 111-117.	2.0	183
414	In vivo model of muscle pain: Quantification of intramuscular chemical, electrical, and pressure changes associated with saline-induced muscle pain in humans. <i>Pain</i> , 1997, 69, 137-143.	2.0	132

#	ARTICLE	IF	CITATIONS
415	The influence of preamputation pain on postamputation stump and phantom pain. <i>Pain</i> , 1997, 72, 393-405.	2.0	340
416	Opioids in the brain: supraspinal mechanisms in pain control. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 123-132.	0.7	75
417	Oral ketamine therapy in the treatment of postamputation stump pain. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 427-429.	0.7	76
418	Stimulus-response functions in areas with experimentally induced referred muscle pain – a psychophysical study. <i>Brain Research</i> , 1997, 744, 121-128.	1.1	113
419	Referred pain is dependent on sensory input from the periphery: A psychophysical study. <i>European Journal of Pain</i> , 1997, 1, 261-269.	1.4	47
420	Quantification of local and referred pain in humans induced by intramuscular electrical stimulation. <i>European Journal of Pain</i> , 1997, 1, 105-113.	1.4	50
421	Temporal summation in muscles and referred pain areas: An experimental human study. , 1997, 20, 1311-1313.		78
422	A clinical trial of dextromethorphan in amyotrophic lateral sclerosis. <i>Acta Neurologica Scandinavica</i> , 1997, 96, 8-13.	1.0	60
423	Temporal summation in muscles and referred pain areas: An experimental human study. , 1997, 20, 1311.		1
424	NMDA receptor blockade in chronic neuropathic pain: a comparison of ketamine and magnesium chloride. <i>Pain</i> , 1996, 64, 283-291.	2.0	253
425	The effect of Ketamine on stimulation of primary and secondary hyperalgesic areas induced by capsaicin – a double-blind, placebo-controlled, human experimental study. <i>Pain</i> , 1996, 66, 51-62.	2.0	122
426	The effect of ketamine on phantom pain: a central neuropathic disorder maintained by peripheral input. <i>Pain</i> , 1996, 67, 69-77.	2.0	294
427	Brief, prolonged and repeated stimuli applied to hyperalgesic skin areas: a psychophysical study. <i>Brain Research</i> , 1996, 712, 165-167.	1.1	57
428	Regional Cerebral Blood Flow and Neuropsychological Performance in a Danish Family with X-Linked Bulbo-Spinal Neuronopathy. <i>International Journal of Neuroscience</i> , 1995, 83, 59-68.	0.8	1
429	Sensory abnormalities in consecutive, unselected patients with central post-stroke pain. <i>Pain</i> , 1995, 61, 177-186.	2.0	195
430	Incidence of central post-stroke pain. <i>Pain</i> , 1995, 61, 187-193.	2.0	393
431	Central post-stroke pain: a challenge for the scientist and the clinician. <i>Pain</i> , 1995, 61, 161-164.	2.0	58
432	Associated autoimmune diseases in myasthenia gravis A population-based study. <i>Acta Neurologica Scandinavica</i> , 1995, 91, 192-195.	1.0	115

#	ARTICLE	IF	CITATIONS
433	Quantitative sensory examination of epidural anaesthesia and analgesia in man: combination of morphine and bupivacaine. <i>Pain</i> , 1994, 56, 327-337.	2.0	19
434	Disappearance of morphine-induced hyperalgesia after discontinuing or substituting morphine with other opioid agonists. <i>Pain</i> , 1994, 59, 313-316.	2.0	157
435	Headache in stroke.. <i>Stroke</i> , 1993, 24, 1621-1624.	1.0	143
436	Quantitative sensory examination during epidural anaesthesia and analgesia in man: Effects of morphine. <i>Pain</i> , 1993, 52, 75-83.	2.0	59
437	The effect of pre- versus postinjury infiltration with lidocaine on thermal and mechanical hyperalgesia after heat injury to the skin. <i>Pain</i> , 1993, 53, 43-51.	2.0	144
438	Hyperalgesia and myoclonus in terminal cancer patients treated with continuous intravenous morphine. <i>Pain</i> , 1993, 55, 93-97.	2.0	133
439	Decreased Nociceptive Flexion Reflex Threshold in Chronic Tension-Type Headache. <i>Archives of Neurology</i> , 1993, 50, 1061-1064.	4.9	125
440	McGill Pain Questionnaire Translated into Danish. <i>Clinical Journal of Pain</i> , 1993, 9, 80-87.	0.8	150
441	Incidence and prevalence of myasthenia gravis in western Denmark. <i>Neurology</i> , 1993, 43, 1779-1779.	1.5	68
442	Brainstem excitatory amino acid receptors in nociception: Microinjection mapping and pharmacological characterization of glutamate-sensitive sites in the brainstem associated with algogenic behavior. <i>Neuroscience</i> , 1992, 46, 535-547.	1.1	58
443	Quantitative sensory examination in human epidural anaesthesia and analgesia: effects of lidocaine. <i>Pain</i> , 1992, 51, 27-34.	2.0	55
444	Focal reductions of cerebral blood flow in amyotrophic lateral sclerosis: A SPECT study. <i>Journal of the Neurological Sciences</i> , 1992, 107, 19-28.	0.3	76
445	The antinociceptive activity of excitatory amino acids in the rat brainstem: an anatomical and pharmacological analysis. <i>Brain Research</i> , 1992, 569, 255-267.	1.1	61
446	Relationship between vertex potentials and magnitude of pre-pain and pain sensations evoked by electrical skin stimuli. <i>Electroencephalography and Clinical Neurophysiology</i> , 1992, 82, 387-390.	0.3	26
447	Autoimmune reactions in patients with Mâ€component and peripheral neuropathy. <i>Journal of Internal Medicine</i> , 1992, 232, 185-191.	2.7	6
448	Reply to Coe et al. <i>Pain</i> , 1991, 46, 233.	2.0	0
449	Vibratory and thermal thresholds in diabetics with and without clinical neuropathy. <i>Acta Neurologica Scandinavica</i> , 1991, 84, 326-333.	1.0	57
450	Prevention and Management of Drug-Induced Peripheral Neuropathy. <i>Drug Safety</i> , 1991, 6, 302-314.	1.4	12

#	ARTICLE	IF	CITATIONS
451	The effect of intravenous lidocaine on nociceptive processing in diabetic neuropathy. <i>Pain</i> , 1990, 40, 29-34.	2.0	180
452	Immunosuppressive treatment of patients with amyotrophic lateral sclerosis. <i>Acta Neurologica Scandinavica</i> , 1990, 82, 132-134.	1.0	36
453	IgD monoclonal gammaopathy and axonal neuropathy. <i>Journal of Internal Medicine</i> , 1989, 225, 289-290.	2.7	5
454	Pressure pain thresholds and thermal nociceptive thresholds in chronic tension-type headache. <i>Pain</i> , 1989, 38, 203-210.	2.0	186
455	Comparison of the antinociceptive effect of morphine and glutamate at coincidental sites in the periaqueductal gray and medial medulla in rats. <i>Brain Research</i> , 1989, 476, 1-9.	1.1	101
456	Measurements of human pressure-pain thresholds on fingers and toes. <i>Pain</i> , 1989, 38, 211-217.	2.0	265
457	Trial of Intravenous Lidocaine on Painful Neuropathy in Cancer Patients. <i>Clinical Journal of Pain</i> , 1989, 5, 291-294.	0.8	71
458	Measurement of Human Pressure-Pain Thresholds on Fingers and Toes. <i>Cephalalgia</i> , 1989, 9, 131-132.	1.8	8
459	IgM monoclonal gammopathy and neuropathy in two siblings.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1988, 51, 1308-1315.	0.9	13
460	Chapter 28 Sites of action of opiates in production of analgesia. <i>Progress in Brain Research</i> , 1988, 77, 371-394.	0.9	121
461	Autoimmunity Related to IgM Monoclonal Gammopathy of Undetermined Significance. <i>Acta Medica Scandinavica</i> , 1988, 223, 255-261.	0.0	12
462	Ara-C vasculitis. <i>European Journal of Haematology</i> , 1988, 41, 96.	1.1	2
463	What to expect when you lose a limb. <i>Pain</i> , 1987, 28, 140.	2.0	0
464	Quantitative thermal and vibratory threshold measurements in healthy persons. <i>Pain</i> , 1987, 30, S404.	2.0	0
465	Immunoglobulin deposits in peripheral nerve endings detected by skin biopsy in patients with IgM M proteins and neuropathy. <i>Neurology</i> , 1987, 37, 303-303.	1.5	13
466	I. Comparison of antinociceptive action of morphine in the periaqueductal gray, medial and paramedial medulla in rat. <i>Brain Research</i> , 1986, 363, 99-113.	1.1	208
467	II. Examination of spinal monoamine receptors through which brainstem opiate-sensitive systems act in the rat. <i>Brain Research</i> , 1986, 363, 114-127.	1.1	159
468	III. Comparison of the antinociceptive action of Mu and delta opioid receptor ligands in the periaqueductal gray matter, medial and paramedial ventral medulla in the rat as studied by the microinjection technique. <i>Brain Research</i> , 1986, 372, 301-312.	1.1	127

#	ARTICLE	IF	CITATIONS
469	Differential effects of apomorphine on spinal reflex activity following 6-hydroxydopamine or long-term haloperidol pretreatment. <i>Journal of Neural Transmission</i> , 1986, 65, 125-134.	1.4	2
470	The Prognosis of Transient Global Amnesia. <i>Archives of Neurology</i> , 1986, 43, 673.	4.9	60
471	Immediate and long-term phantom limb pain in amputees: Incidence, clinical characteristics and relationship to pre-amputation limb pain. <i>Pain</i> , 1985, 21, 267-278.	2.0	508
472	Pharmacology The effects of an intrathecal dopamine agonist, apomorphine, on thermal and chemical evoked noxious responses in rats. <i>Pain</i> , 1985, 23, 309-310.	2.0	0
473	Studies on spinal opiate receptor pharmacology. III. Analgetic effects of enkephalin dimers as measured by cutaneous-thermal and visceral-chemical evoked responses. <i>Brain Research</i> , 1985, 337, 209-215.	1.1	32
474	Selective association in conditioned stress-induced analgesia: Functional differences in interoceptive and exteroceptive sensory pathways. <i>Behavioral and Neural Biology</i> , 1985, 43, 218-221.	2.3	34
475	Phantom limb phenomena in amputees 7 years after amputation. <i>Pain</i> , 1984, 18, S85.	2.0	10
476	The role of spinal pathways in dopamine mediated alteration in the tail-flick reflex in rats. <i>Neuropharmacology</i> , 1984, 23, 149-153.	2.0	26
477	Effects of an intrathecal dopamine agonist, apomorphine, on thermal and chemical evoked noxious responses in rats. <i>Brain Research</i> , 1984, 296, 285-293.	1.1	123
478	Spinal monoamine and opiate systems partly mediate the antinociceptive effects produced by glutamate at brainstem sites. <i>Brain Research</i> , 1984, 321, 287-297.	1.1	222
479	Non-painful phantom limb phenomena in amputees: incidence, clinical characteristics and temporal course. <i>Acta Neurologica Scandinavica</i> , 1984, 70, 407-414.	1.0	71
480	Phantom limb, phantom pain and stump pain in amputees during the first 6 months following limb amputation. <i>Pain</i> , 1983, 17, 243-256.	2.0	318
481	Stimulation of spinal dopaminergic receptors: Differential effects on tail reflexes in rats. <i>Neuropharmacology</i> , 1983, 22, 477-483.	2.0	26
482	Pharmacokinetics and Bioavailability of Intravenous and Intramuscular Lorazepam with an Adjunct Test of the Inattention Effect in Humans. <i>Acta Pharmacologica Et Toxicologica</i> , 1983, 52, 121-127.	0.0	4
483	Cerebral Atrophy in Young Torture Victims. <i>New England Journal of Medicine</i> , 1982, 307, 1341-1341.	13.9	70
484	Role of 5-HT and NA in spinal dopaminergic analgesia. <i>European Journal of Pharmacology</i> , 1982, 86, 65-70.	1.7	35
485	Dopaminergic effects on tail-flick response in spinal rats. <i>European Journal of Pharmacology</i> , 1982, 79, 129-133.	1.7	61
486	Effect of emotions on nociceptive threshold in rats. <i>Physiology and Behavior</i> , 1982, 28, 597-599.	1.0	35

#	ARTICLE	IF	CITATIONS
487	Monoaminergic mechanisms in stress-induced analgesia. <i>Journal of Neural Transmission</i> , 1982, 53, 247-255.	1.4	16
488	Association of trigeminal neuralgia with multiple sclerosis: Clinical and pathological features. <i>Acta Neurologica Scandinavica</i> , 1982, 65, 182-189.	1.0	177
489	The role of consciousness in stress-induced analgesia. <i>Journal of Neural Transmission</i> , 1981, 52, 55-60.	1.4	16
490	Cerebral Hemodynamics in Familial Hemiplegic Migraine. <i>Cephalalgia</i> , 1981, 1, 121-125.	1.8	26
491	Familial Hemiplegic Migraine—A Reappraisal and a Long-Term Follow-Up Study. <i>Cephalalgia</i> , 1981, 1, 33-39.	1.8	39
492	Sexual and hypothalamic dysfunction in the postconcussional syndrome. <i>Acta Neurologica Scandinavica</i> , 1981, 63, 169-180.	1.0	45
493	Transient global amnesia - its clinical and pathophysiological basis and prognosis. <i>Acta Neurologica Scandinavica</i> , 1981, 63, 220-230.	1.0	53
494	Plasma Accumulation and Metabolism of Orally Administered Single Dose L-tryptophan in Man. <i>Acta Pharmacologica Et Toxicologica</i> , 1981, 49, 184-189.	0.0	16
495	Transient global amnesia as a manifestation of transient cerebral ischemia. <i>Acta Neurologica Scandinavica</i> , 1980, 61, 115-124.	1.0	40
496	Bioavailability and Pharmacokinetics in Man of Orally Administered Theophylline. <i>Acta Pharmacologica Et Toxicologica</i> , 1980, 46, 205-212.	0.0	8
497	Transient global amnesia in childhood. <i>Developmental Medicine and Child Neurology</i> , 1980, 22, 654-8.	1.1	21
498	Transient Global Amnesia in Migraine. <i>Headache</i> , 1979, 19, 335-338.	1.8	56
499	Intraspinal arachnoiditis and hydrocephalus after lumbar myelography using methylglucamine iocarmate.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1978, 41, 108-112.	0.9	8