

Mark A Williams

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4065918/publications.pdf>

Version: 2024-02-01

19
papers

812
citations

840776

11
h-index

794594

19
g-index

19
all docs

19
docs citations

19
times ranked

1442
citing authors

#	ARTICLE	IF	CITATIONS
1	A Systematic Review of Reliability and Validity Studies of Methods for Measuring Active and Passive Cervical Range of Motion. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2010, 33, 138-155.	0.9	171
2	Prognostic models for identifying risk of poor outcome in people with acute ankle sprains: the SPRAINED development and external validation study. <i>Health Technology Assessment</i> , 2018, 22, 1-112.	2.8	124
3	A systematic literature review of psychological factors and the development of late whiplash syndrome. <i>Pain</i> , 2008, 135, 20-30.	4.2	107
4	Exercises to improve function of the rheumatoid hand (SARAH): a randomised controlled trial. <i>Lancet</i> , The, 2015, 385, 421-429.	13.7	107
5	Emergency department treatments and physiotherapy for acute whiplash: a pragmatic, two-step, randomised controlled trial. <i>Lancet</i> , The, 2013, 381, 546-556.	13.7	102
6	Does a monetary incentive improve the response to a postal questionnaire in a randomised controlled trial? The MINT incentive study. <i>Trials</i> , 2009, 10, 44.	1.6	30
7	Managing Injuries of the Neck Trial (MINT): design of a randomised controlled trial of treatments for whiplash associated disorders. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 7.	1.9	28
8	Managing Injuries of the Neck Trial (MINT): a randomised controlled trial of treatments for whiplash injuries. <i>Health Technology Assessment</i> , 2012, 16, iii-iv, 1-141.	2.8	28
9	Hand exercises for patients with rheumatoid arthritis: an extended follow-up of the SARAH randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e013121.	1.9	19
10	Research priorities for the management of broken bones of the upper limb in people over 50: a UK priority setting partnership with the James Lind Alliance. <i>BMJ Open</i> , 2019, 9, e030028.	1.9	17
11	Properties of patient-reported outcome measures in individuals following acute whiplash injury. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 38.	2.4	16
12	Strengthening and stretching for rheumatoid arthritis of the hand (SARAH): design of a randomised controlled trial of a hand and upper limb exercise intervention - ISRCTN89936343. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 230.	1.9	12
13	A national survey of clinical practice for the management of whiplash-associated disorders in UK emergency departments. <i>Emergency Medicine Journal</i> , 2009, 26, 644-647.	1.0	11
14	A progress report on planetary health, environmental and sustainability education in physiotherapy – Editorial. <i>European Journal of Physiotherapy</i> , 2021, 23, 201-202.	1.3	10
15	Mediating Effect of Changes in Hand Impairments on Hand Function in Patients With Rheumatoid Arthritis: Exploring the Mechanisms of an Effective Exercise Program. <i>Arthritis Care and Research</i> , 2017, 69, 982-988.	3.4	8
16	Objectively quantified lower limb strength recovery in people treated surgically or non-surgically after patellar dislocation: A systematic review. <i>Physical Therapy in Sport</i> , 2021, 51, 110-138.	1.9	7
17	The Osteoarthritis Thumb Therapy (OTTER) II Trial: a study protocol for a three-arm multi-centre randomised placebo controlled trial of the clinical effectiveness and efficacy and cost-effectiveness of splints for symptomatic thumb base osteoarthritis. <i>BMJ Open</i> , 2019, 9, e028342.	1.9	7
18	Development and prospective external validation of a tool to predict poor recovery at 9 months after acute ankle sprain in UK emergency departments: the SPRAINED prognostic model. <i>BMJ Open</i> , 2018, 8, e022802.	1.9	5

#	ARTICLE	IF	CITATIONS
19	Characteristics of hand involvement in a comparative study of two early <scp>RA</scp> cohorts from the <scp>UK</scp> and <scp>C</scp>hina. International Journal of Rheumatic Diseases, 2017, 20, 1426-1436.	1.9	3