

Maria Javier Ramirez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4065976/publications.pdf>

Version: 2024-02-01

114
papers

6,586
citations

50566

48
h-index

75989

78
g-index

117
all docs

117
docs citations

117
times ranked

10450
citing authors

#	ARTICLE	IF	CITATIONS
1	Dysbiosis and Alzheimer's Disease: Cause or Treatment Opportunity?. Cellular and Molecular Neurobiology, 2022, 42, 377-387.	1.7	24
2	p27, The Cell Cycle and Alzheimer's Disease. International Journal of Molecular Sciences, 2022, 23, 1211.	1.8	15
3	Brain Metabolic Alterations in Alzheimer's Disease. International Journal of Molecular Sciences, 2022, 23, 3785.	1.8	28
4	Trimethylamine N-oxide (TMAO) drives insulin resistance and cognitive deficiencies in a senescence accelerated mouse model. Mechanisms of Ageing and Development, 2022, 204, 111668.	2.2	16
5	Biomarcadores en la enfermedad de Alzheimer. Advances in Laboratory Medicine / Avances En Medicina De Laboratorio, 2021, 2, 39-50.	0.1	2
6	Linking dietary methyl donors, maternal separation, and depression. , 2021, , 473-483.		0
7	Corticosteroid-binding-globulin (CBG)-deficient mice show high pY216-GSK3 β and phosphorylated-Tau levels in the hippocampus. PLoS ONE, 2021, 16, e0246930.	1.1	2
8	Expression of Endothelial NOX5 Alters the Integrity of the Blood-Brain Barrier and Causes Loss of Memory in Aging Mice. Antioxidants, 2021, 10, 1311.	2.2	11
9	5-HT7 receptors in Alzheimer's disease. Neurochemistry International, 2021, 150, 105185.	1.9	12
10	Biomarkers in Alzheimer's disease. Advances in Laboratory Medicine / Avances En Medicina De Laboratorio, 2021, 2, 27-37.	0.1	13
11	GLUT12 Expression in Brain of Mouse Models of Alzheimer's Disease. Molecular Neurobiology, 2020, 57, 798-805.	1.9	14
12	Brain ventricular enlargement in human and murine acute intermittent porphyria. Human Molecular Genetics, 2020, 29, 3211-3223.	1.4	3
13	DHA Selectively Protects SAMP-8-Associated Cognitive Deficits Through Inhibition of JNK. Molecular Neurobiology, 2019, 56, 1618-1627.	1.9	13
14	Reduced Adrenomedullin Parallels Microtubule Dismantlement in Frontotemporal Lobar Degeneration. Molecular Neurobiology, 2018, 55, 9328-9333.	1.9	1
15	Adrenomedullin, a Novel Target for Neurodegenerative Diseases. Molecular Neurobiology, 2018, 55, 8799-8814.	1.9	17
16	Pegylated nanoparticles for the oral delivery of nimodipine: Pharmacokinetics and effect on the anxiety and cognition in mice. International Journal of Pharmaceutics, 2018, 543, 245-256.	2.6	11
17	Implication of Trimethylamine N-Oxide (TMAO) in Disease: Potential Biomarker or New Therapeutic Target. Nutrients, 2018, 10, 1398.	1.7	403
18	Interactions Between Age, Diet, and Insulin and Their Effect on Cognition. , 2018, , 223-238.		0

#	ARTICLE	IF	CITATIONS
19	Increased Levels of Brain Adrenomedullin in the Neuropathology of Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2018, 55, 5177-5183.	1.9	21
20	Reduced serotonin levels after a lifestyle intervention in obese children: association with glucose and anthropometric measurements. <i>Nutricion Hospitalaria</i> , 2018, 35, 279-285.	0.2	5
21	Modulation of BDNF cleavage by plasminogen-activator inhibitor-1 contributes to Alzheimer's neuropathology and cognitive deficits. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 991-1001.	1.8	69
22	Effects of perinatal diet and prenatal stress on the behavioural profile of aged male and female rats. <i>Journal of Psychopharmacology</i> , 2017, 31, 356-364.	2.0	13
23	Serotonin 5-HT ₆ Receptor Antagonists in Alzheimer's Disease: Therapeutic Rationale and Current Development Status. <i>CNS Drugs</i> , 2017, 31, 19-32.	2.7	82
24	Effect of the oral administration of nanoencapsulated quercetin on a mouse model of Alzheimer's disease. <i>International Journal of Pharmaceutics</i> , 2017, 517, 50-57.	2.6	106
25	GPR55: A therapeutic target for Parkinson's disease?. <i>Neuropharmacology</i> , 2017, 125, 319-332.	2.0	67
26	Inflammation and gut-brain axis link obesity to cognitive dysfunction: plausible pharmacological interventions. <i>Current Opinion in Pharmacology</i> , 2017, 37, 87-92.	1.7	119
27	Nutrition for the ageing brain: Towards evidence for an optimal diet. <i>Ageing Research Reviews</i> , 2017, 35, 222-240.	5.0	161
28	Exploring Pharmacological Mechanisms of Lavender (<i>Lavandula angustifolia</i>) Essential Oil on Central Nervous System Targets. <i>Frontiers in Pharmacology</i> , 2017, 8, 280.	1.6	169
29	Adrenomedullin Contributes to Age-Related Memory Loss in Mice and Is Elevated in Aging Human Brains. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 384.	1.4	21
30	An Increase in Plasma Homovanillic Acid with Cocoa Extract Consumption Is Associated with the Alleviation of Depressive Symptoms in Overweight or Obese Adults on an Energy Restricted Diet in a Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2016, 146, 897S-904S.	1.3	23
31	Downregulation of glutamatergic terminals (VGLUT1) driven by A β in Alzheimer's disease. <i>Hippocampus</i> , 2016, 26, 1303-1312.	0.9	32
32	JNK: A Putative Link Between Insulin Signaling and VGLUT1 in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016, 50, 963-967.	1.2	3
33	Purported Interactions of Amyloid- β and Glucocorticoids in Cytotoxicity and Genotoxicity: Implications in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1085-1094.	1.2	2
34	Precision Obesity Treatments Including Pharmacogenetic and Nutrigenetic Approaches. <i>Trends in Pharmacological Sciences</i> , 2016, 37, 575-593.	4.0	36
35	Fatty acid amide hydrolase inhibition for the symptomatic relief of Parkinson's disease. <i>Brain, Behavior, and Immunity</i> , 2016, 57, 94-105.	2.0	51
36	Lipoic acid improves neuronal insulin signalling and rescues cognitive function regulating VGLUT1 expression in high-fat-fed rats: Implications for Alzheimer's disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016, 1862, 511-517.	1.8	20

#	ARTICLE	IF	CITATIONS
37	Methyl donor supplementation in rats reverses the deleterious effect of maternal separation on depression-like behaviour. <i>Behavioural Brain Research</i> , 2016, 299, 51-58.	1.2	54
38	Object recognition test for studying cognitive impairments in animal models of Alzheimer's disease. <i>Frontiers in Bioscience - Scholar</i> , 2015, 7, 10-29.	0.8	34
39	Decreased levels of guanosine 3',5'-cyclic monophosphate (cGMP) in cerebrospinal fluid (CSF) are associated with cognitive decline and amyloid pathology in Alzheimer's disease. <i>Neuropathology and Applied Neurobiology</i> , 2015, 41, 471-482.	1.8	84
40	Venlafaxine reverses decreased proliferation in the subventricular zone in a rat model of early life stress. <i>Behavioural Brain Research</i> , 2015, 292, 79-82.	1.2	4
41	Alterations in brain leptin signalling in spite of unchanged CSF leptin levels in Alzheimer's disease. <i>Aging Cell</i> , 2015, 14, 122-129.	3.0	56
42	c-Jun N-terminal Kinase (JNK) Signaling as a Therapeutic Target for Alzheimer's Disease. <i>Frontiers in Pharmacology</i> , 2015, 6, 321.	1.6	284
43	Treatment Options in Alzheimer's Disease: The GABA Story. <i>Current Pharmaceutical Design</i> , 2015, 21, 4960-4971.	0.9	103
44	Revealing the cerebral regions and networks mediating vulnerability to depression: Oxidative metabolism mapping of rat brain. <i>Behavioural Brain Research</i> , 2014, 267, 83-94.	1.2	23
45	Serotonergic Therapies for Cognitive Symptoms in Alzheimer's Disease: Rationale and Current Status. <i>Drugs</i> , 2014, 74, 729-736.	4.9	77
46	Decreased rabphilin 3A immunoreactivity in Alzheimer's disease is associated with A β burden. <i>Neurochemistry International</i> , 2014, 64, 29-36.	1.9	41
47	Effect of dietary restriction on peripheral monoamines and anxiety symptoms in obese subjects with metabolic syndrome. <i>Psychoneuroendocrinology</i> , 2014, 47, 98-106.	1.3	16
48	Expression of the Glucose Transporter GLUT12 in Alzheimer's Disease Patients. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 97-101.	1.2	15
49	Early cognitive stimulation compensates for memory and pathological changes in Tg2576 mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 837-847.	1.8	23
50	5-HT ₆ receptors and Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2013, 5, 15.	3.0	82
51	Propranolol reduces cognitive deficits, amyloid and tau pathology in Alzheimer's transgenic mice. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 2245-2257.	1.0	52
52	CB ₂ receptor and amyloid pathology in frontal cortex of Alzheimer's disease patients. <i>Neurobiology of Aging</i> , 2013, 34, 805-808.	1.5	152
53	Propranolol reduces cognitive deficits, amyloid β levels, tau phosphorylation and insulin resistance in response to chronic corticosterone administration. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1351-1360.	1.0	23
54	Stress contributes to the development of central insulin resistance during aging: Implications for Alzheimer's disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 2332-2339.	1.8	35

#	ARTICLE	IF	CITATIONS
55	Maternal deprivation effects on brain plasticity and recognition memory in adolescent male and female rats. <i>Neuropharmacology</i> , 2013, 68, 223-231.	2.0	103
56	Regulation of serotonin (5-HT) function by a VGLUT1 dependent glutamate pathway. <i>Neuropharmacology</i> , 2013, 70, 190-199.	2.0	7
57	Propranolol restores cognitive deficits and improves amyloid and Tau pathologies in a senescence-accelerated mouse model. <i>Neuropharmacology</i> , 2013, 64, 137-144.	2.0	52
58	Mineralocorticoid Receptor Activation Induces Insulin Resistance Through c-Jun N-terminal kinases in Response to Chronic Corticosterone: Cognitive Implications. <i>Journal of Neuroendocrinology</i> , 2013, 25, 350-356.	1.2	23
59	Effects of Early Maternal Separation on Biobehavioral and Neuropathological Markers of Alzheimer's Disease in Adult Male Rats. <i>Current Alzheimer Research</i> , 2013, 10, 420-432.	0.7	48
60	Mechanisms Involved in BACE Upregulation Associated to Stress. <i>Current Alzheimer Research</i> , 2012, 9, 822-829.	0.7	13
61	Long lasting effects of early-life stress on glutamatergic/GABAergic circuitry in the rat hippocampus. <i>Neuropharmacology</i> , 2012, 62, 1944-1953.	2.0	103
62	Cholinergic denervation exacerbates amyloid pathology and induces hippocampal atrophy in Tg2576 mice. <i>Neurobiology of Disease</i> , 2012, 48, 439-446.	2.1	29
63	Postnatal maternal separation modifies the response to an obesogenic diet in adulthood. <i>DMM Disease Models and Mechanisms</i> , 2012, 5, 691-7.	1.2	34
64	Stress-induced anhedonia is associated with an increase in Alzheimer's disease-related markers. <i>British Journal of Pharmacology</i> , 2012, 165, 897-907.	2.7	54
65	Cholinergic hypofunction impairs memory acquisition possibly through hippocampal Arc and BDNF downregulation. <i>Hippocampus</i> , 2011, 21, 999-1009.	0.9	46
66	Novel Benzo[<i>b</i>]thiophene Derivatives as New Potential Antidepressants with Rapid Onset of Action. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 3086-3090.	2.9	85
67	5-HT ₆ receptor and cognition. <i>Current Opinion in Pharmacology</i> , 2011, 11, 94-100.	1.7	118
68	Chronic stress and impaired glutamate function elicit a depressive-like phenotype and common changes in gene expression in the mouse frontal cortex. <i>European Neuropsychopharmacology</i> , 2011, 21, 23-32.	0.3	55
69	Long Term Sex-Dependent Psychoneuroendocrine Effects of Maternal Deprivation and Juvenile Unpredictable Stress in Rats. <i>Journal of Neuroendocrinology</i> , 2011, 23, 329-344.	1.2	84
70	Sustained stress-induced changes in mice as a model for chronic depression. <i>Psychopharmacology</i> , 2010, 210, 393-406.	1.5	92
71	Regulation of markers of synaptic function in mouse models of depression: chronic mild stress and decreased expression of VGLUT1. <i>Journal of Neurochemistry</i> , 2010, 114, 1302-1314.	2.1	69
72	Insulin Levels are Decreased in the Cerebrospinal Fluid of Women with Prodromal Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 405-413.	1.2	68

#	ARTICLE	IF	CITATIONS
73	Interactions Between Age, Stress and Insulin on Cognition: Implications for Alzheimer's Disease. <i>Neuropsychopharmacology</i> , 2010, 35, 1664-1673.	2.8	109
74	HPA Axis Dysregulation Associated to Apolipoprotein E4 Genotype in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 829-838.	1.2	73
75	5-HT ₆ Receptor Signal Transduction. <i>International Review of Neurobiology</i> , 2010, 94, 89-110.	0.9	13
76	Signalling pathways associated with 5-HT ₆ receptors: relevance for cognitive effects. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 775-784.	1.0	26
77	Neurochemical basis for symptomatic treatment of Alzheimer's disease. <i>Neuropharmacology</i> , 2010, 59, 221-229.	2.0	94
78	Altered NCAM Expression Associated with the Cholinergic System in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 659-668.	1.2	38
79	Neonatal stress affects vulnerability of cholinergic neurons and cognition in the rat: Involvement of the HPA axis. <i>Psychoneuroendocrinology</i> , 2009, 34, 1495-1505.	1.3	66
80	Effects of neonatal stress on markers of synaptic plasticity in the hippocampus: Implications for spatial memory. <i>Hippocampus</i> , 2009, 19, 1222-1231.	0.9	156
81	Effects of chronic blockade of 5-HT ₆ receptors on NMDA receptor subunits expression. <i>Synapse</i> , 2009, 63, 814-816.	0.6	3
82	Increased Vulnerability to Depressive-Like Behavior of Mice with Decreased Expression of VGLUT1. <i>Biological Psychiatry</i> , 2009, 66, 275-282.	0.7	118
83	S.27.03 Decreased VGLUT1 levels and long-term chronic mild stress: animal models addressing specific aspects of major depression. <i>European Neuropsychopharmacology</i> , 2009, 19, S214-S215.	0.3	0
84	P.2.b.012 Long-term neurobiological changes by chronic mild stress and residual alterations after antidepressant discontinuation. <i>European Neuropsychopharmacology</i> , 2009, 19, S397-S398.	0.3	0
85	Long-lasting behavioral effects and recognition memory deficit induced by chronic mild stress in mice: effect of antidepressant treatment. <i>Psychopharmacology</i> , 2008, 199, 1-14.	1.5	160
86	Effects of 5-HT ₆ receptor antagonism and cholinesterase inhibition in models of cognitive impairment in the rat. <i>British Journal of Pharmacology</i> , 2008, 155, 434-440.	2.7	71
87	Effects of maternal separation on hypothalamic-pituitary-adrenal responses, cognition and vulnerability to stress in adult female rats. <i>Neuroscience</i> , 2008, 154, 1218-1226.	1.1	164
88	Functional interaction between 5-HT ₆ receptors and hypothalamic-pituitary-adrenal axis: Cognitive implications. <i>Neuropharmacology</i> , 2008, 54, 708-714.	2.0	29
89	Involvement of an Altered 5-HT ₆ Receptor Function in Behavioral Symptoms of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2008, 14, 43-50.	1.2	39
90	Increase of locomotor activity underlying the behavioral disinhibition in Tg2576 mice.. <i>Behavioral Neuroscience</i> , 2007, 121, 340-344.	0.6	64

#	ARTICLE	IF	CITATIONS
91	Cognitive impairment associated to HPA axis hyperactivity after maternal separation in rats. <i>Psychoneuroendocrinology</i> , 2007, 32, 256-266.	1.3	445
92	Increased sensitivity to MPTP in human β -synuclein A30P transgenic mice. <i>Neurobiology of Aging</i> , 2006, 27, 848-856.	1.5	88
93	Involvement of the GABAergic system in depressive symptoms of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006, 27, 1110-1117.	1.5	56
94	Effect of Selective Cholinergic Denervation on the Serotonergic System: Implications for Learning and Memory. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006, 65, 1074-1081.	0.9	35
95	Lack of localization of 5-HT ₆ receptors on cholinergic neurons: implication of multiple neurotransmitter systems in 5-HT ₆ receptor-mediated acetylcholine release. <i>European Journal of Neuroscience</i> , 2006, 24, 1299-1306.	1.2	110
96	Selective effects of the APOE ϵ 4 allele on presynaptic cholinergic markers in the neocortex of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2006, 22, 555-561.	2.1	26
97	Cholinergic-serotonergic imbalance contributes to cognitive and behavioral symptoms in Alzheimer's disease. <i>Neuropsychologia</i> , 2005, 43, 442-449.	0.7	193
98	Involvement of the Serotonergic System in Cognitive and Behavioral Symptoms of Alzheimers Disease. <i>Current Psychiatry Reviews</i> , 2005, 1, 337-343.	0.9	6
99	Evaluation of cholinergic markers in Alzheimer's disease and in a model of cholinergic deficit. <i>Neuroscience Letters</i> , 2005, 375, 37-41.	1.0	64
100	Differential Involvement of 5-HT _{1B/1D} and 5-HT ₆ Receptors in Cognitive and Non-cognitive Symptoms in Alzheimer's Disease. <i>Neuropsychopharmacology</i> , 2004, 29, 410-416.	2.8	128
101	Changes in hippocampal SNAP-25 expression following afferent lesions. <i>Brain Research</i> , 2004, 997, 133-135.	1.1	8
102	Facilitation of cholinergic transmission by combined treatment of ondansetron with flumazenil after cortical cholinergic deafferentation. <i>Neuropharmacology</i> , 2004, 47, 225-232.	2.0	17
103	Flumazenil and tacrine increase the effectiveness of ondansetron on scopolamine-induced impairment of spatial learning in rats. <i>Psychopharmacology</i> , 2003, 169, 35-41.	1.5	24
104	Adrenomedullin expression and function in the rat carotid body. <i>Journal of Endocrinology</i> , 2003, 176, 95-102.	1.2	14
105	GABAA receptor antagonists enhance cortical acetylcholine release induced by 5-HT ₃ receptor blockade in freely moving rats. <i>Brain Research</i> , 2002, 956, 81-85.	1.1	34
106	Chronic elevation of amyloid precursor protein in the neocortex or hippocampus of marmosets with selective cholinergic lesions. <i>Journal of Neural Transmission</i> , 2001, 108, 809-826.	1.4	11
107	Expression of Amyloid precursor protein, tau and presenilin RNAs in rat hippocampus following deafferentation lesions. <i>Brain Research</i> , 2001, 907, 222-232.	1.1	19
108	β -Lipoic acid prevents 3,4-methylenedioxy-methamphetamine (MDMA)-induced neurotoxicity. <i>NeuroReport</i> , 1999, 10, 3675-3680.	0.6	86

#	ARTICLE	IF	CITATIONS
109	Differential interaction between 5-HT ₃ receptors and GABAergic neurons inhibiting acetylcholine release in rat entorhinal cortex slices. Brain Research, 1998, 801, 228-232.	1.1	26
110	Current Neurotransmitter Strategies in AD Drug Development. Advances in Behavioral Biology, 1998, , 851-859.	0.2	1
111	5-HT ₂ receptor regulation of acetylcholine release induced by dopaminergic stimulation in rat striatal slices. Brain Research, 1997, 757, 17-23.	1.1	29
112	Involvement of GABA systems in acetylcholine release induced by 5-HT ₃ receptor blockade in slices from rat entorhinal cortex. Brain Research, 1996, 712, 274-280.	1.1	64
113	Involvement of neurokinins in the noncholinergic response to activation of 5-HT ₃ and 5-HT ₄ receptors in guinea pig ileum. British Journal of Pharmacology, 1994, 111, 419-424.	2.7	44
114	On the nature of the 5-HT receptor subtype inhibiting acetylcholine release in the guinea pig ileum. British Journal of Pharmacology, 1994, 113, 77-80.	2.7	8