

Vicente Mariscal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4066673/publications.pdf>

Version: 2024-02-01

41
papers

1,536
citations

304743

22
h-index

315739

38
g-index

44
all docs

44
docs citations

44
times ranked

981
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanism of intercellular molecular exchange in heterocyst-forming cyanobacteria. EMBO Journal, 2008, 27, 1299-1308.	7.8	145
2	A dual system formed by the ARC and NR molybdoenzymes mediates nitrite-dependent NO production in <i>Chlamydomonas</i> . Plant, Cell and Environment, 2016, 39, 2097-2107.	5.7	130
3	Differential Regulation of the <i>Chlamydomonas</i> Nar1 Gene Family by Carbon and Nitrogen. Protist, 2006, 157, 421-433.	1.5	99
4	Septum-Localized Protein Required for Filament Integrity and Diazotrophy in the Heterocyst-Forming Cyanobacterium <i>Anabaena</i> sp. Strain PCC 7120. Journal of Bacteriology, 2007, 189, 3884-3890.	2.2	96
5	Continuous periplasm in a filamentous, heterocyst-forming cyanobacterium. Molecular Microbiology, 2007, 65, 1139-1145.	2.5	90
6	Intercellular Diffusion of a Fluorescent Sucrose Analog via the Septal Junctions in a Filamentous Cyanobacterium. MBio, 2015, 6, e02109.	4.1	90
7	Fra proteins influencing filament integrity, diazotrophy and localization of septal protein SepJ in the heterocyst-forming cyanobacterium <i>Anabaena</i> sp.. Molecular Microbiology, 2010, 75, 1159-1170.	2.5	87
8	FraC/FraD-dependent intercellular molecular exchange in the filaments of a heterocyst-forming cyanobacterium, <i>Anabaena</i> sp.. Molecular Microbiology, 2011, 82, 87-98.	2.5	68
9	ABC-type amino acid uptake transporters Bgt and N Δ H of <i>Anabaena</i> sp. strain PCC 7120 share an ATPase subunit and are expressed in vegetative cells and heterocysts. Molecular Microbiology, 2008, 67, 1067-1080.	2.5	58
10	Functional dissection and evidence for intercellular transfer of the heterocyst differentiation <i>scp</i> Pat <i>S</i> morphogen. Molecular Microbiology, 2013, 88, 1093-1105.	2.5	56
11	The outer membrane of a heterocyst-forming cyanobacterium is a permeability barrier for uptake of metabolites that are exchanged between cells. Molecular Microbiology, 2009, 74, 58-70.	2.5	51
12	Functional dissection of the three-domain SepJ protein joining the cells in cyanobacterial trichomes. Molecular Microbiology, 2011, 79, 1077-1088.	2.5	46
13	Division-dependent subcellular localization of cell-cell joining protein <i>scp</i> S <i>ep</i> J in the filamentous cyanobacterium <i>Anabaena</i> . Molecular Microbiology, 2015, 96, 566-580.	2.5	43
14	Branching and intercellular communication in the <i>scp</i> S <i>ect</i> V cyanobacterium <i>Mastigocladus laminosus</i> , a complex multicellular prokaryote. Molecular Microbiology, 2014, 91, 935-949.	2.5	42
15	Nitrite transport to the chloroplast in <i>Chlamydomonas reinhardtii</i> : molecular evidence for a regulated process. Journal of Experimental Botany, 2002, 53, 845-853.	4.8	40
16	Role of Two Cell Wall Amidases in Septal Junction and Nanopore Formation in the Multicellular Cyanobacterium <i>Anabaena</i> sp. PCC 7120. Frontiers in Cellular and Infection Microbiology, 2017, 7, 386.	3.9	35
17	Subcellular Localization and Clues for the Function of the HetN Factor Influencing Heterocyst Distribution in <i>Anabaena</i> sp. Strain PCC 7120. Journal of Bacteriology, 2014, 196, 3452-3460.	2.2	33
18	Spatial Fluctuations in Expression of the Heterocyst Differentiation Regulatory Gene <i>hetR</i> in <i>Anabaena</i> Filaments. PLoS Genetics, 2015, 11, e1005031.	3.5	27

#	ARTICLE	IF	CITATIONS
19	Overexpression of SepJ alters septal morphology and heterocyst pattern regulated by diffusible signals in <i>Anabaena</i> . <i>Molecular Microbiology</i> , 2016, 101, 968-981.	2.5	27
20	Consortia of Plant-Growth-Promoting Rhizobacteria Isolated from Halophytes Improve Response of Eight Crops to Soil Salinization and Climate Change Conditions. <i>Agronomy</i> , 2021, 11, 1609.	3.0	27
21	Specific Glucoside Transporters Influence Septal Structure and Function in the Filamentous, Heterocyst-Forming Cyanobacterium <i>Anabaena</i> sp. Strain PCC 7120. <i>Journal of Bacteriology</i> , 2017, 199, .	2.2	25
22	Requirement of Fra proteins for communication channels between cells in the filamentous nitrogen-fixing cyanobacterium <i>Anabaena</i> sp. PCC 7120. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4458-64.	7.1	24
23	Endophytic Colonization of Rice (<i>Oryza sativa</i> L.) by the Symbiotic Strain <i>Nostoc punctiforme</i> PCC 73102. <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 1040-1045.	2.6	21
24	Amino Acid Transporters and Release of Hydrophobic Amino Acids in the Heterocyst-Forming Cyanobacterium <i>Anabaena</i> sp. Strain PCC 7120. <i>Life</i> , 2015, 5, 1282-1300.	2.4	20
25	Multicellularity in a Heterocyst-Forming Cyanobacterium: Pathways for Intercellular Communication. <i>Advances in Experimental Medicine and Biology</i> , 2010, 675, 123-135.	1.6	18
26	The plastidic nitrite transporter NAR1;1 improves nitrate use efficiency for growth in <i>Chlamydomonas</i> . <i>Plant, Cell and Environment</i> , 2004, 27, 1321-1328.	5.7	17
27	Intercellular transfer along the trichomes of the invasive terminal heterocyst forming cyanobacterium <i>Cylindrospermopsis raciborskii</i> CS-505. <i>FEMS Microbiology Letters</i> , 2015, 362, .	1.8	16
28	Cytochrome c6 is the main respiratory and photosynthetic soluble electron donor in heterocysts of the cyanobacterium <i>Anabaena</i> sp. PCC 7120. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2019, 1860, 60-68.	1.0	14
29	<i>Chlamydomonas reinhardtii</i> strains expressing nitrate reductase under control of the cabII-1 promoter: isolation of chlorate resistant mutants and identification of new loci for nitrate assimilation. <i>Photosynthesis Research</i> , 2005, 83, 151-161.	2.9	12
30	FraH Is Required for Reorganization of Intracellular Membranes during Heterocyst Differentiation in <i>Anabaena</i> sp. Strain PCC 7120. <i>Journal of Bacteriology</i> , 2011, 193, 6815-6823.	2.2	11
31	Septal protein SepJ from the heterocyst-forming cyanobacterium <i>Anabaena</i> forms multimers and interacts with peptidoglycan. <i>FEBS Open Bio</i> , 2017, 7, 1515-1526.	2.3	11
32	Functional Dependence between Septal Protein SepJ from <i>Anabaena</i> sp. Strain PCC 7120 and an Amino Acid ABC-Type Uptake Transporter. <i>Journal of Bacteriology</i> , 2015, 197, 2721-2730.	2.2	10
33	Sustaining Rice Production through Biofertilization with N ₂ -Fixing Cyanobacteria. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4628.	2.5	10
34	Impaired cell-cell communication in the multicellular cyanobacterium <i>Anabaena</i> affects carbon uptake, photosynthesis, and the cell wall. <i>IScience</i> , 2021, 24, 101977.	4.1	9
35	NRT2.4 and NRT2.5 Are Two Half-Size Transporters from the <i>Chlamydomonas</i> NRT2 Family. <i>Agronomy</i> , 2016, 6, 20.	3.0	7
36	Mechanisms for Protein Redistribution in Thylakoids of <i>Anabaena</i> During Cell Differentiation. <i>Plant and Cell Physiology</i> , 2018, 59, 1860-1873.	3.1	6

#	ARTICLE	IF	CITATIONS
37	Quantitative Proteomics at Early Stages of the Symbiotic Interaction Between <i>Oryza sativa</i> and <i>Nostoc punctiforme</i> Reveals Novel Proteins Involved in the Symbiotic Crosstalk. <i>Plant and Cell Physiology</i> , 2022, 63, 1433-1445.	3.1	6
38	Specific mutations in the permease domain of septal protein SepJ differentially affect functions related to multicellularity in the filamentous cyanobacterium <i>Anabaena</i> . <i>Microbial Cell</i> , 2018, 5, 555-565.	3.2	5
39	Genetic and lipidomic analyses suggest that <i>Nostoc punctiforme</i> , a plant-symbiotic cyanobacterium, does not produce sphingolipids. <i>Access Microbiology</i> , 2022, 4, 000306.	0.5	2
40	Cytochrome cM Is Probably a Membrane Protein Similar to the C Subunit of the Bacterial Nitric Oxide Reductase. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 9396.	2.5	1
41	The Green Alga <i>Chlamydomonas</i> as a Tool to Study the Nitrate Assimilation Pathway in Plants. , 2006, , 125-158.		0