

Neftali Sillero

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4066677/neftali-sillero-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

1,561
citations

22
h-index

38
g-index

82
ext. papers

1,978
ext. citations

3.1
avg, IF

5.25
L-index

#	Paper	IF	Citations
73	Climate change in action: local elevational shifts on Iberian amphibians and reptiles. <i>Regional Environmental Change</i> , 2021 , 21, 1	4.3	0
72	The distribution and biogeography of slow worms (Anguis, Squamata) across the Western Palearctic, with an emphasis on secondary contact zones. <i>Amphibia - Reptilia</i> , 2021 , 1-12	1.2	1
71	A Spatial Approach for Modeling Amphibian Road-Kills: Comparison of Regression Techniques. <i>ISPRS International Journal of Geo-Information</i> , 2021 , 10, 343	2.9	
70	A survival story: evolutionary history of the Iberian Algyroides (Squamata: Lacertidae), an endemic lizard relict. <i>Biodiversity and Conservation</i> , 2021 , 30, 2707-2729	3.4	0
69	Ecological niche models improve home range estimations. <i>Journal of Zoology</i> , 2021 , 313, 145-157	2	6
68	Common mistakes in ecological niche models. <i>International Journal of Geographical Information Science</i> , 2021 , 35, 213-226	4.1	43
67	The more you search, the more you find: Cryptic diversity and admixture within the Anatolian rock lizards (Squamata, Darevskia). <i>Zoologica Scripta</i> , 2021 , 50, 193-209	2.5	2
66	Assessing the performance of different OBIA software approaches for mapping invasive alien plants along roads with remote sensing data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2021 , 95, 102263	7.3	8
65	Genetic diversity of Horvath's Rock Lizard meets current environmental restrictions. <i>Conservation Genetics</i> , 2021 , 22, 483-498	2.6	3
64	Influence of avocado orchard landscapes on amphibians and reptiles in the trans-Mexican volcanic belt. <i>Biotropica</i> , 2021 , 53, 1631	2.3	0
63	A Simple Spatial Method for Identifying Point Clusters by Neighbourhood Relationships. <i>Ecologies</i> , 2021 , 2, 305-312	0.3	0
62	Cross-scale monitoring of habitat suitability changes using satellite time series and ecological niche models. <i>Science of the Total Environment</i> , 2021 , 784, 147172	10.2	4
61	Want to model a species niche? A step-by-step guideline on correlative ecological niche modelling. <i>Ecological Modelling</i> , 2021 , 456, 109671	3	9
60	Using citizen science in road surveys for large-scale amphibian monitoring: are biased data representative for species distribution?. <i>Biodiversity and Conservation</i> , 2020 , 29, 1767-1781	3.4	9
59	Ultrasonic device effectiveness in keeping rodents off the road. <i>European Journal of Wildlife Research</i> , 2020 , 66, 1	2	1
58	Local Segregation of Realised Niches in Lizards. <i>ISPRS International Journal of Geo-Information</i> , 2020 , 9, 764	2.9	3
57	Distribution modelling of an introduced species: do adaptive genetic markers affect potential range?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20201791	4.4	1

56	Assessing the relative importance of temperature, discharge, and day length on the reproduction of an anadromous fish (<i>Alosa alosa</i>). <i>Freshwater Biology</i> , 2020 , 65, 253-263	3.1	5
55	Ecological Niche Models Reveal Climate Change Effect on Biogeographical Regions: The Iberian Peninsula as a Case Study. <i>Climate</i> , 2020 , 8, 42	3.1	10
54	Influence of Landscape Factors on Amphibian Roadkills at the National Level. <i>Diversity</i> , 2019 , 11, 13	2.5	8
53	The role of hybridisation in the origin and evolutionary persistence of vertebrate parthenogens: a case study of <i>Darevskia</i> lizards. <i>Heredity</i> , 2019 , 123, 795-808	3.6	5
52	Fully automatic multi-temporal land cover classification using Sentinel-2 image data. <i>Procedia Computer Science</i> , 2019 , 159, 650-657	1.6	9
51	Improving the accuracy of small vertebrate-based palaeoclimatic reconstructions derived from the Mutual Ecogeographic Range. A case study using geographic information systems and UDA-ODA discrimination methodology. <i>Quaternary Science Reviews</i> , 2019 , 223, 105969	3.9	9
50	An Improved Mobile Mapping System to Detect Road-Killed Amphibians and Small Birds. <i>ISPRS International Journal of Geo-Information</i> , 2019 , 8, 565	2.9	2
49	Realized niche modelling uncovers contrasting responses to fire according to species-specific biogeographical affinities of amphibian and reptile species. <i>Biological Journal of the Linnean Society</i> , 2019 , 126, 55-67	1.9	7
48	Traditionally managed landscapes do not prevent amphibian decline and the extinction of paedomorphosis. <i>Ecological Monographs</i> , 2019 , 89, e01347	9	7
47	The role of fire on wolf distribution and breeding-site selection: Insights from a generalist carnivore occurring in a fire-prone landscape. <i>Landscape and Urban Planning</i> , 2019 , 183, 111-121	7.7	8
46	Parthenogenetic <i>Darevskia</i> lizards mate frequently if they have the chance: a quantitative analysis of copulation marks in a sympatric zone. <i>Journal of Natural History</i> , 2018 , 52, 405-413	0.5	7
45	Lack of congruence of genetic and niche divergence in <i>Podarcis hispanicus</i> complex. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2018 , 56, 479-492	1.9	9
44	Analysing the importance of stepping-stone islands in maintaining structural connectivity and endemism. <i>Biological Journal of the Linnean Society</i> , 2018 , 124, 113-125	1.9	5
43	The distributions of the six species constituting the smooth newt species complex (<i>Lissotriton vulgaris sensu lato</i> and <i>L. montandoni</i>) in an addition to the New Atlas of Amphibians and Reptiles of Europe. <i>Amphibia - Reptilia</i> , 2018 , 39, 252-259	1.2	6
42	A road mobile mapping device for supervised classification of amphibians on roads. <i>European Journal of Wildlife Research</i> , 2018 , 64, 1	2	1
41	NA2RE is reliable but aims for improvement: an answer to Vamberger and Fritz (2018). <i>Biologia (Poland)</i> , 2018 , 73, 1131-1135	1.5	2
40	Climate suggests environment-dependent selection on lizard colour morphs. <i>Journal of Biogeography</i> , 2018 , 45, 2791-2802	4.1	10
39	Herpetological History of the Balearic Islands: When Aliens Conquered These Islands and What to Do Next. <i>World Terraced Landscapes: History, Environment, Quality of Life Environmental History</i> , 2018 , 105-131	0.3	4

38	Evaluating how species niche modelling is affected by partial distributions with an empirical case. <i>Acta Oecologica</i> , 2016 , 77, 207-216	1.7	13
37	Home ranges of parthenogenetic and bisexual species in a community of Darevskia lizards (Reptilia: Lacertidae). <i>Zoology in the Middle East</i> , 2016 , 62, 306-318	0.7	6
36	Spatial Biodiversity Patterns of Madagascar's Amphibians and Reptiles. <i>PLoS ONE</i> , 2016 , 11, e0144076	3.7	23
35	High Resolution Trichromatic Road Surface Scanning with a Line Scan Camera and Light Emitting Diode Lighting for Road-Kill Detection. <i>Sensors</i> , 2016 , 16,	3.8	6
34	Parthenogenesis through the ice ages: A biogeographic analysis of Caucasian rock lizards (genus Darevskia). <i>Molecular Phylogenetics and Evolution</i> , 2016 , 102, 117-27	4.1	37
33	A place in the sun: interspecific interference affects thermoregulation in coexisting lizards. <i>Behavioral Ecology and Sociobiology</i> , 2015 , 69, 1127-1137	2.5	28
32	An integrated and open source GIS environmental management system for a protected area in the south of Portugal 2015 ,		1
31	Temporal analysis of Mauremys leprosa (Testudines, Geoemydidae) distribution in northeastern Iberia: unusual increase in the distribution of a native species. <i>Hydrobiologia</i> , 2015 , 757, 129-142	2.4	4
30	Snakes on the Balearic islands: an invasion tale with implications for native biodiversity conservation. <i>PLoS ONE</i> , 2015 , 10, e0121026	3.7	18
29	Spatial structure analysis of a reptile community with airborne LiDAR data. <i>International Journal of Geographical Information Science</i> , 2014 , 28, 1709-1722	4.1	18
28	An investigation of the environmental determinants of asthma hospitalizations: An applied spatial approach. <i>Applied Geography</i> , 2014 , 47, 10-19	4.4	32
27	Phylogeographic and environmental correlates support the cryptic function of the zigzag pattern in a European viper. <i>Evolutionary Ecology</i> , 2014 , 28, 611-626	1.8	24
26	Distributed database system of the New Atlas of Amphibians and Reptiles in Europe: the NA2RE project. <i>Amphibia - Reptilia</i> , 2014 , 35, 33-39	1.2	11
25	Updated distribution and biogeography of amphibians and reptiles of Europe. <i>Amphibia - Reptilia</i> , 2014 , 35, 1-31	1.2	210
24	The distribution of the crested and marbled newt species (Amphibia: Salamandridae: Triturus) in addition to the New Atlas of Amphibians and Reptiles of Europe. <i>Amphibia - Reptilia</i> , 2014 , 35, 376-381	1.2	22
23	Unravelling biodiversity, evolution and threats to conservation in the Sahara-Sahel. <i>Biological Reviews</i> , 2014 , 89, 215-31	13.5	131
22	Niche evolution and thermal adaptation in the temperate species Drosophila americana. <i>Journal of Evolutionary Biology</i> , 2014 , 27, 1549-61	2.3	11
21	Estimating home-range size: when to include a third dimension?. <i>Ecology and Evolution</i> , 2013 , 3, 2285-952.8		10

20	Modelling the past and future distribution of contracting species. The Iberian lizard <i>Podarcis carbonelli</i> (Squamata: Lacertidae) as a case study. <i>Zoologischer Anzeiger</i> , 2013 , 252, 289-298	1.1	25
19	Correlation between the habitats productivity and species richness (amphibians and reptiles) in Portugal through remote sensed data 2013 ,		1
18	Common dolphin (<i>Delphinus delphis</i>) habitat preferences using data from two platforms of opportunity. <i>Acta Oecologica</i> , 2012 , 38, 24-32	1.7	49
17	Normalized difference water indexes have dissimilar performances in detecting seasonal and permanent water in the SaharaBahel transition zone. <i>Journal of Hydrology</i> , 2012 , 464-465, 438-446	6	76
16	Performance of commercial and open source remote sensing/image processing software for land cover/use purposes 2012 ,		3
15	Spatial analysis of amphibian road mortality levels in northern Portugal country roads. <i>Amphibia - Reptilia</i> , 2012 , 33, 469-483	1.2	33
14	Crocodiles in the Sahara desert: an update of distribution, habitats and population status for conservation planning in Mauritania. <i>PLoS ONE</i> , 2011 , 6, e14734	3.7	35
13	What does ecological modelling model? A proposed classification of ecological niche models based on their underlying methods. <i>Ecological Modelling</i> , 2011 , 222, 1343-1346	3	142
12	The pond network: can structural connectivity reflect on (amphibian) biodiversity patterns?. <i>Landscape Ecology</i> , 2011 , 26, 673-682	4.3	52
11	Data on the distribution of mammals from Mauritania, West Africa. <i>Mammalia</i> , 2010 , 74,	1	10
10	Modelling suitable areas for <i>Hyla meridionalis</i> under current and future hypothetical expansion scenarios. <i>Amphibia - Reptilia</i> , 2010 , 31, 37-50	1.2	8
9	Biogeographical patterns derived from remote sensing variables: the amphibians and reptiles of the Iberian Peninsula. <i>Amphibia - Reptilia</i> , 2009 , 30, 185-206	1.2	52
8	Habitat suitability, threats and conservation of isolated populations of the smooth snake (<i>Coronella austriaca</i>) in the southern Iberian Peninsula. <i>Biological Conservation</i> , 2009 , 142, 344-352	6.2	26
7	Biodiversity and Land uses at a regional scale: Is agriculture the biggest threat for reptile assemblages?. <i>Acta Oecologica</i> , 2009 , 35, 327-334	1.7	37
6	Inferring evolutionary scenarios with geostatistics and geographical information systems for the viperid snakes <i>Vipera latastei</i> and <i>Vipera monticola</i> . <i>Biological Journal of the Linnean Society</i> , 2008 , 95, 790-806	1.9	28
5	GIS-based niche models identify environmental correlates sustaining a contact zone between three species of European vipers. <i>Diversity and Distributions</i> , 2008 , 14, 452-461	5	48
4	Amphibian mortality levels on Spanish country roads: descriptive and spatial analysis. <i>Amphibia - Reptilia</i> , 2008 , 29, 337-347	1.2	28
3	Estimating altitude in distribution records of Amphibians and Reptiles: a comparative study between topographic maps and Remote Sensing data. <i>Amphibia - Reptilia</i> , 2008 , 29, 121-126	1.2	1

- 2 Inferring habitat-suitability areas with ecological modelling techniques and GIS: A contribution to assess the conservation status of *Vipera latastei*. *Biological Conservation*, **2006**, 130, 416-425 6.2 89
- 1 Living in clusters: the local spatial segregation of a lizard community. *Basic and Applied Herpetology*, 4