## Min Hwan Lee

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4066815/min-hwan-lee-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58	3,576 citations	25	59
papers		h-index	g-index
81	3,912 ext. citations	6	4.86
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
58	Trace amount of ceria incorporation by atomic layer deposition in Co/CoOx-embedded N-doped carbon for efficient bifunctional oxygen electrocatalysis: Demonstration and quasi-operando observations. <i>International Journal of Hydrogen Energy</i> , <b>2021</b> , 46, 38258-38269	6.7	2
57	MOF-derived Co/Cu-embedded N-doped carbon for trifunctional ORR/OER/HER catalysis in alkaline media. <i>Dalton Transactions</i> , <b>2021</b> , 50, 5473-5482	4.3	7
56	Highly Active Bifunctional Oxygen Electrocatalytic Sites Realized in Ceria Hunctionalized Graphene. <i>Advanced Sustainable Systems</i> , <b>2020</b> , 4, 2000048	5.9	1
55	How an angstrom-thick oxide overcoat enhances durability and activity of nanoparticle-decorated cathodes in solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 15927-15935	13	3
54	Progress in durability of metal-supported solid oxide fuel cells with infiltrated electrodes. <i>Journal of Power Sources</i> , <b>2019</b> , 437, 226935	8.9	23
53	Effect of Surface-Specific Treatment by Infiltration into LaNi6Fe4O3-1Cathodic Backbone for Solid Oxide Fuel Cells. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, F255-F263	3.9	5
52	Nanoscale Surface and Interface Engineering of Solid Oxide Fuel Cells by Atomic Layer Deposition.  International Journal of Precision Engineering and Manufacturing - Green Technology, 2019, 6, 611-628	3.8	10
51	Electrical AFM for the Analysis of Resistive Switching. <i>Nanoscience and Technology</i> , <b>2019</b> , 205-229	0.6	
50	Critical Impact of Graphene Functionalization for Transition Metal Oxide/Graphene Hybrids on Oxygen Reduction Reaction. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 10017-10026	3.8	17
49	Effect of mechanical and electrical stimuli in conductive atomic force microscopy with noble metal-coated tips. <i>Journal of Applied Physics</i> , <b>2018</b> , 123, 015301	2.5	2
48	Effect of Sintering Process with Co3O4 on the Performance of LSCF-Based Cathodes for Solid Oxide Fuel Cells. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , <b>2018</b> , 5, 637-642	3.8	2
47	Graphene-based Oxygen Reduction Electrodes for Low Temperature Solid Oxide Fuel Cells. <i>Fuel Cells</i> , <b>2017</b> , 17, 344-352	2.9	6
46	ProcessBroperty relationship in high-k ALD SrTiO3 and BaTiO3: a review. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 8000-8013	7.1	36
45	Mechanism of Cathodic Performance Enhancement by a Few-Nanometer-Thick Oxide Overcoat on Porous Pt Cathodes of Solid Oxide Fuel Cells. <i>ACS Omega</i> , <b>2017</b> , 2, 806-813	3.9	16
44	Interfacial chemical bonding-mediated ionic resistive switching. Scientific Reports, 2017, 7, 1264	4.9	6
43	Chemical Protection of Polycarbonate Surfaces by Atomic Layer Deposition of Alumina with Oxygen Plasma Pretreatment. <i>Advanced Materials Interfaces</i> , <b>2016</b> , 3, 1600340	4.6	4
42	The Exact Run Length Distribution and Design of the Shewhart Chart with Estimated Parameters Based on Median Run Length. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2016</b> , 45, 2081-2103	0.6	16

## (2012-2015)

41	Ultrathin YSZ Coating on Pt Cathode for High Thermal Stability and Enhanced Oxygen Reduction Reaction Activity. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1402251	21.8	75
40	Effects of surface chemistry and microstructure of electrolyte on oxygen reduction kinetics of solid oxide fuel cells. <i>Journal of Power Sources</i> , <b>2015</b> , 295, 74-78	8.9	24
39	Plasma-enhanced atomic layer deposition of nanoscale yttria-stabilized zirconia electrolyte for solid oxide fuel cells with porous substrate. <i>ACS Applied Materials &amp; Description of Natural States and States a</i>	9.5	83
38	Size and load dependence of nanoscale electric contact resistance. <i>Tribology International</i> , <b>2014</b> , 71, 109-113	4.9	10
37	Freestanding Micro-SOFCs with Electrodes Prepared by Electrostatic Spray Deposition. <i>Fuel Cells</i> , <b>2014</b> , 14, 332-335	2.9	5
36	Economically Optimal Design of a Multivariate Synthetic T 2 Chart. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2014</b> , 43, 1333-1361	0.6	12
35	Performance enhancement in bendable fuel cell using highly conductive Ag nanowires. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 7422-7427	6.7	46
34	High performance Bi-layered electrolytes via atomic layer deposition for solid oxide fuel cells. <i>Journal of Power Sources</i> , <b>2014</b> , 253, 114-122	8.9	31
33	Bendable polymer electrolyte fuel cell using highly flexible Ag nanowire percolation network current collectors. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 8541	13	58
32	Air-breathing flexible Polydimethylsiloxane (PDMS)-based fuel cell. <i>International Journal of Precision Engineering and Manufacturing</i> , <b>2013</b> , 14, 501-504	1.7	17
31	Fabrication of low-temperature solid oxide fuel cells with a nanothin protective layer by atomic layer deposition. <i>Nanoscale Research Letters</i> , <b>2013</b> , 8, 48	5	48
30	Performance enhancement of thin-film ceramic electrolyte fuel cell using bi-layered yttrium-doped barium zirconate. <i>Thin Solid Films</i> , <b>2013</b> , 539, 117-121	2.2	12
29	Highly improved uniformity in the resistive switching parameters of TiO2 thin films by inserting Ru nanodots. <i>Advanced Materials</i> , <b>2013</b> , 25, 1987-92	24	152
28	Influence of target to substrate distance on properties of Y-doped BaZrO3Thin films grown by pulsed laser deposition. <i>International Journal of Precision Engineering and Manufacturing</i> , <b>2013</b> , 14, 839-	8 <sup>1</sup> 43	7
27	Real-time identification of the evolution of conducting nano-filaments in TiO2 thin film ReRAM. <i>Scientific Reports</i> , <b>2013</b> , 3, 3443	4.9	64
26	NANOSCALE ELECTROCHEMISTRY IN ENERGY RELATED SYSTEMS USING ATOMIC FORCE MICROSCOPY. World Scientific Series in Nanoscience and Nanotechnology, <b>2013</b> , 317-340	0.1	2
25	Resistive Switching in \$hbox{TiO}_{2}\$ Thin Films Using the Semiconducting In-Ga-Zn-O Electrode. <i>IEEE Electron Device Letters</i> , <b>2012</b> , 33, 582-584	4.4	7
24	Oxygen Surface Exchange at Grain Boundaries of Oxide Ion Conductors. <i>Advanced Functional Materials</i> , <b>2012</b> , 22, 965-971	15.6	109

23	Graphite foil based assembled bipolar plates for polymer electrolyte fuel cells. <i>International Journal of Precision Engineering and Manufacturing</i> , <b>2012</b> , 13, 2183-2186	1.7	10
22	Memristive tri-stable resistive switching at ruptured conducting filaments of a Pt/TiOIPt cell. <i>Nanotechnology</i> , <b>2012</b> , 23, 185202	3.4	62
21	Schottky diode with excellent performance for large integration density of crossbar resistive memory. <i>Applied Physics Letters</i> , <b>2012</b> , 100, 213508	3.4	30
20	Resistive switching memory: observations with scanning probe microscopy. <i>Nanoscale</i> , <b>2011</b> , 3, 490-502	<del>?</del> 7.7	96
19	A detailed understanding of the electronic bipolar resistance switching behavior in Pt/TiO2/Pt structure. <i>Nanotechnology</i> , <b>2011</b> , 22, 254010	3.4	140
18	Surface redox induced bipolar switching of transition metal oxide films examined by scanning probe microscopy. <i>Applied Physics A: Materials Science and Processing</i> , <b>2011</b> , 102, 827-834	2.6	20
17	Collective Motion of Conducting Filaments in Pt/n-Type TiO2/p-Type NiO/Pt Stacked Resistance Switching Memory. <i>Advanced Functional Materials</i> , <b>2011</b> , 21, 1587-1592	15.6	69
16	Improved endurance of resistive switching TiO2 thin film by hourglass shaped MagnII filaments. <i>Applied Physics Letters</i> , <b>2011</b> , 98, 262901	3.4	60
15	Atomic structure of conducting nanofilaments in TiO2 resistive switching memory. <i>Nature Nanotechnology</i> , <b>2010</b> , 5, 148-53	28.7	1672
14	Influence of the Interconnection Line Resistance and Performance of a Resistive Cross Bar Array Memory. <i>Journal of the Electrochemical Society</i> , <b>2010</b> , 157, G211	3.9	27
13	Identification of the controlling parameter for the set-state resistance of a TiO2 resistive switching cell. <i>Applied Physics Letters</i> , <b>2010</b> , 96, 112904	3.4	41
12	Scanning probe based observation of bipolar resistive switching NiO films. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 062909	3.4	26
11	Study on the electrical conduction mechanism of bipolar resistive switching TiO2 thin films using impedance spectroscopy. <i>Applied Physics Letters</i> , <b>2010</b> , 96, 152909	3.4	67
10	Role of Ru nano-dots embedded in TiO2 thin films for improving the resistive switching behavior. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 232904	3.4	43
9	Multivariate EWMA Control Chart with Adaptive Sample Sizes. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2010</b> , 39, 1548-1561	0.6	11
8	Understanding structure-property relationship of resistive switching oxide thin films using a conical filament model. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 162912	3.4	25
7	Electrically configurable electroforming and bipolar resistive switching in Pt/TiO2/Pt structures. <i>Nanotechnology</i> , <b>2010</b> , 21, 305203	3.4	104
6	Economic Design of Cumulative Sum Control Charts for Monitoring a Process with Correlated Samples. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2010</b> , 39, 1909-1922	0.6	8

## LIST OF PUBLICATIONS

5	A Pt/TiO(2)/Ti Schottky-type selection diode for alleviating the sneak current in resistance switching memory arrays. <i>Nanotechnology</i> , <b>2010</b> , 21, 195201	3.4	113
4	Methods of Set Switching for Improving the Uniformity of Filament Formation in the TiO[sub 2] Thin Film. <i>Electrochemical and Solid-State Letters</i> , <b>2010</b> , 13, G51		8
3	Bias polarity dependent local electrical conduction in resistive switching TiO2 thin films. <i>Physica Status Solidi - Rapid Research Letters</i> , <b>2010</b> , 4, 112-114	2.5	12
2	Multivariate EWMA Charts with Variable Sampling Intervals. <i>Economic Quality Control</i> , <b>2009</b> , 24,		5

Poster: Memristive Systems523-587