

# Eduardo Garca-Fuentes

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4067109/eduardo-garcia-fuentes-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104  
papers

2,687  
citations

28  
h-index

48  
g-index

118  
ext. papers

3,109  
ext. citations

4.4  
avg, IF

4.47  
L-index

#	Paper	IF	Citations
104	EVOO Promotes a Less Atherogenic Profile Than Sunflower Oil in Smooth Muscle Cells Through the Extracellular Vesicles Secreted by Endothelial Cells.. <i>Frontiers in Nutrition</i> , <b>2022</b> , 9, 867745	6.2	
103	Morbid Obesity in Women Is Associated with an Altered Intestinal Expression of Genes Related to Cancer Risk and Immune, Defensive, and Antimicrobial Response. <i>Biomedicines</i> , <b>2022</b> , 10, 1024	4.8	
102	Influence of Factors Altering Gastric Microbiota on Bariatric Surgery Metabolic Outcomes. <i>Microbiology Spectrum</i> , <b>2021</b> , e0053521	8.9	0
101	Gut Microbiota Metabolism of Bile Acids Could Contribute to the Bariatric Surgery Improvements in Extreme Obesity. <i>Metabolites</i> , <b>2021</b> , 11,	5.6	3
100	Oleic acid restores the rhythmicity of the disrupted circadian rhythm found in gastrointestinal explants from patients with morbid obesity. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 4324-4333	5.9	0
99	First isolation of <i>Clostridioides difficile</i> from smoked and dried freshwater fish in Cambodia. <i>Food Control</i> , <b>2021</b> , 124, 107895	6.2	0
98	Iodine Deficiency and Mortality in Spanish Adults: Di@bet.es Study. <i>Thyroid</i> , <b>2021</b> , 31, 106-114	6.2	0
97	An Isolated Dose of Extra-Virgin Olive Oil Produces a Better Postprandial Gut Hormone Response, Lipidic, and Anti-Inflammatory Profile than Sunflower Oil: Effect of Morbid Obesity. <i>Molecular Nutrition and Food Research</i> , <b>2021</b> , 65, e2100071	5.9	1
96	Association between the Mediterranean Diet and Metabolic Syndrome with Serum Levels of miRNA in Morbid Obesity. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	2
95	Standardized Map of Iodine Status in Europe. <i>Thyroid</i> , <b>2020</b> , 30, 1346-1354	6.2	21
94	Mucosa-associated microbiota in the jejunum of patients with morbid obesity: alterations in states of insulin resistance and metformin treatment. <i>Surgery for Obesity and Related Diseases</i> , <b>2020</b> , 16, 1575-1585	3.7	2
93	Iodine nutrition in Spain: Future requirements. <i>Endocrinología y Diabetes Y Nutrición (English Ed)</i> , <b>2020</b> , 67, 61-69	0.1	1
92	Jejunal Insulin Signalling Is Increased in Morbidly Obese Subjects with High Insulin Resistance and Is Regulated by Insulin and Leptin. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	2
91	Iodine Status, Thyroid Function, and Birthweight: A Complex Relationship in High-Risk Pregnancies. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	2
90	Incidental Prophylactic Appendectomy Is Associated with a Profound Microbial Dysbiosis in the Long-Term. <i>Microorganisms</i> , <b>2020</b> , 8,	4.9	8
89	Iodine nutrition status in Spain Needs for the future. <i>Endocrinología, Diabetes Y Nutrición</i> , <b>2020</b> , 67, 61-69	1.3	9
88	miRNA/Target Gene Profile of Endothelial Cells Treated with Human Triglyceride-Rich Lipoproteins Obtained after a High-Fat Meal with Extra-Virgin Olive Oil or Sunflower Oil. <i>Molecular Nutrition and Food Research</i> , <b>2020</b> , 64, e2000221	5.9	3

87	Different Expression of Duodenal Genes Related to Insulin Resistance Between Nonobese Women and Those with Severe Obesity. <i>Obesity</i> , <b>2020</b> , 28, 1708-1717	8	1
86	Oleic Acid Protects Against Insulin Resistance by Regulating the Genes Related to the PI3K Signaling Pathway. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	6
85	A lower duodenal immune response is associated with an increase of insulin resistance in patients with morbid obesity. <i>International Journal of Obesity</i> , <b>2020</b> , 44, 340-352	5.5	6
84	Oxidized LDL Modify the Human Adipocyte Phenotype to an Insulin Resistant, Proinflammatory and Proapoptotic Profile. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	6
83	Gut microbiota adaptation after weight loss by Roux-en-Y gastric bypass or sleeve gastrectomy bariatric surgeries. <i>Surgery for Obesity and Related Diseases</i> , <b>2019</b> , 15, 1888-1895	3	35
82	Increased PON lactonase activity in morbidly obese patients is associated with impaired lipid profile. <i>International Journal of Clinical Practice</i> , <b>2019</b> , 73, e13315	2.9	3
81	The Antagonist Effect of Arachidonic Acid on Gene Expression by Nuclear Receptor Type II Regulation. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	3
80	Gut Microbiota Composition Is Associated With the Global DNA Methylation Pattern in Obesity. <i>Frontiers in Genetics</i> , <b>2019</b> , 10, 613	4.5	24
79	Iodine Deficiency and Hearing Impairment. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , <b>2019</b> , 145, 94-95	3.9	
78	Tissue-Specific Phenotype and Activation of iNKT Cells in Morbidly Obese Subjects: Interaction with Adipocytes and Effect of Bariatric Surgery. <i>Obesity Surgery</i> , <b>2018</b> , 28, 2774-2782	3.7	3
77	The changes in the transcriptomic profiling of subcutaneous adipose tissue after bariatric surgery depend on the insulin resistance state. <i>Surgery for Obesity and Related Diseases</i> , <b>2018</b> , 14, 1182-1191	3	8
76	Iron deficiency is associated with Hypothyroxinemia and Hypotriiodothyroninemia in the Spanish general adult population: Di@bet.es study. <i>Scientific Reports</i> , <b>2018</b> , 8, 6571	4.9	11
75	Decreased blood pressure is related to changes in NF-kB promoter methylation levels after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , <b>2018</b> , 14, 1327-1334	3	5
74	Methylation patterns of Vegfb promoter are associated with gene and protein expression levels: the effects of dietary fatty acids. <i>European Journal of Nutrition</i> , <b>2017</b> , 56, 715-726	5.2	11
73	Adipose tissue biomarkers involved in early resolution of type 2 diabetes after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , <b>2017</b> , 13, 70-77	3	4
72	The pro-/anti-inflammatory effects of different fatty acids on visceral adipocytes are partially mediated by GPR120. <i>European Journal of Nutrition</i> , <b>2017</b> , 56, 1743-1752	5.2	26
71	Jejunal gluconeogenesis associated with insulin resistance level and its evolution after Roux-en-Y gastric bypass. <i>Surgery for Obesity and Related Diseases</i> , <b>2017</b> , 13, 623-630	3	11
70	Reference values for TSH may be inadequate to define hypothyroidism in persons with morbid obesity: Di@bet.es study. <i>Obesity</i> , <b>2017</b> , 25, 788-793	8	21

69	Changes in SCD gene DNA methylation after bariatric surgery in morbidly obese patients are associated with free fatty acids. <i>Scientific Reports</i> , <b>2017</b> , 7, 46292	4.9	11
68	Selenium, selenoproteins and selenometabolites in mothers and babies at the time of birth. <i>British Journal of Nutrition</i> , <b>2017</b> , 117, 1304-1311	3.6	12
67	Ghrelin levels could be involved in the improvement of insulin resistance after bariatric surgery. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , <b>2017</b> , 64, 355-362	0.1	1
66	Iodine and Adipocytokines <b>2017</b> , 151-157		
65	Ghrelin levels could be involved in the improvement of insulin resistance after bariatric surgery. <i>Endocrinología, Diabetes Y Nutrición</i> , <b>2017</b> , 64, 355-362	1.3	11
64	Iodine is associated to semen quality in men who undergo consultations for infertility. <i>Reproductive Toxicology</i> , <b>2017</b> , 73, 1-7	3.4	4
63	Population-Based National Prevalence of Thyroid Dysfunction in Spain and Associated Factors: Di@bet.es Study. <i>Thyroid</i> , <b>2017</b> , 27, 156-166	6.2	26
62	Inflammation and Oxidation Biomarkers in Patients with Cystic Fibrosis: The Influence of Azithromycin. <i>Eurasian Journal of Medicine</i> , <b>2017</b> , 49, 118-123	1.3	9
61	Bioactive Components in Human Milk Along the First Month of Life: Effects of Iodine Supplementation during Pregnancy. <i>Annals of Nutrition and Metabolism</i> , <b>2016</b> , 68, 130-6	4.5	7
60	Effect of Roux-en-Y gastric bypass-induced weight loss on the transcriptomic profiling of subcutaneous adipose tissue. <i>Surgery for Obesity and Related Diseases</i> , <b>2016</b> , 12, 257-63	3	17
59	Insulin resistance is associated with specific gut microbiota in appendix samples from morbidly obese patients. <i>American Journal of Translational Research (discontinued)</i> , <b>2016</b> , 8, 5672-5684	3	58
58	Thyroid Function and Thyroid Autoimmunity in Relation to Weight Status and Cardiovascular Risk Factors in Children and Adolescents: A Population-Based Study. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , <b>2016</b> , 8, 157-62	1.9	16
57	Changes in thyroid function with age: results from the Pizarra population-based longitudinal study. <i>International Journal of Clinical Practice</i> , <b>2015</b> , 69, 577-87	2.9	5
56	Evolution of urinary iodine excretion over eleven years in an adult population. <i>Clinical Nutrition</i> , <b>2015</b> , 34, 712-8	5.9	7
55	The expression of genes involved in jejunal lipogenesis and lipoprotein synthesis is altered in morbidly obese subjects with insulin resistance. <i>Laboratory Investigation</i> , <b>2015</b> , 95, 1409-17	5.9	13
54	Hypoxia is associated with a lower expression of genes involved in lipogenesis in visceral adipose tissue. <i>Journal of Translational Medicine</i> , <b>2015</b> , 13, 373	8.5	21
53	C-peptide modifies leptin and visfatin secretion in human adipose tissue. <i>Obesity</i> , <b>2015</b> , 23, 1607-15	8	12
52	Oesophageal squamous cell carcinoma (ESCC): Advances through omics technologies, towards ESCC salivaomics. <i>Drug Discoveries and Therapeutics</i> , <b>2015</b> , 9, 247-57	5	10

51	New and vintage solutions to enhance the plasma metabolome coverage by LC-ESI-MS untargeted metabolomics: the not-so-simple process of method performance evaluation. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 2639-47	7.8	31
50	Night-time sleep duration and the incidence of obesity and type 2 diabetes. Findings from the prospective Pizarra study. <i>Sleep Medicine</i> , <b>2014</b> , 15, 1398-404	4.6	25
49	FNDC5 could be regulated by leptin in adipose tissue. <i>European Journal of Clinical Investigation</i> , <b>2014</b> , 44, 918-25	4.6	30
48	Effects of obesity/fatty acids on the expression of GPR120. <i>Molecular Nutrition and Food Research</i> , <b>2014</b> , 58, 1852-60	5.9	33
47	Modifications of the homeostasis model assessment of insulin resistance index with age. <i>Acta Diabetologica</i> , <b>2014</b> , 51, 917-25	3.9	9
46	Variable patterns of obesity and cardiometabolic phenotypes and their association with lifestyle factors in the Di@bet.es study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2014</b> , 24, 947-55	4.5	24
45	Does dietary iodine regulate oxidative stress and adiponectin levels in human breast milk?. <i>Antioxidants and Redox Signaling</i> , <b>2014</b> , 20, 847-53	8.4	22
44	CCNG2 and CDK4 is associated with insulin resistance in adipose tissue. <i>Surgery for Obesity and Related Diseases</i> , <b>2014</b> , 10, 691-6	3	7
43	Infant neurocognitive development is independent of the use of iodised salt or iodine supplements given during pregnancy. <i>British Journal of Nutrition</i> , <b>2013</b> , 110, 831-9	3.6	48
42	The gut microbiota profile is associated with insulin action in humans. <i>Acta Diabetologica</i> , <b>2013</b> , 50, 753-61	6.1	39
41	Factors determining weight gain in adults and relation with glucose tolerance. <i>Clinical Endocrinology</i> , <b>2013</b> , 78, 858-64	3.4	2
40	Mediterranean diet and the Spanish paradox. A hypothesis. <i>Medical Hypotheses</i> , <b>2013</b> , 80, 150-5	3.8	13
39	Maternal-fetal thyroid function at the time of birth and its relation with iodine intake. <i>Thyroid</i> , <b>2013</b> , 23, 1619-26	6.2	16
38	Particular Characteristics of the Metabolic Syndrome in Patients with Morbid Obesity. <i>Endocrinología Y Nutrición (English Edition)</i> , <b>2013</b> , 60, 127-135		3
37	Cellular and plasma oxidative stress biomarkers are raised in adults with bronchiectasis. <i>Clinical Nutrition</i> , <b>2013</b> , 32, 112-7	5.9	25
36	Particular characteristics of the metabolic syndrome in patients with morbid obesity. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , <b>2013</b> , 60, 127-35		5
35	C-reactive protein and incidence of type 2 diabetes in the Pizarra study. <i>European Journal of Clinical Investigation</i> , <b>2013</b> , 43, 159-67	4.6	6
34	Metabolically healthy but obese, a matter of time? Findings from the prospective Pizarra study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 2318-25	5.6	172

33	The rise of soluble TWEAK levels in severely obese subjects after bariatric surgery may affect adipocyte-cytokine production induced by TNF- $\alpha$ . <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E1323-33	5.6	26
32	White rice consumption and risk of type 2 diabetes. <i>Clinical Nutrition</i> , <b>2013</b> , 32, 481-4	5.9	31
31	Factors affecting levels of urinary albumin excretion in the general population of Spain: the Di@bet.es study. <i>Clinical Science</i> , <b>2013</b> , 124, 269-77	6.5	8
30	Munc18c in adipose tissue is downregulated in obesity and is associated with insulin. <i>PLoS ONE</i> , <b>2013</b> , 8, e63937	3.7	14
29	Adipose tissue characteristics related to weight z-score in childhood. <i>International Journal of Endocrinology and Metabolism</i> , <b>2013</b> , 11, 82-7	1.8	3
28	The retinoic acid receptor-related orphan nuclear receptor $\alpha$ (ROR $\alpha$ ): a novel player determinant of insulin sensitivity in morbid obesity. <i>Obesity</i> , <b>2012</b> , 20, 488-97	8	15
27	Obesity-associated insulin resistance is correlated to adipose tissue vascular endothelial growth factors and metalloproteinase levels. <i>BMC Physiology</i> , <b>2012</b> , 12, 4	0	58
26	Iodine intake and prevalence of thyroid autoimmunity and autoimmune thyroiditis in children and adolescents aged between 1 and 16 years. <i>European Journal of Endocrinology</i> , <b>2012</b> , 167, 387-92	6.5	28
25	De novo lipogenesis in adipose tissue is associated with course of morbid obesity after bariatric surgery. <i>PLoS ONE</i> , <b>2012</b> , 7, e31280	3.7	25
24	Zinc-alpha 2-glycoprotein gene expression in adipose tissue is related with insulin resistance and lipolytic genes in morbidly obese patients. <i>PLoS ONE</i> , <b>2012</b> , 7, e33264	3.7	40
23	Study of the potential association of adipose tissue GLP-1 receptor with obesity and insulin resistance. <i>Endocrinology</i> , <b>2011</b> , 152, 4072-9	4.8	96
22	Stearoyl-CoA desaturase-1 is associated with insulin resistance in morbidly obese subjects. <i>Molecular Medicine</i> , <b>2011</b> , 17, 273-80	6.2	49
21	Comparing postcesarean infectious complication rates using two different skin preparations. <i>Obstetrics and Gynecology</i> , <b>2011</b> , 118, 1418	4.9	
20	Thyroid hormone levels predict the change in body weight: a prospective study. <i>European Journal of Clinical Investigation</i> , <b>2011</b> , 41, 1202-9	4.6	38
19	Iodine concentration in cow's milk and its relation with urinary iodine concentrations in the population. <i>Clinical Nutrition</i> , <b>2011</b> , 30, 44-8	5.9	80
18	Iodine intakes of 100-300 $\mu$ g/d do not modify thyroid function and have modest anti-inflammatory effects. <i>British Journal of Nutrition</i> , <b>2011</b> , 105, 1783-90	3.6	28
17	PPAR $\gamma$ expression after a high-fat meal is associated with plasma superoxide dismutase activity in morbidly obese persons. <i>Obesity</i> , <b>2010</b> , 18, 952-8	8	38
16	Jejunal wall triglyceride concentration of morbidly obese persons is lower in those with type 2 diabetes mellitus. <i>Journal of Lipid Research</i> , <b>2010</b> , 51, 3516-23	6.3	14

15	Tumor necrosis-like weak inducer of apoptosis as a proinflammatory cytokine in human adipocyte cells: up-regulation in severe obesity is mediated by inflammation but not hypoxia. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 2983-92	5.6	52
14	The obese healthy paradox: is inflammation the answer?. <i>Biochemical Journal</i> , <b>2010</b> , 430, 141-9	3.8	133
13	Changes in oxidative stress and insulin resistance in morbidly obese patients after bariatric surgery. <i>Obesity Surgery</i> , <b>2010</b> , 20, 363-8	3.7	46
12	Effect of iodine prophylaxis during pregnancy on neurocognitive development of children during the first two years of life. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 3234-41	5.6	158
11	Apelin levels are increased in morbidly obese subjects with type 2 diabetes mellitus. <i>Obesity Surgery</i> , <b>2009</b> , 19, 1574-80	3.7	113
10	Changes in the serum composition of free-fatty acids during an intravenous glucose tolerance test. <i>Obesity</i> , <b>2009</b> , 17, 10-5	8	33
9	Oxidative stress in severely obese persons is greater in those with insulin resistance. <i>Obesity</i> , <b>2009</b> , 17, 240-6	8	85
8	Improved carbohydrate metabolism after bariatric surgery raises antioxidantized LDL antibody levels in morbidly obese patients. <i>Diabetes Care</i> , <b>2008</b> , 31, 2258-64	14.6	19
7	Amniotic fluid iodine concentrations do not vary in pregnant women with varying iodine intake. <i>British Journal of Nutrition</i> , <b>2008</b> , 99, 1178-81	3.6	23
6	Plasma visfatin concentrations in severely obese subjects are increased after intestinal bypass. <i>Obesity</i> , <b>2007</b> , 15, 2391-5	8	41
5	Morbidly obese individuals with impaired fasting glucose have a specific pattern of insulin secretion and sensitivity: effect of weight loss after bariatric surgery. <i>Obesity Surgery</i> , <b>2006</b> , 16, 1179-88	3.7	36
4	Intelligence quotient and iodine intake: a cross-sectional study in children. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 3851-7	5.6	104
3	Redistribution of abdominal fat after a period of food restriction in rats is related to the type of dietary fat. <i>British Journal of Nutrition</i> , <b>2003</b> , 89, 115-22	3.6	21
2	Hypertension is related to the degradation of dietary frying oils. <i>American Journal of Clinical Nutrition</i> , <b>2003</b> , 78, 1092-7	7	139
1	Production of a rapid hypercholesterolemia in young chick by feeding coconut oil from two different sources and fatty acid composition. <i>Nutrition Research</i> , <b>1998</b> , 18, 1273-1285	4	10