Ki-Ho Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4069151/publications.pdf Version: 2024-02-01



KI-HO LEE

#	Article	IF	CITATIONS
1	Morphological comparison of the testis and efferent ductules between wildâ€ŧype and estrogen receptor α knockout mice during postnatal development. Journal of Anatomy, 2009, 214, 916-925.	1.5	24
2	Feeding Effect of an Anabolic Steroid, Nandrolone, on the Male Rat Testis. Asian-Australasian Journal of Animal Sciences, 2010, 23, 1566-1577.	2.4	9
3	Differential Expression of Adipocyte-Related Molecules in the Distal Epididymal Fat of Mouse during Postnatal Period. Development & Reproduction, 2019, 23, 213-221.	0.4	9
4	Effects of nandrolone decanoate on expression of steroidogenic enzymes in the rat testis. Asian-Australasian Journal of Animal Sciences, 2018, 31, 658-671.	2.4	8
5	Expressional Modulation of Connexin Isoforms in the Initial Segment of Male Rat treated with Estradiol Benzoate or Flutamide. Development & Reproduction, 2014, 18, 293-300.	0.5	7
6	Changes in Expression of Connexin Isoforms in the Caudal Epididymis of Adult Sprague-Dawley Rats exposed to Estradiol Benzoate or Flutamide at the Neonatal Age. Development & Reproduction, 2016, 20, 237-245.	0.4	7
7	Modification of Gene Expression of Connexins in the Rat Corpus Epididymis by Estradiol Benzoate or Flutamide Exposure at the Early Neonatal Age. Development & Reproduction, 2015, 19, 69-77.	0.5	6
8	Expressional Patterns of Adipocyte-Associated Molecules in the Rat Epididymal Fat during Postnatal Development Period. Development & Reproduction, 2018, 22, 351-360.	0.4	5
9	Postnatal Expressional Patterns of Adipose-Associated Molecules in the Mouse Proximal Epididymal Fat. Development & Reproduction, 2019, 23, 313-322.	0.4	5
10	Exogenous Exposure to Estradiol Benzoate or Flutamide at the Weaning Age Alters Expression of Connexin Isoforms in the Initial Segment of Male Rat. Development & Reproduction, 2015, 19, 43-51.	0.5	4
11	Aberrant Expression of Connexin Isoforms in the Corpus Epididymis of the Adult Rat by Exposure to Estradiol Benzoate or Flutamide at the Weaning Age. Development & Reproduction, 2015, 19, 217-226.	0.4	4
12	Effects of Exposure to Estradiol Benzoate or Flutamide at the Weaning Age on Expression of Connexins in the Caudal Epididymis of Adult Rat. Development & Reproduction, 2016, 20, 349-357.	0.4	3
13	Expressional Changes of Connexin Isoform Genes in the Rat Caput Epididymis Exposed to Flutamide or Estradiol Benzoate at the Early Postnatal Age. Development & Reproduction, 2017, 21, 317-325.	0.4	3
14	Expressional Patterns of Connexin Isoforms in the Rat Epididymal Fat during Postnatal Development. Development & Reproduction, 2018, 22, 29-38.	0.4	3
15	Gene Expression Profiles of Uterine Normal Myometrium and Leiomyoma and Their Estrogen ResponsivenessIn Vitro. Korean Journal of Pathology, 2010, 44, 272.	1.3	3
16	Aberrant Expression of Cx Isoforms in the Adult Caput Epididymis exposed to Estradiol Benzoate or Flutamide at the Weaning. Development & Reproduction, 2017, 21, 379-389.	0.4	2
17	Expression of Adipocyte-Associated Genes in the Mouse Tail Epididymal Fat at Different Postnatal Ages. Development & Reproduction, 2020, 24, 167-176.	0.4	2
18	Effects of porcine testis extract on wound healing in rat. Animal Cells and Systems, 2012, 16, 469-478.	2.2	1

KI-HO LEE

#	Article	IF	CITATIONS
19	Expressional Changes of Water Transport-related Molecules in the Efferent Ductules and Initial Segment of Mouse Treated with Bisphenol A-Containing Drinking Water for Two Generations. Development & Reproduction, 2013, 17, 289-297.	0.5	1
20	Assessment of Adipocyte Differentiation and Maturation-related Gene Expression in the Epididymal Fat of Estrogen Receptor α Knockout (ERαKO) Mouse during Postnatal Development Period. Development & Reproduction, 2020, 24, 287-296.	0.4	1
21	Expressional Evaluation of C/EBP Family, SREBP1, and Steroid Hormone Receptors in the Epididiymal Fat of Postnatally Developing Mouse. Development & Reproduction, 2022, 26, 49-58.	0.4	1
22	Assessment of testicular steroidogenic enzymes expression in experimental animal model following withdrawal of nandrolone decanoate. Journal of Animal Science and Technology, 2021, 63, 1247-1264.	2.5	0
23	Expressional Modulation of Aquaporin 1 and 9 in the Rat Epididymis by an Anabolic-Androgenic Steroid, Nandrolone Decanoate. Development & Reproduction, 2021, 25, 245-255.	0.4	0