

Stefan Eichmüller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4070172/publications.pdf>

Version: 2024-02-01

104
papers

6,285
citations

94269

37
h-index

71532

76
g-index

111
all docs

111
docs citations

111
times ranked

7590
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comprehensive Guide for the Accurate Classification of Murine Hair Follicles in Distinct Hair Cycle Stages. <i>Journal of Investigative Dermatology</i> , 2001, 117, 3-15.	0.3	1,129
2	A vaccine targeting mutant IDH1 induces antitumour immunity. <i>Nature</i> , 2014, 512, 324-327.	13.7	613
3	A Comprehensive Guide for the Recognition and Classification of Distinct Stages of Hair Follicle Morphogenesis. <i>Journal of Investigative Dermatology</i> , 1999, 113, 523-532.	0.3	501
4	Development and experience lead to increased volume of subcompartments of the honeybee mushroom body. <i>Behavioral and Neural Biology</i> , 1994, 62, 259-263.	2.3	218
5	Octopamine-like immunoreactivity in the brain and subesophageal ganglion of the honeybee. <i>Journal of Comparative Neurology</i> , 1994, 348, 583-595.	0.9	156
6	Alkaline phosphatase activity and localization during the murine hair cycle. <i>British Journal of Dermatology</i> , 1994, 131, 303-310.	1.4	150
7	Generation and Cyclic Remodeling of the Hair Follicle Immune System in Mice. <i>Journal of Investigative Dermatology</i> , 1998, 111, 7-18.	0.3	130
8	Hair cycle-dependent plasticity of skin and hair follicle innervation in normal murine skin. , 1997, 386, 379-395.		127
9	A Murine Model for Inducing and Manipulating Hair Follicle Regression (Catagen): Effects of Dexamethasone and Cyclosporin A. <i>Journal of Investigative Dermatology</i> , 1994, 103, 143-147.	0.3	126
10	miR-137 Inhibits the Invasion of Melanoma Cells through Downregulation of Multiple Oncogenic Target Genes. <i>Journal of Investigative Dermatology</i> , 2013, 133, 768-775.	0.3	126
11	Immune Modulatory microRNAs Involved in Tumor Attack and Tumor Immune Escape. <i>Journal of the National Cancer Institute</i> , 2017, 109, .	3.0	121
12	A simple immunofluorescence technique for simultaneous visualization of mast cells and nerve fibers reveals selectivity and hair cycle - dependent changes in mast cell - nerve fiber contacts in murine skin. <i>Archives of Dermatological Research</i> , 1997, 289, 292-302.	1.1	114
13	Transforming Growth Factor- β Receptor Type I and Type II Expression During Murine Hair Follicle Development and Cycling. <i>Journal of Investigative Dermatology</i> , 1997, 109, 518-526.	0.3	113
14	Adenovirus-mediated intralesional interferon- β gene transfer induces tumor regressions in cutaneous lymphomas. <i>Blood</i> , 2004, 104, 1631-1638.	0.6	104
15	Neural Mechanisms of Hair Growth Control. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 1997, 2, 61-68.	0.8	99
16	Clusters of Perifollicular Macrophages in Normal Murine Skin: Physiological Degeneration of Selected Hair Follicles by Programmed Organ Deletion. <i>Journal of Histochemistry and Cytochemistry</i> , 1998, 46, 361-370.	1.3	95
17	Distribution and changing density of gamma-delta T cells in murine skin during the induced hair cycle. <i>British Journal of Dermatology</i> , 1994, 130, 281-289.	1.4	88
18	Stimulatory effect of octopamine on juvenile hormone biosynthesis in honey bees (<i>Apis mellifera</i>): Physiological and immunocytochemical evidence. <i>Journal of Insect Physiology</i> , 1994, 40, 865-872.	0.9	80

#	ARTICLE	IF	CITATIONS
19	Expression of classical and non-classical MHC class I antigens in murine hair follicles. <i>British Journal of Dermatology</i> , 1994, 131, 177-183.	1.4	73
20	Controlling the Immune Suppressor: Transcription Factors and MicroRNAs Regulating CD73/NT5E. <i>Frontiers in Immunology</i> , 2018, 9, 813.	2.2	68
21	Estimating the activity of transcription factors by the effect on their target genes. <i>Bioinformatics</i> , 2014, 30, i401-i407.	1.8	66
22	miR-339-3p Is a Tumor Suppressor in Melanoma. <i>Cancer Research</i> , 2016, 76, 3562-3571.	0.4	65
23	Keratin 17 Gene Expression during the Murine Hair Cycle. <i>Journal of Investigative Dermatology</i> , 1997, 108, 324-329.	0.3	64
24	MiR-101 inhibits melanoma cell invasion and proliferation by targeting MITF and EZH2. <i>Cancer Letters</i> , 2013, 341, 240-247.	3.2	64
25	Serological detection of cutaneous T-cell lymphoma-associated antigens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 629-34.	3.3	63
26	Regulation of Gene Expression by Retinoids. <i>Current Medicinal Chemistry</i> , 2011, 18, 1405-1412.	1.2	62
27	MicroRNA-182 promotes leptomeningeal spread of non-sonic hedgehog-medulloblastoma. <i>Acta Neuropathologica</i> , 2012, 123, 529-538.	3.9	60
28	cTAGE: A Cutaneous T Cell Lymphoma Associated Antigen Family with Tumor-Specific Splicing. <i>Journal of Investigative Dermatology</i> , 2003, 121, 198-206.	0.3	52
29	SEREX identification of new tumor antigens linked to melanoma-associated retinopathy. <i>International Journal of Cancer</i> , 2005, 114, 88-93.	2.3	47
30	Photoreceptor proteins as cancer-retina antigens. <i>International Journal of Cancer</i> , 2007, 120, 1268-1276.	2.3	47
31	Cognate Interaction With CD4+ T Cells Instructs Tumor-Associated Macrophages to Acquire M1-Like Phenotype. <i>Frontiers in Immunology</i> , 2019, 10, 219.	2.2	47
32	Cost of decentralized CAR T cell production in an academic nonprofit setting. <i>International Journal of Cancer</i> , 2020, 147, 3438-3445.	2.3	45
33	Recoverin as a cancer-retina antigen. <i>Cancer Immunology, Immunotherapy</i> , 2006, 56, 110-116.	2.0	43
34	miR-137 inhibits proliferation of melanoma cells by targeting PAK2. <i>Experimental Dermatology</i> , 2015, 24, 947-952.	1.4	42
35	Prospective evaluation of 64 serum autoantibodies as biomarkers for early detection of colorectal cancer in a true screening setting. <i>Oncotarget</i> , 2016, 7, 16420-16432.	0.8	42
36	mRNA expression of tumor-associated antigens in melanoma tissues and cell lines. <i>Experimental Dermatology</i> , 2002, 11, 292-301.	1.4	41

#	ARTICLE	IF	CITATIONS
37	Tumor-specific antigens in cutaneous T-cell lymphoma: Expression and sero-reactivity. <i>International Journal of Cancer</i> , 2003, 104, 482-487.	2.3	41
38	The role of microRNAs in melanoma. <i>European Journal of Cell Biology</i> , 2014, 93, 11-22.	1.6	41
39	A new method for double immunolabelling with primary antibodies from identical species. <i>Journal of Immunological Methods</i> , 1996, 190, 255-265.	0.6	40
40	Phase II Clinical Trial of Intratumoral Application of TG1042 (Adenovirus-interferon- β) in Patients With Advanced Cutaneous T-cell Lymphomas and Multilesional Cutaneous B-cell Lymphomas. <i>Molecular Therapy</i> , 2010, 18, 1244-1247.	3.7	38
41	Cancer-associated retinal antigens as potential paraneoplastic antigens in melanoma-associated retinopathy. <i>International Journal of Cancer</i> , 2009, 124, 140-149.	2.3	37
42	Reprogramming of macrophages employing gene regulatory and metabolic network models. <i>PLoS Computational Biology</i> , 2020, 16, e1007657.	1.5	37
43	GBP-5 Splicing Variants: New Guanylate-Binding Proteins with Tumor-Associated Expression and Antigenicity. <i>Journal of Investigative Dermatology</i> , 2004, 122, 1510-1517.	0.3	35
44	Cytotoxic natural antibodies against human tumours: An option for anti-cancer immunotherapy?. <i>Autoimmunity Reviews</i> , 2008, 7, 491-495.	2.5	35
45	Prognostic significance of spontaneous antibody responses against tumor-associated antigens in malignant melanoma patients. <i>International Journal of Cancer</i> , 2015, 136, 138-151.	2.3	34
46	SOX5 is involved in balanced MITF regulation in human melanoma cells. <i>BMC Medical Genomics</i> , 2016, 9, 10.	0.7	34
47	SEREX identification of new tumour-associated antigens in cutaneous T-cell lymphoma. <i>British Journal of Dermatology</i> , 2004, 150, 252-258.	1.4	32
48	Identification of tumor antigens and T-cell epitopes, and its clinical application. <i>Cancer Immunology, Immunotherapy</i> , 2004, 53, 196-203.	2.0	32
49	Antigen presentation safeguards the integrity of the hematopoietic stem cell pool. <i>Cell Stem Cell</i> , 2022, 29, 760-775.e10.	5.2	29
50	Evaluation of the diagnostic value of 64 simultaneously measured autoantibodies for early detection of gastric cancer. <i>Scientific Reports</i> , 2016, 6, 25467.	1.6	28
51	Neurosecretory cells in the honeybee brain and suboesophageal ganglion show FMRFamide-like immunoreactivity. <i>Journal of Comparative Neurology</i> , 1991, 312, 164-174.	0.9	27
52	Identification and measurement of β -endorphin levels in the skin during induced hair growth in mice. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1997, 1336, 315-322.	1.1	27
53	Identification of selectively expressed genes and antigens in CTCL. <i>Experimental Dermatology</i> , 2008, 17, 324-334.	1.4	27
54	Rare Drosha Splice Variants Are Deficient in MicroRNA Processing but Do Not Affect General MicroRNA Expression in Cancer Cells. <i>Neoplasia</i> , 2012, 14, 238-IN26.	2.3	26

#	ARTICLE	IF	CITATIONS
55	MiR-192, miR-200c and miR-17 are fibroblast-mediated inhibitors of colorectal cancer invasion. <i>Oncotarget</i> , 2018, 9, 35559-35580.	0.8	26
56	Tumor-associated Antigens as Possible Targets for Immune Therapy in Head and Neck Cancer: Comparative mRNA Expression Analysis of RAGE and GAGE Genes. <i>Acta Oto-Laryngologica</i> , 2002, 122, 546-552.	0.3	25
57	Humoral immune response against melanoma antigens induced by vaccination with cytokine gene-modified autologous tumor cells. <i>International Journal of Cancer</i> , 2004, 108, 307-313.	2.3	24
58	Tissue expression and sero-reactivity of tumor-specific antigens in colorectal cancer. <i>Cancer Letters</i> , 2004, 208, 197-206.	3.2	24
59	Sensory neuron development revealed by taurine immunocytochemistry in the honeybee. <i>Journal of Comparative Neurology</i> , 1995, 352, 297-307.	0.9	23
60	Serological analysis of human renal cell carcinoma. <i>International Journal of Cancer</i> , 2006, 118, 2210-2219.	2.3	22
61	Expression of GAGE family proteins in malignant melanoma. <i>Cancer Letters</i> , 2007, 251, 258-267.	3.2	22
62	miR-137 inhibits melanoma cell proliferation through downregulation of GLO1. <i>Science China Life Sciences</i> , 2018, 61, 541-549.	2.3	21
63	miR-193b and miR-30c-1* inhibit, whereas miR-576-5p enhances melanoma cell invasion <i>in vitro</i> . <i>Oncotarget</i> , 2018, 9, 32507-32522.	0.8	21
64	Vitamin A metabolism in benign and malignant melanocytic skin cells: Importance of lecithin/retinol acyltransferase and RPE65. <i>Journal of Cellular Physiology</i> , 2012, 227, 718-728.	2.0	19
65	Multiplex bead-based measurement of humoral immune responses against tumor-associated antigens in stage II melanoma patients of the EORTC18961 trial. <i>Oncolmmunology</i> , 2018, 7, e1428157.	2.1	18
66	Generation of murine tumor cell lines deficient in MHC molecule surface expression using the CRISPR/Cas9 system. <i>PLoS ONE</i> , 2017, 12, e0174077.	1.1	16
67	Replication-Competent Foamy Virus Vaccine Vectors as Novel Epitope Scaffolds for Immunotherapy. <i>PLoS ONE</i> , 2015, 10, e0138458.	1.1	16
68	Survivin Blockade Sensitizes Rhabdomyosarcoma Cells for Lysis by Fetal Acetylcholine Receptor-Redirected T Cells. <i>American Journal of Pathology</i> , 2013, 182, 2121-2131.	1.9	15
69	Measles Vaccines Designed for Enhanced CD8+ T Cell Activation. <i>Viruses</i> , 2020, 12, 242.	1.5	15
70	Screening of Human Tumor Antigens for CD4+ T Cell Epitopes by Combination of HLA-Transgenic Mice, Recombinant Adenovirus and Antigen Peptide Libraries. <i>PLoS ONE</i> , 2010, 5, e14137.	1.1	15
71	Seroreactivity against MAGE-A and LAGE-1 proteins in melanoma patients. <i>British Journal of Dermatology</i> , 2003, 149, 282-288.	1.4	13
72	Optimized dendritic cell vaccination induces potent CD8 T cell responses and anti-tumor effects in transgenic mouse melanoma models. <i>Oncolmmunology</i> , 2018, 7, e1445457.	2.1	13

#	ARTICLE	IF	CITATIONS
73	Antibody Responses to Cancer Antigens Identify Patients with a Poor Prognosis among HPV-Positive and HPV-Negative Head and Neck Squamous Cell Carcinoma Patients. <i>Clinical Cancer Research</i> , 2019, 25, 7405-7412.	3.2	13
74	Photon versus carbon ion irradiation: immunomodulatory effects exerted on murine tumor cell lines. <i>Scientific Reports</i> , 2020, 10, 21517.	1.6	13
75	Visible Light Modulates the Expression of Cancer-Retina Antigens. <i>Molecular Cancer Research</i> , 2008, 6, 110-118.	1.5	12
76	Retinal and retinol are potential regulators of gene expression in the keratinocyte cell line HaCaT. <i>Experimental Dermatology</i> , 2011, 20, 373-375.	1.4	12
77	Autoantibodies against the Ca ²⁺ -binding protein recoverin in blood sera of patients with various oncological diseases. <i>Oncology Letters</i> , 2012, 3, 377-382.	0.8	12
78	Onconeural Versus Paraneoplastic Antigens?. <i>Current Medicinal Chemistry</i> , 2007, 14, 2489-2494.	1.2	11
79	Immunoscreening of a cutaneous T-cell lymphoma library for plasma membrane proteins. <i>Cancer Immunology, Immunotherapy</i> , 2007, 56, 783-795.	2.0	11
80	Lecithin retinol acyltransferase as a potential prognostic marker for malignant melanoma. <i>Experimental Dermatology</i> , 2013, 22, 757-759.	1.4	11
81	Clinical translation and regulatory aspects of CAR/TCR-based adoptive cell therapies—the German Cancer Consortium approach. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 513-523.	2.0	11
82	Radiation-induced alterations in immunogenicity of a murine pancreatic ductal adenocarcinoma cell line. <i>Scientific Reports</i> , 2020, 10, 686.	1.6	11
83	T-cell Receptor Therapy Targeting Mutant Capicua Transcriptional Repressor in Experimental Gliomas. <i>Clinical Cancer Research</i> , 2022, 28, 378-389.	3.2	11
84	Expression and activity of alcohol and aldehyde dehydrogenases in melanoma cells and in melanocytes. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 792-799.	1.2	9
85	LRAT Overexpression Diminishes Intracellular Levels of Biologically Active Retinoids and Reduces Retinoid Antitumor Efficacy in the Murine Melanoma B16F10 Cell Line. <i>Skin Pharmacology and Physiology</i> , 2015, 28, 205-212.	1.1	9
86	Knockdown of lecithin retinol acyltransferase increases all-trans retinoic acid levels and restores retinoid sensitivity in malignant melanoma cells. <i>Experimental Dermatology</i> , 2014, 23, 832-837.	1.4	8
87	Patterns of antibody responses to nonviral cancer antigens in head and neck squamous cell carcinoma patients differ by human papillomavirus status. <i>International Journal of Cancer</i> , 2019, 145, 3436-3444.	2.3	8
88	Towards Defining Specific Antigens for Cutaneous Lymphomas. <i>Oncology Research and Treatment</i> , 2002, 25, 448-454.	0.8	7
89	T cell responses in early-stage melanoma patients occur frequently and are not associated with humoral response. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 1369-1381.	2.0	6
90	Identification of HLA class I dependent immunogenic peptides from clonotypic TCR ¹² expressed in cutaneous T-cell lymphoma. <i>International Journal of Cancer</i> , 2006, 119, 2476-2480.	2.3	5

#	ARTICLE	IF	CITATIONS
91	Identification of NY-Br-1-specific CD4 ⁺ T cell epitopes using HLA-transgenic mice. International Journal of Cancer, 2015, 136, 2588-2597.	2.3	5
92	A universal anti-cancer vaccine: Chimeric invariant chain potentiates the inhibition of melanoma progression and the improvement of survival. International Journal of Cancer, 2019, 144, 909-921.	2.3	5
93	Reply to: Comments on "Cost of decentralized CAR T cell production in an academic non-profit setting". International Journal of Cancer, 2021, 148, 516-517.	2.3	4
94	Detergent fractionation with subsequent subtractive suppression hybridization as a tool for identifying genes coding for plasma membrane proteins. Experimental Dermatology, 2009, 18, 527-535.	1.4	3
95	SOX9 is a target of miR-134-3p and miR-224-3p in breast cancer cell lines. Molecular and Cellular Biochemistry, 2023, 478, 305-315.	1.4	3
96	A transplantable tumor model allowing investigation of NY-BR-1-specific T cell responses in HLA-DRB1*0401 transgenic mice. BMC Cancer, 2019, 19, 914.	1.1	1
97	Abstract 1259: Murine HLA-restricted CD4+ T cell lines as source of high affinity TCRs specific for the human breast cancer-associated tumor antigen NY-BR-1.. , 2013, , .		1
98	Corrigendum to Letter to the Editor: Retinal and retinol are potential regulators of gene expression in the keratinocyte cell line HaCaT. Experimental Dermatology, 2011, 20, 375-375.	1.4	0
99	PCN335 COST OF DECENTRALIZED CAR T CELL PRODUCTION: CURRENT STATUS IN A EUROPEAN NON-PROFIT SETTING. Value in Health, 2020, 23, S83.	0.1	0
100	Abstract 3154: Identification of CD4+ T cell epitopes specific for the breast cancer associated antigen NY-BR-1. , 2015, , .		0
101	Abstract 5012: Establishment of a transplantable, NY-BR-1 expressing breast cancer model in HLA-transgenic mice. , 2015, , .		0
102	Abstract 3109: A functional microRNA screening approach that identifies microRNAs affecting melanoma cell invasion. , 2015, , .		0
103	Multiplex bead-based measurement of humoral immune responses against tumor-associated antigens in stage II melanoma patients: Side study of the EORTC 18961 trial.. Journal of Clinical Oncology, 2016, 34, 3032-3032.	0.8	0
104	Abstract A067: Cognate interaction with CD4+ T-cells instructs M2-like macrophages to acquire M1-like phenotype. , 2019, , .		0