Maria Herrero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4070875/publications.pdf

Version: 2024-02-01

85 4,529 37
papers citations h-index

64 g-index

85
all docs doc

85 docs citations

85 times ranked 3572 citing authors

#	Article	IF	CITATIONS
1	Male meiosis in sweet cherry is constrained by the chilling and forcing phases of dormancy. Tree Physiology, 2021, 41, 619-630.	3.1	11
2	Ovary Signals for Pollen Tube Guidance in Chalazogamous Mangifera indica L Frontiers in Plant Science, 2020, 11, 601706.	3.6	4
3	Arabinogalactan proteins mediate intercellular crosstalk in the ovule of apple flowers. Plant Reproduction, 2019, 32, 291-305.	2.2	7
4	Anther and pollen development in sweet cherry (Prunus avium L.) in relation to winter dormancy. Protoplasma, 2019, 256, 733-744.	2.1	25
5	Is there a specific stage to rest? Morphological changes in flower primordia in relation to endodormancy in sweet cherry (Prunus avium L.). Trees - Structure and Function, 2018, 32, 1583-1594.	1.9	36
6	Dormant Flower Buds Actively Accumulate Starch over Winter in Sweet Cherry. Frontiers in Plant Science, 2018, 9, 171.	3.6	48
7	Optimizing Production in the New Generation of Apricot Cultivars: Self-incompatibility, S-RNase Allele Identification, and Incompatibility Group Assignment. Frontiers in Plant Science, 2018, 9, 527.	3.6	30
8	Pollen tube access to the ovule is mediated by glycoprotein secretion on the obturator of apple (Malus × domestica, Borkh). Annals of Botany, 2017, 119, mcw276.	2.9	16
9	Identification of the ligand of Pru p 3, a peach LTP. Plant Molecular Biology, 2017, 94, 33-44.	3.9	31
10	The transition from somatic to germline identity shows conserved and specialized features during angiosperm evolution. New Phytologist, 2017, 216, 495-509.	7.3	41
11	The Diversity of the Pollen Tube Pathway in Plants: Toward an Increasing Control by the Sporophyte. Frontiers in Plant Science, 2016, 7, 107.	3.6	46
12	Transition from two to one integument in <i>Prunus</i> species: expression pattern of <i><scp>INNER NO OUTER</scp></i> (<i><scp>INO</scp></i> (<i><scp>ABERRANT TESTA SHAPE</scp></i> (<i><scp>ATS</scp></i>) and <i><scp>ETTIN</scp></i> (<i><scp>ETT</scp></i>). New Phytologist, 2015, 208, 584-595.	7.3	26
13	Flower Bud Dormancy in Prunus Species. , 2015, , 123-135.		10
14	Ovarian self-incompatibility in <i> Narcissus papyraceus </i> (Amaryllidaceae) is the result of a pre-zygotic response. Botanical Journal of the Linnean Society, 2015, 177, 629-643.	1.6	20
15	Tropical and Subtropical Fruits. , 2014, , 123-157.		1
16	Glycoprotein composition along the pistil of Malus x domestica and the modulation of pollen tube growth. BMC Plant Biology, 2014, 14, 1.	3.6	524
17	Arabinogalactan proteins mark stigmatic receptivity in the protogynous flowers of Magnolia virginiana (Magnoliaceae). American Journal of Botany, 2014, 101, 1963-1975.	1.7	17
18	Microspore development in <i>Annona</i> (Annonaceae): Differences between monad and tetrad pollen. American Journal of Botany, 2014, 101, 1508-1518.	1.7	21

#	Article	IF	CITATIONS
19	Anther meiosis time is related to winter cold temperatures in apricot (Prunus armeniaca L.). Environmental and Experimental Botany, 2014, 100, 20-25.	4.2	29
20	The influence of the progamic phase for fruiting in the apple tree. Annals of Applied Biology, 2013, 163, 82-90.	2.5	4
21	Flower strategy and stigma performance in the apple inflorescence. Scientia Horticulturae, 2013, 150, 283-289.	3.6	15
22	Arabinogalactan-protein secretion is associated with the acquisition of stigmatic receptivity in the apple flower. Annals of Botany, 2012, 110, 573-584.	2.9	43
23	Pollen performance, cell number, and physiological state in the early-divergent angiosperm Annona cherimola Mill. (Annonaceae) are related to environmental conditions during the final stages of pollen development. Sexual Plant Reproduction, 2012, 25, 157-167.	2.2	25
24	Male–female interaction and temperature variation affect pollen performance in Citrus. Scientia Horticulturae, 2012, 140, 1-7.	3.6	35
25	Molecular S-genotyping and determination of S-RNase-based incompatibility groups in loquat [Eriobotrya japonica (Thunb.) Lindl.]. Euphytica, 2011, 181, 267-275.	1.2	11
26	Seedless fruits and the disruption of a conserved genetic pathway in angiosperm ovule development. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 5461-5465.	7.1	62
27	Stamen development and winter dormancy in apricot (Prunus armeniaca). Annals of Botany, 2011, 108, 617-625.	2.9	72
28	Stigmatic receptivity in a dichogamous earlyâ€divergent angiosperm species, <i>Annona cherimola ⟨ i> (Annonaceae): Influence of temperature and humidity. American Journal of Botany, 2011, 98, 265-274.</i>	1.7	36
29	Pollen–pistil interactions and early fruiting in parthenocarpic citrus. Annals of Botany, 2011, 108, 499-509.	2.9	27
30	Molecular Characterization of Apricot Germplasm from an Old Stone Collection. PLoS ONE, 2011, 6, e23979.	2.5	17
31	Flower bud differentiation and development in fruiting and non-fruiting shoots in relation to fruit set in apricot (Prunus armeniaca L.). Trees - Structure and Function, 2010, 24, 833-841.	1.9	32
32	The progamic phase of an early-divergent angiosperm, Annona cherimola (Annonaceae). Annals of Botany, 2010, 105, 221-231.	2.9	31
33	Pollen development in Annona cherimola Mill. (Annonaceae). Implications for the evolution of aggregated pollen. BMC Plant Biology, 2009, 9, 129.	3.6	35
34	Genomic characterization of self-incompatibility ribonucleases (S-RNases) in loquat (Eriobotrya) Tj ETQq0 0 0 rgB	T /Overloc 2.1	k 10 Tf 50 14
35	Pistil traits and flower fate in apricot (<i>Prunus armeniaca</i>). Annals of Applied Biology, 2009, 154, 365-375.	2.5	36
36	The coexistence of bicellular and tricellular pollen in <i>Annona cherimola</i> (Annonaceae): Implications for pollen evolution. American Journal of Botany, 2009, 96, 802-808.	1.7	35

#	Article	IF	CITATIONS
37	Global warming and sexual plant reproduction. Trends in Plant Science, 2009, 14, 30-36.	8.8	458
38	Flower emasculation accelerates ovule degeneration and reduces fruit set in sweet cherry. Scientia Horticulturae, 2009, 119, 455-457.	3.6	29
39	Pollen Tube Behavior in Different Mandarin Hybrids. Journal of the American Society for Horticultural Science, 2009, 134, 583-588.	1.0	31
40	Assessing allergen levels in peach and nectarine cultivars. Annals of Allergy, Asthma and Immunology, 2007, 99, 42-47.	1.0	68
41	Self-incompatibility and Self-fruitfulness in Pear cv. Agua de Aranjuez. Journal of the American Society for Horticultural Science, 2007, 132, 166-171.	1.0	13
42	Pollen germination as affected by pollen age in cherimoya. Scientia Horticulturae, 2006, 109, 97-100.	3.6	15
43	The Effect of Temperature on Pollen Germination, Pollen Tube Growth, and Stigmatic Receptivity in Peach. Plant Biology, 2005, 7, 476-483.	3.8	123
44	Influence of genotype-temperature interaction on pollen performance. Journal of Evolutionary Biology, 2005, 18, 1494-1502.	1.7	94
45	Effect of temperature on pollen tube kinetics and dynamics in sweet cherry, <i>Prunus avium</i> (Rosaceae). American Journal of Botany, 2004, 91, 558-564.	1.7	123
46	The effect of temperature on stigmatic receptivity in sweet cherry (Prunus avium L.). Plant, Cell and Environment, 2003, 26, 1673-1680.	5.7	105
47	Male and female synchrony and the regulation of mating in flowering plants. Philosophical Transactions of the Royal Society B: Biological Sciences, 2003, 358, 1019-1024.	4.0	91
48	Asynchronous development of stigmatic receptivity in the pear (<i>Pyrus communis</i> ; Rosaceae) flower. American Journal of Botany, 2003, 90, 78-84.	1.7	47
49	Effects of pre-blossom temperatures on flower development and fruit set in apricot. Scientia Horticulturae, 2002, 92, 125-135.	3.6	120
50	Identification of self-incompatibility alleles in pear cultivars (Pyrus communis L.). Euphytica, 2002, 128, 325-331.	1.2	42
51	The "effective pollination period―in fruit trees. Scientia Horticulturae, 2001, 90, 1-17.	3.6	160
52	Ovary signals for directional pollen tube growth. Sexual Plant Reproduction, 2001, 14, 3-7.	2.2	46
53	Ovary starch reserves and flower development in apricot (Prunus armeniaca). Physiologia Plantarum, 2000, 108, 35-41.	5.2	62
54	Changes in the Ovary Related to Pollen Tube Guidance. Annals of Botany, 2000, 85, 79-85.	2.9	51

#	Article	IF	Citations
55	Pollen performance as affected by the pistilar genotype in sweet cherry (Prunus avium L.). Protoplasma, 1999, 208, 129-135.	2.1	43
56	Pollen germination of cherimoya (Annona cherimola Mill.) Scientia Horticulturae, 1999, 81, 251-265.	3.6	51
57	Influence of pollination systems on fruit set and fruit quality in kiwifruit (<i>Actinidia deliciosa</i>). Annals of Applied Biology, 1998, 132, 349-355.	2.5	49
58	Pollen effects on fruit and seed characteristics in pistachio (Pistacia vera L.). Annals of Applied Biology, 1998, 132, 357-364.	2.5	4
59	Influence of intraovular reserves on ovule fate in apricot (Prunus armeniaca L.). Sexual Plant Reproduction, 1998, 11, 86-93.	2.2	65
60	Pollen Tube Pathway in Chalazogamous Pistacia vera L International Journal of Plant Sciences, 1998, 159, 566-574.	1.3	17
61	Starch determination in plant tissues using a computerized image analysis system. Physiologia Plantarum, 1997, 99, 105-110.	5.2	1
62	Starch determination in plant tissues using a computerized image analysis system. Physiologia Plantarum, 1997, 99, 105-110.	5.2	20
63	Male gametophytic selection as a plant breeding tool. Scientia Horticulturae, 1996, 65, 321-333.	3.6	46
64	Dynamics of pollen tube growth under different competition regimes. Sexual Plant Reproduction, 1996, 9, 153-160.	2.2	81
65	Pistil strategies controlling pollen tube growth. Sexual Plant Reproduction, 1996, 9, 343-347.	2.2	135
66	Pollenâ€pistil interaction in kiwifruit (<i>Actinidia deliciosa;</i> Actinidiaceae). American Journal of Botany, 1996, 83, 148-154.	1.7	35
67	Evaluation of pollination as the cause of erratic fruit set in apricot †Moniqui†M. The Journal of Horticultural Science, 1996, 71, 801-805.	0.3	26
68	Pollen-Pistil Interaction in Kiwifruit (Actinidia deliciosa; Actinidiaceae). American Journal of Botany, 1996, 83, 148.	1.7	15
69	Papillar integrity as an indicator of stigmatic receptivity in kiwifruit (Actinidia deliciosa). Journal of Experimental Botany, 1995, 46, 263-269.	4.8	39
70	Stigmatic Receptivity Limits The Effective Pollination Period In Kiwifruit. Journal of the American Society for Horticultural Science, 1995, 120, 199-202.	1.0	58
71	Gametophytic competition and selection. Advances in Cellular and Molecular Biology of Plants, 1994, , 372-400.	0.2	38
72	Graft establishment between compatible and incompatiblePrunusspp. Journal of Experimental Botany, 1994, 45, 393-401.	4.8	73

#	Article	IF	CITATION
73	Male performance in pistachio <i>(Pistacia vera</i>). The Journal of Horticultural Science, 1994, 69, 1117-1122.	0.3	6
74	Pollinator selection in kiwifruit (<i>Actinidia deliciosa</i>). The Journal of Horticultural Science, 1994, 69, 697-702.	0.3	24
75	Pollen selection. Theoretical and Applied Genetics, 1992, 83-83, 663-672.	3.6	82
76	From pollination to fertilization in fruit trees. Plant Growth Regulation, 1992, 11, 27-32.	3.4	68
77	Mechanisms in the Pistil that Regulate Gametophyte Population in Peach (Prunus persica). , 1992, , 377-381.		19
78	Development of the ovular structures in peach [Prunus persica (L.) Batsch]. New Phytologist, 1991, 118, 527-533.	7.3	44
7 9	INFLUENCE OF THE PISTIL ON POLLEN TUBE KINETICS IN PEACH (PRUNUS PERSICA). American Journal of Botany, 1989, 76, 1441-1447.	1.7	88
80	Influence of the Pistil on Pollen Tube Kinetics in Peach (Prunus persica). American Journal of Botany, 1989, 76, 1441.	1.7	55
81	The Significance of the Obturator in the Control of Pollen Tube Entry into the Ovary in Peach (Prunus persica). Annals of Botany, 1987, 60, 681-685.	2.9	61
82	Prolongation of Embryo Sac Viability in Pear (Pyrus communis) Following Pollination or Treatment with Gibberellic Acid. Annals of Botany, 1987, 60, 287-293.	2.9	32
83	Pollen tube growth following compatible and incompatible intraspecific pollinations in Petunia hybrida. Planta, 1980, 148, 217-221.	3.2	67
84	Ultrastructural and physiological differences between buds and mature flowers of Petunia hybrida prior to and following pollination. Planta, 1980, 148, 138-145.	3.2	29
85	Ploidia levels in pyrenic and apyrenic "pitangueira―accessions. Scientia Agraria Paranaensis, 0, , 89-92.	0.1	0