

Kang Su Cho

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4071704/kang-su-cho-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164 papers	1,969 citations	23 h-index	33 g-index
170 ext. papers	2,331 ext. citations	3.4 avg, IF	4.74 L-index

#	Paper	IF	Citations
164	Risk of cardiovascular intervention after androgen deprivation therapy in prostate cancer patients with a prior history of ischemic cardiovascular and cerebrovascular disease: A nationwide population-based cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022 , 40, 6.e11-6.e19	2.8	0
163	Antibiotic prophylaxis for percutaneous nephrolithotomy: An updated systematic review and meta-analysis.. <i>PLoS ONE</i> , 2022 , 17, e0267233	3.7	0
162	Effect of neoadjuvant chemotherapy on overall survival of patients with T2-4aN0M0 bladder cancer: A systematic review and meta-analysis according to EAU COVID-19 recommendation.. <i>PLoS ONE</i> , 2022 , 17, e0267410	3.7	1
161	Stone-Free Rates of mPCNL, PCNL, and RIRS: A Systematic Review and Network Meta-Analysis. <i>Urogenital Tract Infection</i> , 2022 , 17, 14-25	0	
160	Seasonal variations in overactive bladder drug prescription rates in women: a nationwide population-based study. <i>World Journal of Urology</i> , 2021 , 39, 877-882	4	
159	Reply to the Commentary on "Seasonal Variation of Drug Prescription Rate for Overactive Bladder in Men Based on National Health Insurance Claims Data, 2012-2016". <i>International Neurourology Journal</i> , 2021 , 25, 95-96	2.6	
158	Androgen deprivation therapy may reduce the risk of primary open-angle glaucoma in patients with prostate cancer: a nationwide population-based cohort study.. <i>Prostate International</i> , 2021 , 9, 197-202	3.4	1
157	Androgen-deprivation therapy and the risk of newly developed fractures in patients with prostate cancer: a nationwide cohort study in Korea. <i>Scientific Reports</i> , 2021 , 11, 10057	4.9	1
156	Comparison of Oncologic Outcomes of Dose-Dense Methotrexate, Vinblastine, Doxorubicin, and Cisplatin (ddMVAC) with Gemcitabine and Cisplatin (GC) as Neoadjuvant Chemotherapy for Muscle-Invasive Bladder Cancer: Systematic Review and Meta-Analysis. <i>Cancers</i> , 2021 , 13,	6.6	2
155	Novel Treatment Strategy Using Second-Generation Androgen Receptor Inhibitors for Non-Metastatic Castration-Resistant Prostate Cancer. <i>Biomedicines</i> , 2021 , 9,	4.8	4
154	Does androgen-deprivation therapy increase the risk of ischemic cardiovascular and cerebrovascular diseases in patients with prostate cancer? A nationwide population-based cohort study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 1217-1226	4.9	2
153	Current Status and Future Perspectives of Immunotherapy for Locally Advanced or Metastatic Urothelial Carcinoma: A Comprehensive Review. <i>Cancers</i> , 2020 , 12,	6.6	17
152	Neoadjuvant chemotherapy for upper tract urothelial carcinoma.. <i>Translational Cancer Research</i> , 2020 , 9, 6576-6582	0.3	0
151	Seasonal Variation of Drug Prescription Rate for Overactive Bladder in Men Based on National Health Insurance Claims Data, 2012-2016. <i>International Neurourology Journal</i> , 2020 , 24, 278-285	2.6	1
150	Comparison of oncologic outcomes between partial nephrectomy and radical nephrectomy in patients who were upstaged from cT1 renal tumor to pT3a renal cell carcinoma: an updated systematic review and meta-analysis. <i>Therapeutic Advances in Urology</i> , 2020 , 12, 1756287220981508	3.2	3
149	Reappraisal of the treatment duration of antibiotic regimens for acute uncomplicated cystitis in adult women: a systematic review and network meta-analysis of 61 randomised clinical trials. <i>Lancet Infectious Diseases</i> , 2020 , 20, 1080-1088	25.5	11
148	Plasmacytoid Variant Urothelial Carcinoma of the Bladder: A Systematic Review and Meta-Analysis of Clinicopathological Features and Survival Outcomes. <i>Journal of Urology</i> , 2020 , 204, 215-223	2.5	13

147	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020 , 10,	3.8	4
146	Effect of Androgen-Deprivation Therapy on Bone Mineral Density in Patients with Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	20
145	Is Pelvic Plexus Block Superior to Periprostatic Nerve Block for Pain Control during Transrectal Ultrasonography-Guided Prostate Biopsy? A Double-Blind, Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
144	What is the most effective local anesthesia for transrectal ultrasonography-guided biopsy of the prostate? A systematic review and network meta-analysis of 47 randomized clinical trials. <i>Scientific Reports</i> , 2019 , 9, 4901	4.9	8
143	Role of adjuvant cisplatin-based chemotherapy following radical cystectomy in locally advanced muscle-invasive bladder cancer: Systematic review and meta-analysis of randomized trials. <i>Investigative and Clinical Urology</i> , 2019 , 60, 64-74	1.9	9
142	Comparison of stone-free rates following shock wave lithotripsy, percutaneous nephrolithotomy, and retrograde intrarenal surgery for treatment of renal stones: A systematic review and network meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0211316	3.7	24
141	Effect of neoadjuvant chemotherapy on locally advanced upper tract urothelial carcinoma: A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2019 , 135, 59-65	7	31
140	Alpha-1 Adrenergic Receptor Blockers for the Treatment of Lower Urinary Tract Symptoms in Women: A Systematic Review and Meta-Analysis. <i>International Neurourology Journal</i> , 2019 , 23, 56-68	2.6	11
139	Impact of Cerebrovascular Disease on Survival Benefits from Local Treatment in Patients with De Novo Metastatic Hormone-Sensitive Prostate Cancer. <i>Yonsei Medical Journal</i> , 2019 , 60, 1129-1137	3	1
138	Impact of Bladder Neck Stiffness on Lower Urinary Tract Symptoms in Patient With Benign Prostatic Hyperplasia. <i>The Korean Journal of Urological Oncology</i> , 2019 , 17, 143-149	0.1	
137	Comparison of Oncologic Outcomes Between Two Alternative Sequences with Abiraterone Acetate and Enzalutamide in Patients with Metastatic Castration-Resistant Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019 , 12,	6.6	9
136	Predictors of Uric Acid Stones: Mean Stone Density, Stone Heterogeneity Index, and Variation Coefficient of Stone Density by Single-Energy Non-Contrast Computed Tomography and Urinary pH. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
135	Effects of Adjuvant Chemotherapy on Locally Advanced Upper Tract Urothelial Carcinoma: A Systematic Review and Meta-analysis. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e1193-e1202	3.3	4
134	Relationship between Lower Urinary Tract Symptoms and Prostatic Urethral Stiffness Using Strain Elastography: Initial Experiences. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
133	Does an Alternative Sunitinib Dosing Schedule Really Improve Survival Outcomes over a Conventional Dosing Schedule in Patients with Metastatic Renal Cell Carcinoma? An Updated Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019 , 11,	6.6	2
132	Effect of Bladder Neck Preservation on Long-Term Urinary Continence after Robot-Assisted Laparoscopic Prostatectomy: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
131	Prediction of organ-confined disease after robot-assisted radical prostatectomy in patients with clinically locally-advanced prostate cancer. <i>Asian Journal of Surgery</i> , 2019 , 42, 120-125	1.6	
130	Tertiary Referral Hospital Experiences of Men Presenting With Painless Postcoital Gross Hematuria and a Suggestion for the Management Algorithm. <i>Urology</i> , 2018 , 115, 112-118	1.6	1

129	The Impact of Preoperative β -Adrenergic Antagonists on Ureteral Access Sheath Insertion Force and the Upper Limit of Force Required to Avoid Ureteral Mucosal Injury: A Randomized Controlled Study. <i>Journal of Urology</i> , 2018 , 199, 1622-1630	2.5	19
128	Effects of 5-alpha reductase inhibitors: new insights on benefits and harms. <i>Current Opinion in Urology</i> , 2018 , 28, 288-293	2.8	2
127	Effect of Climatic Parameters on Acute Urinary Retention Incidence. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018 , 10, 297-302	1.9	2
126	Does robot-assisted radical prostatectomy benefit patients with prostate cancer and bone oligometastases?. <i>BJU International</i> , 2018 , 121, 225-231	5.6	29
125	Predictive factors and treatment outcomes of Steinstrasse following shock wave lithotripsy for ureteral calculi: A Bayesian regression model analysis. <i>Investigative and Clinical Urology</i> , 2018 , 59, 112-118	1.9	1
124	Predictors of adverse pathologic features after radical prostatectomy in low-risk prostate cancer. <i>BMC Cancer</i> , 2018 , 18, 545	4.8	4
123	Age-adjusted Charlson Comorbidity Index as a prognostic factor for radical prostatectomy outcomes of very high-risk prostate cancer patients. <i>PLoS ONE</i> , 2018 , 13, e0199365	3.7	9
122	Bioactive Compounds for the Treatment of Renal Disease. <i>Yonsei Medical Journal</i> , 2018 , 59, 1015-1025	3	6
121	The Within-Group Discrimination Ability of the Cancer of the Prostate Risk Assessment Score for Men with Intermediate-Risk Prostate Cancer. <i>Journal of Korean Medical Science</i> , 2018 , 33, e36	4.7	1
120	Stone heterogeneity index on single-energy noncontrast computed tomography can be a positive predictor of urinary stone composition. <i>PLoS ONE</i> , 2018 , 13, e0193945	3.7	2
119	Indications for a second prostate biopsy in patients suspected with prostate cancer after an initial negative prostate biopsy. <i>Prostate International</i> , 2017 , 5, 24-28	3.4	2
118	Prognostic Significance of Vas Deferens Invasion After Radical Prostatectomy in Patients with Pathological Stage T3b Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1143-1149	3.1	3
117	Age and Charlson Score: A Reply. <i>Annals of Surgical Oncology</i> , 2017 , 24, 679	3.1	
116	Intraoperative and postoperative feasibility and safety of total tubeless, tubeless, small-bore tube, and standard percutaneous nephrolithotomy: a systematic review and network meta-analysis of 16 randomized controlled trials. <i>BMC Urology</i> , 2017 , 17, 48	2.2	10
115	Impact of lymphovascular invasion on lymph node metastasis for patients undergoing radical prostatectomy with negative resection margin. <i>BMC Cancer</i> , 2017 , 17, 321	4.8	11
114	Systematic review and meta-analysis to compare success rates of retrograde intrarenal surgery versus percutaneous nephrolithotomy for renal stones >2 cm: An update. <i>Medicine (United States)</i> , 2017 , 96, e9119	1.8	20
113	Impact of Pretreatment Hydronephrosis on the Success Rate of Shock Wave Lithotripsy in Patients with Ureteral Stone. <i>Yonsei Medical Journal</i> , 2017 , 58, 1000-1005	3	13
112	The prognostic significance of postoperative neutrophil-to-lymphocyte ratio after radical prostatectomy for localized prostate cancer. <i>Oncotarget</i> , 2017 , 8, 11778-11787	3.3	19

111	Clinical Significance of Periurethral Calcification According to the Location in Men With Lower Urinary Tract Symptoms and a Small Prostate Volume. <i>International Neurourology Journal</i> , 2017 , 21, 220-228	2.6	3
110	Age-adjusted Charlson comorbidity index is a significant prognostic factor for long-term survival of patients with high-risk prostate cancer after radical prostatectomy: a Bayesian model averaging approach. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 849-58	4.9	14
109	Comprehensive analysis and validation of contemporary survival prognosticators in Korean patients with metastatic renal cell carcinoma treated with targeted therapy: prognostic impact of pretreatment neutrophil-to-lymphocyte ratio. <i>International Urology and Nephrology</i> , 2016 , 48, 985-92	2.3	10
108	Comparison of High, Intermediate, and Low Frequency Shock Wave Lithotripsy for Urinary Tract Stone Disease: Systematic Review and Network Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0158661	3.7	22
107	Association of Anterior and Lateral Extraprostatic Extensions with Base-Positive Resection Margins in Prostate Cancer. <i>PLoS ONE</i> , 2016 , 11, e0158922	3.7	5
106	Prostate-specific antigen density predicts favorable pathology and biochemical recurrence in patients with intermediate-risk prostate cancer. <i>Asian Journal of Andrology</i> , 2016 , 18, 480-4	2.8	7
105	Survival Outcomes of Concurrent Treatment with Docetaxel and Androgen Deprivation Therapy in Metastatic Castration-Resistant Prostate Cancer. <i>Yonsei Medical Journal</i> , 2016 , 57, 1070-8	3	7
104	Ureteral stenting can be a negative predictor for successful outcome following shock wave lithotripsy in patients with ureteral stones. <i>Investigative and Clinical Urology</i> , 2016 , 57, 408-416	1.9	9
103	A Systematic Review and Meta-Analysis of Functional Outcomes and Complications Following the Photoselective Vaporization of the Prostate and Monopolar Transurethral Resection of the Prostate. <i>World Journal of Men's Health</i> , 2016 , 34, 110-22	6.8	10
102	Clinical significance of peripheral zone thickness in men with lower urinary tract symptoms/benign prostatic hyperplasia. <i>BJU International</i> , 2016 , 117, 316-22	5.6	15
101	Stone heterogeneity index as the standard deviation of Hounsfield units: A novel predictor for shock-wave lithotripsy outcomes in ureter calculi. <i>Scientific Reports</i> , 2016 , 6, 23988	4.9	36
100	Oncological outcomes after partial vs radical nephrectomy in renal cell carcinomas of ≥ 7 cm with presumed renal sinus fat invasion on preoperative imaging. <i>BJU International</i> , 2016 , 117, 87-93	5.6	11
99	Early Application of Permanent Metallic Mesh Stent in Substitution for Temporary Polymeric Ureteral Stent Reduces Unnecessary Ureteral Procedures in Patients With Malignant Ureteral Obstruction. <i>Urology</i> , 2015 , 86, 459-64	1.6	14
98	Which anthropometric measurements including visceral fat, subcutaneous fat, body mass index, and waist circumference could predict the urinary stone composition most?. <i>BMC Urology</i> , 2015 , 15, 17	2.2	13
97	Is periurethral calcification associated with urinary flow rate and symptom severity in men with lower urinary tract symptoms-benign prostatic hyperplasia? A retrospective review. <i>Urology</i> , 2015 , 85, 1156-1161	1.6	7
96	A network meta-analysis of therapeutic outcomes after new image technology-assisted transurethral resection for non-muscle invasive bladder cancer: 5-aminolaevulinic acid fluorescence vs hexylaminolevulinate fluorescence vs narrow band imaging. <i>BMC Cancer</i> , 2015 , 15, 566	4.8	49
95	The beneficial effect of alpha-blockers for ureteral stent-related discomfort: systematic review and network meta-analysis for alfuzosin versus tamsulosin versus placebo. <i>BMC Urology</i> , 2015 , 15, 55	2.2	27
94	p53 expression as a prognostic factor in upper urinary tract urothelial carcinoma: a systematic review and meta-analysis. <i>Urologia Internationalis</i> , 2015 , 94, 50-7	1.9	9

93	Pathologic Outcomes in Men with Low-risk Prostate Cancer Who Are Potential Candidates for Contemporary, Active Surveillance Protocols. <i>Journal of Korean Medical Science</i> , 2015 , 30, 932-6	4.7	2
92	Associations of Self-Reported Erectile Function with Non-Invasive Measurements of Endothelial Function: A Preliminary Study. <i>World Journal of Men's Health</i> , 2015 , 33, 174-81	6.8	0
91	Impact of colic pain as a significant factor for predicting the stone free rate of one-session shock wave lithotripsy for treating ureter stones: a Bayesian logistic regression model analysis. <i>PLoS ONE</i> , 2015 , 10, e0123800	3.7	14
90	Simple Modification of the Bladder Outlet Obstruction Index for Better Prediction of Endoscopically-Proven Prostatic Obstruction: A Preliminary Study. <i>PLoS ONE</i> , 2015 , 10, e0141745	3.7	4
89	Optimal Skin-to-Stone Distance Is a Positive Predictor for Successful Outcomes in Upper Ureter Calculi Following Extracorporeal Shock Wave Lithotripsy: A Bayesian Model Averaging Approach. <i>PLoS ONE</i> , 2015 , 10, e0144912	3.7	20
88	Seasonal Variation of Urinary Symptoms in Korean Men with Lower Urinary Tract Symptoms and Benign Prostatic Hyperplasia. <i>World Journal of Men's Health</i> , 2015 , 33, 81-7	6.8	13
87	Impact of Charlson comorbidity index varies by age in patients with prostate cancer treated by radical prostatectomy: a competing risk regression analysis. <i>Annals of Surgical Oncology</i> , 2014 , 21, 677-83	3.1	10
86	Is type-2 diabetes mellitus associated with overactive bladder symptoms in men with lower urinary tract symptoms?. <i>Urology</i> , 2014 , 84, 670-4	1.6	16
85	A competing risk analysis of cancer-specific mortality of initial treatment with radical prostatectomy versus radiation therapy in clinically localized high-risk prostate cancer. <i>Annals of Surgical Oncology</i> , 2014 , 21, 4026-33	3.1	27
84	A comparison of epididymectomy with vasectomy reversal for the surgical treatment of postvasectomy pain syndrome. <i>International Urology and Nephrology</i> , 2014 , 46, 531-7	2.3	6
83	Microsurgical intermediate subinguinal varicocelectomy. <i>International Surgery</i> , 2014 , 99, 398-403	0.1	1
82	Intraoperative patient selection for tubeless percutaneous nephrolithotomy. <i>International Surgery</i> , 2014 , 99, 662-8	0.1	3
81	Charlson comorbidity index is an important prognostic factor for long-term survival outcomes in Korean men with prostate cancer after radical prostatectomy. <i>Yonsei Medical Journal</i> , 2014 , 55, 316-23	3	16
80	Feasibility and efficacy of intermediate-supine percutaneous nephrolithotomy: initial experience. <i>Chonnam Medical Journal</i> , 2014 , 50, 52-7	1.3	4
79	Meta-Analysis of the Relationship between CXCR4 Expression and Metastasis in Prostate Cancer. <i>World Journal of Men's Health</i> , 2014 , 32, 167-75	6.8	20
78	Clinical implications of a feeling of incomplete emptying with little post-void residue in men with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2014 , 33, 1123-7	2.3	7
77	Effect of varicocelectomy on male infertility. <i>Korean Journal of Urology</i> , 2014 , 55, 703-9		15
76	Prognostic factors for urachal cancer: a bayesian model-averaging approach. <i>Korean Journal of Urology</i> , 2014 , 55, 574-80		18

75	Renal pelvic urothelial carcinoma with vena caval thrombus mimicking renal cell carcinoma. <i>Korean Journal of Urology</i> , 2014 , 55, 624-7		6
74	MP22-16 RECURRENCE RATE OF TRANSURETHRAL RESECTION OF BLADDER TUMOR USING NARROW BAND IMAGING: A RANDOMIZED CONTROL TRIAL, PILOT STUDY. <i>Journal of Urology</i> , 2014 , 191,	2.5	2
73	Correlation of prostatic urethral angle with the severity of urinary symptom and peak flow rate in men with small prostate volume. <i>PLoS ONE</i> , 2014 , 9, e104395	3.7	11
72	Clinical features of supvoiders who suffer from lower urinary tract symptoms: a propensity score-matching study. <i>World Journal of Urology</i> , 2013 , 31, 1463-8	4	1
71	Impact of bent distortion on accuracy of measurement during transrectal ultrasonography for prostatic imaging: a preliminary study. <i>Urology</i> , 2013 , 81, 915-9	1.6	4
70	Hematuria grading scale: a new tool for gross hematuria. <i>Urology</i> , 2013 , 82, 284-9	1.6	8
69	Korean Society for Sexual Medicine and Andrology (KSSMA) Guideline on Erectile Dysfunction. <i>World Journal of Men's Health</i> , 2013 , 31, 83-102	6.8	22
68	Efficacy and safety of photodynamic therapy for recurrent, high grade nonmuscle invasive bladder cancer refractory or intolerant to bacille Calmette-Guérin immunotherapy. <i>Journal of Urology</i> , 2013 , 190, 1192-9	2.5	50
67	Laparoendoscopic single site varicocele ligation: comparison of testicular artery and lymphatic preservation versus complete testicular vessel ligation. <i>Journal of Urology</i> , 2013 , 189, 243-9	2.5	17
66	Meta-analysis of transperitoneal versus extraperitoneal robot-assisted radical prostatectomy for prostate cancer. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2013 , 23, 919-25 ^{2.1}		21
65	Impact of surgical varicocele repair on pregnancy rate in subfertile men with clinical varicocele and impaired semen quality: a meta-analysis of randomized clinical trials. <i>Korean Journal of Urology</i> , 2013 , 54, 703-9		46
64	An evidence-based evaluation of health information on erectile dysfunction from 10 nationwide daily newspapers in Korea. <i>Korean Journal of Urology</i> , 2013 , 54, 778-82		
63	Lymphocele after extraperitoneal robot-assisted radical prostatectomy: a propensity score-matching study. <i>International Journal of Urology</i> , 2013 , 20, 1169-76	2.3	34
62	Inhibition of tumor growth and histopathological changes following treatment with a chemokine receptor CXCR4 antagonist in a prostate cancer xenograft model. <i>Oncology Letters</i> , 2013 , 6, 933-938	2.6	18
61	A comparative study of laparoendoscopic single-site surgery versus conventional laparoscopy for upper urinary tract malignancies. <i>Korean Journal of Urology</i> , 2013 , 54, 244-8		6
60	Hybrid method of transurethral resection of ejaculatory ducts using holmium:yttriumaluminium garnet laser on complete ejaculatory duct obstruction. <i>Yonsei Medical Journal</i> , 2013 , 54, 1062-5	3	4
59	Urologist's Practice Patterns Including Surgical Treatment in the Management of Premature Ejaculation: A Korean Nationwide Survey. <i>World Journal of Men's Health</i> , 2013 , 31, 226-31	6.8	12
58	Unroofed midline prostate cyst mislabeled into a stricture with obliterative bladder neck contracture following a laser prostatectomy. <i>International Neurourology Journal</i> , 2013 , 17, 34-7	2.6	6

57	Prostatic urethral angulation associated with urinary flow rate and urinary symptom scores in men with lower urinary tract symptoms. <i>Urology</i> , 2012 , 80, 1333-7	1.6	29
56	Clinical Outcomes of Bosniak Category IIF Complex Renal Cysts in Korean Patients. <i>Korean Journal of Urology</i> , 2012 , 53, 386-90		27
55	Efficacy and safety of solifenacin to treat overactive bladder symptoms in patients with idiopathic normal pressure hydrocephalus: an open-label, multicenter, prospective study. <i>Neurourology and Urodynamics</i> , 2012 , 31, 1175-80	2.3	2
54	A successful case of laparoscopic partial cystectomy for bladder endometriosis. <i>Korean Journal of Obstetrics & Gynecology</i> , 2012 , 55, 882		
53	The emergency computed tomography as important modality for early diagnosis of Fournier gangrene. <i>American Journal of Emergency Medicine</i> , 2011 , 29, 959.e1-2	2.9	4
52	Simple, safe, and successful evacuation of severe organized clot retention using a catheter connected with wall suction: suction and fishing method. <i>Urology</i> , 2011 , 78, 1199-202	1.6	7
51	Renal safety and efficacy of cisplatin-based chemotherapy in patients with a solitary kidney after nephroureterectomy for urothelial carcinoma of the upper urinary tract. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 67, 769-74	3.5	12
50	Prostate specific membrane antigen mRNA in blood as a potential predictor of biochemical recurrence after radical prostatectomy. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1291-5	4.7	7
49	High-grade hydronephrosis predicts poor outcomes after radical cystectomy in patients with bladder cancer. <i>Journal of Korean Medical Science</i> , 2010 , 25, 369-73	4.7	16
48	Efficacy of adjuvant gemcitabine-cisplatin chemotherapy: a comparative study between locally advanced transitional cell carcinoma of the bladder and upper urinary tract. <i>Urologia Internationalis</i> , 2010 , 85, 47-51	1.9	7
47	Lymphovascular invasion and pT stage are prognostic factors in patients treated with radical nephroureterectomy for localized upper urinary tract transitional cell carcinoma. <i>Urology</i> , 2010 , 75, 328-32	1.6	40
46	Prognostic value of p53 and Ki-67 expression in intermediate-risk patients with nonmuscle-invasive bladder cancer receiving adjuvant intravesical mitomycin C therapy. <i>Urology</i> , 2010 , 76, 512.e1-7	1.6	16
45	Pretreatment assessment of tumor enhancement on contrast-enhanced computed tomography as a potential predictor of treatment outcome in metastatic renal cell carcinoma patients receiving antiangiogenic therapy. <i>Cancer</i> , 2010 , 116, 2332-42	6.4	46
44	Prostate stem cell antigen mRNA in peripheral blood as a potential predictor of biochemical recurrence in high-risk prostate cancer. <i>Journal of Surgical Oncology</i> , 2010 , 101, 145-8	2.8	25
43	Bcl-2 as a predictive factor for biochemical recurrence after radical prostatectomy: an interim analysis. <i>Cancer Research and Treatment</i> , 2010 , 42, 157-62	5.2	10
42	Clinical experience of single-session percutaneous aspiration and OK-432 sclerotherapy for treatment of simple renal cysts: 1-year follow-up. <i>Journal of Endourology</i> , 2009 , 23, 1001-6	2.7	16
41	The risk factor for urethral recurrence after radical cystectomy in patients with transitional cell carcinoma of the bladder. <i>Urologia Internationalis</i> , 2009 , 82, 306-11	1.9	38
40	Differences in tumor characteristics and prognosis in newly diagnosed Ta, T1 urothelial carcinoma of bladder according to patient age. <i>Urology</i> , 2009 , 73, 828-32, 832.e1	1.6	15

39	Lymphovascular invasion in transurethral resection specimens as predictor of progression and metastasis in patients with newly diagnosed T1 bladder urothelial cancer. <i>Journal of Urology</i> , 2009 , 182, 2625-30	2.5	75
38	Preventive effects of oligomerized polyphenol on estradiol-induced prostatitis in rats. <i>Yonsei Medical Journal</i> , 2009 , 50, 391-8	3	15
37	Clinical significance of lymph node dissection in patients with muscle-invasive upper urinary tract transitional cell carcinoma treated with nephroureterectomy. <i>Journal of Korean Medical Science</i> , 2009 , 24, 674-8	4.7	12
36	Familial Prostate Cancer in Three Brothers. <i>Korean Journal of Urology</i> , 2009 , 50, 195		1
35	The overlooked cause of benign prostatic hyperplasia: prostatic urethral angulation. <i>Medical Hypotheses</i> , 2008 , 70, 532-5	3.8	29
34	Intraoperative breakage of needle driver jaw during robotic-assisted laparoscopic radical prostatectomy. <i>Urology</i> , 2008 , 71, 168.e5-6	1.6	14
33	Relationship between prostatic urethral angle and urinary flow rate: its implication in benign prostatic hyperplasia pathogenesis. <i>Urology</i> , 2008 , 71, 858-62	1.6	30
32	Robot-assisted laparoscopic radical cystoprostatectomy with ileal conduit urinary diversion: initial experience in Korea. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2008 , 18, 401-4	2.1	4
31	The prognostic significance of pathologic stage T0 on organ-confined bladder transitional cell carcinoma following radical cystectomy. <i>Urologia Internationalis</i> , 2008 , 81, 394-8	1.9	7
30	Treatment of Simple Renal Cysts by Percutaneous Aspiration and OK-432 Sclerotherapy. <i>Korean Journal of Urology</i> , 2008 , 49, 917		1
29	The Relationship between Metabolic Syndrome and Prostate Volume in Men Over Sixties who Underwent Prostate Health Check-up. <i>Korean Journal of Urology</i> , 2008 , 49, 813		7
28	A comprehensive prognostic stratification for patients with metastatic renal clear cell carcinoma. <i>Yonsei Medical Journal</i> , 2008 , 49, 451-8	3	8
27	Nomograms for prediction of disease recurrence in patients with primary Ta, T1 transitional cell carcinoma of the bladder. <i>Journal of Korean Medical Science</i> , 2008 , 23, 428-33	4.7	26
26	Comparison of Open and Robotic Surgery in Radical Prostatectomy: A Single Surgeon's Experience. <i>Korean Journal of Urology</i> , 2008 , 49, 221		3
25	The Patterns and Risk Factors for Subsequent Bladder Recurrence in Patients with Transitional Cell Carcinoma of the Upper Urinary Tract: A Long-Term Follow-Up Study. <i>Korean Journal of Urology</i> , 2008 , 49, 294		1
24	Robot-assisted Laparoscopic Nephroureterectomy with a Bladder Cuff Excision. <i>Korean Journal of Urology</i> , 2008 , 49, 373		4
23	Robot-assisted Laparoscopic Partial Nephrectomy. <i>Korean Journal of Urology</i> , 2008 , 49, 387		6
22	Robot-assisted Laparoscopic Radical Cystectomy with Ileal Conduit Urinary Diversion. <i>Korean Journal of Urology</i> , 2008 , 49, 506		7

21	Prognostic impact of peripelvic fat invasion in pT3 renal pelvic transitional cell carcinoma. <i>Journal of Korean Medical Science</i> , 2008 , 23, 434-8	4.7	7
20	Lowering Prostate-specific Antigen Threshold for Prostate Biopsy in Korean Men: Impact on the Number Needing Biopsy. <i>Korean Journal of Urology</i> , 2008 , 49, 118		3
19	Role of Epidermal Growth Factor Receptor and the HER-2 Gene in Hormone Refractory Prostate Cancer. <i>Korean Journal of Urology</i> , 2008 , 49, 24		
18	Impact of caveolin-1 expression on the prognosis of transitional cell carcinoma of the upper urinary tract. <i>Journal of Korean Medical Science</i> , 2008 , 23, 296-301	4.7	10
17	Diagnostic algorithm for papillary urothelial tumors in the urinary bladder. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 452, 353-62	5.1	22
16	Gene amplification and mutation analysis of epidermal growth factor receptor in hormone refractory prostate cancer. <i>Prostate</i> , 2008 , 68, 803-8	4.2	17
15	Epidermal Growth Factor Receptor as Predicting Factor on Biochemical Recurrence after Radical Prostatectomy: A Prospective Study. <i>Korean Journal of Urology</i> , 2008 , 49, 974		6
14	Matrix metalloproteinase expression in the recurrence of superficial low grade bladder transitional cell carcinoma. <i>Journal of Urology</i> , 2007 , 177, 1174-8	2.5	23
13	A prospective, multicenter, open-label trial of zoledronic acid in patients with hormone refractory prostate cancer. <i>Yonsei Medical Journal</i> , 2007 , 48, 1001-8	3	4
12	Discrepancy of Measured Renal Length between Ultrasonography and Dimercaptosuccinic Acid (DMSA) Scintigraphy. <i>Korean Journal of Urology</i> , 2007 , 48, 77		3
11	The Difference in the Prognosis and Characteristics between the Progressive and Primary Muscle-invasive Bladder Cancer Treated with Radical Cystectomy. <i>Korean Journal of Urology</i> , 2007 , 48, 1109		6
10	Estramustine Phosphate Based Chemotherapy for Hormone Refractory Prostate Cancer. <i>Korean Journal of Urology</i> , 2007 , 48, 684		4
9	Identification of enhancer of zeste homolog 2 expression in peripheral circulating tumor cells in metastatic prostate cancer patients: a preliminary study. <i>Yonsei Medical Journal</i> , 2007 , 48, 1009-14	3	8
8	Percutaneous treatment of renal cysts with OK-432 sclerosis. <i>Yonsei Medical Journal</i> , 2007 , 48, 270-3	3	7
7	Cholesterol level of lipid raft microdomains regulates apoptotic cell death in prostate cancer cells through EGFR-mediated Akt and ERK signal transduction. <i>Prostate</i> , 2007 , 67, 1061-9	4.2	78
6	Grade of hydronephrosis and tumor diameter as preoperative prognostic factors in ureteral transitional cell carcinoma. <i>Urology</i> , 2007 , 70, 662-6	1.6	64
5	A proposal for a novel staging system in renal pelvicaliceal urothelial carcinomas. <i>Human Pathology</i> , 2007 , 38, 1639-48	3.7	5
4	Correlation of Cyclooxygenase-2 Expression and Microvessel Density with Prognosis in Transitional Cell Carcinoma of the Upper Urinary Tract. <i>Korean Journal of Urology</i> , 2007 , 48, 376		

3	Long-term effects of ileal conduit urinary diversion on upper urinary tract in bladder cancer. <i>Urology</i> , 2006 , 68, 324-7	1.6	42
2	Pattern of Recurrence and the Prognostic Factors of Upper Urinary Tract Transitional Cell Carcinoma. <i>Korean Journal of Urology</i> , 2006 , 47, 124		4
1	The Clinical Significance of Hydronephrosis and the Tumor Diameter in Ureteral Transitional Cell Carcinoma. <i>Korean Journal of Urology</i> , 2006 , 47, 131		1