

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4072702/ruoyu-zhang-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73 papers	1,897 citations	28 h-index	41 g-index
75 ext. papers	2,468 ext. citations	6.6 avg, IF	5.1 L-index

#	Paper	IF	Citations
73	Synthesis and properties of full bio-based thermosetting resins from rosin acid and soybean oil: the role of rosin acid derivatives. <i>Green Chemistry</i> , 2013 , 15, 1300	10	114
72	Synthesis of graphene from biomass: A green chemistry approach. <i>Materials Letters</i> , 2015 , 161, 476-479	3.3	104
71	The properties of poly(lactic acid)/starch blends with a functionalized plant oil: tung oil anhydride. <i>Carbohydrate Polymers</i> , 2013 , 95, 77-84	10.3	89
70	Waterproof, Highly Tough, and Fast Self-Healing Polyurethane for Durable Electronic Skin. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 11072-11083	9.5	68
69	Highly recoverable rosin-based shape memory polyurethanes. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 3263	13	67
68	Graphene synthesis: a Review. <i>Materials Science-Poland</i> , 2015 , 33, 566-578	0.6	60
67	Surface hydrophobic modification of starch with bio-based epoxy resins to fabricate high-performance polylactide composite materials. <i>Composites Science and Technology</i> , 2014 , 94, 16-22	8.6	60
66	Bio-based shape memory polyurethanes (Bio-SMPUs) with short side chains in the soft segment. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 11490	13	55
65	A Multiscale Investigation on the Mechanism of Shape Recovery for IPDI to PPDI Hard Segment Substitution in Polyurethane. <i>Macromolecules</i> , 2016 , 49, 5931-5944	5.5	54
64	Phase Separation Mechanism of Polybutadiene/Polyisoprene Blends under Oscillatory Shear Flow. <i>Macromolecules</i> , 2008 , 41, 6818-6829	5.5	53
63	A Perspective on PEF Synthesis, Properties, and End-Life. <i>Frontiers in Chemistry</i> , 2020 , 8, 585	5	48
62	Research progress in the heat resistance, toughening and filling modification of PLA. <i>Science China Chemistry</i> , 2016 , 59, 1355-1368	7.9	47
61	Designing bio-based plasticizers: Effect of alkyl chain length on plasticization properties of isosorbide diesters in PVC blends. <i>Materials and Design</i> , 2017 , 126, 29-36	8.1	46
60	Comprehensive review on plant fiber-reinforced polymeric biocomposites. <i>Journal of Materials Science</i> , 2021 , 56, 7231-7264	4.3	46
59	A mild method to prepare high molecular weight poly(butylene furandicarboxylate-co-glycolate) copolyesters: effects of the glycolate content on thermal, mechanical, and barrier properties and biodegradability. <i>Green Chemistry</i> , 2019 , 21, 3013-3022	10	45
58	Tensile Property Balanced and Gas Barrier Improved Poly(lactic acid) by Blending with Biobased Poly(butylene 2,5-furan dicarboxylate). <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 9244-9253	8.3	45
57	Isosorbide dioctoate as a green plasticizer for poly(lactic acid). <i>Materials and Design</i> , 2016 , 91, 262-268	8.1	43

56	Fully bio-based poly(propylene succinate-co-propylene furandicarboxylate) copolyesters with proper mechanical, degradation and barrier properties for green packaging applications. <i>European Polymer Journal</i> , 2018 , 102, 101-110	5.2	42
55	Effect of shear flow on multi-component polymer mixtures. <i>Polymer</i> , 2006 , 47, 3271-3286	3.9	42
54	Improvement in toughness of polylactide by melt blending with bio-based poly(ester)urethane. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2014 , 32, 1099-1110	3.5	37
53	Asynchronous fracture of hierarchical microstructures in hard domain of thermoplastic polyurethane elastomer: Effect of chain extender. <i>Polymer</i> , 2018 , 138, 242-254	3.9	36
52	Synthesis and Structure-Property Relationship of Biobased Biodegradable Poly(butylene carbonate-co-furandicarboxylate). <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 7488-7498	8.3	35
51	Bio-based poly(butylene 2,5-furandicarboxylate)-b-poly(ethylene glycol) copolymers with adjustable degradation rate and mechanical properties: Synthesis and characterization. <i>European Polymer Journal</i> , 2018 , 106, 42-52	5.2	34
50	Modification of Poly(butylene 2,5-furandicarboxylate) with Lactic Acid for Biodegradable Copolyesters with Good Mechanical and Barrier Properties. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 11020-11030	3.9	33
49	Effect of Liquid-Liquid Phase Separation on the Lamellar Crystal Morphology in PEH/PEB Blend. <i>Macromolecules</i> , 2006 , 39, 9285-9290	5.5	33
48	Soft segment free thermoplastic polyester elastomers with high performance. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13637-13641	13	31
47	Origin of highly recoverable shape memory polyurethanes (SMPUs) with non-planar ring structures: a single molecule force spectroscopy investigation. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20010-20016	13	29
46	Design and structural study of a triple-shape memory PCL/PVC blend. <i>Polymer</i> , 2016 , 104, 115-122	3.9	29
45	Free radical competitions in polylactide/bio-based thermoplastic polyurethane/ free radical initiator ternary blends and their final properties. <i>Polymer</i> , 2015 , 64, 69-75	3.9	28
44	Diisocyanate free and melt polycondensation preparation of bio-based unsaturated poly(ester-urethane)s and their properties as UV curable coating materials. <i>RSC Advances</i> , 2014 , 4, 49471-49477	3.7	27
43	A Biologically Muscle-Inspired Polyurethane with Super-Tough, Thermal Reparable and Self-Healing Capabilities for Stretchable Electronics. <i>Advanced Functional Materials</i> , 2021 , 31, 2009869	15.6	27
42	Preparation of Biobased Monofunctional Compatibilizer from Cardanol To Fabricate Polylactide/Starch Blends with Superior Tensile Properties. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 10653-10659	3.9	26
41	Toward Biobased, Biodegradable, and Smart Barrier Packaging Material: Modification of Poly(Neopentyl Glycol 2,5-Furandicarboxylate) with Succinic Acid. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 4255-4265	8.3	21
40	A toughened PLA/Nanosilica composite obtained in the presence of epoxidized soybean oil. <i>Journal of Applied Polymer Science</i> , 2015 , 132,	2.9	20
39	Non-planar ring contained polyester modifying polylactide to pursue high toughness. <i>Composites Science and Technology</i> , 2016 , 128, 41-48	8.6	20

- 38 Liquid-Liquid Phase Separation and Crystallization in Thin Films of a Polyolefin Blend. *Macromolecules*, **2008**, 41, 2311-2314 5.5 20
- 37 A polyurethane integrating self-healing, anti-aging and controlled degradation for durable and eco-friendly E-skin. *Chemical Engineering Journal*, **2021**, 410, 128363 14.7 20
- 36 Epoxy resins toughened with in situ azide-alkyne polymerized polysulfones. *Journal of Applied Polymer Science*, **2018**, 135, 45790 2.9 18
- 35 Reexamination of the microphase separation in MDI and PTMG based polyurethane: Fast and continuous association/dissociation processes of hydrogen bonding. *Polymer*, **2019**, 185, 121943 3.9 18
- 34 Nucleation/Growth in the Metastable and Unstable Phase Separation Regions under Oscillatory Shear Flow for an Off-critical Polymer Blend. *Macromolecules*, **2009**, 42, 2873-2876 5.5 18
- 33 Toughening polylactide by direct blending of cellulose nanocrystals and epoxidized soybean oil. *Journal of Applied Polymer Science*, **2019**, 136, 48221 2.9 16
- 32 Biodegradable Elastomer from 2,5-Furandicarboxylic Acid and ϵ -Caprolactone: Effect of Crystallization on Elasticity. *ACS Sustainable Chemistry and Engineering*, **2019**, 7, 17778-17788 8.3 16
- 31 Initiating Highly Effective Hydrolysis of Regenerated Cellulose by Controlling Transition of Crystal Form with Sulfolane under Microwave Radiation. *ACS Sustainable Chemistry and Engineering*, **2016**, 4, 1507-1511 8.3 15
- 30 Retroreflection in binary bio-based PLA/PBF blends. *Polymer*, **2017**, 125, 138-143 3.9 14
- 29 Sustainable and rapidly degradable poly(butylene carbonate-co-cyclohexanedicarboxylate): influence of composition on its crystallization, mechanical and barrier properties. *Polymer Chemistry*, **2019**, 10, 1812-1822 4.9 13
- 28 Experimental and Theoretical Study on Glycolic Acid Provided Fast Bio/Seawater-Degradable Poly(Butylene Succinate-co-Glycolate). *ACS Sustainable Chemistry and Engineering*, **2021**, 9, 3850-3859 8.3 12
- 27 Rheological and optical investigation of the gelation with and without phase separation in PAN/DMSO/H₂O ternary blends. *Polymer*, **2016**, 84, 243-253 3.9 11
- 26 Rheological manifestation of the second self-similar structure in gelation process of PAN/DMSO/H₂O system. *Polymer*, **2015**, 73, 149-155 3.9 11
- 25 An anti-stress relaxation, anti-fatigue, mildew proof and self-healing poly(thiourethane-urethane) for durably stretchable electronics. *Chemical Engineering Journal*, **2021**, 420, 127691 14.7 10
- 24 Nanoparticle Mobility within Permanently Cross-Linked Polymer Networks. *Macromolecules*, **2020**, 53, 4172-4184 5.5 8
- 23 Formation of crystal-like structure and effective hard domain in a thermoplastic polyurethane. *Polymer*, **2020**, 210, 123012 3.9 8
- 22 A High Performance Copolyester with Locked Biodegradability: Solid Stability and Controlled Degradation Enabled by Acid-Labile Acetal. *ACS Sustainable Chemistry and Engineering*, **2021**, 9, 2280-2290 8.3 7
- 21 Synthesis and shape memory property of segmented poly(ester urethane) with poly(butylene 1,4-cyclohexanedicarboxylate) as the soft segment. *RSC Advances*, **2016**, 6, 95527-95534 3.7 5

20	A Self-Healing and Ionic Liquid Affiliative Polyurethane toward a Piezo 2 Protein Inspired Ionic Skin. <i>Advanced Functional Materials</i> , 2106341	15.6	5
19	Fully Bio-based Micro-cellulose Incorporated Poly(butylene 2,5-furandicarboxylate) Transparent Composites: Preparation and Characterization. <i>Fibers and Polymers</i> , 2020, 21, 1550-1559	2	5
18	Nucleation and crystallization of poly(propylene 2,5-furan dicarboxylate) by direct blending of microcrystalline cellulose: improved tensile and barrier properties. <i>Cellulose</i> , 2020, 27, 9423-9436	5.5	5
17	The interplay between gelation and phase separation in PAN/DMSO/H ₂ O blends and the resulted critical gels. <i>European Polymer Journal</i> , 2017, 92, 40-50	5.2	4
16	Bio-based poly(butylene furandicarboxylate)-b-poly(ethylene glycol) copolymers: The effect of poly(ethylene glycol) molecular weight on thermal properties and hydrolysis degradation behavior. <i>Advanced Industrial and Engineering Polymer Research</i> , 2019, 2, 167-177	7.3	4
15	Effect of aliphatic diacyl adipic dihydrazides on the crystallization of poly(lactic acid). <i>Journal of Applied Polymer Science</i> , 2015, 132, n/a-n/a	2.9	4
14	Design of 2,5-furandicarboxylic based polyesters degraded in different environmental conditions: Comprehensive experimental and theoretical study.. <i>Journal of Hazardous Materials</i> , 2021, 425, 127752	12.8	4
13	Toughening Polylactic Acid by a Biobased Poly(Butylene 2,5-Furandicarboxylate)-Poly(Ethylene Glycol) Copolymer: Balanced Mechanical Properties and Potential Biodegradability. <i>Biomacromolecules</i> , 2021, 22, 374-385	6.9	4
12	The Consequence of Epoxidized Soybean Oil in the Toughening of Polylactide and Micro-Fibrillated Cellulose Blend. <i>Polymer Science - Series A</i> , 2019, 61, 832-846	1.2	4
11	Design of High-Barrier and Environmentally Degradable FDCA-Based Copolyesters: Experimental and Theoretical Investigation. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 13021-13032	8.3	4
10	Thickness Dependence of Liquid-Liquid Phase Separation in Thin Films of a Polyolefin Blend. <i>Macromolecules</i> , 2009, 42, 4349-4351	5.5	3
9	Acid-triggered, degradable and high strength-toughness copolyesters: Comprehensive experimental and theoretical study.. <i>Journal of Hazardous Materials</i> , 2022, 430, 128392	12.8	3
8	Enhanced degradation and gas barrier of PBAT through composition design of aliphatic units. <i>Polymer Degradation and Stability</i> , 2022, 195, 109795	4.7	3
7	Water plasticization accelerates the underwater self-healing of hydrophobic polyurethanes. <i>Polymer</i> , 2022, 124863	3.9	3
6	A Convenient Dual-Side Anionic Initiator Based on 2,6-Ludition/s-Butyl Lithium. <i>Macromolecular Research</i> , 2019, 27, 601-605	1.9	2
5	Synthesis of Multifunctionalized Graft-Type Polyolefin-Based Elastomers with a High Utility Temperature. <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1700298	2.6	2
4	Waste Cellulose Fibers Reinforced Polylactide Toughened by Direct Blending of Epoxidized Soybean Oil. <i>Fibers and Polymers</i> , 2020, 21, 2949-2961	2	2
3	Synthesis of poly[2-(3-butenyl)-2-oxazoline] with abundant carboxylic acid functional groups as a fiber-based sol-gel reaction supporter for catalytic applications. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 80, 112-121	6.3	1

- 2 Poly(l-lactic acid) Microdomain as a Nanopolarization Rotator in a Flexible, Elastic, and Transparent Polyurethane. *ACS Applied Polymer Materials*, **2020**, 2, 3993-4003 4.3 0
- 1 An Antifatigue and Self-healable Ionic Polyurethane/Ionic Liquid Composite as the Channel Layer for A Low Energy Cost Synaptic Transistor. *European Polymer Journal*, **2022**, 111292 5.2