Xinyu Fang

List of Publications by Year
in descending order

171 papers	3,955 citations	136740 32 h-index	205818 48 g-index
183 all docs	183 docs citations	183 times ranked	6217 citing authors

#	Article	IF	Citations
1	Tumor-derived lactate induces M2 macrophage polarization via the activation of the ERK/STAT3 signaling pathway in breast cancer. Cell Cycle, 2018, 17, 428-438.	1.3	266
2	Oncometabolite succinate promotes angiogenesis by upregulating VEGF expression through GPR91-mediated STAT3 and ERK activation. Oncotarget, 2017, 8, 13174-13185.	0.8	86
3	<scp>CPT</scp>1Aâ€mediated succinylation of S100A10 increases human gastric cancer invasion. Journal of Cellular and Molecular Medicine, 2019, 23, 293-305.	1.6	76
4	Chitinase 3-like 1-CD44 interaction promotes metastasis and epithelial-to-mesenchymal transition through Î²-catenin/Erk/Akt signaling in gastric cancer. Journal of Experimental and Clinical Cancer Research, 2018, 37, 208.	3.5	71
5	Dihydromyricetin promotes hepatocellular carcinoma regression via a p53 activation-dependent mechanism. Scientific Reports, 2014, 4, 4628.	1.6	69
6	A study of N-methyl-D-aspartate receptor gene (GRIN2B) variants as predictors of treatment-resistant major depression. Psychopharmacology, 2014, 231, 685-693.	1.5	65
7	Dissociated large-scale functional connectivity networks of the precuneus in medication-naÃ¯ve first-episode depression. Psychiatry Research - Neuroimaging, 2015, 232, 250-256.	0.9	65
8	Validating GWAS-Identified Risk Loci for Alzheimerâ€™s Disease in Han Chinese Populations. Molecular Neurobiology, 2016, 53, 379-390.	1.9	62
9	Ratio of mBDNF to proBDNF for Differential Diagnosis of Major Depressive Disorder and Bipolar Depression. Molecular Neurobiology, 2017, 54, 5573-5582.	1.9	62
10	Stress and sleep: a survey based on wearable sleep trackers among medical and nursing staff in Wuhan during the COVID-19 pandemic. Annals of General Psychiatry, 2020, 33, e100260.	1.1	59
11	Venlafaxine inhibits the upregulation of plasma tumor necrosis factor-alpha (TNF-Î±) in the Chinese patients with major depressive disorder: A prospective longitudinal study. Psychoneuroendocrinology, 2013, 38, 107-114.	1.3	58
12	CFH Variants Affect Structural and Functional Brain Changes and Genetic Risk of Alzheimerâ€™s Disease. Neuropsychopharmacology, 2016, 41, 1034-1045.	2.8	58
13	Altered brain network modules induce helplessness in major depressive disorder. Journal of Affective Disorders, 2014, 168, 21-29.	2.0	57
14	Down-Regulation of<i>SIRT1</i>Gene Expression in Major Depressive Disorder. American Journal of Psychiatry, 2016, 173, 1046-1046.	4.0	55
15	Metabolic adverse effects of olanzapine on cognitive dysfunction: A possible relationship between BDNF and TNF-alpha. Psychoneuroendocrinology, 2017, 81, 138-143.	1.3	55
16	<i>Complement C7</i>is a novel risk gene for Alzheimer's disease in Han Chinese. National Science Review, 2019, 6, 257-274.	4.6	55
17	Brain-derived neurotrophic factor levels and bipolar disorder in patients in their first depressive episode: 3-year prospective longitudinal study. British Journal of Psychiatry, 2014, 205, 29-35.	1.7	54
18	Influence of polymorphisms in genes SLC1A1, GRIN2B, and GRIK2 on clozapine-induced obsessiveâ€“compulsive symptoms. Psychopharmacology, 2013, 230, 49-55.	1.5	53

#	Article	IF	Citations
19	Identification of plasma biomarkers for distinguishing bipolar depression from major depressive disorder by iTRAQ-coupled LC–MS/MS and bioinformatics analysis. Psychoneuroendocrinology, 2017, 86, 17-24.	1.3	51
20	Association Study of Tryptophan Hydroxylase-2 Gene in Schizophrenia and Its Clinical Features in Chinese Han Population. Journal of Molecular Neuroscience, 2011, 43, 406-411.	1.1	50
21	IL-23 and TGF-ß1 levels as potential predictive biomarkers in treatment of bipolar I disorder with acute manic episode. Journal of Affective Disorders, 2015, 174, 361-366.	2.0	50
22	Mitochondrial DNA haplogroup B5 confers genetic susceptibility to Alzheimer's disease in Han Chinese. Neurobiology of Aging, 2015, 36, 1604.e7-1604.e16.	1.5	50
23	Different levels of pro- and anti-inflammatory cytokines in patients with unipolar and bipolar depression. Journal of Affective Disorders, 2018, 237, 65-72.	2.0	47
24	Female-specific effect of the BDNF gene on Alzheimer's disease. Neurobiology of Aging, 2017, 53, 192.e11-192.e19.	1.5	46
25	<i>Helicobacter pylori</i>-induced exosomal MET educates tumour-associated macrophages to promote gastric cancer progression. Journal of Cellular and Molecular Medicine, 2018, 22, 5708-5719.	1.6	46
26	Depressive symptoms in schizophrenia patients: A possible relationship between SIRT1 and BDNF. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 95, 109673.	2.5	44
27	Brain-derived neurotrophic factor as a biomarker for cognitive recovery in acute schizophrenia: 12-week results from a prospective longitudinal study. Psychopharmacology, 2018, 235, 1191-1198.	1.5	43
28	Forecasting incidence of infectious diarrhea using random forest in Jiangsu Province, China. BMC Infectious Diseases, 2020, 20, 222.	1.3	41
29	Increased Cognition Connectivity Network in Major Depression Disorder: A fMRI Study. Psychiatry Investigation, 2015, 12, 227.	0.7	40
30	Prevalence, risk factors and clinical characteristics of suicidal ideation in Chinese patients with depression. Journal of Affective Disorders, 2018, 235, 135-141.	2.0	40
31	Omega-3 fatty acids ameliorate cognitive dysfunction in schizophrenia patients with metabolic syndrome. Brain, Behavior, and Immunity, 2020, 88, 529-534.	2.0	40
32	CD36 deficiency attenuates immune-mediated hepatitis in mice by modulating the proapoptotic effects of CXC chemokine ligand 10. Hepatology, 2018, 67, 1943-1955.	3.6	37
33	Common variants on 6q16.2, 12q24.31 and 16p13.3 are associated with major depressive disorder. Neuropsychopharmacology, 2018, 43, 2146-2153.	2.8	36
34	MiRNA-206 and BDNF genes interacted in bipolar I disorder. Journal of Affective Disorders, 2014, 162, 116-119.	2.0	35
35	Identification of IL6 as a susceptibility gene for major depressive disorder. Scientific Reports, 2016, 6, 31264.	1.6	35
36	Novel Risk Loci Associated With Genetic Risk for Bipolar Disorder Among Han Chinese Individuals. JAMA Psychiatry, 2021, 78, 320.	6.0	35

#	Article	IF	Citations
37	Genetic modulation of working memory deficits by ankyrin 3 gene in schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 50, 110-115.	2.5	33
38	Interaction between BDNF and TNF-α genes in schizophrenia. Psychoneuroendocrinology, 2018, 89, 1-6.	1.3	33
39	DNA methyltransferase 3B gene increases risk of early onset schizophrenia. Neuroscience Letters, 2009, 462, 308-311.	1.0	32
40	PLD3 in Alzheimer's Disease: a Modest Effect as Revealed by Updated Association and Expression Analyses. Molecular Neurobiology, 2016, 53, 4034-4045.	1.9	30
41	The Arc Gene Confers Genetic Susceptibility to Alzheimer's Disease in Han Chinese. Molecular Neurobiology, 2018, 55, 1217-1226.	1.9	30
42	The association between somatic symptoms and suicidal ideation in Chinese first-episode major depressive disorder. Journal of Affective Disorders, 2019, 245, 17-21.	2.0	30
43	Efficacy of transcranial direct current stimulation in ameliorating negative symptoms and cognitive impairments in schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2020, 224, 2-10.	1.1	30
44	Translational genomics and beyond in bipolar disorder. Molecular Psychiatry, 2021, 26, 186-202.	4.1	30
45	Contextual and behavioral control of antipsychotic sensitization induced by haloperidol and olanzapine. Behavioural Pharmacology, 2012, 23, 66-79.	0.8	29
46	Genetic association of the cytochrome c oxidase-related genes with Alzheimer's disease in Han Chinese. Neuropsychopharmacology, 2018, 43, 2264-2276.	2.8	29
47	Risk factors for early postoperative cognitive dysfunction after colorectal surgery. BMC Anesthesiology, 2019, 19, 6.	0.7	28
48	Association of genetic variation in CACNA1C with bipolar disorder in Han Chinese. Journal of Affective Disorders, 2013, 150, 261-265.	2.0	27
49	A Pilot Study of iPad-Assisted Cognitive Training for Schizophrenia. Archives of Psychiatric Nursing, 2014, 28, 197-199.	0.7	27
50	Influence of BCL2 gene in major depression susceptibility and antidepressant treatment outcome. Journal of Affective Disorders, 2014, 155, 288-294.	2.0	27
51	Integrative analyses of major histocompatibility complex loci in the genome-wide association studies of major depressive disorder. Neuropsychopharmacology, 2019, 44, 1552-1561.	2.8	27
52	Effects of omega-3 fatty acids on metabolic syndrome in patients with schizophrenia: a 12-week randomized placebo-controlled trial. Psychopharmacology, 2019, 236, 1273-1279.	1.5	27
53	Inflammatory cytokines, complement factor H and anhedonia in drug-naïve major depressive disorder. Brain, Behavior, and Immunity, 2021, 95, 238-244.	2.0	27
54	Single-cell Transcriptomic Analysis Reveals the Cellular Heterogeneity of Mesenchymal Stem Cells. Genomics, Proteomics and Bioinformatics, 2022, 20, 70-86.	3.0	27

#	Article	IF	Citations
55	Influence of CFH gene on symptom severity of schizophrenia. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 697-706.	1.0	26
56	Effects and potential mechanisms of transcranial direct current stimulation (tDCS) on auditory hallucinations: A meta-analysis. Psychiatry Research, 2019, 273, 343-349.	1.7	26
57	Balancing Microthrombosis and Inflammation via Injectable Protein Hydrogel for Inflammatory Bowel Disease. Advanced Science, 2022, 9, e2200281.	5.6	26
58	The NCAN gene: schizophrenia susceptibility and cognitive dysfunction. Neuropsychiatric Disease and Treatment, 2016, Volume 12, 2875-2883.	1.0	25
59	Effects of tumor necrosis factor-Î± polymorphism on the brain structural changes of the patients with major depressive disorder. Translational Psychiatry, 2018, 8, 217.	2.4	25
60	Epidemiology of infectious diarrhoea and the relationship with etiological and meteorological factors in Jiangsu Province, China. Scientific Reports, 2019, 9, 19571.	1.6	25
61	The depression GWAS risk allele predicts smaller cerebellar gray matter volume and reduced SIRT1 mRNA expression in Chinese population. Translational Psychiatry, 2019, 9, 333.	2.4	25
62	Identification of SLC25A37 as a major depressive disorder risk gene. Journal of Psychiatric Research, 2016, 83, 168-175.	1.5	24
63	Rare Genetic Variants of the Transthyretin Gene Are Associated with Alzheimerâ€™s Disease in Han Chinese. Molecular Neurobiology, 2017, 54, 5192-5200.	1.9	24
64	Genetic variant in NDUFS1 gene is associated with schizophrenia and negative symptoms in Han Chinese. Journal of Human Genetics, 2015, 60, 11-16.	1.1	23
65	Causes of drug discontinuation in patients with major depressive disorder in China. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 96, 109755.	2.5	23
66	Interleukin-17 Alteration in First-Episode Psychosis: A Meta-Analysis. Molecular Neuropsychiatry, 2017, 3, 135-140.	3.0	22
67	<p>Association between IL-6 and metabolic syndrome in schizophrenia patients treated with second-generation antipsychotics</p>. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 2161-2170.	1.0	22
68	A novel missense variant in ACAA1 contributes to early-onset Alzheimerâ€™s disease, impairs lysosomal function, and facilitates amyloid-Î² pathology and cognitive decline. Signal Transduction and Targeted Therapy, 2021, 6, 325.	7.1	22
69	Comprehensive family therapy: an effective approach for cognitive rehabilitation in schizophrenia. Neuropsychiatric Disease and Treatment, 2015, 11, 1247.	1.0	21
70	Complement factor H and susceptibility to major depressive disorder in Han Chinese. British Journal of Psychiatry, 2016, 208, 446-452.	1.7	21
71	Neprilysin Confers Genetic Susceptibility to Alzheimerâ€™s Disease in Han Chinese. Molecular Neurobiology, 2016, 53, 4883-4892.	1.9	21
72	ZNF804A Genetic Variation Confers Risk to Bipolar Disorder. Molecular Neurobiology, 2016, 53, 2936-2943.	1.9	21

#	Article	IF	Citations
73	Reduced ENA78 levels as novel biomarker for major depressive disorder and venlafaxine efficiency: Result from a prospective longitudinal study. Psychoneuroendocrinology, 2017, 81, 113-121.	1.3	21
74	Replicated associations of FADS1, MAD1L1, and a rare variant at 10q26.13 with bipolar disorder in Chinese population. Translational Psychiatry, 2018, 8, 270.	2.4	21
75	Identification of risk factors for suicidal ideation in patients with schizophrenia. Psychiatry Research, 2019, 271, 195-199.	1.7	21
76	Abnormal regional homogeneity (ReHo) and fractional amplitude of low frequency fluctuations (fALFF) in first-episode drug-naïve schizophrenia patients comorbid with depression. Brain Imaging and Behavior, 2021, 15, 2627-2636.	1.1	21
77	Depressive symptoms in the front-line non-medical workers during the COVID-19 outbreak in Wuhan. Journal of Affective Disorders, 2020, 276, 441-445.	2.0	20
78	Independent replications and integrative analyses confirm TRANK1 as a susceptibility gene for bipolar disorder. Neuropsychopharmacology, 2021, 46, 1103-1112.	2.8	20
79	Disturbance of Oxidative Stress Parameters in Treatment-Resistant Bipolar Disorder and Their Association With Electroconvulsive Therapy Response. International Journal of Neuropsychopharmacology, 2020, 23, 207-216.	1.0	19
80	No genetic association between dopamine D1 receptor gene and [early onset] schizophrenia. Psychiatry Research, 2010, 177, 350-353.	1.7	18
81	The clinical correlates of comorbid anxiety symptoms and syndromal anxiety in patients with major depressive disorder. Psychiatry Research, 2018, 269, 251-257.	1.7	18
82	Metabolic profiling identifies TC and LDL as potential serum biomarkers for depressive symptoms in schizophrenia. Psychiatry Research, 2019, 281, 112522.	1.7	18
83	<p>Individual Perceived Stress Mediates Psychological Distress in Medical Workers During COVID-19 Epidemic Outbreak in Wuhan</p>. Neuropsychiatric Disease and Treatment, 2020, Volume 16, 2529-2537.	1.0	18
84	Effectiveness of Antipsychotic Drugs for 24-Month Maintenance Treatment in First-Episode Schizophrenia. Journal of Clinical Psychiatry, 2016, 77, e1460-e1466.	1.1	18
85	A Preliminary Genetic Analysis of Complement 3 Gene and Schizophrenia. PLoS ONE, 2015, 10, e0136372.	1.1	17
86	Identification of a functional human-unique 351-bp Alu insertion polymorphism associated with major depressive disorder in the 1p31.1 GWAS risk loci. Neuropsychopharmacology, 2020, 45, 1196-1206.	2.8	17
87	Glutamate receptor 1 phosphorylation at serine 845 contributes to the therapeutic effect of olanzapine on schizophrenia-like cognitive impairments. Schizophrenia Research, 2014, 159, 376-384.	1.1	16
88	AMPK activation by ozone therapy inhibits tissue factor–triggered intestinal ischemia and ameliorates chemotherapeutic enteritis. FASEB Journal, 2020, 34, 13005-13021.	0.2	16
89	In situ construction of flower-like nanostructured calcium silicate bioceramics for enhancing bone regeneration mediated via FAK/p38 signaling pathway. Journal of Nanobiotechnology, 2022, 20, 162.	4.2	16
90	Identification of ANKK1 rs1800497 variant in schizophrenia: New data and meta-analysis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2014, 165, 564-571.	1.1	15

#	Article	IF	Citations
91	*Helicobacter pylori* Dwelling on the Apical Surface of Gastrointestinal Epithelium Damages the Mucosal Barrier Through Direct Contact. Helicobacter, 2014, 19, 330-342.	1.6	15
92	Further evidence of *VRK2* rs2312147 associated with schizophrenia. World Journal of Biological Psychiatry, 2016, 17, 457-466.	1.3	15
93	Predicting individual responses to lithium with oxidative stress markers in drug-free bipolar disorder. World Journal of Biological Psychiatry, 2019, 20, 778-789.	1.3	15
94	A Comprehensive Analysis of the Effect of SIRT1 Variation on the Risk of Schizophrenia and Depressive Symptoms. Frontiers in Genetics, 2020, 11, 832.	1.1	15
95	Efficacy and tolerability of pharmacological interventions on metabolic disturbance induced by atypical antipsychotics in adults: A systematic review and network meta-analysis. Journal of Psychopharmacology, 2021, 35, 1111-1119.	2.0	15
96	The interaction of NOS1AP , DISC1 , DAOA , and GSK3B confers susceptibility of early-onset schizophrenia in Chinese Han population. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 81, 187-193.	2.5	14
97	Olanzapine and risperidone disrupt conditioned avoidance responding by selectively weakening motivational salience of conditioned stimulus: Further evidence. Pharmacology Biochemistry and Behavior, 2011, 98, 155-160.	1.3	13
98	A haplotype in the 5'-upstream region of the NDUFV2 gene is associated with major depressive disorder in Han Chinese. Journal of Affective Disorders, 2016, 190, 329-332.	2.0	13
99	Clinical features of the patients with major depressive disorder co-occurring insomnia and hypersomnia symptoms: a report of NSSD study. Sleep Medicine, 2021, 81, 375-381.	0.8	13
100	Improving drug utilization platform with injectable mucoadhesive hydrogel for treating ulcerative colitis. Chemical Engineering Journal, 2021, 424, 130464.	6.6	13
101	The 5-HTTLPR Confers Susceptibility to Anorexia Nervosa in Han Chinese: Evidence from a Case-Control and Family-Based Study. PLoS ONE, 2015, 10, e0119378.	1.1	12
102	Contribution of long duration of undiagnosed bipolar disorder to high frequency of relapse: A naturalistic study in China. Comprehensive Psychiatry, 2016, 70, 77-81.	1.5	12
103	SIRT1 rs3758391 and Major Depressive Disorder: New Data and Meta-Analysis. Neuroscience Bulletin, 2018, 34, 863-866.	1.5	12
104	Interactome Analyses implicated CAMK2A in the genetic predisposition and pharmacological mechanism of Bipolar Disorder. Journal of Psychiatric Research, 2019, 115, 165-175.	1.5	12
105	Subtypes of treatment-resistant depression determined by a latent class analysis in a Chinese clinical population. Journal of Affective Disorders, 2019, 249, 82-89.	2.0	12
106	Impact of a *cis*-associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. British Journal of Psychiatry, 2016, 208, 128-137.	1.7	11
107	Association Between SIRT1, Cytokines, and Metabolic Syndrome in Schizophrenia Patients With Olanzapine or Clozapine Monotherapy. Frontiers in Psychiatry, 2020, 11, 602121.	1.3	11
108	Guidelines Disconcordance in Acute Bipolar Depression: Data from the National Bipolar Mania Pathway Survey (BIPAS) in Mainland China. PLoS ONE, 2014, 9, e96096.	1.1	11

#	ARTICLE	IF	CITATIONS
109	Transcranial direct current stimulation improve symptoms and modulates cortical inhibition in obsessive-compulsive disorder: A TMS-EEG study. Journal of Affective Disorders, 2022, 298, 558-564.	2.0	11
110	Influence of maternal MTHFR A1298C polymorphism on the risk in offspring of schizophrenia. Brain Research, 2010, 1320, 130-134.	1.1	10
111	Evaluating the association between the SHANK3 gene and bipolar disorder. Psychiatry Research, 2016, 244, 284-288.	1.7	10
112	Disagreement and factors between symptom on self-report and clinician rating of major depressive disorder: A report of a national survey in China. Journal of Affective Disorders, 2019, 253, 141-146.	2.0	10
113	A comprehensive analysis of GSK3B variation for schizophrenia in Han Chinese individuals. Asian Journal of Psychiatry, 2020, 47, 101832.	0.9	10
114	IĸB-kinase-ĸ in the tumor microenvironment is essential for the progression of gastric cancer. Oncotarget, 2017, 8, 75298-75307.	0.8	10
115	Employing biochemical biomarkers for building decision tree models to predict bipolar disorder from major depressive disorder. Journal of Affective Disorders, 2022, 308, 190-198.	2.0	10
116	Further evidence that methylenetetrahydrofolate reductase A1298C polymorphism is a risk factor for schizophrenia. Journal of Neural Transmission, 2010, 117, 1115-1117.	1.4	9
117	An evaluation of association between common variants in C4BPB/C4BPA genes and schizophrenia. Neuroscience Letters, 2015, 590, 189-192.	1.0	9
118	Common variants at 2q11.2, 8q21.3, and 11q13.2 are associated with major mood disorders. Translational Psychiatry, 2017, 7, 1273.	2.4	9
119	Genetic association analysis of microRNA137 and its target complex 1 with schizophrenia in Han Chinese. Scientific Reports, 2017, 7, 15084.	1.6	8
120	Influence of olanzapine on serum prolactin levels and BMI in female patients with schizophrenia. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 3373-3379.	1.0	8
121	Clinical characteristics associated with therapeutic nonadherence of the patients with major depressive disorder: A report on the National Survey on Symptomatology of Depression in China. CNS Neuroscience and Therapeutics, 2019, 25, 215-222.	1.9	8
122	Two-Dimensional Borocarbonitride Nanosheet-Engineered Hydrogel as an All-In-One Platform for Melanoma Therapy and Skin Regeneration. Chemistry of Materials, 2022, 34, 6568-6581.	3.2	8
123	Symptomatology differences of major depression in psychiatric versus general hospitals: A machine learning approach. Journal of Affective Disorders, 2020, 260, 349-360.	2.0	7
124	Gender Differences of Schizophrenia Patients With and Without Depressive Symptoms in Clinical Characteristics. Frontiers in Psychiatry, 2021, 12, 792019.	1.3	7
125	No association between genetic variants of the LRRK2 gene and schizophrenia in Han Chinese. Neuroscience Letters, 2014, 566, 210-215.	1.0	6
126	Down-regulation of PRKCB1 expression in Han Chinese patients with subsyndromal symptomatic depression. Journal of Psychiatric Research, 2015, 69, 1-6.	1.5	6

#	Article	IF	Citations
127	Guidelines concordance of maintenance treatment in euthymic patients with bipolar disorder: Data from the national bipolar mania pathway survey (BIPAS) in mainland China. Journal of Affective Disorders, 2015, 182, 101-105.	2.0	6
128	MMI-0100 ameliorates lung inflammation in a mouse model of acute respiratory distress syndrome by reducing endothelial expression of ICAM-1. Drug Design, Development and Therapy, 2018, Volume 12, 4253-4260.	2.0	6
129	Correlation of hair risperidone concentration and serum level among patients with schizophrenia. Annals of General Psychiatry, 2019, 32, e100042.	1.1	6
130	A Novel Synthetic Interfering Peptide Tat-3L4F Attenuates Olanzapine-Induced Weight Gain Through Disrupting Crosstalk Between Serotonin Receptor 2C and Protein Phosphatase and Tensin Homolog in Rats. International Journal of Neuropsychopharmacology, 2020, 23, 481-490.	1.0	6
131	Effects of High-Frequency rTMS on Negative Symptoms and Cognitive Function in Hospitalized Patients With Chronic Schizophrenia: A Double-Blind, Sham-Controlled Pilot Trial. Frontiers in Psychiatry, 2021, 12, 736094.	1.3	6
132	Lack of association of SLC1A1 variants with schizophrenia in Chinese Han population. Psychiatry Research, 2013, 210, 669-671.	1.7	5
133	Estrogen receptor 1 gene rs2295193 polymorphism and anorexia nervosa: New data and meta-analysis. Asia-Pacific Psychiatry, 2013, 5, 331-335.	1.2	5
134	Nuclear accumulation of symplekin promotes cellular proliferation and dedifferentiation in an ERK1/2-dependent manner. Scientific Reports, 2017, 7, 3769.	1.6	5
135	Precise treatments for schizophrenia: where is the way forward?. Annals of General Psychiatry, 2018, 31, e000002.	1.1	5
136	Association of the HTR2C-759C/T polymorphism and antipsychotic-induced weight gain: a meta-analysis. Annals of General Psychiatry, 2020, 33, e100192.	1.1	5
137	Rethinking olanzapine therapy for schizophrenia. Asian Journal of Psychiatry, 2021, 62, 102741.	0.9	5
138	Predicting the Adult Clinical and Academic Outcomes in Boys With ADHD: A 7- to 10-Year Follow-Up Study in China. Frontiers in Pediatrics, 2021, 9, 634633.	0.9	5
139	De novo mutations identified by whole-genome sequencing implicate chromatin modifications in obsessive-compulsive disorder. Science Advances, 2022, 8, eabi6180.	4.7	5
140	NLRP3 Influences Cognitive Function in Schizophrenia in Han Chinese. Frontiers in Genetics, 2021, 12, 781625.	1.1	5
141	Association study of CREB1 and CBP genes with Alzheimer's disease in Han Chinese. Asia-Pacific Psychiatry, 2017, 9, e12274.	1.2	4
142	Improvement of psychological status after infliximab treatment in patients with newly diagnosed Crohn&rsquo;s disease. Patient Preference and Adherence, 2018, Volume 12, 879-885.	0.8	4
143	<p>Lack of Association Between PLA2G6 Genetic Variation and Parkinsonâ€™s Disease: A Systematic Review</p>. Neuropsychiatric Disease and Treatment, 2020, Volume 16, 1755-1763.	1.0	4
144	Homocysteine, but not MTHFR gene polymorphism, influences depressive symptoms in patients with schizophrenia. Journal of Affective Disorders, 2020, 272, 24-27.	2.0	4

#	Article	IF	Citations
145	Anhedonia difference between major depressive disorder and bipolar disorder II. BMC Psychiatry, 2021, 21, 531.	1.1	4
146	Childhood Trauma and Insomnia Increase Suicidal Ideation in Schizophrenia Patients: A Cross-Sectional Study. Frontiers in Psychiatry, 2021, 12, 769743.	1.3	4
147	Association of the 5‑HT$_{2A}$ receptor gene promoter polymorphism‑1438G/A with anorexia nervosa and psychopathological traits in the Chinese Han population: A preliminary study. Asia-Pacific Psychiatry, 2017, 9, e12284.	1.2	3
148	Evaluation of paliperidone on social function in patients with chronic schizophrenia. Annals of General Psychiatry, 2018, 31, e000011.	1.1	3
149	Meta-analysis of FOXP2 rs10447760 polymorphism with schizophrenia. Asian Journal of Psychiatry, 2018, 35, 50-51.	0.9	3
150	A Comprehensive Analysis of the CaMK2A Gene and Susceptibility to Alzheimer's Disease in the Han Chinese Population. Frontiers in Aging Neuroscience, 2019, 11, 84.	1.7	3
151	Association of Corticotropin-Releasing Hormone Receptor-1 Gene Polymorphisms and Personality Traits with Violent Aggression in Male Adolescents. Journal of Molecular Neuroscience, 2020, 70, 145-154.	1.1	3
152	Deficits in multi-scale top-down processes distorting auditory perception in schizophrenia. Behavioural Brain Research, 2021, 412, 113411.	1.2	3
153	Ethnicity-dependent effects of Zinc finger 804A variant on schizophrenia: a systematic review and meta-analysis. Psychiatric Genetics, 2021, 31, 21-28.	0.6	3
154	The involvement of family members in the treatment of patients with schizophrenia. Current Treatment Options in Psychiatry, 2016, 3, 111-118.	0.7	2
155	FADS1 modulates metabolic syndrome in schizophrenia patients receiving olanzapine monotherapy. Asian Journal of Psychiatry, 2020, 54, 102352.	0.9	2
156	Identification of TNFA influencing MDD risk and clinical features in Han Chinese. Cytokine, 2020, 129, 155030.	1.4	2
157	Epidemiology of 631 Cases of COVID-19 Identified in Jiangsu Province Between January 1st and March 20th 2020: Factors Associated with Disease Severity and Analysis of Zero Mortality. Medical Science Monitor, 2021, 27, e929986.	0.5	2
158	A Preliminary Investigation on Plasma Cell Adhesion Molecules Levels by Protein Microarray Technology in Major Depressive Disorder. Frontiers in Psychiatry, 2021, 12, 627469.	1.3	2
159	Common variants in CREB1 gene confer risk for bipolar disorder in Han Chinese. Asian Journal of Psychiatry, 2021, 59, 102648.	0.9	2
160	Neural biomarker of functional disability in major depressive disorder: A structural neuroimaging study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 111, 110337.	2.5	2
161	Genetic Advance in Depressive Disorder. Advances in Experimental Medicine and Biology, 2019, 1180, 19-57.	0.8	2
162	Authors' reply. British Journal of Psychiatry, 2014, 205, 410-411.	1.7	1

#	ARTICLE	IF	CITATIONS
163	Variants in the Upstream Region of the Insulin Receptor Substrate-1 Gene Is Associated with Major Depressive Disorder in the Han Chinese Population . Neuropsychiatric Disease and Treatment, 2020, Volume 16, 501-507.	1.0	1
164	Comorbidity and Treatment in Older Psychiatric In-patientsâ€"A Retrospective Study in a Chinese Psychiatric Hospital. Frontiers in Psychiatry, 2021, 12, 722329.	1.3	1
165	Oncometabolite succinate to promote angiogenesis by upregulating VEGF expression through GPR91-mediated STAT3 and ERK activation.. Journal of Clinical Oncology, 2017, 35, e23000-e23000.	0.8	1
166	Chromogranin A: A Valuable Serum Diagnostic Marker for Non-Insulinoma Neuroendocrine Tumors of the Pancreas in a Chinese Population. Medical Science Monitor, 2020, 26, e926635.	0.5	1
167	Unforgettable Restaurant: helping older people who are living with disability and dementia return to society. Annals of General Psychiatry, 2021, 34, e100657.	1.1	1
168	Authors' reply. British Journal of Psychiatry, 2015, 206, 79-80.	1.7	0
169	Association of schizophrenia with the rs821633 polymorphism in the DISC1 gene among Han Chinese. Shanghai Archives of Psychiatry, 2015, 27, 348-55.	0.7	0
170	Genetic findings are challenging the symptom-based diagnostic classification system of mental disorders. Shanghai Archives of Psychiatry, 2016, 28, 42-7.	0.7	0
171	Chromogranin A: A Valuable Serum Diagnostic Marker for Non-Insulinoma Neuroendocrine Tumors of the Pancreas in a Chinese Population. Medical Science Monitor, 2020, 26, e926635.	0.5	0