

Xinyu Fang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4073133/publications.pdf>

Version: 2024-02-01

171
papers

3,955
citations

136740

32
h-index

205818

48
g-index

183
all docs

183
docs citations

183
times ranked

6217
citing authors

#	ARTICLE	IF	CITATIONS
1	Transcranial direct current stimulation improve symptoms and modulates cortical inhibition in obsessive-compulsive disorder: A TMS-EEG study. <i>Journal of Affective Disorders</i> , 2022, 298, 558-564.	2.0	11
2	De novo mutations identified by whole-genome sequencing implicate chromatin modifications in obsessive-compulsive disorder. <i>Science Advances</i> , 2022, 8, eabi6180.	4.7	5
3	Single-cell Transcriptomic Analysis Reveals the Cellular Heterogeneity of Mesenchymal Stem Cells. <i>Genomics, Proteomics and Bioinformatics</i> , 2022, 20, 70-86.	3.0	27
4	In situ construction of flower-like nanostructured calcium silicate bioceramics for enhancing bone regeneration mediated via FAK/p38 signaling pathway. <i>Journal of Nanobiotechnology</i> , 2022, 20, 162.	4.2	16
5	Employing biochemical biomarkers for building decision tree models to predict bipolar disorder from major depressive disorder. <i>Journal of Affective Disorders</i> , 2022, 308, 190-198.	2.0	10
6	Balancing Microthrombosis and Inflammation via Injectable Protein Hydrogel for Inflammatory Bowel Disease. <i>Advanced Science</i> , 2022, 9, e2200281.	5.6	26
7	Two-Dimensional Borocarbonitride Nanosheet-Engineered Hydrogel as an All-In-One Platform for Melanoma Therapy and Skin Regeneration. <i>Chemistry of Materials</i> , 2022, 34, 6568-6581.	3.2	8
8	Translational genomics and beyond in bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 186-202.	4.1	30
9	Novel Risk Loci Associated With Genetic Risk for Bipolar Disorder Among Han Chinese Individuals. <i>JAMA Psychiatry</i> , 2021, 78, 320.	6.0	35
10	Independent replications and integrative analyses confirm TRANK1 as a susceptibility gene for bipolar disorder. <i>Neuropsychopharmacology</i> , 2021, 46, 1103-1112.	2.8	20
11	Epidemiology of 631 Cases of COVID-19 Identified in Jiangsu Province Between January 1st and March 20th 2020: Factors Associated with Disease Severity and Analysis of Zero Mortality. <i>Medical Science Monitor</i> , 2021, 27, e929986.	0.5	2
12	Abnormal regional homogeneity (ReHo) and fractional amplitude of low frequency fluctuations (fALFF) in first-episode drug-naïve schizophrenia patients comorbid with depression. <i>Brain Imaging and Behavior</i> , 2021, 15, 2627-2636.	1.1	21
13	A Preliminary Investigation on Plasma Cell Adhesion Molecules Levels by Protein Microarray Technology in Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 627469.	1.3	2
14	Common variants in CREB1 gene confer risk for bipolar disorder in Han Chinese. <i>Asian Journal of Psychiatry</i> , 2021, 59, 102648.	0.9	2
15	Clinical features of the patients with major depressive disorder co-occurring insomnia and hypersomnia symptoms: a report of NSSD study. <i>Sleep Medicine</i> , 2021, 81, 375-381.	0.8	13
16	Efficacy and tolerability of pharmacological interventions on metabolic disturbance induced by atypical antipsychotics in adults: A systematic review and network meta-analysis. <i>Journal of Psychopharmacology</i> , 2021, 35, 1111-1119.	2.0	15
17	Inflammatory cytokines, complement factor H and anhedonia in drug-naïve major depressive disorder. <i>Brain, Behavior, and Immunity</i> , 2021, 95, 238-244.	2.0	27
18	Rethinking olanzapine therapy for schizophrenia. <i>Asian Journal of Psychiatry</i> , 2021, 62, 102741.	0.9	5

#	ARTICLE	IF	CITATIONS
19	Predicting the Adult Clinical and Academic Outcomes in Boys With ADHD: A 7- to 10-Year Follow-Up Study in China. <i>Frontiers in Pediatrics</i> , 2021, 9, 634633.	0.9	5
20	Deficits in multi-scale top-down processes distorting auditory perception in schizophrenia. <i>Behavioural Brain Research</i> , 2021, 412, 113411.	1.2	3
21	A novel missense variant in <i>ACAA1</i> contributes to early-onset Alzheimer's disease, impairs lysosomal function, and facilitates amyloid- β^2 pathology and cognitive decline. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 325.	7.1	22
22	Effects of High-Frequency rTMS on Negative Symptoms and Cognitive Function in Hospitalized Patients With Chronic Schizophrenia: A Double-Blind, Sham-Controlled Pilot Trial. <i>Frontiers in Psychiatry</i> , 2021, 12, 736094.	1.3	6
23	Improving drug utilization platform with injectable mucoadhesive hydrogel for treating ulcerative colitis. <i>Chemical Engineering Journal</i> , 2021, 424, 130464.	6.6	13
24	Neural biomarker of functional disability in major depressive disorder: A structural neuroimaging study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110337.	2.5	2
25	Ethnicity-dependent effects of Zinc finger 804A variant on schizophrenia: a systematic review and meta-analysis. <i>Psychiatric Genetics</i> , 2021, 31, 21-28.	0.6	3
26	Comorbidity and Treatment in Older Psychiatric In-patients—A Retrospective Study in a Chinese Psychiatric Hospital. <i>Frontiers in Psychiatry</i> , 2021, 12, 722329.	1.3	1
27	Anhedonia difference between major depressive disorder and bipolar disorder II. <i>BMC Psychiatry</i> , 2021, 21, 531.	1.1	4
28	Childhood Trauma and Insomnia Increase Suicidal Ideation in Schizophrenia Patients: A Cross-Sectional Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 769743.	1.3	4
29	Gender Differences of Schizophrenia Patients With and Without Depressive Symptoms in Clinical Characteristics. <i>Frontiers in Psychiatry</i> , 2021, 12, 792019.	1.3	7
30	NLRP3 Influences Cognitive Function in Schizophrenia in Han Chinese. <i>Frontiers in Genetics</i> , 2021, 12, 781625.	1.1	5
31	Unforgettable Restaurant: helping older people who are living with disability and dementia return to society. <i>Annals of General Psychiatry</i> , 2021, 34, e100657.	1.1	1
32	Symptomatology differences of major depression in psychiatric versus general hospitals: A machine learning approach. <i>Journal of Affective Disorders</i> , 2020, 260, 349-360.	2.0	7
33	A comprehensive analysis of <i>GSK3B</i> variation for schizophrenia in Han Chinese individuals. <i>Asian Journal of Psychiatry</i> , 2020, 47, 101832.	0.9	10
34	Causes of drug discontinuation in patients with major depressive disorder in China. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 96, 109755.	2.5	23
35	Association of Corticotropin-Releasing Hormone Receptor-1 Gene Polymorphisms and Personality Traits with Violent Aggression in Male Adolescents. <i>Journal of Molecular Neuroscience</i> , 2020, 70, 145-154.	1.1	3
36	FADS1 modulates metabolic syndrome in schizophrenia patients receiving olanzapine monotherapy. <i>Asian Journal of Psychiatry</i> , 2020, 54, 102352.	0.9	2

#	ARTICLE	IF	CITATIONS
37	Association Between SIRT1, Cytokines, and Metabolic Syndrome in Schizophrenia Patients With Olanzapine or Clozapine Monotherapy. <i>Frontiers in Psychiatry</i> , 2020, 11, 602121.	1.3	11
38	Association of the HTR2C-759C/T polymorphism and antipsychotic-induced weight gain: a meta-analysis. <i>Annals of General Psychiatry</i> , 2020, 33, e100192.	1.1	5
39	<p>Lack of Association Between PLA2G6 Genetic Variation and Parkinsonâ€™s Disease: A Systematic Review</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 1755-1763.	1.0	4
40	A Novel Synthetic Interfering Peptide Tat-3L4F Attenuates Olanzapine-Induced Weight Gain Through Disrupting Crosstalk Between Serotonin Receptor 2C and Protein Phosphatase and Tensin Homolog in Rats. <i>International Journal of Neuropsychopharmacology</i> , 2020, 23, 481-490.	1.0	6
41	Depressive symptoms in the front-line non-medical workers during the COVID-19 outbreak in Wuhan. <i>Journal of Affective Disorders</i> , 2020, 276, 441-445.	2.0	20
42	AMPK activation by ozone therapy inhibits tissue factorâ€ triggered intestinal ischemia and ameliorates chemotherapeutic enteritis. <i>FASEB Journal</i> , 2020, 34, 13005-13021.	0.2	16
43	Efficacy of transcranial direct current stimulation in ameliorating negative symptoms and cognitive impairments in schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2020, 224, 2-10.	1.1	30
44	A Comprehensive Analysis of the Effect of SIRT1 Variation on the Risk of Schizophrenia and Depressive Symptoms. <i>Frontiers in Genetics</i> , 2020, 11, 832.	1.1	15
45	<p>Individual Perceived Stress Mediates Psychological Distress in Medical Workers During COVID-19 Epidemic Outbreak in Wuhan</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2529-2537.	1.0	18
46	Homocysteine, but not MTHFR gene polymorphism, influences depressive symptoms in patients with schizophrenia. <i>Journal of Affective Disorders</i> , 2020, 272, 24-27.	2.0	4
47	Forecasting incidence of infectious diarrhea using random forest in Jiangsu Province, China. <i>BMC Infectious Diseases</i> , 2020, 20, 222.	1.3	41
48	Identification of a functional human-unique 351-bp Alu insertion polymorphism associated with major depressive disorder in the 1p31.1 GWAS risk loci. <i>Neuropsychopharmacology</i> , 2020, 45, 1196-1206.	2.8	17
49	Stress and sleep: a survey based on wearable sleep trackers among medical and nursing staff in Wuhan during the COVID-19 pandemic. <i>Annals of General Psychiatry</i> , 2020, 33, e100260.	1.1	59
50	<p>Variants in the Upstream Region of the Insulin Receptor Substrate-1 Gene Is Associated with Major Depressive Disorder in the Han Chinese Population</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 501-507.	1.0	1
51	Identification of TNFA influencing MDD risk and clinical features in Han Chinese. <i>Cytokine</i> , 2020, 129, 155030.	1.4	2
52	Disturbance of Oxidative Stress Parameters in Treatment-Resistant Bipolar Disorder and Their Association With Electroconvulsive Therapy Response. <i>International Journal of Neuropsychopharmacology</i> , 2020, 23, 207-216.	1.0	19
53	Omega-3 fatty acids ameliorate cognitive dysfunction in schizophrenia patients with metabolic syndrome. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 529-534.	2.0	40
54	Chromogranin A: A Valuable Serum Diagnostic Marker for Non-Insulinoma Neuroendocrine Tumors of the Pancreas in a Chinese Population. <i>Medical Science Monitor</i> , 2020, 26, e926635.	0.5	0

#	ARTICLE	IF	CITATIONS
55	Chromogranin A: A Valuable Serum Diagnostic Marker for Non-Insulinoma Neuroendocrine Tumors of the Pancreas in a Chinese Population. <i>Medical Science Monitor</i> , 2020, 26, e926635.	0.5	1
56	Clinical characteristics associated with therapeutic nonadherence of the patients with major depressive disorder: A report on the National Survey on Symptomatology of Depression in China. <i>CNS Neuroscience and Therapeutics</i> , 2019, 25, 215-222.	1.9	8
57	Correlation of hair risperidone concentration and serum level among patients with schizophrenia. <i>Annals of General Psychiatry</i> , 2019, 32, e100042.	1.1	6
58	Predicting individual responses to lithium with oxidative stress markers in drug-free bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 778-789.	1.3	15
59	<p>Association between IL-6 and metabolic syndrome in schizophrenia patients treated with second-generation antipsychotics</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 2161-2170.	1.0	22
60	Metabolic profiling identifies TC and LDL as potential serum biomarkers for depressive symptoms in schizophrenia. <i>Psychiatry Research</i> , 2019, 281, 112522.	1.7	18
61	Depressive symptoms in schizophrenia patients: A possible relationship between SIRT1 and BDNF. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 95, 109673.	2.5	44
62	Interactome Analyses implicated CAMK2A in the genetic predisposition and pharmacological mechanism of Bipolar Disorder. <i>Journal of Psychiatric Research</i> , 2019, 115, 165-175.	1.5	12
63	Disagreement and factors between symptom on self-report and clinician rating of major depressive disorder: A report of a national survey in China. <i>Journal of Affective Disorders</i> , 2019, 253, 141-146.	2.0	10
64	A Comprehensive Analysis of the CaMK2A Gene and Susceptibility to Alzheimerâ€™s Disease in the Han Chinese Population. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 84.	1.7	3
65	Integrative analyses of major histocompatibility complex loci in the genome-wide association studies of major depressive disorder. <i>Neuropsychopharmacology</i> , 2019, 44, 1552-1561.	2.8	27
66	Subtypes of treatment-resistant depression determined by a latent class analysis in a Chinese clinical population. <i>Journal of Affective Disorders</i> , 2019, 249, 82-89.	2.0	12
67	Epidemiology of infectious diarrhoea and the relationship with etiological and meteorological factors in Jiangsu Province, China. <i>Scientific Reports</i> , 2019, 9, 19571.	1.6	25
68	The depression GWAS risk allele predicts smaller cerebellar gray matter volume and reduced SIRT1 mRNA expression in Chinese population. <i>Translational Psychiatry</i> , 2019, 9, 333.	2.4	25
69	<scp>CPT</scp> 1Aâ€mediated succinylation of S100A10 increases human gastric cancer invasion. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 293-305.	1.6	76
70	<i>Complement C7</i> is a novel risk gene for Alzheimer's disease in Han Chinese. <i>National Science Review</i> , 2019, 6, 257-274.	4.6	55
71	Effects and potential mechanisms of transcranial direct current stimulation (tDCS) on auditory hallucinations: A meta-analysis. <i>Psychiatry Research</i> , 2019, 273, 343-349.	1.7	26
72	Risk factors for early postoperative cognitive dysfunction after colorectal surgery. <i>BMC Anesthesiology</i> , 2019, 19, 6.	0.7	28

#	ARTICLE	IF	CITATIONS
73	The association between somatic symptoms and suicidal ideation in Chinese first-episode major depressive disorder. <i>Journal of Affective Disorders</i> , 2019, 245, 17-21.	2.0	30
74	Effects of omega-3 fatty acids on metabolic syndrome in patients with schizophrenia: a 12-week randomized placebo-controlled trial. <i>Psychopharmacology</i> , 2019, 236, 1273-1279.	1.5	27
75	Identification of risk factors for suicidal ideation in patients with schizophrenia. <i>Psychiatry Research</i> , 2019, 271, 195-199.	1.7	21
76	Genetic Advance in Depressive Disorder. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1180, 19-57.	0.8	2
77	Tumor-derived lactate induces M2 macrophage polarization via the activation of the ERK/STAT3 signaling pathway in breast cancer. <i>Cell Cycle</i> , 2018, 17, 428-438.	1.3	266
78	Prevalence, risk factors and clinical characteristics of suicidal ideation in Chinese patients with depression. <i>Journal of Affective Disorders</i> , 2018, 235, 135-141.	2.0	40
79	Brain-derived neurotrophic factor as a biomarker for cognitive recovery in acute schizophrenia: 12-week results from a prospective longitudinal study. <i>Psychopharmacology</i> , 2018, 235, 1191-1198.	1.5	43
80	Interaction between BDNF and TNF- α genes in schizophrenia. <i>Psychoneuroendocrinology</i> , 2018, 89, 1-6.	1.3	33
81	The Arc Gene Confers Genetic Susceptibility to Alzheimer's Disease in Han Chinese. <i>Molecular Neurobiology</i> , 2018, 55, 1217-1226.	1.9	30
82	CD36 deficiency attenuates immune-mediated hepatitis in mice by modulating the proapoptotic effects of CXC chemokine ligand 10. <i>Hepatology</i> , 2018, 67, 1943-1955.	3.6	37
83	The interaction of NOS1AP , DISC1 , DAOA , and GSK3B confers susceptibility of early-onset schizophrenia in Chinese Han population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 187-193.	2.5	14
84	Replicated associations of FADS1, MAD1L1, and a rare variant at 10q26.13 with bipolar disorder in Chinese population. <i>Translational Psychiatry</i> , 2018, 8, 270.	2.4	21
85	MMI-0100 ameliorates lung inflammation in a mouse model of acute respiratory distress syndrome by reducing endothelial expression of ICAM-1. <i>Drug Design, Development and Therapy</i> , 2018, Volume 12, 4253-4260.	2.0	6
86	Evaluation of paliperidone on social function in patients with chronic schizophrenia. <i>Annals of General Psychiatry</i> , 2018, 31, e000011.	1.1	3
87	Influence of olanzapine on serum prolactin levels and BMI in female patients with schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 3373-3379.	1.0	8
88	Effects of tumor necrosis factor- α polymorphism on the brain structural changes of the patients with major depressive disorder. <i>Translational Psychiatry</i> , 2018, 8, 217.	2.4	25
89	Improvement of psychological status after infliximab treatment in patients with newly diagnosed Crohn's disease. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 879-885.	0.8	4
90	The clinical correlates of comorbid anxiety symptoms and syndromal anxiety in patients with major depressive disorder. <i>Psychiatry Research</i> , 2018, 269, 251-257.	1.7	18

#	ARTICLE	IF	CITATIONS
91	<i>Helicobacter pylori</i> -induced exosomal MET educates tumour-associated macrophages to promote gastric cancer progression. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5708-5719.	1.6	46
92	Chitinase 3-like 1-CD44 interaction promotes metastasis and epithelial-to-mesenchymal transition through β -catenin/Erk/Akt signaling in gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 208.	3.5	71
93	Precise treatments for schizophrenia: where is the way forward?. <i>Annals of General Psychiatry</i> , 2018, 31, e000002.	1.1	5
94	Meta-analysis of FOXP2 rs10447760 polymorphism with schizophrenia. <i>Asian Journal of Psychiatry</i> , 2018, 35, 50-51.	0.9	3
95	SIRT1 rs3758391 and Major Depressive Disorder: New Data and Meta-Analysis. <i>Neuroscience Bulletin</i> , 2018, 34, 863-866.	1.5	12
96	Genetic association of the cytochrome c oxidase-related genes with Alzheimer's disease in Han Chinese. <i>Neuropsychopharmacology</i> , 2018, 43, 2264-2276.	2.8	29
97	Different levels of pro- and anti-inflammatory cytokines in patients with unipolar and bipolar depression. <i>Journal of Affective Disorders</i> , 2018, 237, 65-72.	2.0	47
98	Common variants on 6q16.2, 12q24.31 and 16p13.3 are associated with major depressive disorder. <i>Neuropsychopharmacology</i> , 2018, 43, 2146-2153.	2.8	36
99	Female-specific effect of the BDNF gene on Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017, 53, 192.e11-192.e19.	1.5	46
100	Metabolic adverse effects of olanzapine on cognitive dysfunction: A possible relationship between BDNF and TNF-alpha. <i>Psychoneuroendocrinology</i> , 2017, 81, 138-143.	1.3	55
101	Reduced ENA78 levels as novel biomarker for major depressive disorder and venlafaxine efficiency: Result from a prospective longitudinal study. <i>Psychoneuroendocrinology</i> , 2017, 81, 113-121.	1.3	21
102	Interleukin-17 Alteration in First-Episode Psychosis: A Meta-Analysis. <i>Molecular Neuropsychiatry</i> , 2017, 3, 135-140.	3.0	22
103	Association study of CREB1 and CBP genes with Alzheimer's disease in Han Chinese. <i>Asia-Pacific Psychiatry</i> , 2017, 9, e12274.	1.2	4
104	Identification of plasma biomarkers for distinguishing bipolar depression from major depressive disorder by iTRAQ-coupled LC-MS/MS and bioinformatics analysis. <i>Psychoneuroendocrinology</i> , 2017, 86, 17-24.	1.3	51
105	Common variants at 2q11.2, 8q21.3, and 11q13.2 are associated with major mood disorders. <i>Translational Psychiatry</i> , 2017, 7, 1273.	2.4	9
106	Genetic association analysis of microRNA137 and its target complex 1 with schizophrenia in Han Chinese. <i>Scientific Reports</i> , 2017, 7, 15084.	1.6	8
107	Association of the 5-HT _{2A} receptor gene promoter polymorphism rs1438G/A with anorexia nervosa and psychopathological traits in the Chinese Han population: A preliminary study. <i>Asia-Pacific Psychiatry</i> , 2017, 9, e12284.	1.2	3
108	Nuclear accumulation of symplekin promotes cellular proliferation and dedifferentiation in an ERK1/2-dependent manner. <i>Scientific Reports</i> , 2017, 7, 3769.	1.6	5

#	ARTICLE	IF	CITATIONS
109	Rare Genetic Variants of the Transthyretin Gene Are Associated with Alzheimer's Disease in Han Chinese. <i>Molecular Neurobiology</i> , 2017, 54, 5192-5200.	1.9	24
110	Ratio of mBDNF to proBDNF for Differential Diagnosis of Major Depressive Disorder and Bipolar Depression. <i>Molecular Neurobiology</i> , 2017, 54, 5573-5582.	1.9	62
111	Oncometabolite succinate promotes angiogenesis by upregulating VEGF expression through GPR91-mediated STAT3 and ERK activation. <i>Oncotarget</i> , 2017, 8, 13174-13185.	0.8	86
112	Influence of <i>CFH</i> gene on symptom severity of schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 697-706.	1.0	26
113	Î²B-kinase-Î¼ in the tumor microenvironment is essential for the progression of gastric cancer. <i>Oncotarget</i> , 2017, 8, 75298-75307.	0.8	10
114	Oncometabolite succinate to promote angiogenesis by upregulating VEGF expression through GPR91-mediated STAT3 and ERK activation.. <i>Journal of Clinical Oncology</i> , 2017, 35, e23000-e23000.	0.8	1
115	The <i>NCAN</i> gene: schizophrenia susceptibility and cognitive dysfunction. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 2875-2883.	1.0	25
116	Further evidence of <i>VRK2</i> rs2312147 associated with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 457-466.	1.3	15
117	Contribution of long duration of undiagnosed bipolar disorder to high frequency of relapse: A naturalistic study in China. <i>Comprehensive Psychiatry</i> , 2016, 70, 77-81.	1.5	12
118	Complement factor H and susceptibility to major depressive disorder in Han Chinese. <i>British Journal of Psychiatry</i> , 2016, 208, 446-452.	1.7	21
119	Identification of SLC25A37 as a major depressive disorder risk gene. <i>Journal of Psychiatric Research</i> , 2016, 83, 168-175.	1.5	24
120	Down-Regulation of <i>SIRT1</i> Gene Expression in Major Depressive Disorder. <i>American Journal of Psychiatry</i> , 2016, 173, 1046-1046.	4.0	55
121	Evaluating the association between the SHANK3 gene and bipolar disorder. <i>Psychiatry Research</i> , 2016, 244, 284-288.	1.7	10
122	Identification of IL6 as a susceptibility gene for major depressive disorder. <i>Scientific Reports</i> , 2016, 6, 31264.	1.6	35
123	The involvement of family members in the treatment of patients with schizophrenia. <i>Current Treatment Options in Psychiatry</i> , 2016, 3, 111-118.	0.7	2
124	Validating GWAS-Identified Risk Loci for Alzheimer's Disease in Han Chinese Populations. <i>Molecular Neurobiology</i> , 2016, 53, 379-390.	1.9	62
125	Impact of a <i>cis</i> -associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. <i>British Journal of Psychiatry</i> , 2016, 208, 128-137.	1.7	11
126	CFH Variants Affect Structural and Functional Brain Changes and Genetic Risk of Alzheimer's Disease. <i>Neuropsychopharmacology</i> , 2016, 41, 1034-1045.	2.8	58

#	ARTICLE	IF	CITATIONS
127	Neprilysin Confers Genetic Susceptibility to Alzheimer's Disease in Han Chinese. <i>Molecular Neurobiology</i> , 2016, 53, 4883-4892.	1.9	21
128	A haplotype in the 5'-upstream region of the NDUFV2 gene is associated with major depressive disorder in Han Chinese. <i>Journal of Affective Disorders</i> , 2016, 190, 329-332.	2.0	13
129	PLD3 in Alzheimer's Disease: a Modest Effect as Revealed by Updated Association and Expression Analyses. <i>Molecular Neurobiology</i> , 2016, 53, 4034-4045.	1.9	30
130	ZNF804A Genetic Variation Confers Risk to Bipolar Disorder. <i>Molecular Neurobiology</i> , 2016, 53, 2936-2943.	1.9	21
131	Effectiveness of Antipsychotic Drugs for 24-Month Maintenance Treatment in First-Episode Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1460-e1466.	1.1	18
132	Genetic findings are challenging the symptom-based diagnostic classification system of mental disorders. <i>Shanghai Archives of Psychiatry</i> , 2016, 28, 42-7.	0.7	0
133	The 5-HTTLPR Confers Susceptibility to Anorexia Nervosa in Han Chinese: Evidence from a Case-Control and Family-Based Study. <i>PLoS ONE</i> , 2015, 10, e0119378.	1.1	12
134	A Preliminary Genetic Analysis of Complement 3 Gene and Schizophrenia. <i>PLoS ONE</i> , 2015, 10, e0136372.	1.1	17
135	Comprehensive family therapy: an effective approach for cognitive rehabilitation in schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 1247.	1.0	21
136	Increased Cognition Connectivity Network in Major Depression Disorder: A fMRI Study. <i>Psychiatry Investigation</i> , 2015, 12, 227.	0.7	40
137	Authors' reply. <i>British Journal of Psychiatry</i> , 2015, 206, 79-80.	1.7	0
138	IL-23 and TGF- β 1 levels as potential predictive biomarkers in treatment of bipolar I disorder with acute manic episode. <i>Journal of Affective Disorders</i> , 2015, 174, 361-366.	2.0	50
139	An evaluation of association between common variants in C4BPB/C4BPA genes and schizophrenia. <i>Neuroscience Letters</i> , 2015, 590, 189-192.	1.0	9
140	Mitochondrial DNA haplogroup B5 confers genetic susceptibility to Alzheimer's disease in Han Chinese. <i>Neurobiology of Aging</i> , 2015, 36, 1604.e7-1604.e16.	1.5	50
141	Down-regulation of PRKCB1 expression in Han Chinese patients with subsyndromal symptomatic depression. <i>Journal of Psychiatric Research</i> , 2015, 69, 1-6.	1.5	6
142	Guidelines concordance of maintenance treatment in euthymic patients with bipolar disorder: Data from the national bipolar mania pathway survey (BIPAS) in mainland China. <i>Journal of Affective Disorders</i> , 2015, 182, 101-105.	2.0	6
143	Dissociated large-scale functional connectivity networks of the precuneus in medication-naïve first-episode depression. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 250-256.	0.9	65
144	Genetic variant in NDUFS1 gene is associated with schizophrenia and negative symptoms in Han Chinese. <i>Journal of Human Genetics</i> , 2015, 60, 11-16.	1.1	23

#	ARTICLE	IF	CITATIONS
145	Association of schizophrenia with the rs821633 polymorphism in the DISC1 gene among Han Chinese. Shanghai Archives of Psychiatry, 2015, 27, 348-55.	0.7	0
146	Identification of ANKK1 rs1800497 variant in schizophrenia: New data and meta-analysis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2014, 165, 564-571.	1.1	15
147	<i>Helicobacter pylori</i> Dwelling on the Apical Surface of Gastrointestinal Epithelium Damages the Mucosal Barrier Through Direct Contact. Helicobacter, 2014, 19, 330-342.	1.6	15
148	Genetic modulation of working memory deficits by ankyrin 3 gene in schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 50, 110-115.	2.5	33
149	No association between genetic variants of the LRRK2 gene and schizophrenia in Han Chinese. Neuroscience Letters, 2014, 566, 210-215.	1.0	6
150	A Pilot Study of iPad-Assisted Cognitive Training for Schizophrenia. Archives of Psychiatric Nursing, 2014, 28, 197-199.	0.7	27
151	A study of N-methyl-D-aspartate receptor gene (GRIN2B) variants as predictors of treatment-resistant major depression. Psychopharmacology, 2014, 231, 685-693.	1.5	65
152	Glutamate receptor 1 phosphorylation at serine 845 contributes to the therapeutic effect of olanzapine on schizophrenia-like cognitive impairments. Schizophrenia Research, 2014, 159, 376-384.	1.1	16
153	Brain-derived neurotrophic factor levels and bipolar disorder in patients in their first depressive episode: 3-year prospective longitudinal study. British Journal of Psychiatry, 2014, 205, 29-35.	1.7	54
154	Altered brain network modules induce helplessness in major depressive disorder. Journal of Affective Disorders, 2014, 168, 21-29.	2.0	57
155	Influence of BCL2 gene in major depression susceptibility and antidepressant treatment outcome. Journal of Affective Disorders, 2014, 155, 288-294.	2.0	27
156	MiRNA-206 and BDNF genes interacted in bipolar I disorder. Journal of Affective Disorders, 2014, 162, 116-119.	2.0	35
157	Authors' reply. British Journal of Psychiatry, 2014, 205, 410-411.	1.7	1
158	Dihydromyricetin promotes hepatocellular carcinoma regression via a p53 activation-dependent mechanism. Scientific Reports, 2014, 4, 4628.	1.6	69
159	Guidelines Discordance in Acute Bipolar Depression: Data from the National Bipolar Mania Pathway Survey (BIPAS) in Mainland China. PLoS ONE, 2014, 9, e96096.	1.1	11
160	Influence of polymorphisms in genes SLC1A1, GRIN2B, and GRIK2 on clozapine-induced obsessive-compulsive symptoms. Psychopharmacology, 2013, 230, 49-55.	1.5	53
161	Lack of association of SLC1A1 variants with schizophrenia in Chinese Han population. Psychiatry Research, 2013, 210, 669-671.	1.7	5
162	Venlafaxine inhibits the upregulation of plasma tumor necrosis factor-alpha (TNF- α) in the Chinese patients with major depressive disorder: A prospective longitudinal study. Psychoneuroendocrinology, 2013, 38, 107-114.	1.3	58

#	ARTICLE	IF	CITATIONS
163	Association of genetic variation in CACNA1C with bipolar disorder in Han Chinese. <i>Journal of Affective Disorders</i> , 2013, 150, 261-265.	2.0	27
164	Estrogen receptor 1 gene rs2295193 polymorphism and anorexia nervosa: New data and meta-analysis. <i>Asia-Pacific Psychiatry</i> , 2013, 5, 331-335.	1.2	5
165	Contextual and behavioral control of antipsychotic sensitization induced by haloperidol and olanzapine. <i>Behavioural Pharmacology</i> , 2012, 23, 66-79.	0.8	29
166	Olanzapine and risperidone disrupt conditioned avoidance responding by selectively weakening motivational salience of conditioned stimulus: Further evidence. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 155-160.	1.3	13
167	Association Study of Tryptophan Hydroxylase-2 Gene in Schizophrenia and Its Clinical Features in Chinese Han Population. <i>Journal of Molecular Neuroscience</i> , 2011, 43, 406-411.	1.1	50
168	Further evidence that methylenetetrahydrofolate reductase A1298C polymorphism is a risk factor for schizophrenia. <i>Journal of Neural Transmission</i> , 2010, 117, 1115-1117.	1.4	9
169	Influence of maternal MTHFR A1298C polymorphism on the risk in offspring of schizophrenia. <i>Brain Research</i> , 2010, 1320, 130-134.	1.1	10
170	No genetic association between dopamine D1 receptor gene and [early onset] schizophrenia. <i>Psychiatry Research</i> , 2010, 177, 350-353.	1.7	18
171	DNA methyltransferase 3B gene increases risk of early onset schizophrenia. <i>Neuroscience Letters</i> , 2009, 462, 308-311.	1.0	32