

Alaide Chieffo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4074118/alaide-chieffo-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

387 papers	20,322 citations	68 h-index	133 g-index
406 ext. papers	25,838 ext. citations	4.8 avg, IF	6.03 L-index

#	Paper	IF	Citations
387	Incidence, predictors, and outcome of thrombosis after successful implantation of drug-eluting stents. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 2126-30	27.4	2341
386	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , 2020 , 41, 407-477	9.5	1835
385	2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. <i>European Heart Journal</i> , 2021 , 42, 1289-1367	9.5	920
384	Anatomical and clinical characteristics to guide decision making between coronary artery bypass surgery and percutaneous coronary intervention for individual patients: development and validation of SYNTAX score II. <i>Lancet, The</i> , 2013 , 381, 639-50	40	507
383	Cessation of dual antiplatelet treatment and cardiac events after percutaneous coronary intervention (PARIS): 2 year results from a prospective observational study. <i>Lancet, The</i> , 2013 , 382, 1714-22	40	405
382	Incidence and predictors of drug-eluting stent thrombosis during and after discontinuation of thienopyridine treatment. <i>Circulation</i> , 2007 , 116, 745-54	16.7	392
381	Early and mid-term results of drug-eluting stent implantation in unprotected left main. <i>Circulation</i> , 2005 , 111, 791-5	16.7	327
380	Second-generation drug-eluting stent implantation followed by 6- versus 12-month dual antiplatelet therapy: the SECURITY randomized clinical trial. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 2086-97	15.1	318
379	Coronary Thrombosis and Major Bleeding After PCI With Drug-Eluting Stents: Risk Scores From PARIS. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 2224-2234	15.1	306
378	Clinical and angiographic outcome after implantation of drug-eluting stents in bifurcation lesions with the crush stent technique: importance of final kissing balloon post-dilation. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 613-20	15.1	278
377	Percutaneous treatment with drug-eluting stent implantation versus bypass surgery for unprotected left main stenosis: a single-center experience. <i>Circulation</i> , 2006 , 113, 2542-7	16.7	268
376	ST-Elevation Myocardial Infarction in Patients With COVID-19: Clinical and Angiographic Outcomes. <i>Circulation</i> , 2020 , 141, 2113-2116	16.7	261
375	In-stent restenosis in small coronary arteries: impact of strut thickness. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 403-9	15.1	218
374	Long-term outcomes after stenting of bifurcation lesions with the "crush" technique: predictors of an adverse outcome. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1949-58	15.1	207
373	Percutaneous coronary intervention versus coronary artery bypass grafting in patients with three-vessel or left main coronary artery disease: 10-year follow-up of the multicentre randomised controlled SYNTAX trial. <i>Lancet, The</i> , 2019 , 394, 1325-1334	40	206
372	Modified T-stenting technique with crushing for bifurcation lesions: immediate results and 30-day outcome. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 60, 145-51	2.7	205
371	Efficacy and Safety of Dual Antiplatelet Therapy After Complex PCI. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1851-1864	15.1	201

370	Treating chronic total occlusions using subintimal tracking and reentry: the STAR technique. <i>Catheterization and Cardiovascular Interventions</i> , 2005 , 64, 407-11; discussion 412	2.7	196
369	Novel approaches for preventing or limiting events (Naples) II trial: impact of a single high loading dose of atorvastatin on periprocedural myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 2157-63	15.1	183
368	Results and long-term predictors of adverse clinical events after elective percutaneous interventions on unprotected left main coronary artery. <i>Circulation</i> , 2002 , 106, 698-702	16.7	178
367	First clinical experience with a paclitaxel derivate-eluting polymer stent system implantation for in-stent restenosis: immediate and long-term clinical and angiographic outcome. <i>Circulation</i> , 2002 , 105, 1883-6	16.7	177
366	Percutaneous coronary intervention for coronary bifurcation disease: consensus from the first 10 years of the European Bifurcation Club meetings. <i>EuroIntervention</i> , 2014 , 10, 545-60	3.1	177
365	Incidence, predictors, and implications of access site complications with transfemoral transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , 2012 , 110, 1361-7	3	174
364	Favorable long-term outcome after drug-eluting stent implantation in nonbifurcation lesions that involve unprotected left main coronary artery: a multicenter registry. <i>Circulation</i> , 2007 , 116, 158-62	16.7	160
363	Preliminary observations regarding angiographic pattern of restenosis after rapamycin-eluting stent implantation. <i>Circulation</i> , 2003 , 107, 2178-80	16.7	160
362	A collaborative systematic review and meta-analysis on 1278 patients undergoing percutaneous drug-eluting stenting for unprotected left main coronary artery disease. <i>American Heart Journal</i> , 2008 , 155, 274-83	4.9	152
361	Transcatheter aortic valve implantation with the Edwards SAPIEN versus the Medtronic CoreValve Revalving system devices: a multicenter collaborative study: the PRAGMATIC Plus Initiative (Pooled-RotterdAm-Milano-Toulouse In Collaboration). <i>Journal of the American College of Cardiology</i> , 2013 , 61, 838-6	15.1	150
360	A prospective, randomized trial of intravascular-ultrasound guided compared to angiography guided stent implantation in complex coronary lesions: the AVIO trial. <i>American Heart Journal</i> , 2013 , 165, 65-72	4.9	147
359	Incidence, predictors, management, immediate and long-term outcomes following grade III coronary perforation. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 87-95	5	141
358	Percutaneous coronary intervention for coronary bifurcation disease: 11th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2016 , 12, 38-46	3.1	140
357	Longest available clinical outcomes after drug-eluting stent implantation for unprotected left main coronary artery disease: the DELFT (Drug Eluting stent for LeFT main) Registry. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 2212-9	15.1	135
356	Treatment of saphenous vein graft lesions with drug-eluting stents: immediate and midterm outcome. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 989-94	15.1	130
355	Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2018 , 392, 835-848	40	129
354	Percutaneous coronary intervention for the left main stem and other bifurcation lesions: 12th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2018 , 13, 1540-1553	3.1	127
353	A Bicuspid Aortic Valve Imaging Classification for the TAVR Era. <i>JACC: Cardiovascular Imaging</i> , 2016 , 9, 1145-1158	8.4	124

352	Immediate and mid-term outcomes of sirolimus-eluting stent implantation for chronic total occlusions. <i>European Heart Journal</i> , 2005 , 26, 1056-62	9.5	122
351	5-year outcomes following percutaneous coronary intervention with drug-eluting stent implantation versus coronary artery bypass graft for unprotected left main coronary artery lesions the Milan experience. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 595-601	5	121
350	Effects of hydroxymethylglutaryl coenzyme A reductase inhibitor simvastatin on smooth muscle cell proliferation in vitro and neointimal formation in vivo after vascular injury. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 214-21	15.1	116
349	Outcomes after transcatheter aortic valve implantation with both Edwards-SAPIEN and CoreValve devices in a single center: the Milan experience. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 1110-21	5	113
348	Three, six, or twelve months of dual antiplatelet therapy after DES implantation in patients with or without acute coronary syndromes: an individual patient data pairwise and network meta-analysis of six randomized trials and 11 473 patients. <i>European Heart Journal</i> , 2017 , 38, 1034-1043	9.5	110
347	An EAPCI Expert Consensus Document on Ischaemia with Non-Obstructive Coronary Arteries in Collaboration with European Society of Cardiology Working Group on Coronary Pathophysiology & Microcirculation Endorsed by Coronary Vasomotor Disorders International Study Group. <i>European Heart Journal</i> , 2009 , 30, 2551-2560	9.5	106
346	Predictors of moderate-to-severe paravalvular aortic regurgitation immediately after CoreValve implantation and the impact of postdilatation. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 78, 432-43	2.7	103
345	Safety and efficacy of drug-eluting stents in women: a patient-level pooled analysis of randomised trials. <i>Lancet, The</i> , 2013 , 382, 1879-88	4.0	102
344	Drug-eluting stent for left main coronary artery disease. The DELTA registry: a multicenter registry evaluating percutaneous coronary intervention versus coronary artery bypass grafting for left main treatment. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 718-27	5	102
343	Comparison of incidence and predictors of left bundle branch block after transcatheter aortic valve implantation using the CoreValve versus the Edwards valve. <i>American Journal of Cardiology</i> , 2013 , 112, 554-9	3	102
342	Transcatheter vs surgical aortic valve replacement in intermediate-surgical-risk patients with aortic stenosis: a propensity score-matched case-control study. <i>American Heart Journal</i> , 2012 , 164, 910-7	4.9	97
341	Effects of balloon injury on neointimal hyperplasia in streptozotocin-induced diabetes and in hyperinsulinemic nondiabetic pancreatic islet-transplanted rats. <i>Circulation</i> , 2001 , 103, 2980-6	16.7	97
340	Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management: AKI-MATRIX. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2592-2592	15.1	95
339	Adverse impact of bleeding and transfusion on the outcome post-transcatheter aortic valve implantation: insights from the Pooled-Rotterdam-Milano-Toulouse In Collaboration Plus (PRAGMATIC Plus) initiative. <i>American Heart Journal</i> , 2012 , 164, 402-9	4.9	91
338	Multiple overlapping drug-eluting stents to treat diffuse disease of the left anterior descending coronary artery. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1570-3	15.1	89
337	Late and very late stent thrombosis following drug-eluting stent implantation in unprotected left main coronary artery: a multicentre registry. <i>European Heart Journal</i> , 2008 , 29, 2108-15	9.5	84
336	Clinical and angiographic outcome after sirolimus-eluting stent implantation in aorto-ostial lesions. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 967-71	15.1	84
335	Incidence, predictors, in-hospital, and late outcomes of coronary artery perforations. <i>American Journal of Cardiology</i> , 2004 , 93, 213-6	3	83

334	The Lancet women and cardiovascular disease Commission: reducing the global burden by 2030. <i>Lancet, The</i> , 2021 , 397, 2385-2438	40	80
333	Gadolinium-based contrast agents and nephrotoxicity in patients undergoing coronary artery procedures. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 67, 175-80	2.7	79
332	Drug-eluting stent restenosis the pattern predicts the outcome. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 2399-404	15.1	79
331	Bleeding-Related Deaths in Relation to the Duration of Dual-Antiplatelet Therapy After Coronary Stenting. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2011-2022	15.1	77
330	Current management of left main coronary artery disease. <i>European Heart Journal</i> , 2012 , 33, 36-50b	9.5	77
329	Treatment of multivessel coronary artery disease with sirolimus-eluting stent implantation: immediate and mid-term results. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1154-60	15.1	77
328	EAPCI Position Statement on Invasive Management of Acute Coronary Syndromes during the COVID-19 pandemic. <i>European Heart Journal</i> , 2020 , 41, 1839-1851	9.5	76
327	Incidence, predictors, and outcomes of coronary dissections left untreated after drug-eluting stent implantation. <i>European Heart Journal</i> , 2006 , 27, 540-6	9.5	76
326	Intraprocedural stent thrombosis during implantation of sirolimus-eluting stents. <i>Circulation</i> , 2004 , 109, 2732-6	16.7	76
325	Dual antiplatelet therapy after percutaneous coronary intervention with stent implantation in patients taking chronic oral anticoagulation. <i>JACC: Cardiovascular Interventions</i> , 2008 , 1, 56-61	5	74
324	Repeated drug-eluting stent implantation for drug-eluting stent restenosis: the same or a different stent. <i>American Heart Journal</i> , 2007 , 153, 354-9	4.9	70
323	Comparison of results of transcatheter aortic valve implantation in patients with severely stenotic bicuspid versus tricuspid or nonbicuspid valves. <i>American Journal of Cardiology</i> , 2014 , 113, 1390-3	3	69
322	Incidence, management, and outcomes of cardiac tamponade during transcatheter aortic valve implantation: a single-center study. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 1264-72	5	69
321	The role of sex on VARC outcomes following transcatheter aortic valve implantation with both Edwards SAPIEN ³ and Medtronic CoreValve ReValving System ² devices: the Milan registry. <i>EuroIntervention</i> , 2011 , 7, 556-63	3.1	68
320	Rotational atherectomy followed by drug-eluting stent implantation in calcified coronary lesions. <i>EuroIntervention</i> , 2009 , 5, 370-4	3.1	68
319	Predictors of cardiac death in patients with coronary chronic total occlusion not revascularized by PCI. <i>International Journal of Cardiology</i> , 2013 , 168, 1402-9	3.2	63
318	Racial Differences in Ischaemia/Bleeding Risk Trade-Off during Anti-Platelet Therapy: Individual Patient Level Landmark Meta-Analysis from Seven RCTs. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 149-162	7	63
317	Incidence and outcomes of emergent cardiac surgery during transfemoral transcatheter aortic valve implantation (TAVI): insights from the European Registry on Emergent Cardiac Surgery during TAVI (EuRECS-TAVI). <i>European Heart Journal</i> , 2018 , 39, 676-684	9.5	61

316	Long-term clinical outcomes after percutaneous coronary intervention for ostial/mid-shaft lesions versus distal bifurcation lesions in unprotected left main coronary artery: the DELTA Registry (drug-eluting stent for left main coronary artery disease): a multicenter registry evaluating percutaneous coronary intervention versus coronary artery bypass grafting for left main treatment. <i>Elective versus provisional intraaortic balloon pumping in unprotected left main stenting. American Heart Journal</i> , 2006 , 152, 565-72	5	61
315	Impact of preoperative chronic kidney disease on short- and long-term outcomes after transcatheter aortic valve implantation: a Pooled-Rotterdam-Milano-Toulouse In Collaboration Plus (PRAGMATIC-Plus) initiative substudy. <i>American Heart Journal</i> , 2013 , 165, 752-60	4.9	61
314	Percutaneous coronary intervention in left main coronary artery disease: the 13th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2018 , 14, 112-120	3.1	61
313	Progression rate of ascending aortic dilation in patients with normally functioning bicuspid and tricuspid aortic valves. <i>American Journal of Cardiology</i> , 2006 , 98, 249-53	3	60
311	Coronary chronic total occlusions: mid-term comparison of clinical outcome following the use of the guided-STAR technique and conventional antegrade approaches. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 79, 20-7	2.7	59
310	Periprocedural and short-term outcomes of transfemoral transcatheter aortic valve implantation with the Sapien XT as compared with the Edwards Sapien valve. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 743-50	5	58
309	The EBC TWO Study (European Bifurcation Coronary TWO): A Randomized Comparison of Provisional T-Stenting Versus a Systematic 2 Stent Culotte Strategy in Large Caliber True Bifurcations. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	57
308	Transapical versus transfemoral aortic valve implantation: a multicenter collaborative study. <i>Annals of Thoracic Surgery</i> , 2014 , 97, 22-8	2.7	57
307	Long-term outcomes after the percutaneous treatment of drug-eluting stent restenosis. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 155-64	5	57
306	Late restenosis following sirolimus-eluting stent implantation. <i>American Journal of Cardiology</i> , 2007 , 100, 41-4	3	56
305	Acute and 30-Day Outcomes in Women After TAVR: Results From the WIN-TAVI (Women's International Transcatheter Aortic Valve Implantation) Real-World Registry. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1589-600	5	56
304	Heyde's syndrome incidence and outcome in patients undergoing transcatheter aortic valve implantation. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 687-9	15.1	52
303	In-hospital and nine-month outcome of treatment of coronary bifurcational lesions with sirolimus-eluting stent. <i>American Journal of Cardiology</i> , 2005 , 95, 757-60	3	52
302	Impact of design of coronary stents and length of dual antiplatelet therapies on ischaemic and bleeding events: a network meta-analysis of 64 randomized controlled trials and 102 735 patients. <i>European Heart Journal</i> , 2017 , 38, 3160-3172	9.5	51
301	Drug-eluting stent update 2007: part III: Technique and unapproved/unsettled indications (left main, bifurcations, chronic total occlusions, small vessels and long lesions, saphenous vein grafts, acute myocardial infarctions, and multivessel disease). <i>Circulation</i> , 2007 , 116, 1424-32	16.7	51
300	Consensus from the 7th European Bifurcation Club meeting. <i>EuroIntervention</i> , 2013 , 9, 36-45	3.1	51
299	Routine Screening of Coronary Artery Disease With Computed Tomographic Coronary Angiography in Place of Invasive Coronary Angiography in Patients Undergoing Transcatheter Aortic Valve Replacement. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e002025	6	50

298	Predictors of Advanced Conduction Disturbances Requiring a Late (48 H) Permanent Pacemaker Following Transcatheter Aortic Valve Replacement. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1519-1526	5.26	49
297	Histopathology of clinical coronary restenosis in drug-eluting versus bare metal stents. <i>American Journal of Cardiology</i> , 2009 , 104, 1660-7	3	48
296	The occupational effects of interventional cardiology: results from the WIN for Safety survey. <i>EuroIntervention</i> , 2012 , 8, 658-63	3.1	48
295	Comparison of early clinical outcomes between ABSORB bioresorbable vascular scaffold and everolimus-eluting stent implantation in a real-world population. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 85, E10-5	2.7	47
294	A novel approach to chronic total occlusions: the crosser system. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 68, 29-35	2.7	46
293	Meta-Analysis of the Duration of Dual Antiplatelet Therapy in Patients Treated With Second-Generation Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2016 , 117, 1714-23	3	46
292	Effect of body mass index on short- and long-term outcomes after transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , 2013 , 111, 231-6	3	45
291	Comparable clinical outcomes with paclitaxel- and sirolimus-eluting stents in unrestricted contemporary practice. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 2320-8	15.1	45
290	Clinical outcomes of a real-world cohort following bioresorbable vascular scaffold implantation utilising an optimised implantation strategy. <i>EuroIntervention</i> , 2017 , 12, 1730-1737	3.1	45
289	Percutaneous coronary intervention for bifurcation coronary lesions: the 15 consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2021 , 16, 1307-1317	3.1	45
288	Stent thrombosis: incidence, predictors and new technologies. <i>Thrombosis</i> , 2012 , 2012, 956962		44
287	Incidence and management of restenosis after treatment of unprotected left main disease with drug-eluting stents 70 restenotic cases from a cohort of 718 patients: FAILS (Failure in Left Main Study). <i>Journal of the American College of Cardiology</i> , 2009 , 54, 1131-6	15.1	44
286	Trends in outcome after transfemoral transcatheter aortic valve implantation. <i>American Heart Journal</i> , 2013 , 165, 183-92	4.9	42
285	Long-term follow-up on a large cohort of "full-metal jacket" percutaneous coronary intervention procedures. <i>Circulation: Cardiovascular Interventions</i> , 2009 , 2, 416-22	6	42
284	Provisional vs. two-stent technique for unprotected left main coronary artery disease after ten years follow up: A propensity matched analysis. <i>International Journal of Cardiology</i> , 2016 , 211, 37-42	3.2	41
283	Clinical and angiographic outcomes after percutaneous recanalization of chronic total saphenous vein graft occlusion using modern techniques. <i>American Journal of Cardiology</i> , 2010 , 106, 1721-7	3	41
282	1-Year Clinical Outcomes in Women After Transcatheter Aortic Valve Replacement: Results From the First WIN-TAVI Registry. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1-12	5	40
281	Impact of sirolimus-eluting and Paclitaxel-eluting stents on outcome in patients with diabetes mellitus and stenting in more than one coronary artery. <i>American Journal of Cardiology</i> , 2006 , 98, 362-6	3	40

280	Impact of Strut Width in Periprocedural Myocardial Infarction: A Propensity-Matched Comparison Between Bioresorbable Scaffolds and the First-Generation Sirolimus-Eluting Stent. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 900-9	5	39
279	Clinical outcome following aleatory implantation of paclitaxel-eluting or sirolimus-eluting stents in complex coronary lesions. <i>American Journal of Cardiology</i> , 2005 , 96, 1663-8	3	39
278	Transcatheter valve-in-valve implantation with the Edwards SAPIEN in patients with bioprosthetic heart valve failure: the Milan experience. <i>EuroIntervention</i> , 2012 , 7, 1275-84	3.1	39
277	Long-term clinical outcomes after percutaneous coronary intervention versus coronary artery bypass grafting for ostial/midshaft lesions in unprotected left main coronary artery from the DELTA registry: a multicenter registry evaluating percutaneous coronary intervention versus coronary artery bypass grafting for left main treatment. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 354-61	5	38
276	SCAI consensus document on occupational radiation exposure to the pregnant cardiologist and technical personnel. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 77, 232-41	2.7	38
275	Preliminary experience with the Frontrunner coronary catheter: novel device dedicated to mechanical revascularization of chronic total occlusions. <i>Catheterization and Cardiovascular Interventions</i> , 2005 , 64, 146-52	2.7	37
274	Bivalirudin or unfractionated heparin in patients with acute coronary syndromes managed invasively with and without ST elevation (MATRIX): randomised controlled trial. <i>BMJ, The</i> , 2016 , 354, i4935	5.9	36
273	Comparison of VerifyNow-P2Y12 test and Flow Cytometry for monitoring individual platelet response to clopidogrel. What is the cut-off value for identifying patients who are low responders to clopidogrel therapy?. <i>Thrombosis Journal</i> , 2009 , 7, 4	5.6	36
272	Angiographic patterns of restenosis after paclitaxel-eluting stent implantation. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 805-6	15.1	36
271	Validation of predictors of intraprocedural stent thrombosis in the drug-eluting stent era. <i>American Journal of Cardiology</i> , 2005 , 95, 1466-8	3	36
270	Time-Dependent Associations Between Actionable Bleeding, Coronary Thrombotic Events, and Mortality Following Percutaneous Coronary Intervention: Results From the PARIS Registry. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1349-57	5	36
269	Safety and Efficacy of New-Generation Drug-Eluting Stents in Women Undergoing Complex Percutaneous Coronary Artery Revascularization: From the WIN-DES Collaborative Patient-Level Pooled Analysis. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 674-84	5	35
268	Incidence and Management of Restenosis After Treatment of Unprotected Left Main Disease With Second-Generation Drug-Eluting Stents (from Failure in Left Main Study With 2nd Generation Stents-Cardiogroup III Study). <i>American Journal of Cardiology</i> , 2017 , 119, 978-982	3	34
267	Short term versus long term dual antiplatelet therapy after implantation of drug eluting stent in patients with or without diabetes: systematic review and meta-analysis of individual participant data from randomised trials. <i>BMJ, The</i> , 2016 , 355, i5483	5.9	34
266	Cardiovascular health after menopause transition, pregnancy disorders, and other gynaecologic conditions: a consensus document from European cardiologists, gynaecologists, and endocrinologists. <i>European Heart Journal</i> , 2021 , 42, 967-984	9.5	34
265	A Practical Approach to the Management of Complications During Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1797-1810	5	34
264	Drug-Coated Balloons Versus Second-Generation Drug-Eluting Stents for the Management of Recurrent Multimetall-Layered In-Stent Restenosis. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1586-94	5	32
263	Machine learning-based prediction of adverse events following an acute coronary syndrome (PRAISE): a modelling study of pooled datasets. <i>Lancet, The</i> , 2021 , 397, 199-207	4.0	32

262	The role of drug-eluting balloons alone or in combination with drug-eluting stents in the treatment of de novo diffuse coronary disease. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 1153-9	5	31
261	Multicenter international registry of unprotected left main coronary artery percutaneous coronary intervention with drug-eluting stents in patients with myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2009 , 73, 15-21	2.7	30
260	Single-Antiplatelet Therapy in Patients with Contraindication to Dual-Antiplatelet Therapy After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2017 , 119, 1088-1093	3	29
259	Coronary Sinus Reducer Implantation for the Treatment of Chronic Refractory Angina: A Single-Center Experience. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 784-792	5	28
258	Clinical and angiographic follow-up of small vessel lesions treated with paclitaxel-eluting stents (from the TRUE Registry). <i>American Journal of Cardiology</i> , 2008 , 102, 1002-8	3	28
257	Observational multicentre registry of patients treated with IMPella mechanical circulatory support device in Italy: the IMP-IT registry. <i>EuroIntervention</i> , 2020 , 15, e1343-e1350	3.1	28
256	The European Bifurcation Club Left Main Study (EBC MAIN): rationale and design of an international, multicentre, randomised comparison of two stent strategies for the treatment of left main coronary bifurcation disease. <i>EuroIntervention</i> , 2016 , 12, 47-52	3.1	28
255	SCAI consensus document on occupational radiation exposure to the pregnant cardiologist and technical personnel. <i>EuroIntervention</i> , 2011 , 6, 866-74	3.1	28
254	Usefulness of Predilation Before Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2016 , 118, 107-12	3	28
253	Sex-Based Differences in Cessation of Dual-Antiplatelet Therapy Following Percutaneous Coronary Intervention With Stents. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1461-9	5	27
252	A "modified crossover technique" for vascular access management in high-risk patients undergoing transfemoral transcatheter aortic valve implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 81, 579-83	2.7	27
251	Impact of Clinical Presentation (Stable Angina Pectoris vs Unstable Angina Pectoris or Non-ST-Elevation Myocardial Infarction vs ST-Elevation Myocardial Infarction) on Long-Term Outcomes in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2415-22	3	26
250	Early and mid-term outcomes of 1904 patients undergoing transcatheter balloon-expandable valve implantation in Italy: results from the Italian Transcatheter Balloon-Expandable Valve Implantation Registry (ITER). <i>European Journal of Cardio-thoracic Surgery</i> , 2016 , 50, 1139-1148	3	26
249	Clinical expert consensus document on the use of percutaneous left ventricular assist support devices during complex high-risk indicated PCI: Italian Society of Interventional Cardiology Working Group Endorsed by Spanish and Portuguese Interventional Cardiology Societies. <i>International Journal of Cardiology</i> , 2019 , 293, 84-90	3.2	25
248	Balancing the Risk of Bleeding and Stroke in Patients With Atrial Fibrillation After Percutaneous Coronary Intervention (from the AVIATOR Registry). <i>American Journal of Cardiology</i> , 2015 , 116, 37-42	3	25
247	Italian Society of Interventional Cardiology (GISE) position paper for Cath lab-specific preparedness recommendations for healthcare providers in case of suspected, probable or confirmed cases of COVID-19. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 839-843	2.7	25
246	Frequency of slow coronary flow following successful stent implantation and effect of Nitroprusside. <i>American Journal of Cardiology</i> , 2007 , 99, 916-20	3	25
245	Impact of permanent pacemaker on mortality after transcatheter aortic valve implantation: the PRAGMATIC (Pooled Rotterdam-Milan-Toulouse in Collaboration) Pacemaker substudy. <i>EuroIntervention</i> , 2016 , 12, 1185-1193	3.1	25

244	The DELTA 2 Registry: A Multicenter Registry Evaluating Percutaneous Coronary Intervention With New-Generation Drug-Eluting Stents in Patients With Obstructive Left Main Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 2401-2410	5	25
243	Effect of Chronic Kidney Disease in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents: A Patient-Level Pooled Analysis of Randomized Controlled Trials. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 28-38	5	24
242	A comparison of the femoral and radial crossover techniques for vascular access management in transcatheter aortic valve implantation: the Milan experience. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, 156-61	2.7	24
241	Evaluation of intermediate coronary stenosis with intravascular ultrasound and fractional flow reserve: Its use and abuse. <i>Catheterization and Cardiovascular Interventions</i> , 2009 , 73, 441-8	2.7	24
240	Correlates and Impact of Coronary Artery Calcifications in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents: From the Women in Innovation and Drug-Eluting Stents (WIN-DES) Collaboration. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1890-901	5	23
239	Long-term outcomes of percutaneous coronary interventions or coronary artery bypass grafting for left main coronary artery disease in octogenarians (from a Drug-Eluting stent for Left main Artery registry substudy). <i>American Journal of Cardiology</i> , 2014 , 113, 2007-12	3	23
238	Successful percutaneous anterograde transcatheter valve-in-valve implantation in the mitral position. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 1246-7	5	23
237	Antigen-driven evolution of B lymphocytes in coronary atherosclerotic plaques. <i>Journal of Immunology</i> , 2009 , 183, 2537-44	5.3	23
236	Clinical outcomes after unrestricted implantation of everolimus-eluting stents. <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 1219-26	5	23
235	Clinical and procedural predictors of suboptimal outcome after the treatment of drug-eluting stent restenosis in the unprotected distal left main stem: the Milan and New-Tokyo (MITO) registry. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 491-8	6	23
234	Sirolimus-eluting and paclitaxel-eluting stents for the treatment of coronary bifurcations. <i>American Heart Journal</i> , 2008 , 156, 745-50	4.9	23
233	Early outcome of treatment of ostial de novo left anterior descending coronary artery lesions with drug-eluting stents. <i>American Journal of Cardiology</i> , 2006 , 97, 187-91	3	23
232	17-beta-estradiol eluting stent versus phosphorylcholine-coated stent for the treatment of native coronary artery disease. <i>American Journal of Cardiology</i> , 2005 , 96, 664-7	3	23
231	Impact of Angiographic Result After Predilatation on Outcome After Drug-Coated Balloon Treatment of In-Stent Coronary Restenosis. <i>American Journal of Cardiology</i> , 2016 , 118, 1460-1465	3	23
230	Transcatheter Aortic Valve Implantation in Patients With Advanced Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2017 , 119, 1438-1442	3	21
229	First Experience With the Coronary Sinus Reducer System for the Management of Refractory Angina in Patients Without Obstructive Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 1901-1903	5	21
228	Clinical outcomes following bioresorbable scaffold implantation for bifurcation lesions: Overall outcomes and comparison between provisional and planned double stenting strategy. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86, 644-52	2.7	21
227	The long-term clinical outcome of T-stenting and small protrusion technique for coronary bifurcation lesions. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 554-61	5	21

226	Comparison of sirolimus versus paclitaxel eluting stents for treatment of coronary in-stent restenosis. <i>American Journal of Cardiology</i> , 2006 , 97, 1182-7	3	21
225	Incidence of bleeding and compliance on prolonged dual antiplatelet therapy (aspirin + thienopyridine) following drug-eluting stent implantation. <i>American Journal of Cardiology</i> , 2008 , 102, 1477-81	3	20
224	Comparison of ticlopidine vs. clopidogrel in addition to aspirin after paclitaxel-eluting stent implantation: insights from the TRUE (Taxusin Real-life Usage Evaluation) Study. <i>International Journal of Cardiology</i> , 2006 , 108, 406-7	3.2	20
223	The European bifurcation club Left Main Coronary Stent study: a randomized comparison of stepwise provisional vs. systematic dual stenting strategies (EBC MAIN). <i>European Heart Journal</i> , 2021 , 42, 3829-3839	9.5	20
222	First- versus second-generation drug-eluting stents for the treatment of coronary bifurcations. <i>Cardiovascular Revascularization Medicine</i> , 2013 , 14, 311-5	1.6	19
221	Comparison of first- and second-generation drug-eluting stents in saphenous vein grafts used as aorto-coronary conduits. <i>American Journal of Cardiology</i> , 2013 , 112, 318-22	3	19
220	Clinical outcome and quality of life in octogenarians following transcatheter aortic valve implantation (TAVI) for symptomatic aortic stenosis. <i>International Journal of Cardiology</i> , 2013 , 168, 281-6 ^{3.2}	3.2	19
219	Two-year outcomes following unprotected left main stenting with first vs. new-generation drug-eluting stents: the FINE registry. <i>EuroIntervention</i> , 2013 , 9, 809-16	3.1	19
218	Procedural outcomes of patients with calcified lesions treated with bioresorbable vascular scaffolds. <i>EuroIntervention</i> , 2016 , 11, 1355-62	3.1	19
217	Effects of Body Mass Index on Clinical Outcomes in Female Patients Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents: Results From a Patient-Level Pooled Analysis of Randomized Controlled Trials. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 68-76	5	18
216	Aspirin intolerance and the need for dual antiplatelet therapy after stent implantation: a proposed alternative regimen. <i>International Journal of Cardiology</i> , 2013 , 165, 444-7	3.2	18
215	Managing patients with an indication for anticoagulant therapy after transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , 2013 , 111, 237-42	3	18
214	Long-term Safety and Efficacy of New-Generation Drug-Eluting Stents in Women With Acute Myocardial Infarction: From the Women in Innovation and Drug-Eluting Stents (WIN-DES) Collaboration. <i>JAMA Cardiology</i> , 2017 , 2, 855-862	16.2	18
213	Incidence of overall bleeding in patients treated with intra-aortic balloon pump during percutaneous coronary intervention: 12-year Milan experience. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 350-7	5	18
212	Impact of residual chronic total occlusion of right coronary artery on the long-term outcome in patients treated for unprotected left main disease: the Milan and New-Tokyo registry. <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, 154-60	6	18
211	Effectiveness of sirolimus-eluting stent implantation for treatment of in-stent restenosis after brachytherapy failure. <i>American Journal of Cardiology</i> , 2004 , 94, 351-4	3	18
210	Gender-based issues in interventional cardiology: a consensus statement from the Women in Innovations (WIN) initiative. <i>EuroIntervention</i> , 2010 , 5, 773-9	3.1	18
209	Impact of Mitral Annular Calcium on Outcomes after Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2017 , 120, 2233-2240	3	17

208	European Bifurcation Club white paper on stenting techniques for patients with bifurcated coronary artery lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 1067-1079	2.7	17
207	Computing Methods for Composite Clinical Endpoints in Unprotected Left Main Coronary Artery Revascularization: A Post Hoc Analysis of the DELTA Registry. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 2280-2288	5	17
206	Sirolimus-eluting stent implantation in diabetic patients with multivessel coronary artery disease. <i>American Heart Journal</i> , 2005 , 150, 807-13	4.9	17
205	Comparison of clinical and angiographic outcome of sirolimus-eluting stent implantation versus cutting balloon angioplasty for coronary in-stent restenosis. <i>American Journal of Cardiology</i> , 2004 , 94, 1297-300	3	17
204	Polymer-based paclitaxel-eluting coronary stents. Clinical results in de novo lesions. <i>Herz</i> , 2004 , 29, 147-51	5.1	17
203	Drug-eluting balloon versus second-generation drug-eluting stent for the treatment of restenotic lesions involving coronary bifurcations. <i>EuroIntervention</i> , 2016 , 11, 989-95	3.1	17
202	Procedural and Long-Term Outcomes of Bioresorbable Scaffolds Versus Drug-Eluting Stents in Chronic Total Occlusions: The BONITO Registry (Bioresorbable Scaffolds Versus Drug-Eluting Stents in Chronic Total Occlusions). <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	17
201	Optimal duration of dual antiplatelet therapy after second-generation drug-eluting stent implantation in patients with diabetes: The SECURITY (Second-Generation Drug-Eluting Stent Implantation Followed By Six- Versus Twelve-Month Dual Antiplatelet Therapy)-diabetes substudy. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 100-107	3.2	16
200	The role of intravascular ultrasound and quantitative angiography in the functional assessment of intermediate coronary lesions: correlation with fractional flow reserve. <i>Cardiovascular Revascularization Medicine</i> , 2014 , 15, 3-7	1.6	16
199	Impact of Mixed Aortic Valve Stenosis on VARC-2 Outcomes and Postprocedural Aortic Regurgitation in Patients Undergoing Transcatheter Aortic Valve Implantation: Results From the International Multicentric Study PRAGMATIC (Pooled Rotterdam-Milan-Toulouse in Collaboration). <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86, 875-85	2.7	16
198	Comparison of the long-term safety and efficacy of drug-eluting and bare-metal stent implantation in saphenous vein grafts. <i>Circulation: Cardiovascular Interventions</i> , 2010 , 3, 249-56	6	16
197	Recognition and management of complications during transcatheter aortic valve implantation. <i>Expert Review of Cardiovascular Therapy</i> , 2011 , 9, 913-26	2.5	16
196	Percutaneous transcatheter aortic valve implantation: past accomplishments, present achievements and applications, future perspectives. <i>Cardiology in Review</i> , 2010 , 18, 111-24	3.2	16
195	Long-Term (10 Years) Safety of Percutaneous Treatment of Unprotected Left Main Stenosis With Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2016 , 118, 32-9	3	16
194	Are we ready for a gender-specific approach in interventional cardiology?. <i>International Journal of Cardiology</i> , 2019 , 286, 226-233	3.2	16
193	Mid-term outcomes after percutaneous interventions in coronary bifurcations. <i>International Journal of Cardiology</i> , 2019 , 283, 78-83	3.2	16
192	Incidence, Patterns, and Associations Between Dual-Antiplatelet Therapy Cessation and Risk for Adverse Events Among Patients With and Without Diabetes Mellitus Receiving Drug-Eluting Stents: Results From the PARIS Registry. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 645-654	5	15
191	Female-specific survival advantage from transcatheter aortic valve implantation over surgical aortic valve replacement: Meta-analysis of the gender subgroups of randomised controlled trials including 3758 patients. <i>International Journal of Cardiology</i> , 2018 , 250, 66-72	3.2	15

190	Computed tomography predictors of mortality, stroke and conduction disturbances in women undergoing TAVR: A sub-analysis of the WIN-TAVI registry. <i>Journal of Cardiovascular Computed Tomography</i> , 2018 , 12, 338-343	2.8	15
189	Incidence, Patterns, and Impact of Dual Antiplatelet Therapy Cessation Among Patients With and Without Chronic Kidney Disease Undergoing Percutaneous Coronary Intervention: Results From the PARIS Registry (Patterns of Non-Adherence to Anti-Platelet Regimens in Stented Patients). <i>Circulation: Cardiovascular Interventions</i> , 2018 , 11, e006144	6	15
188	Long-Term Outcomes After Transcatheter Aortic Valve Implantation from a Single High-Volume Center (The Milan Experience). <i>American Journal of Cardiology</i> , 2016 , 117, 813-9	3	15
187	Drug-eluting balloon in the treatment of in-stent restenosis and diffuse coronary artery disease: real-world experience from our registry. <i>Journal of Interventional Cardiology</i> , 2014 , 27, 348-55	1.8	15
186	White Blood Cell Count and Major Adverse Cardiovascular Events After Percutaneous Coronary Intervention in the Contemporary Era: Insights From the PARIS Study (Patterns of Non-Adherence to Anti-Platelet Regimens in Stented Patients Registry). <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10	6	15
185	Long-term clinical outcomes following drug-eluting stent implantation for unprotected distal trifurcation left main disease: the Milan-New Tokyo (MITO) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, 530-8	2.7	15
184	"Procedural trauma risks longitudinal shortening of the Promus Element ³ stent platform". <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 81, 810-7	2.7	15
183	Comparison of long-term clinical and angiographic outcomes following implantation of bare metal stents and drug-eluting stents in aorto-ostial lesions. <i>American Journal of Cardiology</i> , 2011 , 108, 1055-60 ³		15
182	Gender-based issues in interventional cardiology: a consensus statement from the Women in Innovations (WIN) Initiative. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 75, 145-52	2.7	15
181	Angiographic analysis of pattern of late luminal loss in sirolimus- and paclitaxel-eluting stents. <i>American Journal of Cardiology</i> , 2007 , 99, 593-8	3	15
180	Treatment of unprotected left main coronary artery disease with drug-eluting stents: is it time for a randomized trial?. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2005 , 2, 396-400		15
179	Current decision making and short-term outcome in patients with degenerative aortic stenosis: the Pooled-Rotterdam-Milano-Toulouse In Collaboration Aortic Stenosis survey. <i>EuroIntervention</i> , 2016 , 11, e1305-13	3.1	15
178	Impact of gender on long-term mortality in patients with unprotected left main disease: The Milan and New-Tokyo (MITO) Registry. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 369-74	1.6	15
177	Risk of contrast-induced nephropathy in patients undergoing complex percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2019 , 290, 59-63	3.2	14
176	Usefulness of baseline activated clotting time-guided heparin administration in reducing bleeding events during transfemoral transcatheter aortic valve implantation. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 140-151	5	14
175	Treatment of iatrogenic occlusive coronary dissections: a novel approach. <i>EuroIntervention</i> , 2011 , 7, 106-11	3.1	14
174	Quality of life improvement is maintained up to two years after transcatheter aortic valve implantation in high-risk surgical candidates. <i>EuroIntervention</i> , 2012 , 8, 429-36	3.1	14
173	ACS and STEMI treatment: gender-related issues. <i>EuroIntervention</i> , 2012 , 8 Suppl P, P27-35	3.1	14

172	Feasibility of ultra-low contrast 64-slice computed tomography angiography before transcatheter aortic valve implantation: a real-world experience. <i>European Heart Journal Cardiovascular Imaging</i> , 2016 , 17, 24-33	4.1	13
171	Effect of Increasing Stent Length on 3-Year Clinical Outcomes in Women Undergoing Percutaneous Coronary Intervention With New-Generation Drug-Eluting Stents: Patient-Level Pooled Analysis of Randomized Trials From the WIN-DES Initiative. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 53-65	5	13
170	Comparison Between 1- and 2-Stent Strategies in Unprotected Distal Left Main Disease: The Milan and New-Tokyo Registry. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	13
169	The impact of main branch restenosis on long term mortality following drug-eluting stent implantation in patients with de novo unprotected distal left main bifurcation coronary lesions: the Milan and New-Tokyo (MITO) Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 84, 341-8	2.7	13
168	Is overdilatation of 3.0 mm sirolimus-eluting stent associated with a higher restenosis rate?. <i>Catheterization and Cardiovascular Interventions</i> , 2005 , 64, 129-33	2.7	13
167	Long-term follow-up (four years) of unprotected left main coronary artery disease treated with paclitaxel-eluting stents (from the TRUE Registry). <i>EuroIntervention</i> , 2010 , 5, 906-916	3.1	13
166	Bioresorbable Scaffolds for the Management of Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 989-1000	5	13
165	Does pre-existing aortic regurgitation protect from death in patients who develop paravalvular leak after TAVI?. <i>International Journal of Cardiology</i> , 2017 , 233, 52-60	3.2	12
164	Influence of baseline ejection fraction on the prognostic value of paravalvular leak after transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2015 , 190, 277-81	3.2	12
163	Impact of Kissing Balloon in Patients Treated With Ultrathin Stents for Left Main Lesions and Bifurcations: An Analysis From the RAIN-CARDIOGROUP VII Study. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e008325	6	12
162	Dual Antiplatelet Therapy Cessation and Adverse Events After Drug-Eluting Stent Implantation in Patients at High Risk for Atherothrombosis (from the PARIS Registry). <i>American Journal of Cardiology</i> , 2018 , 122, 1638-1646	3	12
161	Red blood cell distribution width predicts one-year mortality following transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2014 , 172, 456-7	3.2	12
160	Percutaneous valve replacement in a young adult for radiation-induced aortic stenosis. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 397-8	1.9	12
159	Long-term clinical outcomes after percutaneous coronary intervention versus coronary artery bypass grafting for acute coronary syndrome from the DELTA registry: a multicentre registry evaluating percutaneous coronary intervention versus coronary artery bypass grafting for left main treatment. <i>EuroIntervention</i> , 2016 , 12, e623-31	3.1	12
158	EAPCI Position Statement on Invasive Management of Acute Coronary Syndromes during the COVID-19 pandemic. <i>EuroIntervention</i> , 2020 , 16, 233-246	3.1	12
157	Impact of Final Kissing Balloon and of Imaging on Patients Treated on Unprotected Left Main Coronary Artery With Thin-Strut Stents (From the RAIN-CARDIOGROUP VII Study). <i>American Journal of Cardiology</i> , 2019 , 123, 1610-1619	3	12
156	Incidence, predictors, and outcomes of DAPT disruption due to non-compliance vs. bleeding after PCI: insights from the PARIS Registry. <i>Clinical Research in Cardiology</i> , 2019 , 108, 643-650	6.1	12
155	Comparison of percutaneous coronary intervention (with drug-eluting stents) versus coronary artery bypass grafting in women with severe narrowing of the left main coronary artery (from the Women-Drug-Eluting stent for Left main coronary Artery disease Registry). <i>American Journal of Cardiology</i> , 2014 , 113, 1348-55	3	11

154	Analysis of a Low Dose Protocol to Reduce Patient Radiation Exposure During Percutaneous Coronary Interventions. <i>American Journal of Cardiology</i> , 2017 , 119, 203-209	3	11
153	Short-versus long-term Dual Antiplatelet therapy after drug-eluting stent implantation in women versus men: A sex-specific patient-level pooled-analysis of six randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 178-189	2.7	11
152	Impact of Baseline Atrial Fibrillation on Outcomes Among Women Who Underwent Contemporary Transcatheter Aortic Valve Implantation (from the Win-TAVI Registry). <i>American Journal of Cardiology</i> , 2018 , 122, 1909-1916	3	11
151	The ratio of contrast volume to glomerular filtration rate predicts acute kidney injury and mortality after transcatheter aortic valve implantation. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 349-355	1.6	10
150	Influence of Baseline Anemia on Dual Antiplatelet Therapy Cessation and Risk of Adverse Events After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e007133	6	10
149	Predictive ability of the CHADS2 and CHA2DS2-VASc scores for stroke after transcatheter aortic balloon-expandable valve implantation: an Italian Transcatheter Balloon-Expandable Valve Implantation Registry (ITER) sub-analysis. <i>European Journal of Cardio-thoracic Surgery</i> , 2016 , 50, 867-873	3	10
148	Impact of proton pump inhibitors and dual antiplatelet therapy cessation on outcomes following percutaneous coronary intervention: Results From the PARIS Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, E217-E225	2.7	10
147	SCAI consensus document on occupational radiation exposure to the pregnant cardiologist and technical personnel. <i>Heart Lung and Circulation</i> , 2011 , 20, 83-90	1.8	10
146	Treatment of drug-eluting stent restenosis: Comparison between drug-eluting balloon versus second-generation drug-eluting stents from a retrospective observational study. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 88, 522-528	2.7	10
145	Platelet reactivity in response to loading dose of atorvastatin or rosuvastatin in patients with stable coronary disease before percutaneous coronary intervention: The STATIPLAT randomized study. <i>Clinical Cardiology</i> , 2017 , 40, 605-611	3.3	9
144	Radial Versus Femoral Access for the Treatment of Left Main Lesion in the Era of Second-Generation Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2017 , 120, 33-39	3	9
143	Bleeding Risk, Dual Antiplatelet Therapy Cessation, and Adverse Events After Percutaneous Coronary Intervention: The PARIS Registry. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e008226	6	9
142	Safety and Efficacy of New-Generation Drug-Eluting Stents in Women at High Risk for Atherothrombosis: From the Women in Innovation and Drug-Eluting Stents Collaborative Patient-Level Pooled Analysis. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9, e002995	6	9
141	Very long-term outcomes following drug-eluting stent implantation for unprotected left main coronary artery stenosis: a single center experience. <i>Revista Espanola De Cardiologia</i> , 2013 , 66, 24-33	1.5	9
140	Discrepancies in vessel sizing between angiography and intravascular ultrasound varies according to the vessel evaluated. <i>International Journal of Cardiology</i> , 2013 , 168, 3791-6	3.2	9
139	Early Outcomes With Direct Flow Medical Versus First-Generation Transcatheter Aortic Valve Devices: A Single-Center Propensity-Matched Analysis. <i>Journal of Interventional Cardiology</i> , 2015 , 28, 583-93	1.8	9
138	Single-stent crossover technique from distal unprotected left main coronary artery to the left circumflex artery. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 82, 757-64	2.7	9
137	Impact of mean platelet volume on combined safety endpoint and vascular and bleeding complications following percutaneous transfemoral transcatheter aortic valve implantation. <i>BioMed Research International</i> , 2013 , 2013, 645265	3	9

136	Renal function and drug-eluting stent. <i>International Journal of Cardiology</i> , 2010 , 142, 92-4	3.2	9
135	Joint EAPCI/ACVC expert consensus document on percutaneous ventricular assist devices. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 570-583	4.3	9
134	Impact of post-procedural hyperglycemia on acute kidney injury after transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2016 , 221, 892-7	3.2	9
133	Patterns and associations between DAPT cessation and 2-year clinical outcomes in left main/proximal LAD versus other PCI: Results from the Patterns of Non-Adherence to Dual Antiplatelet Therapy in Stented Patients (PARIS) registry. <i>International Journal of Cardiology</i> , 2017 , 212, 132-138	3.2	8
132	Comparison of paclitaxel drug-eluting balloon and paclitaxel-eluting stent in small coronary vessels in diabetic and nondiabetic patients - results from the BELLO (balloon elution and late loss optimization) trial. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 4-9	1.6	8
131	Long-term follow-up of covered stent implantation for various coronary artery diseases. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, 571-577	2.7	8
130	Mid-term clinical outcomes after bailout drug-eluting stenting for suboptimal drug-coated balloon results: Insights from a Milan registry. <i>International Journal of Cardiology</i> , 2018 , 263, 17-23	3.2	8
129	Provisional versus elective two-stent strategy for unprotected true left main bifurcation lesions: Insights from a FAILS-2 sub-study. <i>International Journal of Cardiology</i> , 2018 , 250, 80-85	3.2	8
128	Long-term outcomes following mini-crush versus culotte stenting for the treatment of unprotected left main disease: Insights from the milan and New-Tokyo (MITO) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 13-24	2.7	8
127	Clinical outcomes following protected carotid artery stenting in symptomatic and asymptomatic patients. <i>Journal of Endovascular Therapy</i> , 2010 , 17, 298-307	2.5	8
126	CROSSER As First choice for crossing Totally occluded coronary arteries (CRAFT Registry): focus on conventional angiography and computed tomography angiography predictors of success. <i>EuroIntervention</i> , 2011 , 7, 480-6	3.1	8
125	Drug-eluting stent implantation in patients with acute coronary syndrome - the Activity of Platelets after Inhibition and Cardiovascular Events: Optical Coherence Tomography (APICE OCT) study. <i>EuroIntervention</i> , 2014 , 10, 916-23	3.1	8
124	Comparisons of the uptake and in-hospital outcomes associated with second-generation drug-eluting stents between men and women: results from the CathPCI Registry. <i>Coronary Artery Disease</i> , 2016 , 27, 442-8	1.4	8
123	Impact of coronary artery disease and percutaneous coronary intervention in women undergoing transcatheter aortic valve replacement: From the WIN-TAVI registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 1124-1131	2.7	8
122	Daily risk of adverse outcomes in patients undergoing complex lesions revascularization: A subgroup analysis from the RAIN-CARDIOGROUP VII study (very thin stents for patients with left main or bifurcation in real life). <i>International Journal of Cardiology</i> , 2019 , 290, 64-69	3.2	7
121	Revascularization Options for Females With Multivessel Coronary Artery Disease: A Meta-Analysis of Randomized Controlled Trials. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 1009-1010	5	7
120	One-year outcome of biolimus eluting stent with biodegradable polymer in all comers: the Italian Nobori Stent Prospective Registry. <i>International Journal of Cardiology</i> , 2014 , 177, 11-6	3.2	7
119	Acute stent recoil from aggressive post-dilation of a second-generation drug-eluting stent. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 311-3	5	7

118	Transapical aortic valve replacement is a safe option in patients with poor left ventricular ejection fraction: results from the Italian Transcatheter Balloon-Expandable Registry (ITER). <i>European Journal of Cardio-thoracic Surgery</i> , 2017 , 52, 874-880	3	7
117	Causes, Timing, and Impact of Dual Antiplatelet Therapy Interruption for Surgery (from the Patterns of Non-adherence to Anti-platelet Regimens In Stented Patients Registry). <i>American Journal of Cardiology</i> , 2017 , 120, 904-910	3	7
116	First generation versus new generation drug-eluting stents for the treatment of ostial/midshaft lesions in unprotected left main coronary artery: the Milan and New-Tokyo (MITO) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 85, E63-9	2.7	7
115	Drug-eluting stent outcomes in diabetes. <i>Expert Review of Cardiovascular Therapy</i> , 2014 , 12, 95-109	2.5	7
114	Creatine kinase-myocardial band isoenzyme elevation after percutaneous coronary interventions using sirolimus-eluting stents. <i>American Journal of Cardiology</i> , 2004 , 93, 1397-401, A9	3	7
113	Percutaneous coronary and structural interventions in women: a position statement from the EAPCI Women Committee. <i>EuroIntervention</i> , 2018 , 14, e1227-e1235	3.1	7
112	Diabetic patients treated for unprotected left main coronary artery disease with drug eluting stents: a 3-year clinical outcome study. The diabetes and drug eluting stent for LeFT main registry (D-DELFT). <i>EuroIntervention</i> , 2008 , 4, 77-83	3.1	7
111	Impella RP support in refractory right ventricular failure complicating acute myocardial infarction with unsuccessful right coronary artery revascularization. <i>International Journal of Cardiology</i> , 2020 , 302, 135-137	3.2	7
110	Clinical relevance of ticagrelor monotherapy following 1-month dual antiplatelet therapy after bifurcation percutaneous coronary intervention: Insight from GLOBAL LEADERS trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 100-111	2.7	7
109	Dual-Antiplatelet Therapy Cessation and Cardiovascular Risk in Relation to Age: Analysis From the PARIS Registry. <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, 983-992	5	6
108	Incidence, determinants and clinical impact of definite stent thrombosis on mortality in women: From the WIN-DES collaborative patient-level pooled analysis. <i>International Journal of Cardiology</i> , 2018 , 263, 24-28	3.2	6
107	Comparison of abluminal biodegradable polymer biolimus-eluting stents and durable polymer everolimus-eluting stents in the treatment of coronary bifurcations. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, 889-95	2.7	6
106	Mid-term clinical outcomes of ABSORB bioresorbable vascular scaffold versus everolimus-eluting stent for coronary bifurcation lesions. <i>International Journal of Cardiology</i> , 2017 , 246, 26-31	3.2	6
105	Prognostic Significance of Change in the Left Ventricular Ejection Fraction After Transcatheter Aortic Valve Implantation in Patients With Severe Aortic Stenosis and Left Ventricular Dysfunction. <i>American Journal of Cardiology</i> , 2017 , 120, 1639-1647	3	6
104	Incidence of Adverse Events at 3 Months Versus at 12 Months After Dual Antiplatelet Therapy Cessation in Patients Treated With Thin Stents With Unprotected Left Main or Coronary Bifurcations. <i>American Journal of Cardiology</i> , 2020 , 125, 491-499	3	6
103	Clinical outcomes following bifurcation double-stenting with bioresorbable scaffolds. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 88, 854-862	2.7	6
102	Transcatheter aortic valve implantation in intermediate- and low-risk populations: An inevitable progression?. <i>International Journal of Cardiology</i> , 2016 , 210, 35-7	3.2	6
101	Unplanned Percutaneous Coronary Revascularization After TAVR: A Multicenter International Registry. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 198-207	5	6

100	Performing elective cardiac invasive procedures during the COVID-19 outbreak: a position statement from the European Association of Percutaneous Cardiovascular Interventions (EAPCI). <i>EuroIntervention</i> , 2021 , 16, 1177-1186	3.1	6
99	Definite stent thrombosis after drug-eluting stent implantation in coronary bifurcation lesions: A meta-analysis of 3,107 patients from 14 randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 680-691	2.7	6
98	Interatrial Septal Tear After Patent Foramen Ovale Closure With the NobleStitch Device. <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, e139-e140	5	5
97	Five-year evolution of mild aortic regurgitation following transcatheter aortic valve implantation: early insights from a single-centre experience. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2017 , 25, 75-82	1.8	5
96	Elección de intervención coronaria percutánea o bypass en la enfermedad coronaria multivaso. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 428-431	1.5	5
95	Left main thrombotic occlusion following balloon aortic valvuloplasty for severe aortic stenosis. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 759.e13-5	3.8	5
94	Cuestiones relativas al sexo en cardiología intervencionista: declaración de consenso de la iniciativa Women in Innovations (WIN). <i>Revista Espanola De Cardiologia</i> , 2010 , 63, 200-208	1.5	5
93	Drug eluting stents: focus on Cypher sirolimus-eluting coronary stents in the treatment of patients with bifurcation lesions. <i>Vascular Health and Risk Management</i> , 2007 , 3, 441-51	4.4	5
92	First-in-human evaluation of a novel sirolimus-eluting ultra-high molecular weight APTITUDE bioresorbable scaffold: 9- and 24-month imaging and clinical results of the RENASCENT II trial. <i>EuroIntervention</i> , 2020 , 16, e133-e140	3.1	5
91	Impact of structural features of very thin stents implanted in unprotected left main or coronary bifurcations on clinical outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 1-9	2.7	5
90	Prevalence, predictors, and outcomes of patient prosthesis mismatch in women undergoing TAVI for severe aortic stenosis: Insights from the WIN-TAVI registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, 516-526	2.7	5
89	The impact of chronic kidney disease in women undergoing transcatheter aortic valve replacement: Analysis from the Women's International Transcatheter Aortic Valve Implantation (WIN-TAVI) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 198-207	2.7	4
88	Clinical outcomes following target lesion revascularization for bioresorbable scaffold failure. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 832-6	2.7	4
87	Impact of renal dysfunction on long-term mortality in patients with unprotected left main disease: Milan and New-Tokyo (MITO) Registry. <i>International Journal of Cardiology</i> , 2014 , 177, 1131-3	3.2	4
86	Long-term follow-up of multivessel percutaneous coronary intervention with drug-eluting stents for de novo lesions with correlation to the SYNTAX score. <i>Cardiovascular Revascularization Medicine</i> , 2011 , 12, 220-7	1.6	4
85	Prolonged double antiplatelet therapy in a cohort of "de novo" diabetic patients treated with drug-eluting stent implantation. <i>American Journal of Cardiology</i> , 2010 , 105, 1395-401	3	4
84	Response to Letters Regarding Article, Percutaneous Treatment With Drug-Eluting Stent Implantation Versus Bypass Surgery for Unprotected Left Main Stenosis: A Single-Center Experience. <i>Circulation</i> , 2006 , 114,	16.7	4
83	Initial experience with a new 8 French-compatible directional atherectomy catheter: immediate and mid-term results. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 60, 159-66	2.7	4

82	Sex and Transcatheter Aortic Valve Implantation: Impact of Female Sex on Clinical Outcomes. <i>Interventional Cardiology Review</i> , 2019 , 14, 137-141	4.2	4
81	Edwards SAPIEN Versus Medtronic Aortic Bioprosthesis in Women Undergoing Transcatheter Aortic Valve Implantation (from the Win-TAVI Registry). <i>American Journal of Cardiology</i> , 2020 , 125, 441-448	3.48	4
80	Impact of Discharge Location After Transcatheter Aortic Valve Replacement on 1-Year Outcomes in Women: Results From the WIN-TAVI Registry. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 199-207	3.8	4
79	Device-related complications after Impella mechanical circulatory support implantation: an IMP-IT observational multicentre registry substudy. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 999-1006	4.3	4
78	The importance of achieving sex- and gender-based equity in clinical trials: a call to action. <i>European Heart Journal</i> , 2021 , 42, 2990-2994	9.5	4
77	Is There Still a Survival Advantage to Bypass Surgery Over Percutaneous Intervention in the Modern Era?. <i>Progress in Cardiovascular Diseases</i> , 2015 , 58, 335-41	8.5	3
76	Rationale and design of a prospective, randomized, controlled, multicenter study to evaluate the safety and efficacy of transcatheter heart valve replacement in female patients with severe symptomatic aortic stenosis requiring aortic valve intervention (Randomized research in womEn all comers with Aortic stenosis [RHEIA] trial). <i>American Heart Journal</i> , 2020 , 228, 27-35	4.9	3
75	Preliminary Report of Clinical Outcomes After Single Crossover Bioresorbable Scaffold Implantation Without Routine Side Branch Strut Dilation. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 88, 865-870	2.7	3
74	Impact of Diabetes Mellitus in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e007734	6	3
73	Tardive coronary obstruction by a native leaflet after transcatheter aortic valve replacement in a patient with heavily calcified aortic valve stenosis. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, e105-7	5	3
72	Elective Double Stenting for Left Main Coronary Artery Bifurcation Lesions 2010 , 149-192		3
71	T-Stenting With Small Protrusion: The Default Strategy for Bailout Provisional Stenting?. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1853-4	5	3
70	Tailoring Antiplatelet Therapy Intensity to Ischemic and Bleeding Risk. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019 , 12, e004945	5.8	3
69	Patterns and Impact of Dual Antiplatelet Cessation on Cardiovascular Risk After Percutaneous Coronary Intervention in Patients With Acute Coronary Syndromes. <i>American Journal of Cardiology</i> , 2019 , 123, 709-716	3	3
68	Safety and efficacy of polymer-free biolimus-eluting stents versus ultrathin stents in unprotected left main or coronary bifurcation: A propensity score analysis from the RAIN and CHANCE registries. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 95, 522-529	2.7	3
67	Preprocedural anemia in females undergoing transcatheter aortic valve implantation: Insights from the WIN-TAVI registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E704-E715	2.7	3
66	Safety and feasibility of Bivalirudin with either Cypher and Taxus drug-eluting stent during percutaneous coronary intervention. <i>EuroIntervention</i> , 2005 , 1, 70-4	3.1	3
65	Bioresorbable Vascular Scaffolds and Very Late Scaffold Thrombosis: Searching an Explanation and a Solution. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 745-746	5	2

64	Impact and natural history of postprocedural aortic regurgitation on early and midterm mortality following transcatheter aortic valve implantation in high-risk patients with severe aortic stenosis. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16, 286-95	1.9	2
63	Geographical Variations in Patterns of DAPT Cessation and Two-Year PCI Outcomes: Insights from the PARIS Registry. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 1704-1711	7	2
62	Expansion in calcific lesions and overall clinical outcomes following bioresorbable scaffold implantation optimized with intravascular ultrasound. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 789-797	2.7	2
61	Bioresorbable scaffolds for the treatment of complex lesions: are we there yet?. <i>Interventional Cardiology</i> , 2015 , 7, 35-54	3	2
60	Beta-radiation therapy for long lesions in native coronary vessels: a matched comparison between de novo and in-stent restenotic lesions. <i>Cardiovascular Radiation Medicine</i> , 2003 , 4, 18-24		2
59	Pericardium-covered stent: a reality for coronary interventions of the future?. <i>Interventional Cardiology</i> , 2012 , 4, 411-418	3	2
58	Coronary artery bypass graft versus percutaneous coronary intervention with drug-eluting stent implantation for diabetic patients with unprotected left main coronary artery disease: the D-DELTA registry. <i>EuroIntervention</i> , 2013 , 9, 803-8	3.1	2
57	Incidence, predictors and clinical impact of permanent pacemaker insertion in women following transcatheter aortic valve implantation: Insights from a prospective multinational registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, E908-E917	2.7	2
56	Clinical outcomes following bioresorbable scaffold implantation in small vessels. <i>International Journal of Cardiology</i> , 2016 , 207, 59-61	3.2	2
55	Resource utilization for transfemoral transcatheter aortic valve replacement: An international comparison. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 145-51	2.7	2
54	New-generation drug-eluting stents for left main coronary artery disease according to the EXCEL trial enrollment criteria: Insights from the all-comers, international, multicenter DELTA-2 registry. <i>International Journal of Cardiology</i> , 2019 , 280, 30-37	3.2	2
53	Residual angina in female patients after coronary revascularization. <i>International Journal of Cardiology</i> , 2019 , 286, 208-213	3.2	2
52	Comparison between functional and intravascular imaging approaches guiding percutaneous coronary intervention: A network meta-analysis of randomized and propensity matching studies. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 95, 1259-1266	2.7	2
51	Accuracy of the PARIS score and PCI complexity to predict ischemic events in patients treated with very thin stents in unprotected left main or coronary bifurcations. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E227-E236	2.7	2
50	New-Generation Drug-Eluting Stents for Left Main In-Stent Restenosis: The DELTA-2 Registry. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 2438-2440	5	2
49	A comparison of the fully repositionable and retrievable Boston Lotus and direct flow medical valves for the treatment of severe aortic stenosis: A single center experience. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 91, 966-974	2.7	1
48	Incidence and significance of side branch occlusions following bioresorbable scaffold implantation for long left anterior descending artery lesions. <i>International Journal of Cardiology</i> , 2016 , 222, 674-675	3.2	1
47	Left Main Percutaneous Coronary Intervention. <i>Interventional Cardiology Clinics</i> , 2016 , 5, 125-134	1.4	1

46	A new tool to manage side-branch occlusion after covered-stent implantation for vascular complications: the neocarina reconstruction technique. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 893-4	5	1
45	Very Long-term Outcomes Following Drug-eluting Stent Implantation for Unprotected Left Main Coronary Artery Stenosis: A Single Center Experience. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013 , 66, 24-33	0.7	1
44	Dual Antiplatelet Therapy After Bioresorbable Vascular Scaffold Implantation: Insights From the Milan Cohort. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 1471-1472	5	1
43	PlaCor PRT measurement of shear-activated platelet aggregate formation in stable patients treated with single and dual antiplatelet therapy. <i>Platelets</i> , 2014 , 25, 337-42	3.6	1
42	SCAI Expert Consensus Statement on Sex-Specific Considerations in Myocardial Revascularization 2022 , 100016		1
41	Tools & techniques: left main coronary artery percutaneous coronary intervention. <i>EuroIntervention</i> , 2011 , 6, 1020-1	3.1	1
40	Impact of the metal-to-artery ratio on clinical outcomes in left main and nonleft main bifurcation: insights the RAIN-CARDIOGROUP VII study (veRy thin stents for patients with left mAIn or bifurcationN in real life). <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 669-674	1.9	1
39	A challenging case of transcatheter aortic prosthesis dysfunction: Endocarditis or thrombosis?. <i>International Journal of Cardiology</i> , 2016 , 214, 500-1	3.2	1
38	Clinical outcomes of double stent strategy for unprotected left main distal bifurcation lesions using current generation drug eluting stent comparing to early generation drug eluting stent; The Milan and New Tokyo (MITO) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E198-E208	2.7	1
37	T and Small Protrusion (TAP) vs Double-Kissing Crush Technique: Insights From In Vitro Models. <i>Cardiovascular Revascularization Medicine</i> , 2021 , 24, 11-17	1.6	1
36	The importance of proximal optimization technique with intravascular imaging guided for stenting unprotected left main distal bifurcation lesions: The Milan and New-Tokyo registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, E814-E822	2.7	1
35	Sex Differences in Outcomes After Percutaneous Coronary Intervention or Coronary Artery Bypass Graft for Left Main Disease: From the DELTA Registries.. <i>Journal of the American Heart Association</i> , 2022 , e022320	6	1
34	Anticoagulation for Percutaneous Ventricular Assist Device-Supported Cardiogenic Shock: JACC Review Topic of the Week.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 1949-1962	15.1	1
33	Comparison of bioresorbable vs durable polymer drug-eluting stents in unprotected left main (from the RAIN-CARDIOGROUP VII Study). <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 225	2.3	0
32	Safety and efficacy of different P2Y12 inhibitors in patients with acute coronary syndromes stratified by the PRAISE risk score: a multi-center study.. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022 ,	4.6	0
31	Risk-Benefit of 1-Year DAPT After DES Implantation in Patients Stratified by Bleeding and Ischemic Risk. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 1968-1986	15.1	0
30	Clinical impact of bifurcation angle change between diastole and systole in complex stenting for left main distal bifurcation: The Milan and New-Tokyo (MITO) Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, E24-E34	2.7	0
29	RENASCENT III: First in Human Evaluation of the Novel Thin Strut MAGNITUDE Sirolimus-Eluting Ultra-High Molecular Weight MAGNITUDE Bioresorbable Scaffold: 9-Month Imaging and 2-Year Clinical Results. <i>Circulation: Cardiovascular Interventions</i> , 2021 , 14, e010013	6	0

28	Self-expandable sirolimus-eluting stents compared to second-generation drug-eluting stents for the treatment of the left main: A propensity score analysis from the SPARTA and the FAILS-2 registries. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 208-215	2.7	o
27	Impact of diabetes mellitus on female subjects undergoing transcatheter aortic valve implantation: Insights from the WIN-TAVI international registry. <i>International Journal of Cardiology</i> , 2021 , 322, 65-69	3.2	o
26	Gender Issues in Italian Catheterization Laboratories: The Gender-CATH Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e017537	6	o
25	The Unforgettable Cornerstone: Role of Ticlopidine in Developing Current Antithrombotic Treatment After Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 755-756	15.1	
24	Transarterial Endoleak Closure After Endovascular Thoracoabdominal Aneurysm Repair: When the "Sandwich" Goes Wrong. <i>Journal of Endovascular Therapy</i> , 2016 , 23, 220-4	2.5	
23	Emergency PTCA or CABG for Left Main Disease? 2014 , 179-186		
22	Reperfusion in women with STEMI: a date not to be late!. <i>Revista Brasileira De Cardiologia Invasiva (English Edition)</i> , 2015 , 23, 4-5		
21	Diabetes and everolimus-eluting stents: what we know and what is still missing. Insights from subanalysis of the SORT OUT IV trial. <i>Expert Review of Cardiovascular Therapy</i> , 2013 , 11, 151-4	2.5	
20	Reply: Noninferiority of 6 Versus 12 Months of Dual Antiplatelet Therapy: SECURITY Did Not Establish Noninferiority. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 2360-1	15.1	
19	Optimal medical treatment: is it the worst option in multivessel coronary disease? Response. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 1075	0.7	
18	Tratamiento médico óptimo: ¿es la peor opción en la enfermedad coronaria multivazo? Respuesta. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 1075	1.5	
17	Stent thrombosis after kissing balloons. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 1290-1	5	
16	Impact of optimal medical therapy and percutaneous coronary intervention on patients with stable angina. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2009 , 6, 92-3		
15	Rebuttal: Response to Dr. Morton Kern. <i>Catheterization and Cardiovascular Interventions</i> , 2009 , 74, 814-814		
14	Drug-eluting stents: What is the balance of risks and benefits?. <i>Current Cardiovascular Risk Reports</i> , 2007 , 1, 279-283	0.9	
13	How long should dual antiplatelet therapy be continued following implantation of drug eluting stents?. <i>Annals of Translational Medicine</i> , 2015 , 3, S10	3.2	
12	Sirolimus-eluting stents 2005 , 3-10		
11	Left Main Stem Disease 2015 , 2205-2217		

10 Technical Aspects of Left Main Stem Percutaneous Coronary Intervention **2015**, 237-253

9 Bifurcations: Tips and Tricks **2016**, 215-219

8 Percutaneous Coronary Intervention in Unprotected Left Main 280-297

7 Current guidelines for the use of drug-eluting stents **2012**, 60-69

6 How should I treat a left main spontaneous dissection involving left anterior descending artery, intermediate branch artery and left circumflex artery?. *EuroIntervention*, **2013**, 9, 285-9 3.1

5 Left Main Stem Disease **2014**, 1-16

4 Percutaneous Transjugular Tricuspid Valve-In-Valve Implantation for Degenerated Surgical Bioprosthetic Valve. *Cardiovascular Revascularization Medicine*, **2020**, 21, 808-809 1.6

3 Percutaneous Coronary Intervention in Unprotected Left Main **2016**, 168-174

2 Post-stenting optimisation techniques in bifurcation percutaneous coronary interventions: much remains to be explored. *EuroIntervention*, **2021**, 17, e869-e871 3.1

1 STEMI and a Closer Look at MINOCA During the COVID-19 Pandemic **2022**, 100372