

Alaide Chieffo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4074118/alaide-chieffo-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

387 papers	20,322 citations	68 h-index	133 g-index
406 ext. papers	25,838 ext. citations	4.8 avg, IF	6.03 L-index

#	Paper	IF	Citations
387	Safety and efficacy of different P2Y12 inhibitors in patients with acute coronary syndromes stratified by the PRAISE risk score: a multi-center study.. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022 ,	4.6	0
386	SCAI Expert Consensus Statement on Sex-Specific Considerations in Myocardial Revascularization 2022 , 100016		1
385	Sex Differences in Outcomes After Percutaneous Coronary Intervention or Coronary Artery Bypass Graft for Left Main Disease: From the DELTA Registries.. <i>Journal of the American Heart Association</i> , 2022 , e022320	6	1
384	Anticoagulation for Percutaneous Ventricular Assist Device-Supported Cardiogenic Shock: JACC Review Topic of the Week.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 1949-1962	15.1	1
383	STEMIs and a Closer Look at MINOCA During the COVID-19 Pandemic 2022 , 100372		
382	Risk-Benefit of 1-Year DAPT After DES Implantation in Patients Stratified by Bleeding and Ischemic Risk. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 1968-1986	15.1	0
381	Clinical impact of bifurcation angle change between diastole and systole in complex stenting for left main distal bifurcation: The Milan and New-Tokyo (MITO) Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, E24-E34	2.7	0
380	Percutaneous coronary intervention for bifurcation coronary lesions: the 15 consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2021 , 16, 1307-1317	3.1	45
379	The Lancet women and cardiovascular disease Commission: reducing the global burden by 2030. <i>Lancet, The</i> , 2021 , 397, 2385-2438	40	80
378	RENASCENT III: First in Human Evaluation of the Novel Thin Strut MAGNITUDE Sirolimus-Eluting Ultra-High Molecular Weight MAGNITUDE Bioresorbable Scaffold: 9-Month Imaging and 2-Year Clinical Results. <i>Circulation: Cardiovascular Interventions</i> , 2021 , 14, e010013	6	0
377	The European bifurcation club Left Main Coronary Stent study: a randomized comparison of stepwise provisional vs. systematic dual stenting strategies (EBC MAIN). <i>European Heart Journal</i> , 2021 , 42, 3829-3839	9.5	20
376	Joint EAPCI/ACVC expert consensus document on percutaneous ventricular assist devices. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 570-583	4.3	9
375	Incidence, predictors and clinical impact of permanent pacemaker insertion in women following transcatheter aortic valve implantation: Insights from a prospective multinational registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, E908-E917	2.7	2
374	Clinical outcomes of double stent strategy for unprotected left main distal bifurcation lesions using current generation drug eluting stent comparing to early generation drug eluting stent; The Milan and New Tokyo (MITO) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E198-E208	2.7	1
373	Accuracy of the PARIS score and PCI complexity to predict ischemic events in patients treated with very thin stents in unprotected left main or coronary bifurcations. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E227-E236	2.7	2
372	T and Small Protrusion (TAP) vs Double-Kissing Crush Technique: Insights From In Vitro Models. <i>Cardiovascular Revascularization Medicine</i> , 2021 , 24, 11-17	1.6	1
371	Impact of diabetes mellitus on female subjects undergoing transcatheter aortic valve implantation: Insights from the WIN-TAVI international registry. <i>International Journal of Cardiology</i> , 2021 , 322, 65-69	3.2	0

370	Preprocedural anemia in females undergoing transcatheter aortic valve implantation: Insights from the WIN-TAVI registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E704-E715	2.7	3
369	Prevalence, predictors, and outcomes of patient prosthesis mismatch in women undergoing TAVI for severe aortic stenosis: Insights from the WIN-TAVI registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, 516-526	2.7	5
368	2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. <i>European Heart Journal</i> , 2021 , 42, 1289-1367	9.5	920
367	Unplanned Percutaneous Coronary Revascularization After TAVR: A Multicenter International Registry. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 198-207	5	6
366	Cardiovascular health after menopause transition, pregnancy disorders, and other gynaecologic conditions: a consensus document from European cardiologists, gynaecologists, and endocrinologists. <i>European Heart Journal</i> , 2021 , 42, 967-984	9.5	34
365	Machine learning-based prediction of adverse events following an acute coronary syndrome (PRAISE): a modelling study of pooled datasets. <i>Lancet, The</i> , 2021 , 397, 199-207	4.0	32
364	Performing elective cardiac invasive procedures during the COVID-19 outbreak: a position statement from the European Association of Percutaneous Cardiovascular Interventions (EAPCI). <i>EuroIntervention</i> , 2021 , 16, 1177-1186	3.1	6
363	Gender Issues in Italian Catheterization Laboratories: The Gender-CATH Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e017537	6	0
362	Device-related complications after Impella mechanical circulatory support implantation: an IMP-IT observational multicentre registry substudy. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 999-1006	4.3	4
361	The importance of achieving sex- and gender-based equity in clinical trials: a call to action. <i>European Heart Journal</i> , 2021 , 42, 2990-2994	9.5	4
360	The importance of proximal optimization technique with intravascular imaging guided for stenting unprotected left main distal bifurcation lesions: The Milan and New-Tokyo registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, E814-E822	2.7	1
359	Post-stenting optimisation techniques in bifurcation percutaneous coronary interventions: much remains to be explored. <i>EuroIntervention</i> , 2021 , 17, e869-e871	3.1	
358	Comparison of bioresorbable vs durable polymer drug-eluting stents in unprotected left main (from the RAIN-CARDIOGROUP VII Study). <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 225	2.3	0
357	EAPCI Position Statement on Invasive Management of Acute Coronary Syndromes during the COVID-19 pandemic. <i>European Heart Journal</i> , 2020 , 41, 1839-1851	9.5	76
356	European Bifurcation Club white paper on stenting techniques for patients with bifurcated coronary artery lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 1067-1079	2.7	17
355	Bleeding Risk, Dual Antiplatelet Therapy Cessation, and Adverse Events After Percutaneous Coronary Intervention: The PARIS Registry. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e008226	6	9
354	Italian Society of Interventional Cardiology (GISE) position paper for Cath lab-specific preparedness recommendations for healthcare providers in case of suspected, probable or confirmed cases of COVID-19. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 839-843	2.7	25
353	Revascularization Options for Females With Multivessel Coronary Artery Disease: A Meta-Analysis of Randomized Controlled Trials. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 1009-1010	5	7

352	Rationale and design of a prospective, randomized, controlled, multicenter study to evaluate the safety and efficacy of transcatheter heart valve replacement in female patients with severe symptomatic aortic stenosis requiring aortic valve intervention (Randomized research in women all with Aortic stenosis [RHEIA] trial). <i>American Heart Journal</i> , 2020 , 222, 27-35	4.9	3
351	An EAPCI Expert Consensus Document on Ischaemia with Non-Obstructive Coronary Arteries in Collaboration with European Society of Cardiology Working Group on Coronary Pathophysiology & Microcirculation Endorsed by Coronary Vasomotor Disorders International Study Group. <i>European Heart Journal</i> , 2020 , 41, 3501-3508	9.5	106
350	Impact of Kissing Balloon in Patients Treated With Ultrathin Stents for Left Main Lesions and Bifurcations: An Analysis From the RAIN-CARDIOGROUP VII Study. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e008325	6	12
349	The impact of chronic kidney disease in women undergoing transcatheter aortic valve replacement: Analysis from the Women's International Transcatheter Aortic Valve Implantation (WIN-TAVI) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 198-207	2.7	4
348	ST-Elevation Myocardial Infarction in Patients With COVID-19: Clinical and Angiographic Outcomes. <i>Circulation</i> , 2020 , 141, 2113-2116	16.7	261
347	Observational multicentre registry of patients treated with IMPella mechanical circulatory support device in Italy: the IMP-IT registry. <i>EuroIntervention</i> , 2020 , 15, e1343-e1350	3.1	28
346	First-in-human evaluation of a novel sirolimus-eluting ultra-high molecular weight APTITUDE bioresorbable scaffold: 9- and 24-month imaging and clinical results of the RENASCENT II trial. <i>EuroIntervention</i> , 2020 , 16, e133-e140	3.1	5
345	EAPCI Position Statement on Invasive Management of Acute Coronary Syndromes during the COVID-19 pandemic. <i>EuroIntervention</i> , 2020 , 16, 233-246	3.1	12
344	Impact of structural features of very thin stents implanted in unprotected left main or coronary bifurcations on clinical outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 1-9	2.7	5
343	Edwards SAPIEN Versus Medtronic Aortic Bioprosthesis in Women Undergoing Transcatheter Aortic Valve Implantation (from the Win-TAVI Registry). <i>American Journal of Cardiology</i> , 2020 , 125, 441-448	4.8	4
342	Incidence of Adverse Events at 3 Months Versus at 12 Months After Dual Antiplatelet Therapy Cessation in Patients Treated With Thin Stents With Unprotected Left Main or Coronary Bifurcations. <i>American Journal of Cardiology</i> , 2020 , 125, 491-499	3	6
341	Percutaneous Transjugular Tricuspid Valve-In-Valve Implantation for Degenerated Surgical Bioprosthetic Valve. <i>Cardiovascular Revascularization Medicine</i> , 2020 , 21, 808-809	1.6	
340	Impella RP support in refractory right ventricular failure complicating acute myocardial infarction with unsuccessful right coronary artery revascularization. <i>International Journal of Cardiology</i> , 2020 , 302, 135-137	3.2	7
339	Impact of the metal-to-artery ratio on clinical outcomes in left main and nonleft main bifurcation: insights the RAIN-CARDIOGROUP VII study (very thin stents for patients with left main or bifurcation in real life). <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 669-674	1.9	1
338	Safety and efficacy of polymer-free biolimus-eluting stents versus ultrathin stents in unprotected left main or coronary bifurcation: A propensity score analysis from the RAIN and CHANCE registries. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 95, 522-529	2.7	3
337	Comparison between functional and intravascular imaging approaches guiding percutaneous coronary intervention: A network meta-analysis of randomized and propensity matching studies. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 95, 1259-1266	2.7	2
336	Clinical relevance of ticagrelor monotherapy following 1-month dual antiplatelet therapy after bifurcation percutaneous coronary intervention: Insight from GLOBAL LEADERS trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 100-111	2.7	7
335	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , 2020 , 41, 407-477	9.5	1835

334	Percutaneous coronary intervention versus coronary artery bypass grafting in patients with three-vessel or left main coronary artery disease: 10-year follow-up of the multicentre randomised controlled SYNTAX trial. <i>Lancet, The</i> , 2019 , 394, 1325-1334	4.0	206
333	Clinical expert consensus document on the use of percutaneous left ventricular assist support devices during complex high-risk indicated PCI: Italian Society of Interventional Cardiology Working Group Endorsed by Spanish and Portuguese Interventional Cardiology Societies. <i>International Journal of Cardiology</i> , 2019 , 293, 84-96	3.2	25
332	Dual-Antiplatelet Therapy Cessation and Cardiovascular Risk in Relation to Age: Analysis From the PARIS Registry. <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, 983-992	5	6
331	Risk of contrast-induced nephropathy in patients undergoing complex percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2019 , 290, 59-63	3.2	14
330	Influence of Baseline Anemia on Dual Antiplatelet Therapy Cessation and Risk of Adverse Events After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e007133	6	10
329	Daily risk of adverse outcomes in patients undergoing complex lesions revascularization: A subgroup analysis from the RAIN-CARDIOGROUP VII study (veRy thin stents for patients with left mAln or bifurcation in real life). <i>International Journal of Cardiology</i> , 2019 , 290, 64-69	3.2	7
328	Long-term follow-up of covered stent implantation for various coronary artery diseases. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, 571-577	2.7	8
327	Impact of Diabetes Mellitus in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e007734	6	3
326	Geographical Variations in Patterns of DAPT Cessation and Two-Year PCI Outcomes: Insights from the PARIS Registry. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 1704-1711	7	2
325	Interatrial Septal Tear After Patent Foramen Ovale Closure With the NobleStitch Device. <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, e139-e140	5	5
324	Sex and Transcatheter Aortic Valve Implantation: Impact of Female Sex on Clinical Outcomes. <i>Interventional Cardiology Review</i> , 2019 , 14, 137-141	4.2	4
323	Impact of Final Kissing Balloon and of Imaging on Patients Treated on Unprotected Left Main Coronary Artery With Thin-Strut Stents (From the RAIN-CARDIOGROUP VII Study). <i>American Journal of Cardiology</i> , 2019 , 123, 1610-1619	3	12
322	Impact of Discharge Location After Transcatheter Aortic Valve Replacement on 1-Year Outcomes in Women: Results From the WIN-TAVI Registry. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 199-207	3.8	4
321	Racial Differences in Ischaemia/Bleeding Risk Trade-Off during Anti-Platelet Therapy: Individual Patient Level Landmark Meta-Analysis from Seven RCTs. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 149-162	7	63
320	Are we ready for a gender-specific approach in interventional cardiology?. <i>International Journal of Cardiology</i> , 2019 , 286, 226-233	3.2	16
319	Tailoring Antiplatelet Therapy Intensity to Ischemic and Bleeding Risk. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019 , 12, e004945	5.8	3
318	New-generation drug-eluting stents for left main coronary artery disease according to the EXCEL trial enrollment criteria: Insights from the all-comers, international, multicenter DELTA-2 registry. <i>International Journal of Cardiology</i> , 2019 , 280, 30-37	3.2	2
317	Incidence, predictors, and outcomes of DAPT disruption due to non-compliance vs. bleeding after PCI: insights from the PARIS Registry. <i>Clinical Research in Cardiology</i> , 2019 , 108, 643-650	6.1	12

316	Patterns and Impact of Dual Antiplatelet Cessation on Cardiovascular Risk After Percutaneous Coronary Intervention in Patients With Acute Coronary Syndromes. <i>American Journal of Cardiology</i> , 2019 , 123, 709-716	3	3
315	Mid-term outcomes after percutaneous interventions in coronary bifurcations. <i>International Journal of Cardiology</i> , 2019 , 283, 78-83	3.2	16
314	Residual angina in female patients after coronary revascularization. <i>International Journal of Cardiology</i> , 2019 , 286, 208-213	3.2	2
313	Impact of coronary artery disease and percutaneous coronary intervention in women undergoing transcatheter aortic valve replacement: From the WIN-TAVI registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 1124-1131	2.7	8
312	Self-expandable sirolimus-eluting stents compared to second-generation drug-eluting stents for the treatment of the left main: A propensity score analysis from the SPARTA and the FAILS-2 registries. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 208-215	2.7	0
311	Female-specific survival advantage from transcatheter aortic valve implantation over surgical aortic valve replacement: Meta-analysis of the gender subgroups of randomised controlled trials including 3758 patients. <i>International Journal of Cardiology</i> , 2018 , 250, 66-72	3.2	15
310	Mid-term clinical outcomes after bailout drug-eluting stenting for suboptimal drug-coated balloon results: Insights from a Milan registry. <i>International Journal of Cardiology</i> , 2018 , 263, 17-23	3.2	8
309	Incidence, determinants and clinical impact of definite stent thrombosis on mortality in women: From the WIN-DES collaborative patient-level pooled analysis. <i>International Journal of Cardiology</i> , 2018 , 263, 24-28	3.2	6
308	Effects of Body Mass Index on Clinical Outcomes in Female Patients Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents: Results From a Patient-Level Pooled Analysis of Randomized Controlled Trials. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 68-76	5	18
307	1-Year Clinical Outcomes in Women After Transcatheter Aortic Valve Replacement: Results From the First WIN-TAVI Registry. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1-12	5	40
306	Effect of Increasing Stent Length on 3-Year Clinical Outcomes in Women Undergoing Percutaneous Coronary Intervention With New-Generation Drug-Eluting Stents: Patient-Level Pooled Analysis of Randomized Trials From the WIN-DES Initiative. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 53-65	5	13
305	Incidence and outcomes of emergent cardiac surgery during transfemoral transcatheter aortic valve implantation (TAVI): insights from the European Registry on Emergent Cardiac Surgery during TAVI (EuRECS-TAVI). <i>European Heart Journal</i> , 2018 , 39, 676-684	9.5	61
304	Coronary Sinus Reducer Implantation for the Treatment of Chronic Refractory Angina: A Single-Center Experience. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 784-792	5	28
303	Computed tomography predictors of mortality, stroke and conduction disturbances in women undergoing TAVR: A sub-analysis of the WIN-TAVI registry. <i>Journal of Cardiovascular Computed Tomography</i> , 2018 , 12, 338-343	2.8	15
302	Incidence, Patterns, and Impact of Dual Antiplatelet Therapy Cessation Among Patients With and Without Chronic Kidney Disease Undergoing Percutaneous Coronary Intervention: Results From the PARIS Registry (Patterns of Non-Adherence to Anti-Platelet Regimens in Stented Patients). <i>Circulation: Cardiovascular Interventions</i> , 2018 , 11, e006144	6	15
301	A comparison of the fully repositionable and retrievable Boston Lotus and direct flow medical valves for the treatment of severe aortic stenosis: A single center experience. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 91, 966-974	2.7	1
300	Provisional versus elective two-stent strategy for unprotected true left main bifurcation lesions: Insights from a FAILS-2 sub-study. <i>International Journal of Cardiology</i> , 2018 , 250, 80-85	3.2	8
299	Predictors of Advanced Conduction Disturbances Requiring a Late (≥8 H) Permanent Pacemaker Following Transcatheter Aortic Valve Replacement. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1519-1526	5.26	49

298	Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2018 , 392, 835-848	40	129
297	Dual Antiplatelet Therapy Cessation and Adverse Events After Drug-Eluting Stent Implantation in Patients at High Risk for Atherothrombosis (from the PARIS Registry). <i>American Journal of Cardiology</i> , 2018 , 122, 1638-1646	3	12
296	Percutaneous coronary intervention for the left main stem and other bifurcation lesions: 12th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2018 , 13, 1540-1553	3.1	127
295	Percutaneous coronary and structural interventions in women: a position statement from the EAPCI Women Committee. <i>EuroIntervention</i> , 2018 , 14, e1227-e1235	3.1	7
294	Percutaneous coronary intervention in left main coronary artery disease: the 13th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2018 , 14, 112-120	3.1	61
293	Definite stent thrombosis after drug-eluting stent implantation in coronary bifurcation lesions: A meta-analysis of 3,107 patients from 14 randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 680-691	2.7	6
292	New-Generation Drug-Eluting Stents for Left Main In-Stent Restenosis: The DELTA-2 Registry. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 2438-2440	5	2
291	A Practical Approach to the Management of Complications During Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1797-1810	5	34
290	Impact of Baseline Atrial Fibrillation on Outcomes Among Women Who Underwent Contemporary Transcatheter Aortic Valve Implantation (from the Win-TAVI Registry). <i>American Journal of Cardiology</i> , 2018 , 122, 1909-1916	3	11
289	Single-Antiplatelet Therapy in Patients with Contraindication to Dual-Antiplatelet Therapy After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2017 , 119, 1088-1093	3	29
288	Three, six, or twelve months of dual antiplatelet therapy after DES implantation in patients with or without acute coronary syndromes: an individual patient data pairwise and network meta-analysis of six randomized trials and 11 473 patients. <i>European Heart Journal</i> , 2017 , 38, 1034-1043	9.5	110
287	The Unforgettable Cornerstone: Role of Ticlopidine in Developing Current Antithrombotic Treatment After Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 755-756	15.1	
286	Incidence and Management of Restenosis After Treatment of Unprotected Left Main Disease With Second-Generation Drug-Eluting Stents (from Failure in Left Main Study With 2nd Generation Stents-Cardiogrroup III Study). <i>American Journal of Cardiology</i> , 2017 , 119, 978-982	3	34
285	The ratio of contrast volume to glomerular filtration rate predicts acute kidney injury and mortality after transcatheter aortic valve implantation. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 349-355	1.6	10
284	Does pre-existing aortic regurgitation protect from death in patients who develop paravalvular leak after TAVI?. <i>International Journal of Cardiology</i> , 2017 , 233, 52-60	3.2	12
283	Transcatheter Aortic Valve Implantation in Patients With Advanced Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2017 , 119, 1438-1442	3	21
282	Platelet reactivity in response to loading dose of atorvastatin or rosuvastatin in patients with stable coronary disease before percutaneous coronary intervention: The STATIPLAT randomized study. <i>Clinical Cardiology</i> , 2017 , 40, 605-611	3.3	9
281	Radial Versus Femoral Access for the Treatment of Left Main Lesion in the Era of Second-Generation Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2017 , 120, 33-39	3	9

280	Bleeding-Related Deaths in Relation to the Duration of Dual-Antiplatelet Therapy After Coronary Stenting. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2011-2022	15.1	77
279	Patterns and associations between DAPT cessation and 2-year clinical outcomes in left main/proximal LAD versus other PCI: Results from the Patterns of Non-Adherence to Dual Antiplatelet Therapy in Stented Patients (PARIS) registry. <i>International Journal of Cardiology</i> , 2017 , 243, 132-139	3.2	8
278	Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management: AKI-MATRIX. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2592-2592	15.1	95
277	Bioresorbable Vascular Scaffolds and Very Late Scaffold Thrombosis: Searching an Explanation and a Solution. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 745-746	5	2
276	Incidence, Patterns, and Associations Between Dual-Antiplatelet Therapy Cessation and Risk for Adverse Events Among Patients With and Without Diabetes Mellitus Receiving Drug-Eluting Stents: Results From the PARIS Registry. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 645-654	5	15
275	Comparison of paclitaxel drug-eluting balloon and paclitaxel-eluting stent in small coronary vessels in diabetic and nondiabetic patients - results from the BELLO (balloon elution and late loss optimization) trial. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 4-9	1.6	8
274	Impact of Mitral Annular Calcium on Outcomes after Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2017 , 120, 2233-2240	3	17
273	White Blood Cell Count and Major Adverse Cardiovascular Events After Percutaneous Coronary Intervention in the Contemporary Era: Insights From the PARIS Study (Patterns of Non-Adherence to Anti-Platelet Regimens in Stented Patients Registry). <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10, 1901-1903	6	15
272	First Experience With the Coronary Sinus Reducer System for the Management of Refractory Angina in Patients Without Obstructive Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 1901-1903	5	21
271	Mid-term clinical outcomes of ABSORB bioresorbable vascular scaffold versus everolimus-eluting stent for coronary bifurcation lesions. <i>International Journal of Cardiology</i> , 2017 , 246, 26-31	3.2	6
270	Dual Antiplatelet Therapy After Bioresorbable Vascular Scaffold Implantation: Insights From the Milan Cohort. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 1471-1472	5	1
269	Prognostic Significance of Change in the Left Ventricular Ejection Fraction After Transcatheter Aortic Valve Implantation in Patients With Severe Aortic Stenosis and Left Ventricular Dysfunction. <i>American Journal of Cardiology</i> , 2017 , 120, 1639-1647	3	6
268	Impact of design of coronary stents and length of dual antiplatelet therapies on ischaemic and bleeding events: a network meta-analysis of 64 randomized controlled trials and 102 735 patients. <i>European Heart Journal</i> , 2017 , 38, 3160-3172	9.5	51
267	Transapical aortic valve replacement is a safe option in patients with poor left ventricular ejection fraction: results from the Italian Transcatheter Balloon-Expandable Registry (ITER). <i>European Journal of Cardio-thoracic Surgery</i> , 2017 , 52, 874-880	3	7
266	Long-term Safety and Efficacy of New-Generation Drug-Eluting Stents in Women With Acute Myocardial Infarction: From the Women in Innovation and Drug-Eluting Stents (WIN-DES) Collaboration. <i>JAMA Cardiology</i> , 2017 , 2, 855-862	16.2	18
265	Causes, Timing, and Impact of Dual Antiplatelet Therapy Interruption for Surgery (from the Patterns of Non-adherence to Anti-platelet Regimens In Stented Patients Registry). <i>American Journal of Cardiology</i> , 2017 , 120, 904-910	3	7
264	Five-year evolution of mild aortic regurgitation following transcatheter aortic valve implantation: early insights from a single-centre experience. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2017 , 25, 75-82	1.8	5
263	Analysis of a Low Dose Protocol to Reduce Patient Radiation Exposure During Percutaneous Coronary Interventions. <i>American Journal of Cardiology</i> , 2017 , 119, 203-209	3	11

262	Short-versus long-term Dual Antiplatelet therapy after drug-eluting stent implantation in women versus men: A sex-specific patient-level pooled-analysis of six randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 178-189	2.7	11
261	Long-term outcomes following mini-crush versus culotte stenting for the treatment of unprotected left main disease: Insights from the milan and New-Tokyo (MITO) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 13-24	2.7	8
260	Expansion in calcific lesions and overall clinical outcomes following bioresorbable scaffold implantation optimized with intravascular ultrasound. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 789-797	2.7	2
259	Impact of proton pump inhibitors and dual antiplatelet therapy cessation on outcomes following percutaneous coronary intervention: Results From the PARIS Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, E217-E225	2.7	10
258	Clinical outcomes of a real-world cohort following bioresorbable vascular scaffold implantation utilising an optimised implantation strategy. <i>EuroIntervention</i> , 2017 , 12, 1730-1737	3.1	45
257	The DELTA 2 Registry: A Multicenter Registry Evaluating Percutaneous Coronary Intervention With New-Generation Drug-Eluting Stents in Patients With Obstructive Left Main Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 2401-2410	5	25
256	Feasibility of ultra-low contrast 64-slice computed tomography angiography before transcatheter aortic valve implantation: a real-world experience. <i>European Heart Journal Cardiovascular Imaging</i> , 2016 , 17, 24-33	4.1	13
255	The EBC TWO Study (European Bifurcation Coronary TWO): A Randomized Comparison of Provisional T-Stenting Versus a Systematic 2 Stent Culotte Strategy in Large Caliber True Bifurcations. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	57
254	Incidence and significance of side branch occlusions following bioresorbable scaffold implantation for long left anterior descending artery lesions. <i>International Journal of Cardiology</i> , 2016 , 222, 674-675	3.2	1
253	Computing Methods for Composite Clinical Endpoints in Unprotected Left Main Coronary Artery Revascularization: A Post Hoc Analysis of the DELTA Registry. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 2280-2288	5	17
252	Early and mid-term outcomes of 1904 patients undergoing transcatheter balloon-expandable valve implantation in Italy: results from the Italian Transcatheter Balloon-Expandable Valve Implantation Registry (ITER). <i>European Journal of Cardio-thoracic Surgery</i> , 2016 , 50, 1139-1148	3	26
251	Correlates and Impact of Coronary Artery Calcifications in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents: From the Women in Innovation and Drug-Eluting Stents (WIN-DES) Collaboration. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1890-901	5	23
250	Sex-Based Differences in Cessation of Dual-Antiplatelet Therapy Following Percutaneous Coronary Intervention With Stents. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1461-9	5	27
249	Predictive ability of the CHADS2 and CHA2DS2-VASc scores for stroke after transcatheter aortic balloon-expandable valve implantation: an Italian Transcatheter Balloon-Expandable Valve Implantation Registry (ITER) sub-analysis. <i>European Journal of Cardio-thoracic Surgery</i> , 2016 , 50, 867-873	3	10
248	Comparison Between 1- and 2-Stent Strategies in Unprotected Distal Left Main Disease: The Milan and New-Tokyo Registry. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	13
247	Bivalirudin or unfractionated heparin in patients with acute coronary syndromes managed invasively with and without ST elevation (MATRIX): randomised controlled trial. <i>BMJ, The</i> , 2016 , 354, i4935	5.9	36
246	Short term versus long term dual antiplatelet therapy after implantation of drug eluting stent in patients with or without diabetes: systematic review and meta-analysis of individual participant data from randomised trials. <i>BMJ, The</i> , 2016 , 355, i5483	5.9	34
245	Clinical outcomes following target lesion revascularization for bioresorbable scaffold failure. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 832-6	2.7	4

244	Preliminary Report of Clinical Outcomes After Single Crossover Bioresorbable Scaffold Implantation Without Routine Side Branch Strut Dilation. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 88, 865-870	2.7	3
243	Effect of Chronic Kidney Disease in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents: A Patient-Level Pooled Analysis of Randomized Controlled Trials. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 28-38	5	24
242	Transarterial Endoleak Closure After Endovascular Thoracoabdominal Aneurysm Repair: When the "Sandwich" Goes Wrong. <i>Journal of Endovascular Therapy</i> , 2016 , 23, 220-4	2.5	
241	Left Main Percutaneous Coronary Intervention. <i>Interventional Cardiology Clinics</i> , 2016 , 5, 125-134	1.4	1
240	Optimal duration of dual antiplatelet therapy after second-generation drug-eluting stent implantation in patients with diabetes: The SECURITY (Second-Generation Drug-Eluting Stent Implantation Followed By Six- Versus Twelve-Month Dual Antiplatelet Therapy)-diabetes substudy. <i>International Journal of Cardiology</i> , 2016 , 207, 168-76	3.2	16
239	Provisional vs. two-stent technique for unprotected left main coronary artery disease after ten years follow up: A propensity matched analysis. <i>International Journal of Cardiology</i> , 2016 , 211, 37-42	3.2	41
238	Safety and Efficacy of New-Generation Drug-Eluting Stents in Women at High Risk for Atherothrombosis: From the Women in Innovation and Drug-Eluting Stents Collaborative Patient-Level Pooled Analysis. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9, e002995	6	9
237	Long-Term Outcomes After Transcatheter Aortic Valve Implantation from a Single High-Volume Center (The Milan Experience). <i>American Journal of Cardiology</i> , 2016 , 117, 813-9	3	15
236	Current decision making and short-term outcome in patients with degenerative aortic stenosis: the Pooled-RotterdAm-Milano-Toulouse In Collaboration Aortic Stenosis survey. <i>EuroIntervention</i> , 2016 , 11, e1305-13	3.1	15
235	Percutaneous coronary intervention for coronary bifurcation disease: 11th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2016 , 12, 38-46	3.1	140
234	The European Bifurcation Club Left Main Study (EBC MAIN): rationale and design of an international, multicentre, randomised comparison of two stent strategies for the treatment of left main coronary bifurcation disease. <i>EuroIntervention</i> , 2016 , 12, 47-52	3.1	28
233	Long-term clinical outcomes after percutaneous coronary intervention versus coronary artery bypass grafting for acute coronary syndrome from the DELTA registry: a multicentre registry evaluating percutaneous coronary intervention versus coronary artery bypass grafting for left main coronary artery disease. <i>EuroIntervention</i> , 2016 , 12, 168-81	3.1	12
232	Impact of permanent pacemaker on mortality after transcatheter aortic valve implantation: the PRAGMATIC (Pooled Rotterdam-Milan-Toulouse in Collaboration) Pacemaker substudy. <i>EuroIntervention</i> , 2016 , 12, 1185-1193	3.1	25
231	Drug-eluting balloon versus second-generation drug-eluting stent for the treatment of restenotic lesions involving coronary bifurcations. <i>EuroIntervention</i> , 2016 , 11, 989-95	3.1	17
230	Procedural outcomes of patients with calcified lesions treated with bioresorbable vascular scaffolds. <i>EuroIntervention</i> , 2016 , 11, 1355-62	3.1	19
229	Bifurcations: Tips and Tricks 2016 , 215-219		
228	Time-Dependent Associations Between Actionable Bleeding, Coronary Thrombotic Events, and Mortality Following Percutaneous Coronary Intervention: Results From the PARIS Registry. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1349-57	5	36
227	Treatment of drug-eluting stent restenosis: Comparison between drug-eluting balloon versus second-generation drug-eluting stents from a retrospective observational study. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 88, 522-528	2.7	10

226	A Bicuspid Aortic Valve Imaging Classification for the TAVR Era. <i>JACC: Cardiovascular Imaging</i> , 2016 , 9, 1145-1158	8.4	124
225	Clinical outcomes following bifurcation double-stenting with bioresorbable scaffolds. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 88, 854-862	2.7	6
224	Percutaneous Coronary Intervention in Unprotected Left Main 2016 , 168-174		
223	Meta-Analysis of the Duration of Dual Antiplatelet Therapy in Patients Treated With Second-Generation Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2016 , 117, 1714-23	3	46
222	Clinical outcomes following bioresorbable scaffold implantation in small vessels. <i>International Journal of Cardiology</i> , 2016 , 207, 59-61	3.2	2
221	Bioresorbable Scaffolds for the Management of Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 989-1000	5	13
220	Comparisons of the uptake and in-hospital outcomes associated with second-generation drug-eluting stents between men and women: results from the CathPCI Registry. <i>Coronary Artery Disease</i> , 2016 , 27, 442-8	1.4	8
219	A challenging case of transcatheter aortic prosthesis dysfunction: Endocarditis or thrombosis?. <i>International Journal of Cardiology</i> , 2016 , 214, 500-1	3.2	1
218	Safety and Efficacy of New-Generation Drug-Eluting Stents in Women Undergoing Complex Percutaneous Coronary Artery Revascularization: From the WIN-DES Collaborative Patient-Level Pooled Analysis. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 674-84	5	35
217	Long-Term (10 Years) Safety of Percutaneous Treatment of Unprotected Left Main Stenosis With Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2016 , 118, 32-9	3	16
216	Transcatheter aortic valve implantation in intermediate- and low-risk populations: An inevitable progression?. <i>International Journal of Cardiology</i> , 2016 , 210, 35-7	3.2	6
215	Coronary Thrombosis and Major Bleeding After PCI With Drug-Eluting Stents: Risk Scores From PARIS. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 2224-2234	15.1	306
214	Usefulness of Predilation Before Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2016 , 118, 107-12	3	28
213	Efficacy and Safety of Dual Antiplatelet Therapy After Complex PCI. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1851-1864	15.1	201
212	T-Stenting With Small Protrusion: The Default Strategy for Bailout Provisional Stenting?. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1853-4	5	3
211	Impact of Angiographic Result After Predilatation on Outcome After Drug-Coated Balloon Treatment of In-Stent Coronary Restenosis. <i>American Journal of Cardiology</i> , 2016 , 118, 1460-1465	3	23
210	Impact of gender on long-term mortality in patients with unprotected left main disease: The Milan and New-Tokyo (MITO) Registry. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 369-74	1.6	15
209	Procedural and Long-Term Outcomes of Bioresorbable Scaffolds Versus Drug-Eluting Stents in Chronic Total Occlusions: The BONITO Registry (Bioresorbable Scaffolds Versus Drug-Eluting Stents in Chronic Total Occlusions). <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	17

208	Impact of post-procedural hyperglycemia on acute kidney injury after transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2016 , 221, 892-7	3.2	9
207	Acute and 30-Day Outcomes in Women After TAVR: Results From the WIN-TAVI (Women's International Transcatheter Aortic Valve Implantation) Real-World Registry. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1589-600	5	56
206	Resource utilization for transfemoral transcatheter aortic valve replacement: An international comparison. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 145-51	2.7	2
205	Impact of Clinical Presentation (Stable Angina Pectoris vs Unstable Angina Pectoris or Non-ST-Elevation Myocardial Infarction vs ST-Elevation Myocardial Infarction) on Long-Term Outcomes in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16, 811-815	3	26
204	Routine Screening of Coronary Artery Disease With Computed Tomographic Coronary Angiography in Place of Invasive Coronary Angiography in Patients Undergoing Transcatheter Aortic Valve Replacement. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e002025	6	50
203	Influence of baseline ejection fraction on the prognostic value of paravalvular leak after transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2015 , 190, 277-81	3.2	12
202	Balancing the Risk of Bleeding and Stroke in Patients With Atrial Fibrillation After Percutaneous Coronary Intervention (from the AVIATOR Registry). <i>American Journal of Cardiology</i> , 2015 , 116, 37-42	3	25
201	Impact and natural history of postprocedural aortic regurgitation on early and midterm mortality following transcatheter aortic valve implantation in high-risk patients with severe aortic stenosis. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16, 286-95	1.9	2
200	Drug-Coated Balloons Versus Second-Generation Drug-Eluting Stents for the Management of Recurrent Multimetall-Layered In-Stent Restenosis. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1586-94	5	32
199	Is There Still a Survival Advantage to Bypass Surgery Over Percutaneous Intervention in the Modern Era?. <i>Progress in Cardiovascular Diseases</i> , 2015 , 58, 335-41	8.5	3
198	Reperfusion in women with STEMI: a date not to be late!. <i>Revista Brasileira De Cardiologia Invasiva (English Edition)</i> , 2015 , 23, 4-5		
197	Bioresorbable scaffolds for the treatment of complex lesions: are we there yet?. <i>Interventional Cardiology</i> , 2015 , 7, 35-54	3	2
196	First generation versus new generation drug-eluting stents for the treatment of ostial/midshaft lesions in unprotected left main coronary artery: the Milan and New-Tokyo (MITO) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 85, E63-9	2.7	7
195	Impact of Mixed Aortic Valve Stenosis on VARC-2 Outcomes and Postprocedural Aortic Regurgitation in Patients Undergoing Transcatheter Aortic Valve Implantation: Results From the International Multicentric Study PRAGMATIC (Pooled Rotterdam-Milan-Toulouse in Collaboration). <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86, 275-85	2.7	16
194	Comparison of early clinical outcomes between ABSORB bioresorbable vascular scaffold and everolimus-eluting stent implantation in a real-world population. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 85, E10-5	2.7	47
193	Clinical outcomes following bioresorbable scaffold implantation for bifurcation lesions: Overall outcomes and comparison between provisional and planned double stenting strategy. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86, 644-52	2.7	21
192	Early Outcomes With Direct Flow Medical Versus First-Generation Transcatheter Aortic Valve Devices: A Single-Center Propensity-Matched Analysis. <i>Journal of Interventional Cardiology</i> , 2015 , 28, 583-93	1.8	9
191	Impact of Strut Width in Periprocedural Myocardial Infarction: A Propensity-Matched Comparison Between Bioresorbable Scaffolds and the First-Generation Sirolimus-Eluting Stent. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 900-9	5	39

190	Reply: Noninferiority of 6 Versus 12 Months of Dual Antiplatelet Therapy: SECURITY Did Not Establish Noninferiority. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 2360-1	15.1	
189	How long should dual antiplatelet therapy be continued following implantation of drug eluting stents?. <i>Annals of Translational Medicine</i> , 2015 , 3, S10	3.2	
188	Left Main Stem Disease 2015 , 2205-2217		
187	Technical Aspects of Left Main Stem Percutaneous Coronary Intervention 2015 , 237-253		
186	Comparison of percutaneous coronary intervention (with drug-eluting stents) versus coronary artery bypass grafting in women with severe narrowing of the left main coronary artery (from the Women-Drug-Eluting stent for Left main coronary Artery disease Registry). <i>American Journal of Cardiology</i> , 2014 , 113, 1348-55	3	11
185	The impact of main branch restenosis on long term mortality following drug-eluting stent implantation in patients with de novo unprotected distal left main bifurcation coronary lesions: the Milan and New-Tokyo (MITO) Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 84, 341-8	2.7	13
184	Comparison of abluminal biodegradable polymer biolimus-eluting stents and durable polymer everolimus-eluting stents in the treatment of coronary bifurcations. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, 889-95	2.7	6
183	One-year outcome of biolimus eluting stent with biodegradable polymer in all comers: the Italian Nobori Stent Prospective Registry. <i>International Journal of Cardiology</i> , 2014 , 177, 11-6	3.2	7
182	Tardive coronary obstruction by a native leaflet after transcatheter aortic valve replacement in a patient with heavily calcified aortic valve stenosis. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, e105-7	5	3
181	Second-generation drug-eluting stent implantation followed by 6- versus 12-month dual antiplatelet therapy: the SECURITY randomized clinical trial. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 2086-97	15.1	318
180	A comparison of the femoral and radial crossover techniques for vascular access management in transcatheter aortic valve implantation: the Milan experience. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, 156-61	2.7	24
179	Usefulness of baseline activated clotting time-guided heparin administration in reducing bleeding events during transfemoral transcatheter aortic valve implantation. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 140-151	5	14
178	Impact of renal dysfunction on long-term mortality in patients with unprotected left main disease: Milan and New-Tokyo (MITO) Registry. <i>International Journal of Cardiology</i> , 2014 , 177, 1131-3	3.2	4
177	Drug-eluting balloon in the treatment of in-stent restenosis and diffuse coronary artery disease: real-world experience from our registry. <i>Journal of Interventional Cardiology</i> , 2014 , 27, 348-55	1.8	15
176	The role of intravascular ultrasound and quantitative angiography in the functional assessment of intermediate coronary lesions: correlation with fractional flow reserve. <i>Cardiovascular Revascularization Medicine</i> , 2014 , 15, 3-7	1.6	16
175	Comparison of results of transcatheter aortic valve implantation in patients with severely stenotic bicuspid versus tricuspid or nonbicuspid valves. <i>American Journal of Cardiology</i> , 2014 , 113, 1390-3	3	69
174	Red blood cell distribution width predicts one-year mortality following transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2014 , 172, 456-7	3.2	12
173	Emergency PTCA or CABG for Left Main Disease? 2014 , 179-186		

172	Drug-eluting stent outcomes in diabetes. <i>Expert Review of Cardiovascular Therapy</i> , 2014 , 12, 95-109	2.5	7
171	PlaCor PRT measurement of shear-activated platelet aggregate formation in stable patients treated with single and dual antiplatelet therapy. <i>Platelets</i> , 2014 , 25, 337-42	3.6	1
170	Long-term clinical outcomes following drug-eluting stent implantation for unprotected distal trifurcation left main disease: the Milan-New Tokyo (MITO) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, 530-8	2.7	15
169	Optimal medical treatment: is it the worst option in multivessel coronary disease? Response. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 1075	0.7	
168	Tratamiento médico óptimo: ¿es la peor opción en la enfermedad coronaria multivaso? Respuesta. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 1075	1.5	
167	Long-term outcomes of percutaneous coronary interventions or coronary artery bypass grafting for left main coronary artery disease in octogenarians (from a Drug-Eluting stent for Left main Artery registry substudy). <i>American Journal of Cardiology</i> , 2014 , 113, 2007-12	3	23
166	Elección de intervención coronaria percutánea o bypass en la enfermedad coronaria multivaso. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 428-431	1.5	5
165	Transapical versus transfemoral aortic valve implantation: a multicenter collaborative study. <i>Annals of Thoracic Surgery</i> , 2014 , 97, 22-8	2.7	57
164	Long-term clinical outcomes after percutaneous coronary intervention versus coronary artery bypass grafting for ostial/midshaft lesions in unprotected left main coronary artery from the DELTA registry: a multicenter registry evaluating percutaneous coronary intervention versus coronary artery bypass grafting for left main treatment. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 354-61	5	38
163	Percutaneous coronary intervention for coronary bifurcation disease: consensus from the first 10 years of the European Bifurcation Club meetings. <i>EuroIntervention</i> , 2014 , 10, 545-60	3.1	177
162	Drug-eluting stent implantation in patients with acute coronary syndrome - the Activity of Platelets after Inhibition and Cardiovascular Events: Optical Coherence Tomography (APICE OCT) study. <i>EuroIntervention</i> , 2014 , 10, 916-23	3.1	8
161	Left Main Stem Disease 2014 , 1-16		
160	Aspirin intolerance and the need for dual antiplatelet therapy after stent implantation: a proposed alternative regimen. <i>International Journal of Cardiology</i> , 2013 , 165, 444-7	3.2	18
159	Cessation of dual antiplatelet treatment and cardiac events after percutaneous coronary intervention (PARIS): 2 year results from a prospective observational study. <i>Lancet, The</i> , 2013 , 382, 1714-22	4.0	405
158	Managing patients with an indication for anticoagulant therapy after transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , 2013 , 111, 237-42	3	18
157	Very long-term outcomes following drug-eluting stent implantation for unprotected left main coronary artery stenosis: a single center experience. <i>Revista Espanola De Cardiologia</i> , 2013 , 66, 24-33	1.5	9
156	The role of drug-eluting balloons alone or in combination with drug-eluting stents in the treatment of de novo diffuse coronary disease. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 1153-9	5	31
155	Predictors of cardiac death in patients with coronary chronic total occlusion not revascularized by PCI. <i>International Journal of Cardiology</i> , 2013 , 168, 1402-9	3.2	63

154	First- versus second-generation drug-eluting stents for the treatment of coronary bifurcations. <i>Cardiovascular Revascularization Medicine</i> , 2013 , 14, 311-5	1.6	19
153	Long-term clinical outcomes after percutaneous coronary intervention for ostial/mid-shaft lesions versus distal bifurcation lesions in unprotected left main coronary artery: the DELTA Registry (drug-eluting stent for left main coronary artery disease): a multicenter registry evaluating percutaneous coronary intervention versus coronary artery bypass grafting for left main treatment.	5	61
152	A new tool to manage side-branch occlusion after covered-stent implantation for vascular complications: the neocarina reconstruction technique. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 893-4	5	1
151	Diabetes and everolimus-eluting stents: what we know and what is still missing. Insights from subanalysis of the SORT OUT IV trial. <i>Expert Review of Cardiovascular Therapy</i> , 2013 , 11, 151-4	2.5	
150	Very Long-term Outcomes Following Drug-eluting Stent Implantation for Unprotected Left Main Coronary Artery Stenosis: A Single Center Experience. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013 , 66, 24-33	0.7	1
149	Comparison of first- and second-generation drug-eluting stents in saphenous vein grafts used as aorto-coronary conduits. <i>American Journal of Cardiology</i> , 2013 , 112, 318-22	3	19
148	Heyde's syndrome incidence and outcome in patients undergoing transcatheter aortic valve implantation. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 687-9	15.1	52
147	Safety and efficacy of drug-eluting stents in women: a patient-level pooled analysis of randomised trials. <i>Lancet, The</i> , 2013 , 382, 1879-88	40	102
146	Clinical outcome and quality of life in octogenarians following transcatheter aortic valve implantation (TAVI) for symptomatic aortic stenosis. <i>International Journal of Cardiology</i> , 2013 , 168, 281-6	3.2	19
145	Transcatheter aortic valve implantation with the Edwards SAPIEN versus the Medtronic CoreValve Revalving system devices: a multicenter collaborative study: the PRAGMATIC Plus Initiative (Pooled-RotterdAm-Milano-Toulouse In Collaboration). <i>Journal of the American College of Cardiology</i> , 2013 , 61, 830-6	15.1	150
144	Discrepancies in vessel sizing between angiography and intravascular ultrasound varies according to the vessel evaluated. <i>International Journal of Cardiology</i> , 2013 , 168, 3791-6	3.2	9
143	Trends in outcome after transfemoral transcatheter aortic valve implantation. <i>American Heart Journal</i> , 2013 , 165, 183-92	4.9	42
142	Effect of body mass index on short- and long-term outcomes after transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , 2013 , 111, 231-6	3	45
141	Acute stent recoil from aggressive post-dilation of a second-generation drug-eluting stent. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 311-3	5	7
140	Anatomical and clinical characteristics to guide decision making between coronary artery bypass surgery and percutaneous coronary intervention for individual patients: development and validation of SYNTAX score II. <i>Lancet, The</i> , 2013 , 381, 639-50	40	507
139	Comparison of incidence and predictors of left bundle branch block after transcatheter aortic valve implantation using the CoreValve versus the Edwards valve. <i>American Journal of Cardiology</i> , 2013 , 112, 554-9	3	102
138	Impact of preoperative chronic kidney disease on short- and long-term outcomes after transcatheter aortic valve implantation: a Pooled-RotterdAm-Milano-Toulouse In Collaboration Plus (PRAGMATIC-Plus) initiative substudy. <i>American Heart Journal</i> , 2013 , 165, 752-60	4.9	60
137	Single-stent crossover technique from distal unprotected left main coronary artery to the left circumflex artery. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 82, 757-64	2.7	9

136	The long-term clinical outcome of T-stenting and small protrusion technique for coronary bifurcation lesions. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 554-61	5	21
135	A prospective, randomized trial of intravascular-ultrasound guided compared to angiography guided stent implantation in complex coronary lesions: the AVIO trial. <i>American Heart Journal</i> , 2013 , 165, 65-72	4.9	147
134	Impact of mean platelet volume on combined safety endpoint and vascular and bleeding complications following percutaneous transfemoral transcatheter aortic valve implantation. <i>BioMed Research International</i> , 2013 , 2013, 645265	3	9
133	Impact of residual chronic total occlusion of right coronary artery on the long-term outcome in patients treated for unprotected left main disease: the Milan and New-Tokyo registry. <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, 154-60	6	18
132	A "modified crossover technique" for vascular access management in high-risk patients undergoing transfemoral transcatheter aortic valve implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 81, 579-83	2.7	27
131	"Procedural trauma risks longitudinal shortening of the Promus Element [®] stent platform". <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 81, 810-7	2.7	15
130	Consensus from the 7th European Bifurcation Club meeting. <i>EuroIntervention</i> , 2013 , 9, 36-45	3.1	51
129	Two-year outcomes following unprotected left main stenting with first vs. new-generation drug-eluting stents: the FINE registry. <i>EuroIntervention</i> , 2013 , 9, 809-16	3.1	19
128	How should I treat a left main spontaneous dissection involving left anterior descending artery, intermediate branch artery and left circumflex artery?. <i>EuroIntervention</i> , 2013 , 9, 285-9	3.1	
127	Coronary artery bypass graft versus percutaneous coronary intervention with drug-eluting stent implantation for diabetic patients with unprotected left main coronary artery disease: the D-DELTA registry. <i>EuroIntervention</i> , 2013 , 9, 803-8	3.1	2
126	Coronary chronic total occlusions: mid-term comparison of clinical outcome following the use of the guided-STAR technique and conventional antegrade approaches. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 79, 20-7	2.7	59
125	Adverse impact of bleeding and transfusion on the outcome post-transcatheter aortic valve implantation: insights from the Pooled-Rotterdam-Milano-Toulouse In Collaboration Plus (PRAGMATIC Plus) initiative. <i>American Heart Journal</i> , 2012 , 164, 402-9	4.9	91
124	Transcatheter vs surgical aortic valve replacement in intermediate-surgical-risk patients with aortic stenosis: a propensity score-matched case-control study. <i>American Heart Journal</i> , 2012 , 164, 910-7	4.9	97
123	Incidence of overall bleeding in patients treated with intra-aortic balloon pump during percutaneous coronary intervention: 12-year Milan experience. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 350-7	5	18
122	Drug-eluting stent for left main coronary artery disease. The DELTA registry: a multicenter registry evaluating percutaneous coronary intervention versus coronary artery bypass grafting for left main treatment. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 718-27	5	102
121	Stent thrombosis after kissing balloons. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 1290-1	5	
120	Incidence, management, and outcomes of cardiac tamponade during transcatheter aortic valve implantation: a single-center study. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 1264-72	5	69
119	Incidence, predictors, and implications of access site complications with transfemoral transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , 2012 , 110, 1361-7	3	174

118	Left main thrombotic occlusion following balloon aortic valvuloplasty for severe aortic stenosis. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 759.e13-5	3.8	5
117	Stent thrombosis: incidence, predictors and new technologies. <i>Thrombosis</i> , 2012 , 2012, 956962		44
116	Current management of left main coronary artery disease. <i>European Heart Journal</i> , 2012 , 33, 36-50b	9.5	77
115	Clinical and procedural predictors of suboptimal outcome after the treatment of drug-eluting stent restenosis in the unprotected distal left main stem: the Milan and New-Tokyo (MITO) registry. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 491-8	6	23
114	Percutaneous valve replacement in a young adult for radiation-induced aortic stenosis. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 397-8	1.9	12
113	Pericardium-covered stent: a reality for coronary interventions of the future?. <i>Interventional Cardiology</i> , 2012 , 4, 411-418	3	2
112	Transcatheter valve-in-valve implantation with the Edwards SAPIEN in patients with bioprosthetic heart valve failure: the Milan experience. <i>EuroIntervention</i> , 2012 , 7, 1275-84	3.1	39
111	Quality of life improvement is maintained up to two years after transcatheter aortic valve implantation in high-risk surgical candidates. <i>EuroIntervention</i> , 2012 , 8, 429-36	3.1	14
110	The occupational effects of interventional cardiology: results from the WIN for Safety survey. <i>EuroIntervention</i> , 2012 , 8, 658-63	3.1	48
109	ACS and STEMI treatment: gender-related issues. <i>EuroIntervention</i> , 2012 , 8 Suppl P, P27-35	3.1	14
108	Current guidelines for the use of drug-eluting stents 2012 , 60-69		
107	Successful percutaneous anterograde transcatheter valve-in-valve implantation in the mitral position. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 1246-7	5	23
106	SCAI consensus document on occupational radiation exposure to the pregnant cardiologist and technical personnel. <i>Heart Lung and Circulation</i> , 2011 , 20, 83-90	1.8	10
105	Comparison of long-term clinical and angiographic outcomes following implantation of bare metal stents and drug-eluting stents in aorto-ostial lesions. <i>American Journal of Cardiology</i> , 2011 , 108, 1055-60 ³		15
104	Long-term follow-up of multivessel percutaneous coronary intervention with drug-eluting stents for de novo lesions with correlation to the SYNTAX score. <i>Cardiovascular Revascularization Medicine</i> , 2011 , 12, 220-7	1.6	4
103	Long-term outcomes after the percutaneous treatment of drug-eluting stent restenosis. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 155-64	5	57
102	Periprocedural and short-term outcomes of transfemoral transcatheter aortic valve implantation with the Sapien XT as compared with the Edwards Sapien valve. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 743-50	5	58
101	SCAI consensus document on occupational radiation exposure to the pregnant cardiologist and technical personnel. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 77, 232-41	2.7	38

100	Predictors of moderate-to-severe paravalvular aortic regurgitation immediately after CoreValve implantation and the impact of postdilatation. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 78, 432-43	2.7	103
99	Incidence, predictors, management, immediate and long-term outcomes following grade III coronary perforation. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 87-95	5	141
98	Recognition and management of complications during transcatheter aortic valve implantation. <i>Expert Review of Cardiovascular Therapy</i> , 2011 , 9, 913-26	2.5	16
97	SCAI consensus document on occupational radiation exposure to the pregnant cardiologist and technical personnel. <i>EuroIntervention</i> , 2011 , 6, 866-74	3.1	28
96	Treatment of iatrogenic occlusive coronary dissections: a novel approach. <i>EuroIntervention</i> , 2011 , 7, 106-11	3.1	14
95	CROSSER As First choice for crossing Totally occluded coronary arteries (CRAFT Registry): focus on conventional angiography and computed tomography angiography predictors of success. <i>EuroIntervention</i> , 2011 , 7, 480-6	3.1	8
94	The role of sex on VARC outcomes following transcatheter aortic valve implantation with both Edwards SAPIEN and Medtronic CoreValve ReValving System devices: the Milan registry. <i>EuroIntervention</i> , 2011 , 7, 556-63	3.1	68
93	Tools & techniques: left main coronary artery percutaneous coronary intervention. <i>EuroIntervention</i> , 2011 , 6, 1020-1	3.1	1
92	Clinical outcomes following protected carotid artery stenting in symptomatic and asymptomatic patients. <i>Journal of Endovascular Therapy</i> , 2010 , 17, 298-307	2.5	8
91	Comparison of the long-term safety and efficacy of drug-eluting and bare-metal stent implantation in saphenous vein grafts. <i>Circulation: Cardiovascular Interventions</i> , 2010 , 3, 249-56	6	16
90	Renal function and drug-eluting stent. <i>International Journal of Cardiology</i> , 2010 , 142, 92-4	3.2	9
89	Cuestiones relativas al sexo en cardiología intervencionista: declaración de consenso de la iniciativa Women in Innovations (WIN). <i>Revista Española De Cardiología</i> , 2010 , 63, 200-208	1.5	5
88	Percutaneous transcatheter aortic valve implantation: past accomplishments, present achievements and applications, future perspectives. <i>Cardiology in Review</i> , 2010 , 18, 111-24	3.2	16
87	5-year outcomes following percutaneous coronary intervention with drug-eluting stent implantation versus coronary artery bypass graft for unprotected left main coronary artery lesions the Milan experience. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 595-601	5	121
86	Outcomes after transcatheter aortic valve implantation with both Edwards-SAPIEN and CoreValve devices in a single center: the Milan experience. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 1110-21	5	113
85	Prolonged double antiplatelet therapy in a cohort of "de novo" diabetic patients treated with drug-eluting stent implantation. <i>American Journal of Cardiology</i> , 2010 , 105, 1395-401	3	4
84	Clinical and angiographic outcomes after percutaneous recanalization of chronic total saphenous vein graft occlusion using modern techniques. <i>American Journal of Cardiology</i> , 2010 , 106, 1721-7	3	41
83	Gender-based issues in interventional cardiology: a consensus statement from the Women in Innovations (WIN) Initiative. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 75, 145-52	2.7	15

82	Elective Double Stenting for Left Main Coronary Artery Bifurcation Lesions 2010 , 149-192		3
81	Gender-based issues in interventional cardiology: a consensus statement from the Women in Innovations (WIN) initiative. <i>EuroIntervention</i> , 2010 , 5, 773-9	3.1	18
80	Long-term follow-up (four years) of unprotected left main coronary artery disease treated with paclitaxel-eluting stents (from the TRUE Registry). <i>EuroIntervention</i> , 2010 , 5, 906-916	3.1	13
79	Antigen-driven evolution of B lymphocytes in coronary atherosclerotic plaques. <i>Journal of Immunology</i> , 2009 , 183, 2537-44	5.3	23
78	Long-term follow-up on a large cohort of "full-metal jacket" percutaneous coronary intervention procedures. <i>Circulation: Cardiovascular Interventions</i> , 2009 , 2, 416-22	6	42
77	Impact of optimal medical therapy and percutaneous coronary intervention on patients with stable angina. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2009 , 6, 92-3		
76	Histopathology of clinical coronary restenosis in drug-eluting versus bare metal stents. <i>American Journal of Cardiology</i> , 2009 , 104, 1660-7	3	48
75	Multicenter international registry of unprotected left main coronary artery percutaneous coronary intervention with drug-eluting stents in patients with myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2009 , 73, 15-21	2.7	30
74	Evaluation of intermediate coronary stenosis with intravascular ultrasound and fractional flow reserve: Its use and abuse. <i>Catheterization and Cardiovascular Interventions</i> , 2009 , 73, 441-8	2.7	24
73	Rebuttal: Response to Dr. Morton Kern. <i>Catheterization and Cardiovascular Interventions</i> , 2009 , 74, 814-814		
72	Comparison of VerifyNow-P2Y12 test and Flow Cytometry for monitoring individual platelet response to clopidogrel. What is the cut-off value for identifying patients who are low responders to clopidogrel therapy?. <i>Thrombosis Journal</i> , 2009 , 7, 4	5.6	36
71	Clinical outcomes after unrestricted implantation of everolimus-eluting stents. <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 1219-26	5	23
70	Incidence and management of restenosis after treatment of unprotected left main disease with drug-eluting stents 70 restenotic cases from a cohort of 718 patients: FAILS (Failure in Left Main Study). <i>Journal of the American College of Cardiology</i> , 2009 , 54, 1131-6	15.1	44
69	Novel approaches for preventing or limiting events (Naples) II trial: impact of a single high loading dose of atorvastatin on periprocedural myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 2157-63	15.1	183
68	Rotational atherectomy followed by drug-eluting stent implantation in calcified coronary lesions. <i>EuroIntervention</i> , 2009 , 5, 370-4	3.1	68
67	Clinical and angiographic follow-up of small vessel lesions treated with paclitaxel-eluting stents (from the TRUE Registry). <i>American Journal of Cardiology</i> , 2008 , 102, 1002-8	3	28
66	Incidence of bleeding and compliance on prolonged dual antiplatelet therapy (aspirin + thienopyridine) following drug-eluting stent implantation. <i>American Journal of Cardiology</i> , 2008 , 102, 1477-81	3	20
65	Longest available clinical outcomes after drug-eluting stent implantation for unprotected left main coronary artery disease: the DELFT (Drug Eluting stent for LeFT main) Registry. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 2212-9	15.1	135

64	Late and very late stent thrombosis following drug-eluting stent implantation in unprotected left main coronary artery: a multicentre registry. <i>European Heart Journal</i> , 2008 , 29, 2108-15	9.5	84
63	A collaborative systematic review and meta-analysis on 1278 patients undergoing percutaneous drug-eluting stenting for unprotected left main coronary artery disease. <i>American Heart Journal</i> , 2008 , 155, 274-83	4.9	152
62	Sirolimus-eluting and paclitaxel-eluting stents for the treatment of coronary bifurcations. <i>American Heart Journal</i> , 2008 , 156, 745-50	4.9	23
61	Dual antiplatelet therapy after percutaneous coronary intervention with stent implantation in patients taking chronic oral anticoagulation. <i>JACC: Cardiovascular Interventions</i> , 2008 , 1, 56-61	5	74
60	Diabetic patients treated for unprotected left main coronary artery disease with drug eluting stents: a 3-year clinical outcome study. The diabetes and drug eluting stent for LeFT main registry (D-DELFT). <i>EuroIntervention</i> , 2008 , 4, 77-83	3.1	7
59	Comparable clinical outcomes with paclitaxel- and sirolimus-eluting stents in unrestricted contemporary practice. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 2320-8	15.1	45
58	Angiographic analysis of pattern of late luminal loss in sirolimus- and paclitaxel-eluting stents. <i>American Journal of Cardiology</i> , 2007 , 99, 593-8	3	15
57	Frequency of slow coronary flow following successful stent implantation and effect of Nitroprusside. <i>American Journal of Cardiology</i> , 2007 , 99, 916-20	3	25
56	Late restenosis following sirolimus-eluting stent implantation. <i>American Journal of Cardiology</i> , 2007 , 100, 41-4	3	56
55	Drug-eluting stents: What is the balance of risks and benefits?. <i>Current Cardiovascular Risk Reports</i> , 2007 , 1, 279-283	0.9	
54	Favorable long-term outcome after drug-eluting stent implantation in nonbifurcation lesions that involve unprotected left main coronary artery: a multicenter registry. <i>Circulation</i> , 2007 , 116, 158-62	16.7	160
53	Drug-eluting stent update 2007: part III: Technique and unapproved/unsettled indications (left main, bifurcations, chronic total occlusions, small vessels and long lesions, saphenous vein grafts, acute myocardial infarctions, and multivessel disease). <i>Circulation</i> , 2007 , 116, 1424-32	16.7	51
52	Incidence and predictors of drug-eluting stent thrombosis during and after discontinuation of thienopyridine treatment. <i>Circulation</i> , 2007 , 116, 745-54	16.7	392
51	Repeated drug-eluting stent implantation for drug-eluting stent restenosis: the same or a different stent. <i>American Heart Journal</i> , 2007 , 153, 354-9	4.9	70
50	Drug eluting stents: focus on Cypher sirolimus-eluting coronary stents in the treatment of patients with bifurcation lesions. <i>Vascular Health and Risk Management</i> , 2007 , 3, 441-51	4.4	5
49	Early outcome of treatment of ostial de novo left anterior descending coronary artery lesions with drug-eluting stents. <i>American Journal of Cardiology</i> , 2006 , 97, 187-91	3	23
48	Comparison of sirolimus versus paclitaxel eluting stents for treatment of coronary in-stent restenosis. <i>American Journal of Cardiology</i> , 2006 , 97, 1182-7	3	21
47	Progression rate of ascending aortic dilation in patients with normally functioning bicuspid and tricuspid aortic valves. <i>American Journal of Cardiology</i> , 2006 , 98, 249-53	3	60

46	Impact of sirolimus-eluting and Paclitaxel-eluting stents on outcome in patients with diabetes mellitus and stenting in more than one coronary artery. <i>American Journal of Cardiology</i> , 2006 , 98, 362-6	3	40
45	Gadolinium-based contrast agents and nephrotoxicity in patients undergoing coronary artery procedures. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 67, 175-80	2.7	79
44	A novel approach to chronic total occlusions: the crosser system. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 68, 29-35	2.7	46
43	Incidence, predictors, and outcomes of coronary dissections left untreated after drug-eluting stent implantation. <i>European Heart Journal</i> , 2006 , 27, 540-6	9.5	76
42	Response to Letters Regarding Article, Percutaneous Treatment With Drug-Eluting Stent Implantation Versus Bypass Surgery for Unprotected Left Main Stenosis: A Single-Center Experience <i>Circulation</i> , 2006 , 114,	16.7	4
41	Percutaneous treatment with drug-eluting stent implantation versus bypass surgery for unprotected left main stenosis: a single-center experience. <i>Circulation</i> , 2006 , 113, 2542-7	16.7	268
40	Long-term outcomes after stenting of bifurcation lesions with the "crush" technique: predictors of an adverse outcome. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1949-58	15.1	207
39	Drug-eluting stent restenosis the pattern predicts the outcome. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 2399-404	15.1	79
38	Elective versus provisional intraaortic balloon pumping in unprotected left main stenting. <i>American Heart Journal</i> , 2006 , 152, 565-72	4.9	61
37	Comparison of ticlopidine vs. clopidogrel in addition to aspirin after paclitaxel-eluting stent implantation: insights from the TRUE (Taxusin Real-life Usage Evaluation) Study. <i>International Journal of Cardiology</i> , 2006 , 108, 406-7	3.2	20
36	Immediate and mid-term outcomes of sirolimus-eluting stent implantation for chronic total occlusions. <i>European Heart Journal</i> , 2005 , 26, 1056-62	9.5	122
35	Sirolimus-eluting stent implantation in diabetic patients with multivessel coronary artery disease. <i>American Heart Journal</i> , 2005 , 150, 807-13	4.9	17
34	Angiographic patterns of restenosis after paclitaxel-eluting stent implantation. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 805-6	15.1	36
33	Multiple overlapping drug-eluting stents to treat diffuse disease of the left anterior descending coronary artery. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1570-3	15.1	89
32	Clinical and angiographic outcome after implantation of drug-eluting stents in bifurcation lesions with the crush stent technique: importance of final kissing balloon post-dilation. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 613-20	15.1	278
31	Treatment of unprotected left main coronary artery disease with drug-eluting stents: is it time for a randomized trial?. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2005 , 2, 396-400		15
30	Treatment of saphenous vein graft lesions with drug-eluting stents: immediate and midterm outcome. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 989-94	15.1	130
29	In-hospital and nine-month outcome of treatment of coronary bifurcational lesions with sirolimus-eluting stent. <i>American Journal of Cardiology</i> , 2005 , 95, 757-60	3	52

28	Validation of predictors of intraprocedural stent thrombosis in the drug-eluting stent era. <i>American Journal of Cardiology</i> , 2005 , 95, 1466-8	3	36
27	17-beta-estradiol eluting stent versus phosphorylcholine-coated stent for the treatment of native coronary artery disease. <i>American Journal of Cardiology</i> , 2005 , 96, 664-7	3	23
26	Clinical outcome following aleatory implantation of paclitaxel-eluting or sirolimus-eluting stents in complex coronary lesions. <i>American Journal of Cardiology</i> , 2005 , 96, 1663-8	3	39
25	Preliminary experience with the Frontrunner coronary catheter: novel device dedicated to mechanical revascularization of chronic total occlusions. <i>Catheterization and Cardiovascular Interventions</i> , 2005 , 64, 146-52	2.7	37
24	Is overdilatation of 3.0 mm sirolimus-eluting stent associated with a higher restenosis rate?. <i>Catheterization and Cardiovascular Interventions</i> , 2005 , 64, 129-33	2.7	13
23	Treating chronic total occlusions using subintimal tracking and reentry: the STAR technique. <i>Catheterization and Cardiovascular Interventions</i> , 2005 , 64, 407-11; discussion 412	2.7	196
22	Early and mid-term results of drug-eluting stent implantation in unprotected left main. <i>Circulation</i> , 2005 , 111, 791-5	16.7	327
21	Incidence, predictors, and outcome of thrombosis after successful implantation of drug-eluting stents. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 2126-30	27.4	2341
20	Sirolimus-eluting stents 2005 , 3-10		
19	Safety and feasibility of Bivalirudin with either Cypher and Taxus drug-eluting stent during percutaneous coronary intervention. <i>EuroIntervention</i> , 2005 , 1, 70-4	3.1	3
18	Intraprocedural stent thrombosis during implantation of sirolimus-eluting stents. <i>Circulation</i> , 2004 , 109, 2732-6	16.7	76
17	Incidence, predictors, in-hospital, and late outcomes of coronary artery perforations. <i>American Journal of Cardiology</i> , 2004 , 93, 213-6	3	83
16	Creatine kinase-myocardial band isoenzyme elevation after percutaneous coronary interventions using sirolimus-eluting stents. <i>American Journal of Cardiology</i> , 2004 , 93, 1397-401, A9	3	7
15	Effectiveness of sirolimus-eluting stent implantation for treatment of in-stent restenosis after brachytherapy failure. <i>American Journal of Cardiology</i> , 2004 , 94, 351-4	3	18
14	Comparison of clinical and angiographic outcome of sirolimus-eluting stent implantation versus cutting balloon angioplasty for coronary in-stent restenosis. <i>American Journal of Cardiology</i> , 2004 , 94, 1297-300	3	17
13	Polymer-based paclitaxel-eluting coronary stents. Clinical results in de novo lesions. <i>Herz</i> , 2004 , 29, 147-51	5.6	17
12	Treatment of multivessel coronary artery disease with sirolimus-eluting stent implantation: immediate and mid-term results. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1154-60	15.1	77
11	Clinical and angiographic outcome after sirolimus-eluting stent implantation in aorto-ostial lesions. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 967-71	15.1	84

10	Preliminary observations regarding angiographic pattern of restenosis after rapamycin-eluting stent implantation. <i>Circulation</i> , 2003 , 107, 2178-80	16.7	160
9	Beta-radiation therapy for long lesions in native coronary vessels: a matched comparison between de novo and in-stent restenotic lesions. <i>Cardiovascular Radiation Medicine</i> , 2003 , 4, 18-24		2
8	Modified T-stenting technique with crushing for bifurcation lesions: immediate results and 30-day outcome. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 60, 145-51	2.7	205
7	Initial experience with a new 8 French-compatible directional atherectomy catheter: immediate and mid-term results. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 60, 159-66	2.7	4
6	First clinical experience with a paclitaxel derivate-eluting polymer stent system implantation for in-stent restenosis: immediate and long-term clinical and angiographic outcome. <i>Circulation</i> , 2002 , 105, 1883-6	16.7	177
5	Results and long-term predictors of adverse clinical events after elective percutaneous interventions on unprotected left main coronary artery. <i>Circulation</i> , 2002 , 106, 698-702	16.7	178
4	In-stent restenosis in small coronary arteries: impact of strut thickness. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 403-9	15.1	218
3	Effects of balloon injury on neointimal hyperplasia in streptozotocin-induced diabetes and in hyperinsulinemic nondiabetic pancreatic islet-transplanted rats. <i>Circulation</i> , 2001 , 103, 2980-6	16.7	97
2	Effects of hydroxymethylglutaryl coenzyme A reductase inhibitor simvastatin on smooth muscle cell proliferation in vitro and neointimal formation in vivo after vascular injury. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 214-21	15.1	116
1	Percutaneous Coronary Intervention in Unprotected Left Main280-297		