

Kenneth M Murphy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4074151/kenneth-m-murphy-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

29,566
citations

68
h-index

160
g-index

160
ext. papers

33,621
ext. citations

19.1
avg, IF

6.99
L-index

#	Paper	IF	Citations
132	Transition from cMyc to L-Myc during dendritic cell development coordinated by rising levels of IRF8.. <i>Journal of Experimental Medicine</i> , 2022 , 219,	16.6	2
131	Commensal <i>Cryptosporidium</i> colonization elicits a cDC1-dependent Th1 response that promotes intestinal homeostasis and limits other infections. <i>Immunity</i> , 2021 , 54, 2547-2564.e7	32.3	4
130	Genetic models of human and mouse dendritic cell development and function. <i>Nature Reviews Immunology</i> , 2021 , 21, 101-115	36.5	63
129	Gut <i>Helicobacter</i> presentation by multiple dendritic cell subsets enables context-specific regulatory T cell generation. <i>ELife</i> , 2021 , 10,	8.9	3
128	Differential usage of transcriptional repressor Zeb2 enhancers distinguishes adult and embryonic hematopoiesis. <i>Immunity</i> , 2021 , 54, 1417-1432.e7	32.3	4
127	Dendritic cells in cancer immunology. <i>Cellular and Molecular Immunology</i> , 2021 ,	15.4	9
126	The MYCL and MXD1 transcription factors regulate the fitness of murine dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 4885-4893	11.5	6
125	Dendritic Cell Paucity Leads to Dysfunctional Immune Surveillance in Pancreatic Cancer. <i>Cancer Cell</i> , 2020 , 37, 289-307.e9	24.3	118
124	Immune correlates of tuberculosis disease and risk translate across species. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	24
123	Chikungunya Virus Evades Antiviral CD8 T Cell Responses To Establish Persistent Infection in Joint-Associated Tissues. <i>Journal of Virology</i> , 2020 , 94,	6.6	10
122	IMMU-26. UNRAVELING ANTIGEN PRESENTATION IN CENTRAL NERVOUS SYSTEM ANTI-TUMOR IMMUNITY. <i>Neuro-Oncology</i> , 2020 , 22, ii110-ii110	1	
121	cDC1 prime and are licensed by CD4 T cells to induce anti-tumour immunity. <i>Nature</i> , 2020 , 584, 624-629	50.4	94
120	High Amount of Transcription Factor IRF8 Engages AP1-IRF Composite Elements in Enhancers to Direct Type 1 Conventional Dendritic Cell Identity. <i>Immunity</i> , 2020 , 53, 759-774.e9	32.3	18
119	A Subset of Type I Conventional Dendritic Cells Controls Cutaneous Bacterial Infections through VEGF-Mediated Recruitment of Neutrophils. <i>Immunity</i> , 2019 , 50, 1069-1083.e8	32.3	31
118	An Nfil3-Zeb2-Id2 pathway imposes Irf8 enhancer switching during cDC1 development. <i>Nature Immunology</i> , 2019 , 20, 1174-1185	19.1	46
117	Cryptic activation of an Irf8 enhancer governs cDC1 fate specification. <i>Nature Immunology</i> , 2019 , 20, 1161-1173	19.1	51
116	Shared Transcriptional Control of Innate Lymphoid Cell and Dendritic Cell Development. <i>Annual Review of Cell and Developmental Biology</i> , 2019 , 35, 381-406	12.6	9

115	Models of dendritic cell development correlate ontogeny with function. <i>Advances in Immunology</i> , 2019 , 143, 99-119	5.6	10
114	RAG-Mediated DNA Breaks Attenuate PU.1 Activity in Early B Cells through Activation of a SPIC-BCLAF1 Complex. <i>Cell Reports</i> , 2019 , 29, 829-843.e5	10.6	11
113	infection drives conversion of NK cells into ILC1-like cells. <i>ELife</i> , 2019 , 8,	8.9	50
112	-Dependent Genes Control Tumor Rejection Induced by Dendritic Cells Independently of Cross-Presentation. <i>Cancer Immunology Research</i> , 2019 , 7, 29-39	12.5	28
111	Tuning T Cell Signaling Sensitivity Alters the Behavior of CD4 T Cells during an Immune Response. <i>Journal of Immunology</i> , 2018 , 200, 3429-3437	5.3	6
110	Oral Antibiotic Treatment of Mice Exacerbates the Disease Severity of Multiple Flavivirus Infections. <i>Cell Reports</i> , 2018 , 22, 3440-3453.e6	10.6	65
109	Altered compensatory cytokine signaling underlies the discrepancy between and mice. <i>Journal of Experimental Medicine</i> , 2018 , 215, 1417-1435	16.6	27
108	Development, Diversity, and Function of Dendritic Cells in Mouse and Human. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018 , 10,	10.2	29
107	Expression of the transcription factor ZBTB46 distinguishes human histiocytic disorders of classical dendritic cell origin. <i>Modern Pathology</i> , 2018 , 31, 1479-1486	9.8	7
106	Opposing Roles of Dendritic Cell Subsets in Experimental GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 138-154	12.7	44
105	WDFY4 is required for cross-presentation in response to viral and tumor antigens. <i>Science</i> , 2018 , 362, 694-699	33.3	115
104	Notch2-dependent DC2s mediate splenic germinal center responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 10726-10731	11.5	33
103	Revisiting the specificity of the MHC class II transactivator CIITA in classical murine dendritic cells in vivo. <i>European Journal of Immunology</i> , 2017 , 47, 1317-1323	6.1	8
102	Cutting Edge: Origins, Recruitment, and Regulation of CD11c Cells in Inflamed Islets of Autoimmune Diabetes Mice. <i>Journal of Immunology</i> , 2017 , 199, 27-32	5.3	13
101	Quality of TCR signaling determined by differential affinities of enhancers for the composite BATF-IRF4 transcription factor complex. <i>Nature Immunology</i> , 2017 , 18, 563-572	19.1	60
100	Deficiency of transcription factor RelB perturbs myeloid and DC development by hematopoietic-extrinsic mechanisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 3957-3962	11.5	19
99	Guidelines for the use of flow cytometry and cell sorting in immunological studies. <i>European Journal of Immunology</i> , 2017 , 47, 1584-1797	6.1	359
98	The role of cDC1s : CD8 T cell priming through cross-presentation. <i>F1000Research</i> , 2017 , 6, 98	3.6	36

97	Regulation of monocyte cell fate by blood vessels mediated by Notch signalling. <i>Nature Communications</i> , 2016 , 7, 12597	17.4	73
96	Mafb lineage tracing to distinguish macrophages from other immune lineages reveals dual identity of Langerhans cells. <i>Journal of Experimental Medicine</i> , 2016 , 213, 2553-2565	16.6	64
95	Functions of Murine Dendritic Cells. <i>Immunity</i> , 2016 , 45, 719-736	32.3	191
94	RAG-mediated DNA double-strand breaks activate a cell type-specific checkpoint to inhibit pre-B cell receptor signals. <i>Journal of Experimental Medicine</i> , 2016 , 213, 209-23	16.6	31
93	Migratory CD103+ dendritic cells suppress helminth-driven type 2 immunity through constitutive expression of IL-12. <i>Journal of Experimental Medicine</i> , 2016 , 213, 35-51	16.6	72
92	Transcriptional Control of Dendritic Cell Development. <i>Annual Review of Immunology</i> , 2016 , 34, 93-119	34.7	239
91	RAB43 facilitates cross-presentation of cell-associated antigens by CD8 α^+ dendritic cells. <i>Journal of Experimental Medicine</i> , 2016 , 213, 2871-2883	16.6	46
90	Transcription factor Zeb2 regulates commitment to plasmacytoid dendritic cell and monocyte fate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 14775-14780	11.5	40
89	Distinct Transcriptional Programs Control Cross-Priming in Classical and Monocyte-Derived Dendritic Cells. <i>Cell Reports</i> , 2016 , 15, 2462-74	10.6	106
88	Genetic vaccines to potentiate the effective CD103+ dendritic cell-mediated cross-priming of antitumor immunity. <i>Journal of Immunology</i> , 2015 , 194, 5937-47	5.3	24
87	The pancreas anatomy conditions the origin and properties of resident macrophages. <i>Journal of Experimental Medicine</i> , 2015 , 212, 1497-512	16.6	173
86	Cutting Edge: Roles for Batf3-Dependent APCs in the Rejection of Minor Histocompatibility Antigen-Mismatched Grafts. <i>Journal of Immunology</i> , 2015 , 195, 46-50	5.3	14
85	Klf4 expression in conventional dendritic cells is required for T helper 2 cell responses. <i>Immunity</i> , 2015 , 42, 916-28	32.3	244
84	Batf3 maintains autoactivation of Irf8 for commitment of a CD8 α^+ conventional DC clonogenic progenitor. <i>Nature Immunology</i> , 2015 , 16, 708-17	19.1	226
83	Commensal-dendritic-cell interaction specifies a unique protective skin immune signature. <i>Nature</i> , 2015 , 520, 104-8	50.4	451
82	Heme-mediated SPI-C induction promotes monocyte differentiation into iron-recycling macrophages. <i>Cell</i> , 2014 , 156, 1223-1234	56.2	258
81	Distinct dendritic cell subsets dictate the fate decision between effector and memory CD8 α^+ T cell differentiation by a CD24-dependent mechanism. <i>Immunity</i> , 2014 , 40, 400-13	32.3	102
80	L-Myc expression by dendritic cells is required for optimal T-cell priming. <i>Nature</i> , 2014 , 507, 243-7	50.4	58

79	Origin, development, and homeostasis of tissue-resident macrophages. <i>Immunological Reviews</i> , 2014 , 262, 25-35	11.3	74
78	A minor subset of Batf3-dependent antigen-presenting cells in islets of Langerhans is essential for the development of autoimmune diabetes. <i>Immunity</i> , 2014 , 41, 657-69	32.3	91
77	Distinct contributions of Aire and antigen-presenting-cell subsets to the generation of self-tolerance in the thymus. <i>Immunity</i> , 2014 , 41, 414-426	32.3	179
76	Cross-presenting dendritic cells are required for control of <i>Leishmania major</i> infection. <i>European Journal of Immunology</i> , 2014 , 44, 1422-32	6.1	42
75	Complementary diversification of dendritic cells and innate lymphoid cells. <i>Current Opinion in Immunology</i> , 2014 , 29, 69-78	7.8	37
74	CD8+ T cells from a novel T cell receptor transgenic mouse induce liver-stage immunity that can be boosted by blood-stage infection in rodent malaria. <i>PLoS Pathogens</i> , 2014 , 10, e1004135	7.6	52
73	Notch2-dependent classical dendritic cells orchestrate intestinal immunity to attaching-and-effacing bacterial pathogens. <i>Nature Immunology</i> , 2013 , 14, 937-48	19.1	272
72	Transcriptional control of dendritic cell development. <i>Advances in Immunology</i> , 2013 , 120, 239-67	5.6	91
71	Specificity through cooperation: BATF-IRF interactions control immune-regulatory networks. <i>Nature Reviews Immunology</i> , 2013 , 13, 499-509	36.5	233
70	Therapeutic potential of B and T lymphocyte attenuator expressed on CD8+ T cells for contact hypersensitivity. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 702-711	4.3	8
69	Host-derived CD8+ dendritic cells are required for induction of optimal graft-versus-tumor responses after experimental allogeneic bone marrow transplantation. <i>Blood</i> , 2013 , 121, 4231-41	2.2	30
68	Bcl11a controls Flt3 expression in early hematopoietic progenitors and is required for pDC development in vivo. <i>PLoS ONE</i> , 2013 , 8, e64800	3.7	29
67	DNGR-1 is a specific and universal marker of mouse and human Batf3-dependent dendritic cells in lymphoid and nonlymphoid tissues. <i>Blood</i> , 2012 , 119, 6052-62	2.2	182
66	Re(de)fining the dendritic cell lineage. <i>Nature Immunology</i> , 2012 , 13, 1145-54	19.1	323
65	A validated regulatory network for Th17 cell specification. <i>Cell</i> , 2012 , 151, 289-303	56.2	794
64	Ly6C hi monocytes in the inflamed colon give rise to proinflammatory effector cells and migratory antigen-presenting cells. <i>Immunity</i> , 2012 , 37, 1076-90	32.3	481
63	New tricks from an old master. <i>Immunity</i> , 2012 , 37, 591-3	32.3	
62	Snail promotes the cell-autonomous generation of Flk1(+) endothelial cells through the repression of the microRNA-200 family. <i>Stem Cells and Development</i> , 2012 , 21, 167-76	4.4	24

61	Compensatory dendritic cell development mediated by BATF-IRF interactions. <i>Nature</i> , 2012 , 490, 502-7	50.4	293
60	A genomic regulatory element that directs assembly and function of immune-specific AP-1-IRF complexes. <i>Science</i> , 2012 , 338, 975-80	33.3	246
59	Zbtb46 expression distinguishes classical dendritic cells and their committed progenitors from other immune lineages. <i>Journal of Experimental Medicine</i> , 2012 , 209, 1135-52	16.6	410
58	BATF-JUN is critical for IRF4-mediated transcription in T cells. <i>Nature</i> , 2012 , 490, 543-6	50.4	297
57	Cytokine mimicry with an immunologic reformation: the discovery of a decade. <i>Journal of Immunology</i> , 2012 , 189, 2069-71	5.3	
56	Cross-dressed CD8 α /CD103+ dendritic cells prime CD8+ T cells following vaccination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 12716-21	11.5	49
55	MHC class I cross-presentation by dendritic cells counteracts viral immune evasion. <i>Frontiers in Immunology</i> , 2012 , 3, 348	8.4	34
54	Cross-presenting CD103+ dendritic cells are protected from influenza virus infection. <i>Journal of Clinical Investigation</i> , 2012 , 122, 4037-47	15.9	177
53	Host type I IFN signals are required for antitumor CD8+ T cell responses through CD8 α + dendritic cells. <i>Journal of Experimental Medicine</i> , 2011 , 208, 2005-16	16.6	735
52	Type I interferon is selectively required by dendritic cells for immune rejection of tumors. <i>Journal of Experimental Medicine</i> , 2011 , 208, 1989-2003	16.6	676
51	CD8 α dendritic cells are an obligate cellular entry point for productive infection by <i>Listeria monocytogenes</i> . <i>Immunity</i> , 2011 , 35, 236-48	32.3	140
50	CD8 α dendritic cells are the critical source of interleukin-12 that controls acute infection by <i>Toxoplasma gondii</i> tachyzoites. <i>Immunity</i> , 2011 , 35, 249-59	32.3	272
49	Transcription factor networks in dendritic cell development. <i>Seminars in Immunology</i> , 2011 , 23, 388-97	10.7	44
48	Batf3-dependent CD11b(low/-) peripheral dendritic cells are GM-CSF-independent and are not required for Th cell priming after subcutaneous immunization. <i>PLoS ONE</i> , 2011 , 6, e25660	3.7	95
47	The transcription factor BATF controls the global regulators of class-switch recombination in both B cells and T cells. <i>Nature Immunology</i> , 2011 , 12, 536-43	19.1	248
46	Snail and the microRNA-200 family act in opposition to regulate epithelial-to-mesenchymal transition and germ layer fate restriction in differentiating ESCs. <i>Stem Cells</i> , 2011 , 29, 764-76	5.8	68
45	Batf3 transcription factor-dependent DC subsets in murine CMV infection: differential impact on T-cell priming and memory inflation. <i>European Journal of Immunology</i> , 2011 , 41, 2612-8	6.1	72
44	CD103+ pulmonary dendritic cells preferentially acquire and present apoptotic cell-associated antigen. <i>Journal of Experimental Medicine</i> , 2011 , 208, 1789-97	16.6	230

43	Functional redundancy between thymic CD8 α^+ and Sirp $^+$ conventional dendritic cells in presentation of blood-derived lysozyme by MHC class II proteins. <i>Journal of Immunology</i> , 2011 , 186, 1421-1431	5.3	53
42	Comment on "Activation of E-catenin in dendritic cells regulates immunity versus tolerance in the intestine". <i>Science</i> , 2011 , 333, 405; author reply 405	33.3	10
41	A temporal role of type I interferon signaling in CD8 $^+$ T cell maturation during acute West Nile virus infection. <i>PLoS Pathogens</i> , 2011 , 7, e1002407	7.6	84
40	Batf3-Dependent CD11b low /T $^+$ Peripheral Dendritic Cells Are GM-CSF-Independent and Are Not Required for Th Cell Priming After Subcutaneous Immunization. <i>Blood</i> , 2011 , 118, 1113-1113	2.2	
39	Effector T cell plasticity: flexibility in the face of changing circumstances. <i>Nature Immunology</i> , 2010 , 11, 674-80	19.1	354
38	CX3CR1 $^+$ CD8 α^+ dendritic cells are a steady-state population related to plasmacytoid dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 14745-50	11.5	123
37	Peripheral CD103 $^+$ dendritic cells form a unified subset developmentally related to CD8 α^+ conventional dendritic cells. <i>Journal of Experimental Medicine</i> , 2010 , 207, 823-36	16.6	551
36	Distinct and complementary functions of MDA5 and TLR3 in poly(I:C)-mediated activation of mouse NK cells. <i>Journal of Experimental Medicine</i> , 2009 , 206, 2967-76	16.6	162
35	Role for Spi-C in the development of red pulp macrophages and splenic iron homeostasis. <i>Nature</i> , 2009 , 457, 318-21	50.4	297
34	The AP-1 transcription factor Batf controls T(H)17 differentiation. <i>Nature</i> , 2009 , 460, 405-9	50.4	435
33	From IL-10 to IL-12: how pathogens and their products stimulate APCs to induce T(H)1 development. <i>Nature Immunology</i> , 2009 , 10, 929-32	19.1	125
32	Permission to proceed: Jak3 and STAT5 signaling molecules give the green light for T helper 1 cell differentiation. <i>Immunity</i> , 2008 , 28, 725-7	32.3	6
31	Mesp1 coordinately regulates cardiovascular fate restriction and epithelial-mesenchymal transition in differentiating ESCs. <i>Cell Stem Cell</i> , 2008 , 3, 55-68	18	161
30	Batf3 deficiency reveals a critical role for CD8 α^+ dendritic cells in cytotoxic T cell immunity. <i>Science</i> , 2008 , 322, 1097-100	33.3	1285
29	Herpesvirus Entry Mediator and Cytomegalovirus ORF UL144 bind a common region of B and T Lymphocyte Attenuator. <i>FASEB Journal</i> , 2008 , 22, 1070.28	0.9	
28	ERM, an ETS Transcription Factor, Is Crucial for Folliculogenesis and Ovulation in Mice.. <i>Biology of Reproduction</i> , 2008 , 78, 128-128	3.9	
27	Canonical Wnt signaling is required for development of embryonic stem cell-derived mesoderm. <i>Development (Cambridge)</i> , 2006 , 133, 3787-96	6.6	248
26	Th17: an effector CD4 T cell lineage with regulatory T cell ties. <i>Immunity</i> , 2006 , 24, 677-688	32.3	1149

25	A distal conserved sequence element controls Ifng gene expression by T cells and NK cells. <i>Immunity</i> , 2006 , 25, 717-29	32.3	139
24	Balancing co-stimulation and inhibition with BTLA and HVEM. <i>Nature Reviews Immunology</i> , 2006 , 6, 671-8	36.5	223
23	Fate vs choice: the immune system reloaded. <i>Immunologic Research</i> , 2005 , 32, 193-200	4.3	10
22	B and T lymphocyte attenuator regulates T cell activation through interaction with herpesvirus entry mediator. <i>Nature Immunology</i> , 2005 , 6, 90-8	19.1	472
21	Interleukin 17-producing CD4+ effector T cells develop via a lineage distinct from the T helper type 1 and 2 lineages. <i>Nature Immunology</i> , 2005 , 6, 1123-32	19.1	3636
20	Identification of cooperative monomeric Brachyury sites conferring T-bet responsiveness to the proximal IFN-gamma promoter. <i>International Immunology</i> , 2003 , 15, 1149-60	4.9	56
19	T-bet is a STAT1-induced regulator of IL-12R expression in naive CD4+ T cells. <i>Nature Immunology</i> , 2002 , 3, 549-57	19.1	739
18	The lineage decisions of helper T cells. <i>Nature Reviews Immunology</i> , 2002 , 2, 933-44	36.5	1357
17	IL-18-stimulated GADD45 beta required in cytokine-induced, but not TCR-induced, IFN-gamma production. <i>Nature Immunology</i> , 2001 , 2, 157-64	19.1	220
16	Unexpected characteristics of the IFN-gamma reporters in nontransformed T cells. <i>Journal of Immunology</i> , 2001 , 167, 855-65	5.3	37
15	An instructive component in T helper cell type 2 (Th2) development mediated by GATA-3. <i>Journal of Experimental Medicine</i> , 2001 , 193, 643-50	16.6	95
14	Friend of GATA-1 represses GATA-3-dependent activity in CD4+ T cells. <i>Journal of Experimental Medicine</i> , 2001 , 194, 1461-71	16.6	78
13	Selective loss of type I interferon-induced STAT4 activation caused by a minisatellite insertion in mouse Stat2. <i>Nature Immunology</i> , 2000 , 1, 65-9	19.1	159
12	Dendritic cell regulation of TH1-TH2 development. <i>Nature Immunology</i> , 2000 , 1, 199-205	19.1	931
11	Role of the Stat4 N domain in receptor proximal tyrosine phosphorylation. <i>Molecular and Cellular Biology</i> , 2000 , 20, 7121-31	4.8	45
10	Signaling and transcription in T helper development. <i>Annual Review of Immunology</i> , 2000 , 18, 451-94	34.7	548
9	Stat6-independent GATA-3 autoactivation directs IL-4-independent Th2 development and commitment. <i>Immunity</i> , 2000 , 12, 27-37	32.3	573
8	Database searches for binding sites. <i>Science</i> , 2000 , 288, 2319	33.3	2

7	Induction of interferon-gamma production in Th1 CD4+ T cells: evidence for two distinct pathways for promoter activation. <i>European Journal of Immunology</i> , 1999 , 29, 548-55	6.1	166
6	Functional diversity of helper T lymphocytes. <i>Nature</i> , 1996 , 383, 787-93	50.4	3684
5	Developmental commitment to the Th2 lineage by extinction of IL-12 signaling. <i>Immunity</i> , 1995 , 2, 665-75	52.3	383
4	cDC1 Coordinate Innate and Adaptive Responses in the Omentum required for T cell Priming and Memory		1
3	BCL6-dependent TCF-1+ progenitor cells maintain effector and helper CD4 T cell responses to persistent antigen		1
2	The conventional dendritic cell 1 subset primes CD8+ T cells and traffics tumor antigen to drive anti-tumor immunity in the brain		1
1	Ablation of cDC2 development by triple mutations within the Zeb2 enhancer. <i>Nature</i> ,	50.4	3