

# Hamid Rahimpour Soleimani

## List of Publications by Citations

**Source:**

<https://exaly.com/author-pdf/4076366/hamid-rahimpour-soleimani-publications-by-citations.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111  
papers

936  
citations

16  
h-index

24  
g-index

113  
ext. papers

1,065  
ext. citations

2.3  
avg, IF

4.9  
L-index

#	Paper	IF	Citations
111	Phase control of optical bistability and multistability via spin coherence in a quantum well waveguide. <i>Journal of the Optical Society of America B: Optical Physics</i> , <b>2013</b> , 30, 1815	1.7	93
110	Optical bistability and multistability via biexciton coherence in semiconductor quantum well nanostructure. <i>Optics Communications</i> , <b>2014</b> , 315, 347-351	2	51
109	Infrared and terahertz signal detection in a quantum Dot nanostructure. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2013</b> , 54, 45-52	3	47
108	Slow light propagation and bistable switching in a graphene under an external magnetic field. <i>Laser Physics Letters</i> , <b>2015</b> , 12, 045202	1.5	41
107	Phase control of optical bistability based biexciton coherence in a quantum dot nanostructure. <i>Physica B: Condensed Matter</i> , <b>2014</b> , 440, 124-129	2.8	27
106	Subluminal and superluminal pulse propagation via spin coherence in a defect dielectric medium. <i>Optics Communications</i> , <b>2014</b> , 315, 394-398	2	25
105	Optical bistability and multistability in an open ladder-type atomic system. <i>Journal of Modern Optics</i> , <b>2013</b> , 60, 659-665	1.1	25
104	Phase and thickness control of optical bistability and multistability in a defect slab with a single layer of graphene. <i>Laser Physics Letters</i> , <b>2016</b> , 13, 015201	1.5	24
103	DFT analysis and FDTD simulation of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> /Cl mixed halide perovskite solar cells: role of halide mixing and light trapping technique. <i>Journal Physics D: Applied Physics</i> , <b>2017</b> , 50, 415501	3	23
102	Thermoelectric properties of metal/molecule/metal junction for different lengths of polythiophene. <i>Chemical Physics Letters</i> , <b>2014</b> , 594, 51-57	2.5	20
101	Wavevector dependence of population and spin dynamics of exciton polaritons in bulk semiconductors. <i>Journal of Physics Condensed Matter</i> , <b>2006</b> , 18, 315-331	1.8	20
100	Phase dependence of optical bistability and multistability in a four-level quantum system near a plasmonic nanostructure. <i>Journal of Applied Physics</i> , <b>2016</b> , 119, 023102	2.5	20
99	Study of exciton-polariton spin dynamics. <i>Applied Physics Letters</i> , <b>2004</b> , 85, 5263-5265	3.4	19
98	Influence of electron-phonon interaction on the thermoelectric properties of a serially coupled double quantum dot system. <i>Journal of Applied Physics</i> , <b>2012</b> , 112, 103719	2.5	18
97	High performance of mixed halide perovskite solar cells: Role of halogen atom and plasmonic nanoparticles on the ideal current density of cell. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2018</b> , 97, 282-289	3	17
96	Improvement of thermoelectric efficiency of the polyaniline molecular junction by the doping process. <i>Physical Chemistry Chemical Physics</i> , <b>2015</b> , 17, 13466-71	3.6	16
95	Bandgap opening in hydrogenated germanene. <i>Applied Physics Letters</i> , <b>2018</b> , 112, 171607	3.4	14

94	Phase dependence of optical bistability and multistability in graphene nanostructure under external magnetic field. <i>Laser Physics Letters</i> , <b>2016</b> , 13, 015204	1.5	14
93	Thermoelectric effects in a double quantum dot system weakly coupled to ferromagnetic leads. <i>Solid State Communications</i> , <b>2012</b> , 152, 914-918	1.6	14
92	Enhancement of thermoelectric efficiency by embedding hexagonal boron-nitride cells in zigzag graphene nanoribbons. <i>Journal Physics D: Applied Physics</i> , <b>2015</b> , 48, 235304	3	13
91	Thermoelectric effects through weakly coupled double quantum dots. <i>Physica B: Condensed Matter</i> , <b>2012</b> , 407, 765-769	2.8	13
90	Impact of exciton spin relaxation (ESR) on Kerr nonlinearity in a quantum well nanostructure. <i>Physica B: Condensed Matter</i> , <b>2014</b> , 449, 77-84	2.8	13
89	Role of incoherent pumping field on absorption dispersion properties of probe pulse in a graphene nanostructure under external magnetic field. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2015</b> , 71, 123-129	3	12
88	Phonon-assisted tunneling through a double quantum dot system. <i>Physica Scripta</i> , <b>2012</b> , 86, 035706	2.6	12
87	Transmission and reflection properties of incident pulse in a dielectric slab doped with quantum dot. <i>Superlattices and Microstructures</i> , <b>2013</b> , 62, 217-224	2.8	11
86	Time-Dependent Thermopower Effect in an Interacting Quantum Dot. <i>International Journal of Thermophysics</i> , <b>2014</b> , 35, 136-144	2.1	11
85	Enhancement of refractive index with amplification in an InGaN/GaN quantum dot nanostructure. <i>Laser Physics Letters</i> , <b>2016</b> , 13, 045204	1.5	11
84	Role of exciton spin relaxation on optical bistability and multistability in a multiple quantum well nanostructure. <i>Optical and Quantum Electronics</i> , <b>2015</b> , 47, 401-412	2.4	10
83	Switching from optical bistability to multistability via terahertz signal radiation in a InGaN/GaN quantum dot nanostructure. <i>Optics Communications</i> , <b>2014</b> , 321, 104-109	2	10
82	Photon-phonon-assisted thermoelectric effects in the molecular devices. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2013</b> , 48, 36-41	3	10
81	Thermoelectric effects in a quantum dot coupled to ferromagnetic leads and subject to microwave fields. <i>Journal of Applied Physics</i> , <b>2013</b> , 113, 143709	2.5	10
80	Direct electron- and hole-spin relaxation measurements in undoped piezoelectric CdTe quantum wells. <i>Applied Physics Letters</i> , <b>2005</b> , 87, 192104	3.4	10
79	Phase Control of Transient Optical Properties of Quantum-Dot Nanostructure via Terahertz Signal Radiation. <i>Chinese Physics Letters</i> , <b>2014</b> , 31, 114207	1.8	10
78	Investigating elastic and plastic characteristics of monolayer phosphorene under atomic adsorption by the density functional theory. <i>Physica B: Condensed Matter</i> , <b>2021</b> , 600, 412603	2.8	10
77	Investigation of optical bistability in a double In(x)Ga(1-x)N/GaN quantum-dot nanostructure via inter-dot tunneling effect. <i>Applied Optics</i> , <b>2015</b> , 54, 2606-14	1.7	9

76	Phase control of Goos-Hänchen shift via biexciton coherence in a multiple quantum well. <i>Superlattices and Microstructures</i> , <b>2015</b> , 85, 112-123	2.8	9
75	Propagation dependent exciton-spin dephasing and relaxation due to exchange interaction. <i>Journal of Applied Physics</i> , <b>2006</b> , 100, 023705	2.5	9
74	Impact of coupling geometry on thermoelectric properties of oligophenyl-base transistor. <i>Chinese Physics B</i> , <b>2017</b> , 26, 027303	1.2	8
73	Quantum confinement and strain effects on the low-dimensional all-inorganic halide Cs <sub>2</sub> XI <sub>2</sub> Cl <sub>2</sub> (X= Pb, Sn) perovskites: A theoretical approach for modulating electronic and optical properties. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2020</b> , 124, 114226	3	8
72	Optical properties of double cascade-type GaAs/AlGaAs multiple quantum well nanostructures via exciton spin relaxation. <i>Physica B: Condensed Matter</i> , <b>2014</b> , 434, 112-117	2.8	7
71	Spin Thermoelectric Properties of Polythiophene Molecular Junction. <i>Macromolecular Theory and Simulations</i> , <b>2014</b> , 23, 311-319	1.5	7
70	Polarization dependence of optical bistability in the presence of external magnetic field. <i>Optics Communications</i> , <b>2014</b> , 310, 120-124	2	7
69	The effect of buckling on IR characteristics of symmetric and asymmetric zigzag germanene nanoribbons: a first-principle calculation. <i>Journal Physics D: Applied Physics</i> , <b>2017</b> , 50, 085301	3	6
68	Role of incoherent pumping and Er <sup>3+</sup> ion concentration on subluminal and superluminal light propagation in Er <sup>3+</sup> -doped YAG crystal. <i>Chinese Physics B</i> , <b>2015</b> , 24, 014204	1.2	6
67	The influence of edge defects on the electrical and thermal transport of graphene nanoribbons. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2015</b> , 74, 363-370	3	6
66	Large thermoelectric efficiency of doped polythiophene junction: A density functional study. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2018</b> , 100, 31-39	3	6
65	Optical bistability in a three-level lambda molecule with permanent dipole moments. <i>Journal of the Optical Society of America B: Optical Physics</i> , <b>2014</b> , 31, 3123	1.7	6
64	INFLUENCE OF COUPLING GEOMETRY AND DEPHASING ON THERMOELECTRIC PROPERTIES OF A C60 MOLECULAR JUNCTION. <i>Nano</i> , <b>2014</b> , 09, 1450057	1.1	6
63	Phonon-assisted thermoelectric effects in a two-level molecule. <i>Physica B: Condensed Matter</i> , <b>2013</b> , 413, 86-91	2.8	6
62	Phase control of light transmission and reflection based biexciton coherence in a defect dielectric medium. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , <b>2014</b> , 31, 2223-2231	1.8	6
61	Coherent Control of the Goos-Hänchen Shifts in a Four-Level N Type Atomic Medium. <i>Communications in Theoretical Physics</i> , <b>2014</b> , 62, 864-870	2.4	6
60	FAR INFRARED PHOTO DETECTOR BASED ON ELECTROMAGNETICALLY INDUCED TRANSPARENCY. <i>International Journal of Modern Physics B</i> , <b>2013</b> , 27, 1350004	1.1	6
59	Controlling the Goos-Hänchen Shift via Incoherent Pumping Field and Electron Tunneling in the Triple Coupled InGaAs/GaAs Quantum Dots. <i>Chinese Physics Letters</i> , <b>2016</b> , 33, 014204	1.8	5

58	Concentration of Er <sup>3+</sup> ion effect on optical bistability and multistability in Er <sup>3+</sup> :YAG crystal. <i>European Physical Journal Plus</i> , <b>2014</b> , 129, 1	3.1	5
57	Role of Er <sup>3+</sup> ion concentration and incoherent pumping field on optical bistability in Er <sup>3+</sup> :YAG crystal. <i>Optics Communications</i> , <b>2014</b> , 331, 98-104	2	5
56	Thermoelectric Properties of Single Molecule Junction in Presence of Dephasing and Different Coupling Geometries. <i>Communications in Theoretical Physics</i> , <b>2015</b> , 64, 361-366	2.4	5
55	Thermal efficiency of carbon nanotube quantum dots in the presence of electron-phonon interaction. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2013</b> , 53, 200-206	3	5
54	Inelastic transport through double quantum dot systems. <i>Physica B: Condensed Matter</i> , <b>2011</b> , 406, 4056-4059	4.5	5
53	Enhanced thermoelectric properties in anthracene molecular device with graphene electrodes: the role of phononic thermal conductance. <i>Scientific Reports</i> , <b>2020</b> , 10, 10922	4.9	5
52	Magnetothermoelectric Properties of Ferrocene-Based Compounds Sandwiched by Transition Metals in the Presence of Gold Electrodes. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 22063-22072	3.8	5
51	Polarized control of probe absorption in a single-layer graphene nanostructure system. <i>Laser Physics</i> , <b>2016</b> , 26, 025205	1.2	4
50	Transient absorption dispersion properties of four-level atomic system via elliptically polarized probe light and magnetic field. <i>Optik</i> , <b>2014</b> , 125, 1558-1561	2.5	4
49	Laser polarization dependent and magnetically control of group velocity in a dielectric medium doped with nanodiamond nitrogen vacancy centers. <i>Physica B: Condensed Matter</i> , <b>2014</b> , 436, 233-238	2.8	4
48	Effect of dopant nitrogen on the thermoelectric properties of C <sub>20</sub> and C <sub>60</sub> fullerene in graphene nanoribbon junction. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2019</b> , 108, 372-381	3	4
47	Optical bistability and multistability in a four-level quantum system in the presence of plasmonic nanostructure. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2016</b> , 75, 112-117	3	3
46	Inelastic electron tunneling through degenerate and nondegenerate ground state polymeric junctions. <i>Chemical Physics</i> , <b>2015</b> , 452, 61-66	2.3	3
45	Manipulation of pulse propagation in a four-level quantum system via an elliptically polarized light in the presence of external magnetic field. <i>Modern Physics Letters B</i> , <b>2015</b> , 29, 1550185	1.6	3
44	Optical bistability and multistability in a parametric region. <i>Optical and Quantum Electronics</i> , <b>2014</b> , 46, 709-718	2.4	3
43	Transmission and reflection properties of propagated pulse through defect slab based biexciton coherence. <i>Optics Communications</i> , <b>2014</b> , 333, 226-231	2	3
42	Comparison of optical properties between ladder and lambda-type EIT medium with Er <sup>3+</sup> ion concentration in Er <sup>3+</sup> :YAG crystal. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2014</b> , 25, 3578-3585	2.1	3
41	THERMOELECTRIC AND THERMOMAGNETIC PROPERTIES OF GRAPHENE IN THE PRESENCE OF DIFFERENT SCATTERING PROCESSES. <i>Modern Physics Letters B</i> , <b>2013</b> , 27, 1350060	1.6	3

40	Study of coupling effect on the performance of a spin-current diode: Nonequilibrium Green's function based model. <i>Solid State Communications</i> , <b>2011</b> , 151, 1479-1482	1.6	3
39	Measurement of exciton spin coherence by nondegenerate four-wave mixing experiments in the (B) regime. <i>Physical Review B</i> , <b>2007</b> , 75,	3.3	3
38	Charge transport in a molecule-borophene junction: The effect of junction configurations. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , <b>2020</b> , 384, 126341	2.3	2
37	Effect of electron-spin relaxation on optical bistability and lasing without population inversion in a three-level V type quantum system. <i>Optik</i> , <b>2016</b> , 127, 2525-2530	2.5	2
36	Spin thermoelectric properties of a carbon nanotube quantum dot coupled to ferromagnetic leads. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2014</b> , 350, 107-113	2.8	2
35	Er 3+ ion concentration effect on transient and steady-state behavior in Er 3+ :YAG crystal. <i>Chinese Physics B</i> , <b>2014</b> , 23, 104223	1.2	2
34	Improvement of the thermoelectric efficiency of pyrene-based molecular junction with doping engineering. <i>Chinese Physics B</i> , <b>2017</b> , 26, 123101	1.2	2
33	Phonon-dependent transport through a serially coupled double quantum dot system. <i>Chinese Physics B</i> , <b>2014</b> , 23, 057302	1.2	2
32	Spin-current rectification in the presence of spin-flip in a quantum dot using temperature bias. <i>Physica Status Solidi (B): Basic Research</i> , <b>2013</b> , 250, 128-133	1.3	2
31	Band structure engineering of NiS monolayer by transition metal doping. <i>Scientific Reports</i> , <b>2021</b> , 11, 5779	4.9	2
30	Side-group-mediated thermoelectric properties of anthracene single-molecule junction with anchoring groups. <i>Scientific Reports</i> , <b>2021</b> , 11, 8958	4.9	2
29	Effect of pump mode structure on reflectance of SBS mirrors. <i>Optical and Quantum Electronics</i> , <b>2017</b> , 49, 1	2.4	1
28	The maximum rectification ratio of pyrene-based molecular devices: a systematic study. <i>Journal of Computational Electronics</i> , <b>2019</b> , 18, 453-464	1.8	1
27	The gain amplification via spontaneously generated coherence with incoherent pump field: A comparison of optical properties between open and closed four level systems. <i>Optik</i> , <b>2015</b> , 126, 5182-5187	2.5	1
26	Spectral behavior of amplified back-scattered Stokes pulse in two-cell phase conjugating mirror. <i>Optics Communications</i> , <b>2015</b> , 335, 7-15	2	1
25	Roles of Atomic Injection Rate and External Magnetic Field on Optical Properties of Elliptical Polarized Probe Light. <i>Communications in Theoretical Physics</i> , <b>2016</b> , 65, 57-65	2.4	1
24	Phase control of group-velocity-based biexciton coherence in a multiple quantum well nanostructure. <i>Chinese Physics B</i> , <b>2014</b> , 23, 104205	1.2	1
23	Magnetically dependent optical bistability and multistability in open diamond nitrogen-vacancy centers. <i>JETP Letters</i> , <b>2015</b> , 102, 284-289	1.2	1

22	Impact of incoherent pumping field and Er <sup>3+</sup> -ion concentration on group velocity and index of refraction in an Er <sup>3+</sup> -doped YAG crystal. <i>Laser Physics</i> , <b>2015</b> , 25, 035201	1.2	1
21	Charge and spin-dependent thermal efficiency of polythiophene molecular junction in presence of dephasing. <i>Chinese Physics B</i> , <b>2015</b> , 24, 108402	1.2	1
20	Enhanced Kerr nonlinearity with nonlinear amplification based biexciton coherence. <i>European Physical Journal Plus</i> , <b>2015</b> , 130, 1	3.1	1
19	INFLUENCE OF SPIN-FLIP ON THE PERFORMANCE OF THE SPIN-DIODE. <i>Modern Physics Letters B</i> , <b>2011</b> , 25, 2335-2341	1.6	1
18	SPIN-DEPENDENT BEATS CREATED BY IRRADIATION OF MICROWAVE FIELD THROUGH A QUANTUM DOT. <i>Modern Physics Letters B</i> , <b>2011</b> , 25, 2033-2039	1.6	1
17	Spin dynamics and lifetime of exciton polaritons in CuCl. <i>Applied Surface Science</i> , <b>2005</b> , 247, 107-114	6.7	1
16	A new and simple method for simulation of lattice mismatch on the optical properties of solar cells: A combination of DFT and FDTD simulations. <i>Solar Energy</i> , <b>2021</b> , 230, 166-176	6.8	1
15	The impact of Fe atom on the spin-filter and spin thermoelectric properties of Au-Fe@C-Au monomer and dimer systems. <i>Scientific Reports</i> , <b>2020</b> , 10, 21134	4.9	1
14	The effect of geometric arrangement on the thermoelectric properties of Phenanthrene coupled to the graphene nanoribbons electrodes. <i>Chinese Journal of Physics</i> , <b>2018</b> , 56, 2580-2588	3.5	1
13	Spin transport properties in TM-doped B38 fullerene/borophene junctions. <i>Physica B: Condensed Matter</i> , <b>2021</b> , 621, 413284	2.8	1
12	Magneto thermoelectric properties of transition metal.bis(dithiolene) wires. <i>Physica B: Condensed Matter</i> , <b>2020</b> , 580, 411825	2.8	0
11	Buckling-dependent switching behaviours in shifted bilayer germanene nanoribbons: A computational study. <i>Superlattices and Microstructures</i> , <b>2018</b> , 113, 657-666	2.8	0
10	The effect of adding side group and changing contact geometry in single pyrene molecular devices. <i>International Journal of Modern Physics B</i> , <b>2018</b> , 32, 1850078	1.1	
9	Simultaneous slow and fast light transmission-reflection with amplification in a defect slab via exciton spin relaxation. <i>Laser Physics</i> , <b>2014</b> , 24, 125202	1.2	
8	EFFECT OF THE ELECTRON SPIN-RELAXATION ON OPTICAL BISTABILITY VIA THE HEAVY-HOLE AND THE LIGHT-HOLE. <i>Modern Physics Letters B</i> , <b>2014</b> , 28, 1450027	1.6	
7	Transient and steady-state behavior of single and two-photon absorption by microwave driven field. <i>Canadian Journal of Physics</i> , <b>2014</b> , 92, 284-288	1.1	
6	Comparison of absorption dispersion and optical bistability behaviors between open and closed four-level tripod atomic systems. <i>Chinese Physics B</i> , <b>2015</b> , 24, 094207	1.2	
5	Influence of incoherent pumping field on spatial evolution of gain without inversion in a four-level quantum dot nanostructure. <i>Physica B: Condensed Matter</i> , <b>2015</b> , 473, 101-106	2.8	

- 4 Permanent dipole moment induced stability and group index switching in a three-level molecule. *JETP Letters*, **2014**, 100, 360-365 1.2
- 3 SPIN CURRENT AMPLIFICATION IN PRESENCE OF NONUNIFORM DOPING. *Modern Physics Letters B*, **2012**, 26, 1150026 1.6
- 2 High spin-filtering and magnetoelectric properties of one-dimensional transition metal.bis(dithiolene) structures. *Physics Letters, Section A: General, Atomic and Solid State Physics*, **2020**, 384, 126192 2.3
- 1 The spin-dependent properties of silicon carbide/graphene nanoribbons junctions with vacancy defects.. *Scientific Reports*, **2021**, 11, 23879 4.9