

# Wu Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4077405/publications.pdf>

Version: 2024-02-01

46

papers

547

citations

759233

12

h-index

713466

21

g-index

47

all docs

47

docs citations

47

times ranked

649

citing authors

#	ARTICLE	IF	CITATIONS
1	Solid-Liquid equilibria of two quaternary systems $\text{LiBr} + \text{NaBr} + \text{Li}_2\text{SO}_4 + \text{Na}_2\text{SO}_4 + \text{H}_2\text{O}$ and $\text{LiBr} + \text{KBr} + \text{Li}_2\text{SO}_4 + \text{K}_2\text{SO}_4 + \text{H}_2\text{O}$ at 298.15 K. <i>Journal of Chemical Thermodynamics</i> , 2022, 165, 106665.	2.0	4
2	Chemical characterization of non-volatile dissolved organic matter from oilfield-produced brines in the Nanyishan area of the western Qaidam Basin, China. <i>Chemosphere</i> , 2021, 268, 128804.	8.2	8
3	Solid-Liquid Stable Equilibrium of the Quaternary System $\text{LiCl} + \text{NaCl} + \text{Li}_2\text{SO}_4 + \text{Na}_2\text{SO}_4 + \text{H}_2\text{O}$ . <i>Journal of Solution Chemistry</i> , 2021, 50, 1103-1112.	1.2	0
4	A concise and mild green synthetic route of sodium chromate through ferrochrome electrochemical oxidation and in-situ purification. <i>Journal of Hazardous Materials</i> , 2020, 387, 121699.	12.4	5
5	Phase Equilibrium and Phase Diagram for the Quaternary System $\text{LiBr} + \text{NaBr} + \text{KBr} + \text{H}_{2\text{sub}}\text{O}$ at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2020, 65, 3021-3028.	1.9	16
6	Removal of Fluoride by Graphene Oxide/Alumina Nanocomposite: Adsorbent Preparation, Characterization, Adsorption Performance and Mechanisms. <i>ChemistrySelect</i> , 2020, 5, 1818-1828.	1.5	23
7	Effect of magnesium oxysulfate (MOS) morphology on the crystallization, mechanical, and rheological properties of polypropylene/MOS composites. <i>Journal of Thermoplastic Composite Materials</i> , 2019, 32, 710-726.	4.2	6
8	Synthesis of $\text{H}_{2\text{sub}}\text{Mn}_{2\text{sub}}\text{O}_{12}$ Nanotubes Lithium Ion Sieve and Its Adsorption Properties for $\text{Li}^{+}$ from Aqueous Solution. <i>ChemistrySelect</i> , 2019, 4, 9562-9569.	1.5	11
9	Measurement and Prediction of Solid + Liquid Equilibria in the Quaternary System $\text{LiCl} + \text{KCl} + \text{Li}_{2\text{sub}}\text{SO}_{4\text{sub}} + \text{K}_{2\text{sub}}\text{SO}_{4\text{sub}} + \text{H}_{2\text{sub}}\text{O}$ at 288.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2019, 64, 4206-4213.	5.9	8
10	Field-induced Single-ion Magnetic Behavior in Two Mononuclear Cobalt(II) Complexes. <i>Chemistry - an Asian Journal</i> , 2019, 14, 2620-2628.	3.3	9
11	Mechanical and flame retardant properties of isotactic polypropylene/magnesium oxysulfate whisker composite. <i>Journal of Thermoplastic Composite Materials</i> , 2018, 31, 514-534.	4.2	5
12	(Solid + Liquid) Phase Equilibria in the Quaternary System ( $\text{NaBr} + \text{MgBr}_2 + \text{CaBr}_2 + \text{H}_2\text{O}$ ) at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2018, 63, 3400-3407.	1.9	9
13	Design and preparation of high-aspect-ratio zinc borate whiskers and their effects on mechanical properties of PP nanocomposite. <i>Research on Chemical Intermediates</i> , 2018, 44, 5697-5709.	2.7	11
14	Investigations on Mg-borate kinetics and mechanisms during evaporation, dilution and crystallization by Raman spectroscopy. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 199, 367-375.	3.9	8
15	Effects of different compatibilizers on mechanical, crystallization and thermal properties of polypropylene/magnesium oxysulfate whisker composites. <i>Journal of Adhesion Science and Technology</i> , 2017, 31, 1839-1857.	2.6	10
16	Crystallization, mechanical, thermal and rheological properties of polypropylene composites reinforced by magnesium oxysulfate whisker. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2017, 35, 659-671.	3.8	6
17	Convergent Route to <i>ent</i> -Kaurane Diterpenoids: Total Synthesis of Lungshengenin D and $\hat{1},\hat{6},\hat{6},\hat{6}$ -Diacetoxy- <i>ent</i> -kaura-9(11),16-dien-12,15-dione. <i>Journal of the American Chemical Society</i> , 2017, 139, 2932-2935.	13.7	51
18	Phase Diagram of the $\text{NaCl} + \text{RbCl} + \text{H}_{2\text{sub}}\text{O}$ System. <i>Journal of Chemical &amp; Engineering Data</i> , 2017, 62, 1063-1067.	1.9	8

#	ARTICLE	IF	CITATIONS
19	Functional group effect on flame retardancy, thermal, and mechanical properties of organophosphorus-based magnesium oxysulfate whiskers as a flame retardant in polypropylene. RSC Advances, 2017, 7, 21655-21665.	3.6	43
20	Synthesis and formation mechanism of pinnite in sulfated-type boron concentrated brine by dilution method. Phase Transitions, 2017, 90, 1025-1033.	1.3	2
21	Effects of different compatibilizing agents on the interfacial adhesion properties of polypropylene/magnesium oxysulfate whisker composites. Chinese Journal of Polymer Science (English) Tj ETQq1 13087843148rgBT /Ove		
22	Surface modification of anhydrite whiskers and their potential application for durable superhydrophobic coatings. RSC Advances, 2017, 7, 53301-53305.	3.6	10
23	Wettability of stearic acid modified chrome oxide layer on copper substrate. Micro and Nano Letters, 2017, 12, 157-160.	1.3	1
24	Crystal structure of poly[1,2-bis(1,2,4-triazol-4-yl)ethane- $\text{N}^{\text{+}}\text{H}_2\text{O}_2\text{Cl}^-$ ]silver(I) bromate monohydrate]silver(I), $\text{C}_{12}\text{H}_{12}\text{AgBrN}_2\text{O}_4\text{H}_2\text{O}$ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2017, 232, 599-601.	0.3	1
25	Superhydrophobic surface fabricated on iron substrate by black chromium electrodeposition and its corrosion resistance property. Applied Surface Science, 2016, 378, 388-396.	6.1	22
26	Five Disk-Shaped {MII 7 } ( $M = \text{Mn, Fe, Co, Cu, Zn}$ ) Clusters and One Capsule-Like {CuII 6 NaI 2 } Cluster Assembled from the Same Schiff Base Ligand. European Journal of Inorganic Chemistry, 2016, 2016, 4129-4129.	2.0	0
27	Surface modification of magnesium hydroxide sulfate hydrate whiskers using a silane coupling agent by dry process. Applied Surface Science, 2016, 390, 25-30.	6.1	43
28	Five Disk-shaped {M <sup>II</sup> <sub>2</sub> Na <sub>6</sub> } ( $M = \text{Mn, Fe, Co, Cu, Zn}$ ) Clusters and One Capsule-Like {Cu <sup>II</sup> <sub>1</sub> Na <sup>I</sup> <sub>2</sub> } Cluster Assembled from the Same Schiff Base Ligand. European Journal of Inorganic Chemistry, 2016, 2016, 4134-4143.	2.0	19
29	Template-free synthesis of mesoporous $\beta$ -alumina with tunable structural properties. Ceramics International, 2016, 42, 4072-4079.	4.8	35
30	A new acentric borate of $\text{K}_2\text{Ba}[\text{B}(\text{OH})_5\text{O}_4]_2\cdot 10\text{H}_2\text{O}$ : synthesis, structure and nonlinear optical property. Phase Transitions, 2016, 89, 996-1005.	1.3	5
31	Synthesis and formation mechanism of pinnite by the phase transition process. Phase Transitions, 2016, 89, 558-567.	1.3	5
32	Bis(2- $\text{C}_6\text{H}_4\text{O}_2$ cycloazylindolyl)titanium Complexes: Synthesis, Characterization, and the Catalytic Behaviors towards Hydroamination and Ring-Opening Polymerization of $\text{CH}_2=\text{CHCO}_2\text{Et}$ . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2015, 641, 1322-1328.	1.2	4
33	Titanium complexes supported by imidazo[1,5-a]pyridine-containing pyrrolyl ligand as catalysts for hydroamination and polymerization reactions, and as an antitumor reagent. RSC Advances, 2015, 5, 10318-10325.	3.6	12
34	A series of Zn <sup>II</sup> and Co <sup>II</sup> complexes based on 2-(imidazo[1,5-a]pyridin-3-yl)phenol: syntheses, structures, and luminescent and magnetic properties. Journal of Coordination Chemistry, 2014, 67, 1673-1692.	2.2	5
35	Study on the mechanism of surface modification of magnesium oxysulfate whisker. Applied Surface Science, 2014, 317, 325-331.	6.1	42
36	Synthesis, Structures and DFT Studies of Imido-bridged and (Bis)ligand-coordinated Titanium Complexes. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2013, 639, 1876-1883.	1.2	2

#	ARTICLE	IF	CITATIONS
37	A cubane-like [Ni <sub>4</sub> O <sub>4</sub> ] cluster and a chloro-bridged dinuclear copper complex incorporating a hydroxyl-rich ligand: syntheses and crystal structures. <i>Journal of Coordination Chemistry</i> , 2012, 65, 4147-4155.	2.2	9
38	Coordination polymers of lanthanides incorporating <i>N</i> <sub>2</sub> -ethylenebis(2-hydroxy-1-naphthylideneimino): syntheses and crystal structures. <i>Journal of Coordination Chemistry</i> , 2012, 65, 4430-4440.	2.2	4
39	Titanium and zirconium amido complexes supported by imidazole-containing ligands: syntheses, characterization and catalytic activities. <i>RSC Advances</i> , 2012, 2, 144-150.	3.6	16
40	Copper(II) and Cadmium(II) Complexes Based on <i>N</i> <sub>2</sub> -Bis(3, Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 627 Td (5-dimethylamino-2-hydroxy-1-naphthylideneimino)amine Ligand. Luminescent Properties. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012, 638, 1833-1838.	1.2	4
41	Experimental design in the analysis of interferential effects for the determination of Sr in high Ca/Sr ratio brine by inductively coupled plasma atomic emission spectroscopy technique. <i>International Journal of Environmental Analytical Chemistry</i> , 2011, 91, 291-301.	3.3	2
42	Synthesis, Structural Characterization, and Catalytic Activity of Scandium, Samarium, and Dysprosium Complexes Supported by Tris(pyrolyl- $\pm$ -methyl)amine Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011, 637, 117-121.	1.2	17
43	Synthesis and formation of alumina whiskers from hydrothermal solution. <i>Journal of Materials Science</i> , 2010, 45, 177-181.	3.7	28
44	Low-temperature Heat Capacities and Standard Molar Enthalpy of Formation of 4-Nitrobenzyl Alcohol. <i>Chinese Journal of Chemistry</i> , 2009, 27, 1225-1231.	4.9	3
45	Effects of Pitzer mixing parameters on the solubility prediction of HCl-CsCl-H <sub>2</sub> O system at 25°C. <i>Russian Journal of Inorganic Chemistry</i> , 2006, 51, 1659-1663.	1.3	3
46	Solid-liquid Equilibria in Reciprocal Quinary System Li <sup>+</sup> , Na <sup>+</sup> , K <sup>+</sup> /Br <sup>-</sup> , and SO <sub>4</sub> <sup>2-</sup> H <sub>2</sub> O at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 0, , .	1.9	3