

# Lisa K Belden

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4078197/publications.pdf>

Version: 2024-02-01

79  
papers

5,663  
citations

147801

31  
h-index

79698

73  
g-index

79  
all docs

79  
docs citations

79  
times ranked

5555  
citing authors

#	ARTICLE	IF	CITATIONS
1	An experimental test of disease resistance function in the skin-associated bacterial communities of three tropical amphibian species. <i>FEMS Microbiology Ecology</i> , 2022, 98, .	2.7	2
2	Host preferences inhibit transmission from potential superspreader host species. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, 20220084.	2.6	1
3	Body condition, skin bacterial communities and disease status: insights from the first release trial of the limosa harlequin frog, <i>Atelopus limosus</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, .	2.6	7
4	Seasonal changes and the unexpected impact of environmental disturbance on skin bacteria of individual amphibians in a natural habitat. <i>FEMS Microbiology Ecology</i> , 2021, 97, .	2.7	10
5	Morphological and molecular characterization of <i>Quinqueserialis</i> (Digenea: Notocotylidae) species diversity in North America. <i>Parasitology</i> , 2021, 148, 1083-1091.	1.5	2
6	Assessing age, breeding stage, and mating activity as drivers of variation in the reproductive microbiome of female tree swallows. <i>Ecology and Evolution</i> , 2021, 11, 11398-11413.	1.9	9
7	Experimental test of microbiome protection across pathogen doses reveals importance of resident microbiome composition. <i>FEMS Microbiology Ecology</i> , 2021, 97, .	2.7	7
8	Horsenettle ( <i>Solanum carolinense</i> ) fruit bacterial communities are not variable across fine spatial scales. <i>PeerJ</i> , 2021, 9, e12359.	2.0	0
9	Systematic review of modelling assumptions and empirical evidence: Does parasite transmission increase nonlinearly with host density?. <i>Methods in Ecology and Evolution</i> , 2020, 11, 476-486.	5.2	48
10	Cloacal bacterial communities of tree swallows ( <i>Tachycineta bicolor</i> ): Similarity within a population, but not between pair-bonded social partners. <i>PLoS ONE</i> , 2020, 15, e0228982.	2.5	8
11	Spatial scale and structure of complex life cycle trematode parasite communities in streams. <i>PLoS ONE</i> , 2020, 15, e0241973.	2.5	5
12	Amphibian skin fungal communities vary across host species and do not correlate with infection by a pathogenic fungus. <i>Environmental Microbiology</i> , 2019, 21, 2905-2920.	3.8	16
13	Integrating the role of antifungal bacteria into skin symbiotic communities of three Neotropical frog species. <i>ISME Journal</i> , 2019, 13, 1763-1775.	9.8	31
14	Ecological Correlates of Large-Scale Turnover in the Dominant Members of <i>Pseudacris crucifer</i> Skin Bacterial Communities. <i>Microbial Ecology</i> , 2019, 78, 832-842.	2.8	7
15	Community richness of amphibian skin bacteria correlates with bioclimate at the global scale. <i>Nature Ecology and Evolution</i> , 2019, 3, 381-389.	7.8	68
16	Comparative Analysis of Anuran Amphibian Skin Microbiomes Across Inland and Coastal Wetlands. <i>Microbial Ecology</i> , 2019, 78, 348-360.	2.8	16
17	Skin bacterial communities of neotropical treefrogs vary with local environmental conditions at the time of sampling. <i>PeerJ</i> , 2019, 7, e7044.	2.0	22
18	Surveys for Population Persistence and Bd at the Northeastern Range Edge of the Eastern Lesser Siren. <i>Northeastern Naturalist</i> , 2019, 26, 410.	0.3	1

#	ARTICLE	IF	CITATIONS
19	The Skin Microbiome of the Neotropical Frog <i>Craugastor fitzingeri</i> : Inferring Potential Bacterial-Host-Pathogen Interactions From Metagenomic Data. <i>Frontiers in Microbiology</i> , 2018, 9, 466.	3.5	36
20	Handling times and saturating transmission functions in a snail-worm symbiosis. <i>Oecologia</i> , 2018, 188, 277-287.	2.0	3
21	Testosterone levels are positively correlated with cloacal bacterial diversity and the relative abundance of Chlamydiae in breeding male rufous-collared sparrows. <i>Functional Ecology</i> , 2017, 31, 192-203.	3.6	24
22	Variation in Metabolite Profiles of Amphibian Skin Bacterial Communities Across Elevations in the Neotropics. <i>Microbial Ecology</i> , 2017, 74, 227-238.	2.8	34
23	Dominance-function relationships in the amphibian skin microbiome. <i>Environmental Microbiology</i> , 2017, 19, 3387-3397.	3.8	24
24	Diversity and stability of egg-bacterial assemblages: The role of paternal care in the glassfrog <i>Hyalinobatrachium colymbiphylum</i> . <i>Biotropica</i> , 2017, 49, 792-802.	1.6	25
25	Defensive Symbionts Mediate Host-Parasite Interactions at Multiple Scales. <i>Trends in Parasitology</i> , 2017, 33, 53-64.	3.3	48
26	Eye of the Finch: characterization of the ocular microbiome of house finches in relation to mycoplasmal conjunctivitis. <i>Environmental Microbiology</i> , 2017, 19, 1439-1449.	3.8	17
27	Resident Microbiome Disruption with Antibiotics Enhances Virulence of a Colonizing Pathogen. <i>Scientific Reports</i> , 2017, 7, 16177.	3.3	33
28	Culture Media and Individual Hosts Affect the Recovery of Culturable Bacterial Diversity from Amphibian Skin. <i>Frontiers in Microbiology</i> , 2017, 8, 1574.	3.5	35
29	Skin bacterial microbiome of a generalist Puerto Rican frog varies along elevation and land use gradients. <i>PeerJ</i> , 2017, 5, e3688.	2.0	75
30	Using Omics and Integrated Multi-Omics Approaches to Guide Probiotic Selection to Mitigate Chytridiomycosis and Other Emerging Infectious Diseases. <i>Frontiers in Microbiology</i> , 2016, 7, 68.	3.5	135
31	Harnessing the Microbiome to Prevent Fungal Infections: Lessons from Amphibians. <i>PLoS Pathogens</i> , 2016, 12, e1005796.	4.7	73
32	Host community composition and defensive symbionts determine trematode parasite abundance in host communities. <i>Ecosphere</i> , 2016, 7, e01278.	2.2	7
33	Short-Term Exposure to Coal Combustion Waste Has Little Impact on the Skin Microbiome of Adult Spring Peepers ( <i>Pseudacris crucifer</i> ). <i>Applied and Environmental Microbiology</i> , 2016, 82, 3493-3502.	3.1	21
34	Skin bacterial diversity of Panamanian frogs is associated with host susceptibility and presence of <i>Batrachochytrium dendrobatidis</i> . <i>ISME Journal</i> , 2016, 10, 1682-1695.	9.8	194
35	Panamanian frog species host unique skin bacterial communities. <i>Frontiers in Microbiology</i> , 2015, 6, 1171.	3.5	144
36	Community Structure and Function of Amphibian Skin Microbes: An Experiment with Bullfrogs Exposed to a Chytrid Fungus. <i>PLoS ONE</i> , 2015, 10, e0139848.	2.5	120

#	ARTICLE	IF	CITATIONS
37	Antifungal isolates database of amphibian skin-associated bacteria and function against emerging fungal pathogens. <i>Ecology</i> , 2015, 96, 595-595.	3.2	192
38	Variable infection of stream salamanders in the southern Appalachians by the trematode <i>Metagonimoides oregonensis</i> (family: Heterophyidae). <i>Parasitology Research</i> , 2015, 114, 3159-3165.	1.6	3
39	Most of the Dominant Members of Amphibian Skin Bacterial Communities Can Be Readily Cultured. <i>Applied and Environmental Microbiology</i> , 2015, 81, 6589-6600.	3.1	58
40	More than Skin Deep: Functional Genomic Basis for Resistance to Amphibian Chytridiomycosis. <i>Genome Biology and Evolution</i> , 2015, 7, 286-298.	2.5	110
41	Dispersal of a defensive symbiont depends on contact between hosts, host health, and host size. <i>Oecologia</i> , 2015, 179, 307-318.	2.0	10
42	Phylogenetic distribution of symbiotic bacteria from Panamanian amphibians that inhibit growth of the lethal fungal pathogen <i>Batrachochytrium dendrobatidis</i> . <i>Molecular Ecology</i> , 2015, 24, 1628-1641.	3.9	118
43	Composition of symbiotic bacteria predicts survival in Panamanian golden frogs infected with a lethal fungus. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20142881.	2.6	165
44	The Lethal Fungus <i>Batrachochytrium dendrobatidis</i> Is Present in Lowland Tropical Forests of Far Eastern Panama. <i>PLoS ONE</i> , 2014, 9, e95484.	2.5	53
45	Host Density and Competency Determine the Effects of Host Diversity on Trematode Parasite Infection. <i>PLoS ONE</i> , 2014, 9, e105059.	2.5	14
46	The effect of captivity on the cutaneous bacterial community of the critically endangered Panamanian golden frog ( <i>Atelopus zeteki</i> ). <i>Biological Conservation</i> , 2014, 176, 199-206.	4.1	117
47	Amphibian skin may select for rare environmental microbes. <i>ISME Journal</i> , 2014, 8, 2207-2217.	9.8	255
48	<i>Echinostoma trivolvis</i> (Digenea: Echinostomatidae) second intermediate host preference matches host suitability. <i>Parasitology Research</i> , 2013, 112, 799-805.	1.6	10
49	Pond Acidification May Explain Differences in Corticosterone among Salamander Populations. <i>Physiological and Biochemical Zoology</i> , 2013, 86, 224-232.	1.5	24
50	Parasite predators exhibit a rapid numerical response to increased parasite abundance and reduce transmission to hosts. <i>Ecology and Evolution</i> , 2013, 3, 4427-4438.	1.9	25
51	Revealing Cryptic Parasite Diversity in a Definitive Host: Echinostomes in Muskrats. <i>Journal of Parasitology</i> , 2012, 98, 1148-1155.	0.7	47
52	Species loss in the brown world: are heterotrophic systems inherently stable?. <i>Aquatic Sciences</i> , 2012, 74, 397-404.	1.5	5
53	Corticosterone Level Changes throughout Larval Development in the Amphibians <i>Rana sylvatica</i> and <i>Ambystoma jeffersonianum</i> Reared under Laboratory, Mesocosm, or Free-living Conditions. <i>Copeia</i> , 2011, 2011, 530-538.	1.3	27
54	The Assembly of Ecological Communities Inferred from Taxonomic and Functional Composition. <i>American Naturalist</i> , 2011, 177, 630-644.	2.1	27

#	ARTICLE	IF	CITATIONS
55	The combined influence of trematode parasites and predatory salamanders on wood frog ( <i>Rana</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock	2.0	21
56	Experimental examination of the effects of ultraviolet-B radiation in combination with other stressors on frog larvae. <i>Oecologia</i> , 2010, 162, 237-245.	2.0	29
57	Impacts of biodiversity on the emergence and transmission of infectious diseases. <i>Nature</i> , 2010, 468, 647-652.	27.8	1,481
58	Hatching of <i>Echinostoma trivolvis</i> miracidia in response to snail host and non-host chemical cues. <i>Parasitology Research</i> , 2009, 105, 883-885.	1.6	5
59	Relative Toxicity of Malathion to Trematode-Infected and Noninfected <i>Rana palustris</i> Tadpoles. <i>Archives of Environmental Contamination and Toxicology</i> , 2009, 56, 123-128.	4.1	31
60	Effects of Atrazine and Metolachlor on the Survivorship and Infectivity of <i>Echinostoma trivolvis</i> Trematode Cercariae. <i>Archives of Environmental Contamination and Toxicology</i> , 2008, 54, 195-202.	4.1	40
61	Searching for the Physiological Mechanism of Density Dependence: Does Corticosterone Regulate Tadpole Responses to Density?. <i>Physiological and Biochemical Zoology</i> , 2007, 80, 444-451.	1.5	29
62	Infectious diseases in wildlife: the community ecology context. <i>Frontiers in Ecology and the Environment</i> , 2007, 5, 533-539.	4.0	104
63	Corticosterone and Growth in Pacific Treefrog ( <i>Hyla regilla</i> ) Tadpoles. <i>Copeia</i> , 2005, 2005, 424-430.	1.3	41
64	VARIABLE BREEDING PHENOLOGY AFFECTS THE EXPOSURE OF AMPHIBIAN EMBRYOS TO ULTRAVIOLET RADIATION and OPTICAL CHARACTERISTICS OF NATURAL WATERS PROTECT AMPHIBIANS FROM UV-B IN THE U.S. PACIFIC NORTHWEST: COMMENT. <i>Ecology</i> , 2004, 85, 1747-1754.	3.2	20
65	Amphibian Decline and Emerging Disease. <i>American Scientist</i> , 2004, 92, 138.	0.1	48
66	Amphibian Breeding and Climate Change: Reply to Corn. <i>Conservation Biology</i> , 2003, 17, 626-627.	4.7	1
67	Amphibian defenses against ultraviolet-B radiation. <i>Evolution &amp; Development</i> , 2003, 5, 89-97.	2.0	116
68	UV-B Induced Skin Darkening in Larval Salamanders Does Not Prevent Sublethal Effects of Exposure on Growth. <i>Copeia</i> , 2002, 2002, 748-754.	1.3	23
69	POPULATION DIFFERENCES IN SENSITIVITY TO UV-B RADIATION FOR LARVAL LONG-TOED SALAMANDERS. <i>Ecology</i> , 2002, 83, 1586-1590.	3.2	36
70	Exposure of red-legged frog embryos to ambient UV-B radiation in the field negatively affects larval growth and development. <i>Oecologia</i> , 2002, 130, 551-554.	2.0	66
71	Amphibian Phenology and Climate Change. <i>Conservation Biology</i> , 2002, 16, 1454-1455.	4.7	25
72	Amphibian Breeding and Climate Change. <i>Conservation Biology</i> , 2001, 15, 1804-1809.	4.7	204

#	ARTICLE	IF	CITATIONS
73	Complex causes of amphibian population declines. <i>Nature</i> , 2001, 410, 681-684.	27.8	593
74	INFLUENCE OF ABIOTIC AND BIOTIC FACTORS ON AMPHIBIANS IN EPHEMERAL PONDS WITH SPECIAL REFERENCE TO LONG-TOED SALAMANDERS ( <i>AMBYSTOMA MACRODACTYLUM</i> ). <i>Israel Journal of Zoology</i> , 2001, 47, 333-346.	0.2	31
75	In Search of the Golden Frog. Marty Crump. <i>Quarterly Review of Biology</i> , 2001, 76, 343-344.	0.1	0
76	Effects of Snake Predation on Aggregation and Metamorphosis of Pacific Treefrog ( <i>Hyla regilla</i> ) Larvae. <i>Journal of Herpetology</i> , 1999, 33, 504.	0.5	10
77	Effects of Ultraviolet Radiation on Amphibians: Field Experiments. <i>American Zoologist</i> , 1998, 38, 799-812.	0.7	140
78	Antibiotic perturbation of gut bacteria does not significantly alter host responses to ocular disease in a songbird species. <i>PeerJ</i> , 0, 10, e13559.	2.0	0
79	A new duplex qPCR assay for the quantification of honey bee ( <i>Apis mellifera</i> ) parasites <i>Nosema ceranae</i> and <i>Nosema apis</i> tested with low dose experimental exposure. <i>Journal of Apicultural Research</i> , 0, , 1-12.	1.5	1