

Pia E Lentini

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4081054/pia-e-lentini-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34
papers

1,962
citations

21
h-index

37
g-index

37
ext. papers

2,502
ext. citations

4.4
avg, IF

4.78
L-index

#	Paper	IF	Citations
34	Is my species distribution model fit for purpose? Matching data and models to applications. <i>Global Ecology and Biogeography</i> , 2015 , 24, 276-292	6.1	460
33	Cities are hotspots for threatened species. <i>Global Ecology and Biogeography</i> , 2016 , 25, 117-126	6.1	284
32	Global synthesis of conservation studies reveals the importance of small habitat patches for biodiversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 909-914	11.5	172
31	Taming a Wicked Problem: Resolving Controversies in Biodiversity Offsetting. <i>BioScience</i> , 2016 , 66, 489-498	5.7	118
30	The database of the PREDICTS (Projecting Responses of Ecological Diversity In Changing Terrestrial Systems) project. <i>Ecology and Evolution</i> , 2017 , 7, 145-188	2.8	101
29	Integrating biological and social values when prioritizing places for biodiversity conservation. <i>Conservation Biology</i> , 2014 , 28, 992-1003	6	83
28	Integrating research using animal-borne telemetry with the needs of conservation management. <i>Journal of Applied Ecology</i> , 2017 , 54, 423-429	5.8	80
27	Predicting bee community responses to land-use changes: Effects of geographic and taxonomic biases. <i>Scientific Reports</i> , 2016 , 6, 31153	4.9	61
26	The trajectory of dispersal research in conservation biology. Systematic review. <i>PLoS ONE</i> , 2014 , 9, e95053	5.7	61
25	When cities are the last chance for saving species. <i>Frontiers in Ecology and the Environment</i> , 2019 , 17, 225-231	5.5	54
24	Supporting wild pollinators in a temperate agricultural landscape: Maintaining mosaics of natural features and production. <i>Biological Conservation</i> , 2012 , 149, 84-92	6.2	53
23	Relationships among ecological traits of wild bee communities along gradients of habitat amount and fragmentation. <i>Ecography</i> , 2017 , 40, 85-97	6.5	49
22	Bats in a farming landscape benefit from linear remnants and unimproved pastures. <i>PLoS ONE</i> , 2012 , 7, e48201	3.7	41
21	Urban bat communities are affected by wetland size, quality, and pollution levels. <i>Ecology and Evolution</i> , 2016 , 6, 4761-74	2.8	36
20	Effect of planning for connectivity on linear reserve networks. <i>Conservation Biology</i> , 2013 , 27, 796-807	6	32
19	Chainsaw-Carved Cavities Better Mimic the Thermal Properties of Natural Tree Hollows than Nest Boxes and Log Hollows. <i>Forests</i> , 2018 , 9, 235	2.8	30
18	Guidelines for Using Movement Science to Inform Biodiversity Policy. <i>Environmental Management</i> , 2015 , 56, 791-801	3.1	29

17	Spatial conservation priorities are highly sensitive to choice of biodiversity surrogates and species distribution model type. <i>Ecography</i> , 2015 , 38, 1101-1111	6.5	29
16	Surface reflectance drives nest box temperature profiles and thermal suitability for target wildlife. <i>PLoS ONE</i> , 2017 , 12, e0176951	3.7	26
15	Bat boxes are not a silver bullet conservation tool. <i>Mammal Review</i> , 2017 , 47, 261-265	5	24
14	Using fossil records to inform reintroduction of the kakapo as a refugee species. <i>Biological Conservation</i> , 2018 , 217, 157-165	6.2	21
13	Australia's Stock Route Network: 1. A review of its values and implications for future management. <i>Ecological Management and Restoration</i> , 2011 , 12, 119-127	1.4	20
12	A global synthesis of survival estimates for microbats. <i>Biology Letters</i> , 2015 , 11,	3.6	19
11	Value of large-scale linear networks for bird conservation: A case study from travelling stock routes, Australia. <i>Agriculture, Ecosystems and Environment</i> , 2011 , 141, 302-309	5.7	16
10	Land Manager Perspectives on Conflict Mitigation Strategies for Urban Flying-Fox Camps. <i>Diversity</i> , 2018 , 10, 39	2.5	14
9	steps: Software for spatially and temporally explicit population simulations. <i>Methods in Ecology and Evolution</i> , 2020 , 11, 596-603	7.7	10
8	Feral cat predation on Leadbeater's possum (<i>Gymnobelideus leadbeateri</i>) and observations of arboreal hunting at nest boxes. <i>Australian Mammalogy</i> , 2019 , 41, 262	1.1	10
7	Nest boxes do not cause a shift in bat community composition in an urbanised landscape. <i>Scientific Reports</i> , 2020 , 10, 6210	4.9	7
6	Australia's Stock Route Network: 2. Representation of fertile landscapes. <i>Ecological Management and Restoration</i> , 2011 , 12, 148-151	1.4	7
5	Long-term monitoring suggests bat boxes may alter local bat community structure. <i>Australian Mammalogy</i> , 2019 , 41, 273	1.1	5
4	Managing uncertainty in movement knowledge for environmental decisions. <i>Conservation Letters</i> , 2019 , 12, e12620	6.9	3
3	Clean and Green Urban Water Bodies Benefit Nocturnal Flying Insects and Their Predators, Insectivorous Bats. <i>Sustainability</i> , 2020 , 12, 2634	3.6	3
2	Scholarly shortcomings and a lack of evidence beleaguer bee sampling critique: A response to Prendergast and Hogendoorn (2021). <i>Austral Ecology</i> , 2021 , 46, 885-887	1.5	1
1	Low Rates of PIT-Tag Loss in an Insectivorous Bat Species. <i>Journal of Wildlife Management</i> ,	1.9	1