

Daisy Nestler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4081540/publications.pdf>

Version: 2024-02-01

57
papers

446
citations

1040056

9
h-index

839539

18
g-index

64
all docs

64
docs citations

64
times ranked

394
citing authors

#	ARTICLE	IF	CITATIONS
1	Quasi-Static and Fatigue Properties of Thermoset Sandwiches with 3D Continuous Fibre Reinforced Polyurethane Foam Core. <i>Materials</i> , 2022, 15, 764.	2.9	1
2	Thermoplastic foam injection moulding of sandwich structures with short fibre-reinforced skin layers. <i>Journal of Sandwich Structures and Materials</i> , 2021, 23, 301-321.	3.5	2
3	Thermoset LSI-based C/C-SiC: Influence of flow direction and weld lines on microstructure and mechanical properties. <i>International Journal of Applied Ceramic Technology</i> , 2021, 18, 280-288.	2.1	1
4	Numerical simulation with experimental validation of the structural reaction injection moulding of 3D continuous fibre reinforced polyurethane foam. <i>Engineering Research Express</i> , 2021, 3, 025027.	1.6	2
5	Influence of Copper Interlayers on the Magnetic Pulse Welding Process between Aluminum and Steel. <i>Metals</i> , 2021, 11, 868.	2.3	5
6	Evaluation of the moulding process for production of short-fibre-reinforced C/C-SiC composites. <i>Journal of the European Ceramic Society</i> , 2020, 40, 1057-1066.	5.7	6
7	Properties of C/C-SiC composites produced via transfer moulding and inner siliconization. <i>International Journal of Applied Ceramic Technology</i> , 2020, 17, 2137-2146.	2.1	2
8	Numerical Studies of the Viscosity of Reacting Polyurethane Foam with Experimental Validation. <i>Polymers</i> , 2020, 12, 105.	4.5	7
9	Continuous, Free-Formable Sandwich Design with 3D Fiber Reinforced Core for Increased Lightweight Level of Applications in Large-Scale Production. <i>Advanced Engineering Materials</i> , 2019, 21, 1800477.	3.5	3
10	Modification of the Thermoset Injection Moulding Process for Shaping to Increase the Fibre Length in C/C-SiC Ceramics Produced by the LSI Process. <i>Key Engineering Materials</i> , 2019, 809, 153-160.	0.4	9
11	Quasi-static and fatigue bending behavior of a continuous fiber-reinforced thermoplastic/metal laminate. <i>Composites Part B: Engineering</i> , 2019, 174, 107043.	12.0	27
12	Evaluation of the Technical-Economic Potential of Thermosetting Injection Moulding for Shaping of C/C-SiC-Ceramics. <i>Procedia CIRP</i> , 2019, 85, 66-71.	1.9	1
13	New large-scale production method for C/C-SiC ceramics: Investigating the influence of chopped and nonwoven CF. <i>Ceramics International</i> , 2019, 45, 9596-9603.	4.8	9
14	Textile-based surface design of thermoplastic composites for microstructural adhesion to polyurethane foams for lightweight structures. <i>Composite Interfaces</i> , 2019, 26, 339-356.	2.3	3
15	Investigation of the specific adhesion between polyurethane foams and thermoplastics to suited material selection in lightweight structures. <i>Journal of Elastomers and Plastics</i> , 2018, 50, 720-736.	1.5	6
16	Annealing effects of high sensitive thin strain gauges consisting of nickel carbon nanocomposites. <i>Journal of Reinforced Plastics and Composites</i> , 2018, 37, 1378-1384.	3.1	3
17	Particle-Reinforced Aluminum Matrix Composites (AMCs) – Selected Results of an Integrated Technology, User, and Market Analysis and Forecast. <i>Metals</i> , 2018, 8, 143.	2.3	37
18	Influence of Boron on the Creep Behavior and the Microstructure of Particle Reinforced Aluminum Matrix Composites. <i>Metals</i> , 2018, 8, 110.	2.3	4

#	ARTICLE	IF	CITATIONS
19	Influence of the cooling behaviour on mechanical properties of carbon fibre-reinforced thermoplastic/metal laminates. <i>Technologies for Lightweight Structures</i> , 2018, 1, .	0.2	1
20	Strategy and numerical modelling of a vehicle seat with a lightweight sandwich design for large-scale production. <i>Technologies for Lightweight Structures</i> , 2018, 1, .	0.2	0
21	Material-integrated composite humidity sensors for condition monitoring of fiber-reinforced plastics. <i>Technologies for Lightweight Structures</i> , 2018, 1, .	0.2	1
22	Continuous Film Stacking and Thermoforming Process for Hybrid CFRP/aluminum Laminates. <i>Procedia CIRP</i> , 2017, 66, 107-112.	1.9	25
23	Amino Group Bearing Organic-Inorganic Hybrid Materials for Joining Aluminum Alloys and Thermoplastic Fiber-Reinforced Parts. <i>Advanced Materials Interfaces</i> , 2017, 4, 1601115.	3.7	8
24	New approach to design of ceramic/polymer material compounds. <i>IOP Conference Series: Materials Science and Engineering</i> , 2016, 118, 012015.	0.6	1
25	Integration of Humidity Sensors into Fibre-reinforced Thermoplastic Composites. <i>Procedia Technology</i> , 2016, 26, 207-213.	1.1	5
26	Innovative hybrid laminates of aluminium alloy foils and fibre-reinforced thermoplastic layers. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2016, 47, 1121-1131.	0.9	17
27	Continuous splitting of carbon fibre rovings. <i>Journal of Industrial Textiles</i> , 2016, 45, 930-943.	2.4	0
28	Development of wound SiCBN _x /SiN _x /SiC with near stoichiometric SiC matrix via LSI process. <i>Journal of the European Ceramic Society</i> , 2016, 36, 1571-1580.	5.7	14
29	Development and Characterisation of Phenolic Resin Based Liquid Silicon Infiltrated SiC/SiC Composites with SiN _x Fibre Coating. <i>Materials Science Forum</i> , 2015, 825-826, 224-231.	0.3	4
30	Development and Characterisation of Phenolic Resin Moulding Materials for the Production of New Short Fibre-Reinforced C/C-SiC Composites. <i>Materials Science Forum</i> , 2015, 825-826, 215-223.	0.3	10
31	Development of a SiN _x -Based Barrier Coating for SiC Fibres. <i>Materials Science Forum</i> , 2015, 825-826, 256-263.	0.3	4
32	Preparation of Ni-C Thin Films for Strain Sensor Applications in New Hybrid Laminates with Thermoplastic Matrix. <i>Materials Science Forum</i> , 2015, 825-826, 548-555.	0.3	2
33	Surface and Fracture Surface Analysis of Thermally Bonded Metal/FRP Joints. <i>Materials Science Forum</i> , 2015, 825-826, 328-335.	0.3	2
34	Investigation of Different Phenolic Resins and their Behavior during Pyrolysis to Form SiC/C-Composites. <i>Materials Science Forum</i> , 2015, 825-826, 240-248.	0.3	3
35	Thermoplastische Hybridlaminat mit variabler Metallkomponente. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2014, 45, 531-536.	0.9	14
36	Einfluss einer PVD-Al-Zwischenschicht auf die Eigenschaften eines thermisch gespritzten Wärmedämmungssystems nach Temperaturwechselbelastung. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2014, 45, 445-455.	0.9	1

#	ARTICLE	IF	CITATIONS
37	Galvanisch vernickelte Kohlenstofffasergewebe zur Herstellung fÄ¼gefÄ¼higer CFK mit Permeationsbarriere. Materialwissenschaft Und Werkstofftechnik, 2014, 45, 546-551.	0.9	4
38	Reinforcement of Conducting Silver-based Materials. Medziagotyra, 2014, 20, .	0.2	2
39	Ceramic Fibers Based on SiC and SiCN Systems: Current Research, Development, and Commercial Status. Advanced Engineering Materials, 2014, 16, 621-636.	3.5	118
40	Entwicklung eines stoffschlÄ¼ssigen FÄ¼geverfahrens fÄ¼r Glaskohlenstoff und einem C/C-SiCN-Verbundwerkstoff fÄ¼r ein innovatives Hochtemperatur-Messsystem. Materialwissenschaft Und Werkstofftechnik, 2014, 45, 522-530.	0.9	0
41	Herstellung einer partikelverstÄ¼rkten AlCuMgMn-Legierung durch mechanisches Legieren. Materialwissenschaft Und Werkstofftechnik, 2012, 43, 567-571.	0.9	2
42	Effect of SiCâ€Reinforcement and Equalâ€Channel Angular Pressing on Microstructure and Mechanical Properties of AA2017. Advanced Engineering Materials, 2012, 14, 388-393.	3.5	12
43	Influence of process control agent (PCA) and atmosphere during highâ€energy ball milling for the production of particleâ€reinforced aluminium matrix composites. Materialwissenschaft Und Werkstofftechnik, 2011, 42, 580-584.	0.9	4
44	Specific Mechanical Properties of New Hybrid Laminates with Thermoplastic Matrix and a Variable Metal Component. Materials Science Forum, 0, 825-826, 344-352.	0.3	1
45	Highly-Sensitive Humidity Sensors for Condition Monitoring of Hybrid Laminates. Materials Science Forum, 0, 825-826, 579-585.	0.3	4
46	New Sandwich Structures Consisting of Aluminium Foam and Thermoplastic Hybrid Laminate Top Layers. Materials Science Forum, 0, 825-826, 797-805.	0.3	7
47	Method to Quantify the Surface Roughness of Circular Reinforcing Fibres. Materials Science Forum, 0, 825-826, 922-927.	0.3	0
48	Fundamental Studies and Development on an Innovative Ceramic/Polymer Material Compound. Materials Science Forum, 0, 825-826, 305-313.	0.3	2
49	CATPUAL - An Innovative and High-Performance Hybrid Laminate with Carbon Fibre-Reinforced Thermoplastic Polyurethane. Key Engineering Materials, 0, 742, 294-301.	0.4	3
50	The Development of Lead-Free Sliding Contacts Based on Bronze-Graphite Composites through Powder Injection Moulding. Key Engineering Materials, 0, 742, 205-212.	0.4	1
51	Torque-Fiber-Winding (TFW)-Procedure: Manufacturing of Textile-Based Unidirectional Prepreg for Raw Material and Material Development of Carbon Fibre Reinforced Thermoplastics. Key Engineering Materials, 0, 742, 498-505.	0.4	0
52	Material Selection and Process Configuration for Free-Form, Voluminous and Textile-Based Multi-Material-Design by the Example of a Bucket Seat. Key Engineering Materials, 0, 742, 302-309.	0.4	4
53	Development of Nonwoven Preforms Made of Pure Recycled Carbon Fibres (rCF) for Applications of Composite Materials. Key Engineering Materials, 0, 742, 555-561.	0.4	5
54	Influence of Initial Fibre Length and Content Used in the Injection Moulding of CFRP on the Properties of C/C and C/C-SiC Composites. Key Engineering Materials, 0, 809, 171-179.	0.4	6

#	ARTICLE	IF	CITATIONS
55	Lightweight Potential of 3D Endless Fiber Reinforcement of Polyurethane Foam Cores with Spacer Fabrics in Hybrid Sandwich Structures with Fiber Reinforced Thermoplastic Facings. Key Engineering Materials, 0, 809, 277-284.	0.4	4
56	Influence of Sputtering Temperature and Layer Thickness on the Electrical Performance of Thin Film Strain Sensors Consisting of Nickel-Carbon Composite. Key Engineering Materials, 0, 809, 413-418.	0.4	1
57	Influence of talc in polypropylene foam cores of sandwich structures with skins made of thermoplastic prepregs. IOP Conference Series: Materials Science and Engineering, 0, 480, 012012.	0.6	4