Stephanie E Chiuve

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/4083260/publications.pdf

Version: 2024-02-01

95 papers	25,048 citations	29994 54 h-index	40881 93 g-index
96 all docs	96 docs citations	96 times ranked	38979 citing authors

#	Article	IF	Citations
1	Heart Disease and Stroke Statisticsâ€”2017 Update: A Report From the American Heart Association. Circulation, 2017, 135, e146-e603.	1.6	7,085
2	Heart Disease and Stroke Statisticsâ€”2018 Update: A Report From the American Heart Association. Circulation, 2018, 137, e67-e492.	1.6	5,228
3	Alternative Dietary Indices Both Strongly Predict Risk of Chronic Disease. Journal of Nutrition, 2012, 142, 1009-1018.	1.3	1,337
4	Adherence to a DASH-Style Diet and Risk of Coronary Heart Disease and Stroke in Women. Archives of Internal Medicine, 2008, 168, 713.	4.3	1,118
5	Healthful and Unhealthful Plant-Based Diets and the Risk of Coronary HeartÂDisease in U.S. Adults. Journal of the American College of Cardiology, 2017, 70, 411-422.	1.2	585
6	Plant-Based Dietary Patterns and Incidence of Type 2 Diabetes in US Men and Women: Results from Three Prospective Cohort Studies. PLoS Medicine, 2016, 13, e1002039.	3.9	581
7	Meal Timing and Frequency: Implications for Cardiovascular Disease Prevention: A Scientific Statement From the American Heart Association. Circulation, 2017, 135, e96-e121.	1.6	469
8	Dietary Linoleic Acid and Risk of Coronary Heart Disease: A Systematic Review and Meta-Analysis of Prospective Cohort Studies. Circulation, 2014, 130, 1568-1578.	1.6	425
9	Saturated Fats Compared With Unsaturated Fats and Sources of Carbohydrates in Relation to Risk ofÂCoronary Heart Disease. Journal of the American College of Cardiology, 2015, 66, 1538-1548.	1.2	399
10	Primary Prevention of Stroke by Healthy Lifestyle. Circulation, 2008, 118, 947-954.	1.6	393
11	Trends in Dietary Quality Among Adults in the United States, 1999 Through 2010. JAMA Internal Medicine, 2014, 174, 1587.	2.6	370
12	Healthy Lifestyle Factors in the Primary Prevention of Coronary Heart Disease Among Men. Circulation, 2006, 114, 160-167.	1.6	369
13	Seafood Long-Chain n-3 Polyunsaturated Fatty Acids and Cardiovascular Disease: A Science Advisory From the American Heart Association. Circulation, 2018, 138, e35-e47.	1.6	346
14	Association of Specific Dietary Fats With Total and Cause-Specific Mortality. JAMA Internal Medicine, 2016, 176, 1134.	2.6	338
15	Ï‰-3 Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease. JAMA Internal Medicine, 2016, 176, 1155.	2.6	326
16	Status of Cardiovascular Health in US Adults. Circulation, 2012, 125, 45-56.	1.6	278
17	Circulating and dietary magnesium and risk of cardiovascular disease: a systematic review and meta-analysis of prospective studies. American Journal of Clinical Nutrition, 2013, 98, 160-173.	2.2	273
18	Prospective Study of Breakfast Eating and Incident Coronary Heart Disease in a Cohort of Male US Health Professionals. Circulation, 2013, 128, 337-343.	1.6	237

#	Article	IF	Citations
19	The Mediterranean and Dietary Approaches to Stop Hypertension (DASH) diets and colorectal cancer. American Journal of Clinical Nutrition, 2010, 92, 1429-1435.	2.2	204
20	Diet-Quality Scores and the Risk of Type 2 Diabetes in Men. Diabetes Care, 2011, 34, 1150-1156.	4.3	203
21	Healthy Lifestyle in the Primordial Prevention of CardiovascularÂDisease Among YoungÂWomen. Journal of the American College of Cardiology, 2015, 65, 43-51.	1.2	183
22	Dietary Flavonoids and Risk of Stroke in Women. Stroke, 2012, 43, 946-951.	1.0	167
23	Adherence to a Low-Risk, Healthy Lifestyle and Risk of Sudden Cardiac Death Among Women. JAMA - Journal of the American Medical Association, 2011, 306, 62-9.	3.8	161
24	Alcohol Consumption and Risk for Coronary Heart Disease in Men With Healthy Lifestyles. Archives of Internal Medicine, 2006, 166, 2145.	4.3	160
25	Lipoprotein(a) for Risk Assessment in Patients With Established Coronary Artery Disease. Journal of the American College of Cardiology, 2014, 63, 520-527.	1.2	152
26	Alternate Healthy Eating Index 2010 and risk of chronic obstructive pulmonary disease among US women and men: prospective study. BMJ, The, 2015, 350, h286-h286.	3.0	145
27	Fried-food consumption and risk of type 2 diabetes and coronary artery disease: a prospective study in 2 cohorts of US women and men. American Journal of Clinical Nutrition, 2014, 100, 667-675.	2.2	129
28	Prospective Study of Restless Legs Syndrome and Coronary Heart Disease Among Women. Circulation, 2012, 126, 1689-1694.	1.6	126
29	The Association Between a Nutritional Quality Index and Risk of Chronic Disease. American Journal of Preventive Medicine, 2011, 40, 505-513.	1.6	121
30	The Association Between Dietary Patterns at Midlife and Health in Aging. Annals of Internal Medicine, 2013, 159, 584.	2.0	118
31	Low-Density Lipoproteins Containing Apolipoprotein C-III and the Risk of Coronary Heart Disease. Circulation, 2011, 124, 2065-2072.	1.6	117
32	Obesity, Behavioral Lifestyle Factors, and Risk of Acute Coronary Events. Circulation, 2008, 117, 3062-3069.	1.6	114
33	Low-carbohydrate diet scores and risk of type 2 diabetes in men. American Journal of Clinical Nutrition, 2011, 93, 844-850.	2.2	105
34	Healthy Lifestyle and Leukocyte Telomere Length in U.S. Women. PLoS ONE, 2012, 7, e38374.	1.1	103
35	Plasma and dietary magnesium and risk of sudden cardiac death in women. American Journal of Clinical Nutrition, 2011, 93, 253-260.	2.2	102
36	Birth weight and later life adherence to unhealthy lifestyles in predicting type 2 diabetes: prospective cohort study. BMJ, The, 2015, 351, h3672.	3.0	101

#	Article	IF	Citations
37	The association between betaine and choline intakes and the plasma concentrations of homocysteine in women. American Journal of Clinical Nutrition, 2007, 86, 1073-1081.	2.2	99
38	Index-based Dietary Patterns and the Risk of Prostate Cancer in the NIH-AARP Diet and Health Study. American Journal of Epidemiology, 2013, 177, 504-513.	1.6	97
39	Fish consumption and risk of major chronic disease in men. American Journal of Clinical Nutrition, 2008, 88, 1618-1625.	2.2	95
40	Long-Term Change in Diet Quality Is Associated with Body Weight Change in Men and Women. Journal of Nutrition, 2015, 145, 1850-1856.	1.3	92
41	Incidence and Risk Factors of Ventricular Fibrillation Before Primary Angioplasty in Patients With First STâ€Elevation Myocardial Infarction: A Nationwide Study in Denmark. Journal of the American Heart Association, 2015, 4, e001399.	1.6	91
42	Caffeine consumption and incident atrial fibrillation in women. American Journal of Clinical Nutrition, 2010, 92, 509-514.	2.2	85
43	Lifestyleâ€Based Prediction Model for the Prevention of CVD: The Healthy Heart Score. Journal of the American Heart Association, 2014, 3, e000954.	1.6	85
44	Haptoglobin Genotype Is a Consistent Marker of Coronary Heart Disease Risk Among Individuals With Elevated Glycosylated Hemoglobin. Journal of the American College of Cardiology, 2013, 61, 728-737.	1.2	76
45	Better Diet Quality and Decreased Mortality Among Myocardial Infarction Survivors. JAMA Internal Medicine, 2013, 173, 1808.	2.6	75
46	Post Diagnosis Diet Quality and Colorectal Cancer Survival in Women. PLoS ONE, 2014, 9, e115377.	1.1	74
47	Vigorous Physical Activity, Mediating Biomarkers, and Risk of Myocardial Infarction. Medicine and Science in Sports and Exercise, 2011, 43, 1884-1890.	0.2	69
48	Dietary and Plasma Magnesium and Risk of Coronary Heart Disease Among Women. Journal of the American Heart Association, 2013, 2, e000114.	1.6	69
49	Improvements In US Diet Helped Reduce Disease Burden And Lower Premature Deaths, 1999â€“2012; Overall Diet Remains Poor. Health Affairs, 2015, 34, 1916-1922.	2.5	67
50	Plasma Levels of Fatty Acidâ€“Binding Protein 4, Retinol-Binding Protein 4, High-Molecular-Weight Adiponectin, and Cardiovascular Mortality Among Men With Type 2 Diabetes. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 2259-2267.	1.1	66
51	Circulating Very-Long-Chain Saturated Fatty Acids and Incident Coronary Heart Disease in US Men and Women. Circulation, 2015, 132, 260-268.	1.6	64
52	Alcohol intake and methylenetetrahydrofolate reductase polymorphism modify the relation of folate intake to plasma homocysteine. American Journal of Clinical Nutrition, 2005, 82, 155-162.	2.2	60
53	Changes in Alcohol Consumption and Subsequent Risk of Type 2 Diabetes in Men. Diabetes, 2011, 60, 74-79.	0.3	60
54	Dietary fat quality and risk of sudden cardiac death in women. American Journal of Clinical Nutrition, 2012, 96, 498-507.	2.2	59

#	Article	IF	Citations
55	Smoking, Smoking Cessation, and Risk of Sudden Cardiac Death in Women. Circulation: Arrhythmia and Electrophysiology, 2012, 5, 1091-1097.	2.1	56
56	Alcohol intake and methylenetetrahydrofolate reductase polymorphism modify the relation of folate intake to plasma homocysteine. American Journal of Clinical Nutrition, 2005, 82, 155-162.	2.2	52
57	Intake of specific fruits and vegetables in relation to risk of estrogen receptor-negative breast cancer among postmenopausal women. Breast Cancer Research and Treatment, 2013, 138, 925-930.	1.1	48
58	Adolescent Diet Quality and Cardiovascular Disease Risk Factors and Incident Cardiovascular Disease in Middleâ€Aged Women. Journal of the American Heart Association, 2016, 5, .	1.6	48
59	Potential Role for Plasma Placental Growth Factor in Predicting Coronary Heart Disease Risk in Women. Arteriosclerosis, Thrombosis, and Vascular Biology, 2009, 29, 134-139.	1.1	47
60	Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. PLoS ONE, 2014, 9, e98647.	1.1	44
61	Light-to-moderate alcohol consumption and risk of sudden cardiac death in women. Heart Rhythm, 2010, 7, 1374-1380.	0.3	43
62	Alcohol Consumption and Risk of Stroke in Women. Stroke, 2012, 43, 939-945.	1.0	43
63	Optimal Lifestyle Components in Young Adulthood Are Associated With Maintaining the Ideal Cardiovascular Health Profile Into Middle Age. Journal of the American Heart Association, 2015, 4, .	1.6	43
64	Roadway Proximity and Risk of Sudden Cardiac Death in Women. Circulation, 2014, 130, 1474-1482.	1.6	41
65	The Risk of Coronary Heart Disease Associated With Glycosylated Hemoglobin of 6.5% or Greater Is Pronounced in the Haptoglobin 2-2 Genotype. Journal of the American College of Cardiology, 2015, 66, 1791-1799.	1.2	40
66	Greater Adherence to the Alternative Healthy Eating Index Is Associated with Lower Incidence of Physical Function Impairment in the Nursesâ€™ Health Study. Journal of Nutrition, 2016, 146, 1341-1347.	1.3	39
67	Dietary Phosphatidylcholine Intake and Type 2 Diabetes in Men and Women. Diabetes Care, 2015, 38, e13-e14.	4.3	38
68	Bachelors, Divorcees, and Widowers: Does Marriage Protect Men from Type 2 Diabetes?. PLoS ONE, 2014, 9, e106720.	1.1	38
69	Dietary fatty acids modulate associations between genetic variants and circulating fatty acids in plasma and erythrocyte membranes: Metaâ€analysis of nine studies in the CHARGE consortium. Molecular Nutrition and Food Research, 2015, 59, 1373-1383.	1.5	37
70	Plasma Vitamin B ₆ and Risk of Myocardial Infarction in Women. Circulation, 2009, 120, 649-655.	1.6	31
71	Plasma Magnesium and Risk of Ischemic Stroke Among Women. Stroke, 2014, 45, 2881-2886.	1.0	31
72	Plasma total cysteine and total homocysteine and risk of myocardial infarction in women: A prospective study. American Heart Journal, 2010, 159, 599-604.	1.2	29

#	Article	IF	Citations
73	Effect of the Combination of Methyltestosterone and Esterified Estrogens Compared with Esterified Estrogens Alone on Apolipoprotein CIII and Other Apolipoproteins in Very Low Density, Low Density, and High Density Lipoproteins in Surgically Postmenopausal Women. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 2207-2213.	1.8	27
74	Adiposity Throughout Adulthood and RiskÂof Sudden Cardiac Death in Women. JACC: Clinical Electrophysiology, 2015, 1, 520-528.	1.3	24
75	The 2005 Food Guide Pyramid: an opportunity lost?. Nature Clinical Practice Cardiovascular Medicine, 2007, 4, 610-620.	3.3	20
76	Intake of total trans, trans-18:1, and trans-18:2 fatty acids and risk of sudden cardiac death in women. American Heart Journal, 2009, 158, 761-767.	1.2	18
77	Dietary recommendations: comparing dietary guidelines from Brazil and the United States. Cadernos De Saude Publica, 2010, 26, 2050-2058.	0.4	18
78	Association Between a Healthy Heart Score and the Development of Clinical Cardiovascular Risk Factors Among Women. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, S77-S85.	0.9	17
79	Prospective study of plasma homocysteine, its dietary determinants, and risk of age-related macular degeneration in men. Ophthalmic Epidemiology, 2018, 25, 79-88.	0.8	15
80	Hemoglobin A1c levels and risk of sudden cardiac death: A nested case-control study. Heart Rhythm, 2017, 14, 72-78.	0.3	14
81	Habitual Fish Consumption, nâ€3 Fatty Acids, and Nuclear Magnetic Resonance Lipoprotein Subfractions in Women. Journal of the American Heart Association, 2020, 9, e014963.	1.6	14
82	Association Between a 20â€Year Cardiovascular Disease Risk Score Based on Modifiable Lifestyles and Total and Causeâ€Specific Mortality Among US Men and Women. Journal of the American Heart Association, 2018, 7, e010052.	1.6	13
83	Chronic opioid use and complication risks in women with endometriosis: A cohort study in <scp>US</scp> administrative claims. Pharmacoepidemiology and Drug Safety, 2021, 30, 787-796.	0.9	13
84	Dietary Fat Intake Is Differentially Associated with Risk of Paroxysmal Compared with Sustained Atrial Fibrillation in Women. Journal of Nutrition, 2015, 145, 2092-2101.	1.3	11
85	Uterine fibroids and incidence of depression, anxiety and self-directed violence: a cohort study. Journal of Epidemiology and Community Health, 2022, 76, 92-99.	2.0	8
86	Improving Heart Disease Risk Through Quality-Focused Diet Logging: Pre-Post Study of a Diet Quality Tracking App. JMIR MHealth and UHealth, 2020, 8, e21733.	1.8	6
87	Response to Letters Regarding Article, â€œDietary Linoleic Acid and Risk of Coronary Heart Disease: A Systematic Review and Meta-Analysis of Prospective Cohort Studiesâ€. Circulation, 2015, 132, e23-4.	1.6	5
88	Integrating realâ€world data and modeling to project changes in femoral neck bone mineral density and fracture risk in premenopausal women. Clinical and Translational Science, 2021, 14, 1452-1463.	1.5	5
89	Method used to identify adenomyosis and potentially undiagnosed adenomyosis in a large, U.S. electronic health record database. Pharmacoepidemiology and Drug Safety, 2021, 30, 1675-1686.	0.9	5
90	Estimating the Effect of Elagolix Treatment for Endometriosis on Postmenopausal Bone Outcomes: A Model Bridging Phase <scp>III</scp> Trials to an Older Realâ€World Population. JBMR Plus, 2020, 4, e10401.	1.3	4

#	Article	IF	Citations
91	Interdisciplinary Modelâ€Informed Drug Development for Extending Duration of Elagolix Treatment in Patients with Uterine Fibroids. British Journal of Clinical Pharmacology, 0, , .	1.1	4
92	Validation of a risk prediction tool for coronary heart disease in middle-aged women. BMC Women's Health, 2015, 15, 101.	0.8	3
93	Homocysteine, B Vitamins, MTHFR Genotype, and Incident Age-Related Macular Degeneration. Ophthalmology Retina, 2018, 2, 508-510.	1.2	3
94	Abstract P213: Marital status and Risk of type 2 Diabetes in the Health Professionals Follow-up Study. Circulation, 2012, 125, .	1.6	2
95	Effect of the Combination of Methyltestosterone and Esterified Estrogens Compared With Esterified Estrogens Alone on Apolipoprotein CIII and Other High-Density Lipoproteins in Surgically Postmenopausal Women. Obstetrical and Gynecological Survey, 2005, 60, 39-41.	0.2	0