

# Min-Kyung Ji

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4083647/publications.pdf>

Version: 2024-02-01

14  
papers

151  
citations

1307594

7  
h-index

1199594

12  
g-index

14  
all docs

14  
docs citations

14  
times ranked

258  
citing authors

#	ARTICLE	IF	CITATIONS
1	Biological Effects of the Novel Mulberry Surface Characterized by Micro/Nanopores and Plasma-Based Graphene Oxide Deposition on Titanium. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 7307-7317.	6.7	5
2	Effect of Atmospheric Pressure Plasma Treatment on Shear Bond Strength Between Zirconia and Dental Porcelain Veneer. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 5683-5685.	0.9	6
3	Assessment of Inhibition of Biofilm Formation on TiO <sub>2</sub> Nanotubes According to Non-Thermal Plasma Treatment Conditions and the Elapsed Time in the Atmosphere. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 5742-5745.	0.9	0
4	Effect on Cell Viability with the Passage of Time After Atmospheric Plasma Treatment on Titanium Dioxide Surface. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 5680-5682.	0.9	0
5	Effect of Plasma Surface Treatment on Shear Bond Strength with Denture Base Resin in Co-Cr Alloy, Ti-6Al-4V Alloy, and CP-Ti Alloy. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 5771-5774.	0.9	3
6	Biological Effects of Plasma-Based Graphene Oxide Deposition on Titanium. <i>Journal of Nanomaterials</i> , 2019, 2019, 1-7.	2.7	15
7	Antibacterial Activity and Fibroblast Cell Viability of Zirconia Coated with Glass Ceramic Containing Ag and NaF Nanoparticles. <i>Journal of Nanoscience and Nanotechnology</i> , 2019, 19, 1035-1037.	0.9	3
8	Effect of Plasma Treatment and Its Post Process Duration on Shear Bonding Strength and Antibacterial Effect of Dental Zirconia. <i>Materials</i> , 2018, 11, 2233.	2.9	21
9	Hydroxyapatite Coating on TiO <sub>2</sub> Nanotube by Sol-Gel Method for Implant Applications. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 1403-1405.	0.9	9
10	Novel $\beta$ -TCP Coated Titanium Nanofiber Surface for Enhanced Bone Growth. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 853-855.	0.9	5
11	The effect of plasma on shear bond strength between resin cement and colored zirconia. <i>Journal of Advanced Prosthodontics</i> , 2017, 9, 118.	2.6	20
12	Influence of preparation depths on the fracture load of customized zirconia abutments with titanium insert. <i>Journal of Advanced Prosthodontics</i> , 2015, 7, 183.	2.6	12
13	Evaluation of antibacterial activity and osteoblast-like cell viability of TiN, ZrN and (Ti <sub>1-x</sub> Zr <sub>x</sub> )N coating on titanium. <i>Journal of Advanced Prosthodontics</i> , 2015, 7, 166.	2.6	29
14	Evaluation of marginal fit of 2 CAD-CAM anatomic contour zirconia crown systems and lithium disilicate glass-ceramic crown. <i>Journal of Advanced Prosthodontics</i> , 2015, 7, 271.	2.6	23