

# Chu-Pak Lau

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4084249/publications.pdf>

Version: 2024-02-01

149  
papers

4,123  
citations

126907

33  
h-index

138484

58  
g-index

152  
all docs

152  
docs citations

152  
times ranked

3741  
citing authors

#	ARTICLE	IF	CITATIONS
1	Duration of device-detected subclinical atrial fibrillation and occurrence of stroke in ASSERT. <i>European Heart Journal</i> , 2017, 38, 1339-1344.	2.2	428
2	Long-Term Effect of Right Ventricular Pacing on Myocardial Perfusion and Function. <i>Journal of the American College of Cardiology</i> , 1997, 29, 744-749.	2.8	408
3	Functional abnormalities in patients with permanent right ventricular pacing. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1451-1458.	2.8	337
4	Incidence, clinical characteristics and outcome of congestive heart failure as the initial presentation in patients with primary hyperthyroidism. <i>Heart</i> , 2007, 93, 483-487.	2.9	172
5	Hemodynamic Changes in Hyperthyroidism-Related Pulmonary Hypertension: A Prospective Echocardiographic Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1736-1742.	3.6	93
6	EHRA expert consensus statement and practical guide on optimal implantation technique for conventional pacemakers and implantable cardioverter-defibrillators: endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), and the Latin-American Heart Rhythm Society (LAHRS). <i>Europace</i> , 2021, 23, 983-1008.	1.7	92
7	Ischemic Stroke and Intracranial Hemorrhage With Aspirin, Dabigatran, and Warfarin. <i>Stroke</i> , 2015, 46, 23-30.	2.0	90
8	First Human Demonstration of Cardiac Stimulation With Transcutaneous Ultrasound Energy Delivery. <i>Journal of the American College of Cardiology</i> , 2007, 50, 877-883.	2.8	77
9	Initial Clinical Experience with an Implantable Human Atrial Defibrillator. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997, 20, 220-225.	1.2	75
10	Reversal of Left Ventricular Remodeling by Synchronous Biventricular Pacing in Heart Failure. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 1722-1725.	1.2	71
11	A Comparison of Transvenous Atrial Defibrillation of Acute and Chronic Atrial Fibrillation and the Effect of Intravenous Sotalol on Human Atrial Defibrillation Threshold. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997, 20, 2442-2452.	1.2	68
12	The CHADS2 and CHA2DS2-VASc scores predict adverse vascular function, ischemic stroke and cardiovascular death in high-risk patients without atrial fibrillation: Role of incorporating PR prolongation. <i>Atherosclerosis</i> , 2014, 237, 504-513.	0.8	59
13	The Range of Sensors and Algorithms Used in Rate Adaptive Cardiac Pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 1177-1211.	1.2	55
14	Heterogeneous Changes in Electrophysiologic Properties in the Paroxysmal and Chronically Fibrillating Human Atrium. <i>Journal of Cardiovascular Electrophysiology</i> , 1999, 10, 125-135.	1.7	55
15	Ethnic Differences in Atrial Fibrillation Identified Using Implanted Cardiac Devices. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 381-387.	1.7	55
16	Bidirectional Tachycardia Induced by Herbal Aconite Poisoning. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 831-839.	1.2	51
17	Reversible Impairment of Left and Right Ventricular Systolic and Diastolic Function During Short-Lasting Atrial Fibrillation in Patients with an Implantable Atrial Defibrillator: A Tissue Doppler Imaging Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 979-988.	1.2	48
18	Prospective Randomized Study to Assess the Efficacy of Site and Rate of Atrial Pacing on Long-Term Progression of Atrial Fibrillation in Sick Sinus Syndrome. <i>Circulation</i> , 2013, 128, 687-693.	1.6	48

#	ARTICLE	IF	CITATIONS
19	A Cephalic Vein Cutdown and Venography Technique to Facilitate Pacemaker and Defibrillator Lead Implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 469-473.	1.2	47
20	Atrial Fibrillation Detection and R-Wave Synchronization by Metrix Implantable Atrial Defibrillator. <i>Circulation</i> , 1999, 99, 1446-1451.	1.6	44
21	Effect of the Implantable Atrial Defibrillator on the Natural History of Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 1999, 10, 1200-1209.	1.7	43
22	Comparison Of Digoxin Versus Low-Dose Amiodarone For Ventricular Rate Control In Patients With Chronic Atrial Fibrillation. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001, 28, 446-450.	1.9	43
23	Efficacy and safety of dabigatran, rivaroxaban, and warfarin for stroke prevention in Chinese patients with atrial fibrillation: the Hong Kong Atrial Fibrillation Project. <i>Clinical Cardiology</i> , 2017, 40, 222-229.	1.8	42
24	The Effects of Radiofrequency Ablation Versus Medical Therapy on the Quality-of-Life and Exercise Capacity in Patients with Accessory Pathway-Mediated Supraventricular Tachycardia: A Treatment Comparison Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1995, 18, 424-432.	1.2	41
25	Cardiovascular sequelae in uncomplicated COVID-19 survivors. <i>PLoS ONE</i> , 2021, 16, e0246732.	2.5	41
26	Clinical Experience with an Activity Sensing DDDR Pacemaker Using an Accelerometer Sensor. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 334-343.	1.2	39
27	Superior Cardiac Hemodynamics of Atrioventricular Synchrony Over Rate Responsive Pacing at Submaximal Exercise: Observations in Activity Sensing DDDR Pacemakers. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1990, 13, 1832-1837.	1.2	38
28	Clinical Characteristics, Management, and Outcomes of Hospitalized Heart Failure in a Chinese Population—The Hong Kong Heart Failure Registry. <i>Journal of Cardiac Failure</i> , 2016, 22, 600-608.	1.7	38
29	Atrial Arrhythmia Management with Sensor Controlled Atrial Refractory Period and Automatic Mode Switching in Patients with Minute Ventilation Sensing Dual Chamber Rate Adaptive Pacemakers. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 1504-1514.	1.2	37
30	Programmed Atrial Sensitivity: A Critical Determinant in Atrial Fibrillation Detection and Optimal Automatic Mode Switching. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998, 21, 2214-2219.	1.2	36
31	Automatic Mode Switching of Implantable Pacemakers: I. Principles of Instrumentation, Clinical, and Hemodynamic Considerations. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2002, 25, 967-983.	1.2	36
32	The World Heart Federation Roadmap for Nonvalvular Atrial Fibrillation. <i>Global Heart</i> , 2017, 12, 273.	2.3	35
33	A Comparative Evaluation of a Minute Ventilation Sensing and Activity Sensing Adaptive-Rate Pacemakers During Daily Activities. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1989, 12, 1514-1521.	1.2	34
34	Quality-of-Life in DDDR Pacing: Atrioventricular Synchrony or Rate Adaptation?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 1838-1843.	1.2	33
35	Hemodynamic Effects and Clinical Determinants of Defibrillation Threshold for Transvenous Atrial Defibrillation Using Batrial Biphasic Shocks in Patients with Chronic Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997, 20, 899-908.	1.2	33
36	Long-Term Stability of P Wave Sensing in Single Lead VDDR Pacing: Clinical Versus Subclinical Atrial Undersensing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 1849-1853.	1.2	32

#	ARTICLE	IF	CITATIONS
37	Stroke prevention using dabigatran in elderly Chinese patients with atrial fibrillation. <i>Heart Rhythm</i> , 2016, 13, 366-373.	0.7	32
38	Automatic Mode Switching of Implantable Pacemakers: II. Clinical Performance of Current Algorithms and Their Programming. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2002, 25, 1094-1113.	1.2	31
39	Comparative Evaluation of Bipolar Atrial Electrogram Amplitude During Everyday Activities: Atrial Active Fixation Versus Two Types of Single Pass VDD/R Leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 1873-1877.	1.2	29
40	Efficacy of Ventricular Rate Stabilization by Right Ventricular Pacing During Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998, 21, 542-548.	1.2	29
41	Safety and feasibility of a midseptal implantation technique of a leadless pacemaker. <i>Heart Rhythm</i> , 2019, 16, 896-902.	0.7	29
42	Are MADIT II Criteria for Implantable Cardioverter Defibrillator Implantation Appropriate for Chinese Patients?. <i>Journal of Cardiovascular Electrophysiology</i> , 2010, 21, 231-235.	1.7	27
43	Stroke type and severity in patients with subclinical atrial fibrillation: An analysis from the Asymptomatic Atrial Fibrillation and Stroke Evaluation in Pacemaker Patients and the Atrial Fibrillation Reduction Atrial Pacing Trial (ASSERT). <i>American Heart Journal</i> , 2018, 201, 160-163.	2.7	26
44	Remote monitoring of cardiac implantable devices in the Asia-Pacific. <i>Europace</i> , 2013, 15, i65-i68.	1.7	25
45	Initial Clinical Experience with a Single Pass VDDR Pacing System. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 1894-1900.	1.2	23
46	Transesophageal echocardiography in the detection of inferior vena cava and cardiac metastasis in hepatocellular carcinoma. <i>Clinical Cardiology</i> , 1996, 19, 211-213.	1.8	23
47	Single Lead DDD System: A Comparative Evaluation of Unipolar, Bipolar, and Overlapping Biphasic Stimulation and the Effects of Right Atrial Floating Electrode Location on Atrial Pacing and Sensing Thresholds. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 1758-1763.	1.2	23
48	Cardiac Output Is a Sensitive Indicator of Difference in Exercise Performance Between Single and Dual Sensor Pacemakers. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998, 21, 35-41.	1.2	23
49	Pacing for atrial fibrillation. <i>British Heart Journal</i> , 2003, 89, 106-112.	2.1	23
50	Comparison of Continuously Recorded Sensor and Sinus Rates During Daily Life Activities and Standardized Exercise Testing: Efficacy of Automatically Optimized Rate Adaptive Dual Sensor Pacing to Simulate Sinus Rhythm. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 1672-1677.	1.2	22
51	Advances in devices for cardiac resynchronization in heart failure. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2003, 9, 167-181.	1.3	20
52	Relation of Tricuspid Regurgitation to Liver Stiffness Measured by Transient Elastography in Patients With Left-Sided Cardiac Valve Disease. <i>American Journal of Cardiology</i> , 2016, 117, 640-646.	1.6	20
53	Interference of cellular phones with implanted permanent pacemakers. <i>Clinical Cardiology</i> , 1996, 19, 881-886.	1.8	19
54	ELECTRICAL REMODELLING OF CHRONIC ATRIAL FIBRILLATION. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1997, 24, 982-983.	1.9	19

#	ARTICLE	IF	CITATIONS
55	The current status of single lead dual chamber sensing and pacing. <i>Journal of Interventional Cardiac Electrophysiology</i> , 1998, 2, 255-267.	1.3	18
56	Improved Efficacy of Mode Switching During Atrial Fibrillation Using Automatic Atrial Sensitivity Adjustment. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999, 22, 17-25.	1.2	18
57	An Integrated Dual Sensor System Automatically Optimized by Target Rate Histogram. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998, 21, 1559-1566.	1.2	17
58	Atrial Electrical and Structural Remodeling: Implications for Racial Differences in Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, S36-40.	1.7	17
59	Predictive Value of the HAS-BLED Score for the Risk of Recurrent Intracranial Hemorrhage After First Spontaneous Intracranial Hemorrhage. <i>World Neurosurgery</i> , 2014, 82, e219-e223.	1.3	17
60	Subclinical atrial fibrillation and stroke: insights from continuous monitoring by implanted cardiac electronic devices. <i>Europace</i> , 2015, 17, ii40-ii46.	1.7	17
61	CHA 2 DS 2 -VASc Recalibration With an Additional Age Category (50-64 Years) Enhances Stroke Risk Stratification in Chinese Patients With Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2016, 32, 1381-1387.	1.7	17
62	Pacemaker Mediated Tachycardias In Single Chamber Rate Responsive Pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1990, 13, 1575-1579.	1.2	16
63	Rate Adaptive Cardiac Pacing Using Right Ventricular Venous Oxygen Saturation: Quantification of Chronotropic Behavior During Daily Activities and Maximal Exercise. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 2236-2246.	1.2	16
64	Delayed Exercise Rate Response Kinetics Due to Sensor Cross-Checking in a Dual Sensor Rate Adaptive Pacing System: The Importance of Individual Sensor Programming. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 1021-1025.	1.2	16
65	Comparison of Endocardial Activation Times at Effective and Ineffective Ablation Sites Within the Pulmonary Veins. <i>Journal of Cardiovascular Electrophysiology</i> , 2000, 11, 155-159.	1.7	16
66	Future of Implantable Devices for Cardiac Rhythm Management. <i>Circulation</i> , 2014, 129, 811-822.	1.6	16
67	Net Clinical Benefit of Dabigatran Over Warfarin in Patients With Atrial Fibrillation Stratified by CHA2DS2-VASc and Time in Therapeutic Range. <i>Canadian Journal of Cardiology</i> , 2016, 32, 1247.e15-1247.e21.	1.7	16
68	PR interval prolongation in coronary patients or risk equivalent: excess risk of ischemic stroke and vascular pathophysiological insights. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 233.	1.7	16
69	Prevalence and significance of Exit Block During Arrhythmias Arising in Pulmonary Veins. <i>Journal of Cardiovascular Electrophysiology</i> , 2000, 11, 379-386.	1.7	15
70	ELECTROPHYSIOLOGICAL PROPERTIES OF THE FIBRILLATING ATRIUM: IMPLICATIONS FOR THERAPY. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1998, 25, 293-302.	1.9	14
71	Initial Clinical Experience with a New Self-Retaining Left Ventricular Lead for Permanent Left Ventricular Pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 1738-1740.	1.2	14
72	Prevalence, Predictors and Clinical Outcome of Residual Pulmonary Hypertension Following Tricuspid Annuloplasty. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	14

#	ARTICLE	IF	CITATIONS
73	Prognostic implications of early monomorphic and non-monomorphic tachyarrhythmias in patients discharged with acute coronary syndrome. <i>Heart Rhythm</i> , 2018, 15, 822-829.	0.7	14
74	Improvement of exercise capacity after nifedipine in patients with Eisenmenger syndrome complicating ventricular septal defect. <i>Clinical Cardiology</i> , 1991, 14, 957-961.	1.8	13
75	Effects of flecainide on exercise hemodynamics and electrocardiography in patients without structural heart disease. <i>Clinical Cardiology</i> , 1995, 18, 140-144.	1.8	13
76	Emerging Energy Sources for Catheter Ablation of Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, S56-S61.	1.7	13
77	A Prospective Randomized Study to Assess the Efficacy of Rate and Site of Atrial Pacing on Long-Term Development of Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 1020-1025.	1.7	13
78	Asystole complicating acalculous cholecystitis, the "Cope's sign" revisited. <i>International Journal of Cardiology</i> , 2015, 182, 447-448.	1.7	13
79	Estimated incidence of previously undetected atrial fibrillation on a 14-day continuous electrocardiographic monitor and associated risk of stroke. <i>Europace</i> , 2022, .	1.7	13
80	Importance of Heart Rate Modulation on the Cardiac Hemodynamics During Postexercise Recovery. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1990, 13, 1277-1285.	1.2	12
81	Catheter Induced Mechanical Stunning of Accessory Pathway Conduction: Useful Guide to Successful Transcatheter Ablation of Accessory Pathways. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 31-36.	1.2	12
82	Fosinopril reduces left ventricular mass in untreated hypertensive patients: a controlled trial. <i>British Journal of Clinical Pharmacology</i> , 1999, 47, 179-187.	2.4	12
83	Genetically deprived vitamin D exposure predisposes to atrial fibrillation. <i>Europace</i> , 2017, 19, iv25-iv31.	1.7	12
84	Nonapical Right Ventricular Pacing Is Associated with Less Tricuspid Valve Interference and Long-Term Progress of Tricuspid Regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 1375-1383.	2.8	12
85	Point-of-care ultrasound augments physical examination learning by undergraduate medical students. <i>Postgraduate Medical Journal</i> , 2021, 97, 10-15.	1.8	12
86	Abnormal gastro-oesophageal reflux in Chinese with atypical chest pain. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996, 11, 775-779.	2.8	11
87	Inappropriate Defibrillator Therapies: Are Dual Chamber Devices Providing a Remedy?. <i>Journal of Cardiovascular Electrophysiology</i> , 2001, 12, 143-144.	1.7	11
88	The impact of reimbursement on the usage of pacemakers, implantable cardioverter defibrillators and radiofrequency ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2007, 17, 177-181.	1.3	11
89	Improved prognosis following renin-angiotensin-aldosterone system blockade in patients undergoing concomitant aortic and mitral valve replacement. <i>International Journal of Cardiology</i> , 2014, 177, 680-682.	1.7	11
90	Close Proximity of Leadless Pacemaker to Tricuspid Annulus Predicts Worse Tricuspid Regurgitation Following Septal Implantation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e009530.	4.8	11

#	ARTICLE	IF	CITATIONS
91	Early Reinitiation of Atrial Fibrillation After Electrical Defibrillation: A New Electrophysiological Phenomenon. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 1581-1584.	1.2	10
92	Clinical Usefulness of Rate Adaptive Pacing Systems: What Should We Assess?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 2233-2235.	1.2	9
93	Pacing technology: advances in pacing threshold management. <i>Journal of Zhejiang University: Science B</i> , 2010, 11, 634-638.	2.8	9
94	Transcatheter Leadless Cardiac Pacing in Renal Failure with Limited Venous Access. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 1281-1284.	1.2	8
95	Incidence and predictors of sudden arrhythmic death or ventricular tachyarrhythmias after acute coronary syndrome: An asian perspective. <i>Heart Rhythm</i> , 2017, 14, 81-87.	0.7	8
96	Prediction of Thromboembolic Events in Heart Failure Patients in Sinus Rhythm: The Hong Kong Heart Failure Registry. <i>PLoS ONE</i> , 2016, 11, e0169095.	2.5	8
97	Successful sequential radiofrequency catheter ablation of anatomically discrete antegrade and retrograde accessory pathway conduction in the wolff-parkinson-white syndrome. <i>Clinical Cardiology</i> , 1992, 15, 211-216.	1.8	7
98	Detection of Atrial Fibrillation During Sinus Tachycardia Induced by Exercise in Patients with Implantable Atrial Defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999, 22, 247-252.	1.2	7
99	Effects of Different Atrioventricular Intervals During Dual-Site Right Atrial Pacing on Left Atrial Mechanical Function. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 1748-1751.	1.2	7
100	Predictive value of acute kidney injury for major adverse cardiovascular events following tricuspid annuloplasty: A comparison of three consensus criteria. <i>Journal of Cardiology</i> , 2018, 72, 247-254.	1.9	7
101	Thrombolysis in Myocardial Infarction Risk Score for Secondary Prevention of Recurrent Cardiovascular Events in a Real-World Cohort of Post-Acute Myocardial Infarction Patients. <i>Circulation Journal</i> , 2019, 83, 809-817.	1.6	7
102	Hpa1 polymorphism in the atrial natriuretic peptide gene and hypertension. <i>American Journal of Hypertension</i> , 1999, 12, 524-527.	2.0	6
103	Atrial Fibrillation in Valvular Heart Disease. <i>Cardiac Electrophysiology Clinics</i> , 2021, 13, 113-122.	1.7	6
104	Device-Detected Atrial Fibrillation Before and After Hospitalisation for Noncardiac Surgery or Medical Illness: Insights From ASSERT. <i>Canadian Journal of Cardiology</i> , 2021, 37, 803-809.	1.7	6
105	Adaptive Rate Pacing at Submaximal Exercise: The Importance of the Programmed Upper Rate. <i>Journal of Electrophysiology</i> , 1989, 3, 283-288.	0.5	5
106	A Comparative Study on the Behavior of Three Different Automatic Mode Switching Dual Chamber Pacemakers to Intracardiac Recordings of Clinical Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 2086-2096.	1.2	5
107	Clinical Predictors and Time Course of Arrhythmia Recurrence in Patients with Early Reinitiation of Atrial Fibrillation After Successful Internal Cardioversion. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 1809-1814.	1.2	5
108	Cremation of Leadless Pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 629-631.	1.2	5

#	ARTICLE	IF	CITATIONS
109	Burden and contributing factors associated with tricuspid regurgitation: a hospital-based study. <i>Hospital Practice</i> (1995), 2017, 45, 209-214.	1.0	5
110	Prognostic implications of statin intolerance in stable coronary artery disease patients with different levels of high-sensitive troponin. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 168.	1.7	5
111	Single-chamber leadless pacemaker for atrial synchronous or ventricular pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1438-1450.	1.2	5
112	Ultrasonic Assisted Permanent Pacing in a Patient with Severe Pulmonary Tuberculosis. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1989, 12, 1131-1136.	1.2	4
113	Patterns of radiofrequency catheter ablation of left free-wall accessory pathways: Implications for accessory pathway anatomy. <i>Clinical Cardiology</i> , 1993, 16, 644-652.	1.8	4
114	A Comparative Analysis of Signal Processing Methods for Motion-Based Rate Responsive Pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 1230-1247.	1.2	4
115	Optimizing heart failure therapy with implantable sensors. <i>Journal of Arrhythmia</i> , 2012, 28, 4-18.	1.2	4
116	Osteogenic circulating endothelial progenitor cells are linked to electrocardiographic conduction abnormalities in rheumatic patients. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12651.	1.1	4
117	Prognostic Value of Tricuspid Valve Geometry and Leaflet Coaptation Status in Patients Undergoing Tricuspid Annuloplasty: A Three-Dimensional Echocardiography Study. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 1516-1525.	2.8	4
118	DECREASE WITH AGE IN FREQUENCY OF THE HOMOZYGOUS DELETIONAL ANGIOTENSIN-CONVERTING ENZYME GENOTYPE IN HYPERTENSIVE PATIENTS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1998, 25, 928-931.	1.9	3
119	Clinical Benefit of Valvular Surgery in Patients with Chronic Kidney Disease. <i>International Heart Journal</i> , 2018, 59, 759-765.	1.0	3
120	Guideline-Based Critical Care Pathway Improves Long-Term Clinical Outcomes in Patients with Acute Coronary Syndrome. <i>Scientific Reports</i> , 2019, 9, 16814.	3.3	3
121	Prognostic value and reversibility of liver stiffness in patients undergoing tricuspid annuloplasty. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 551-559.	1.2	3
122	Opportunistic screening for asymptomatic left ventricular dysfunction in type 2 diabetes mellitus. <i>Postgraduate Medical Journal</i> , 2023, 99, 476-483.	1.8	3
123	Case report: resolution of pulsus alternans by synchronous atrio-biventricular pacing. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2000, 4, 595-597.	1.3	2
124	Atrial Defibrillators: What's Their Role?. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2001, 5, 238-242.	1.0	2
125	Prevalence and Prognostic Importance of Massive Tricuspid Regurgitation in Patients Undergoing Tricuspid Annuloplasty With Concomitant Left-Sided Valve Surgery: A Study on Rheumatic Valvular Heart Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 686208.	2.4	2
126	Electromechanical concordance in alternans during sustained tachycardias. <i>Clinical Cardiology</i> , 1991, 14, 1003-1006.	1.8	1

#	ARTICLE	IF	CITATIONS
127	Implantable Atrial Defibrillators. <i>Journal of Interventional Cardiac Electrophysiology</i> , 1998, 2, 253-256.	1.0	1
128	Atrial Fibrillation Induction and Determination of Atrial Vulnerable Period Using Very Low Energy Synchronized Biatrial Shock in Normal Subjects and in Patients with Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 469-476.	1.2	1
129	Failure of Coronary Sinus Pacing in Reducing Local Atrial Conduction Delay in Patients with Atrial Fibrillation After Successful Internal Cardioversion. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 1014-1019.	1.2	1
130	Left Atrial to Right Ventricular Bidirectional Accessory Pathway in a Patient with Ebstein's Anomaly: How Does it Connect?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 507-509.	1.2	1
131	Pulmonary Vein in Pathogenesis of Persistent Atrial Fibrillation: An Unsettled Controversy. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 477-478.	1.7	1
132	Asystole during Pulse Generator Change: Unexpected Failure of Pacemaker Implant Autoinitialization. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 194-197.	1.2	1
133	Asystole in focal epilepsy complicating a traumatic subdural hematoma. <i>Journal of Arrhythmia</i> , 2017, 33, 330-332.	1.2	1
134	Implantable cardioverter defibrillators in Asian population. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1627-1629.	1.2	1
135	One stage atrioventricular nodal ablation and leadless pacemaker implantation for refractory atrial fibrillation. <i>Journal of Arrhythmia</i> , 2019, 35, 139-141.	1.2	1
136	Are stethoscopes risky in COVID-19?. <i>Postgraduate Medical Journal</i> , 2020, 96, 431-431.	1.8	1
137	Inappropriate rate response in a leadless pacemaker due to automatic rate profile optimization. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, , .	1.2	1
138	Should all implantable cardioverter defibrillators for ventricular arrhythmias be dual-chamber devices?. <i>Current Cardiology Reports</i> , 2001, 3, 447-450.	2.9	0
139	Implantable Atrioventricular Defibrillators. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2001, 5, 24-30.	1.0	0
140	Cardiac resynchronisation and defibrillation therapy: Advances and challenges. <i>Journal of Arrhythmia</i> , 2013, 29, 143-143.	1.2	0
141	Response or nonresponse to cardiac resynchronization therapy in heart failure: Lessons from the real world. <i>Heart Rhythm</i> , 2014, 11, 417-418.	0.7	0
142	An Unpleasant Legacy. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 209-211.	3.2	0
143	MOST but only almost: Are leadless pacemakers appropriate in sinus node dysfunction?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1459-1460.	1.2	0
144	Is â€˜less or moreâ€™™ in pediatric cryoablation for atrioventricular nodal reentry tachycardia?. <i>Indian Pacing and Electrophysiology Journal</i> , 2020, 20, 171-172.	0.6	0

#	ARTICLE	IF	CITATIONS
145	Body volume is the major determinant of worsening renal function in acutely decompensated heart failure with reduced left ventricular ejection fraction. Postgraduate Medical Journal, 2022, 98, 333-340.	1.8	0
146	Inositol 1,4,5-Trisphosphate Receptors Mediating Spontaneous Ca <sup>2+</sup> Oscillation Favors Proliferation in Human Mesenchymal Stem Cells from Bone Marrow.. Blood, 2006, 108, 2572-2572.	1.4	0
147	Editorial to "Improvement in quality of life and cardiac function after catheter ablation for asymptomatic persistent atrial fibrillation" Journal of Arrhythmia, 2021, 37, 20-21.	1.2	0
148	Collaboration is a Valuable International/Interdisciplinary Directive for Electrophysiology Progress: NOvel & Tangible Important Lessons Learned COVID-EP: NOT ILL Digital health lessons learned from the COVID experience can improve arrhythmic outcomes. Cardiovascular Digital Health Journal, 2020, 1, 2-5.	1.3	0
149	Letter by Lau and Tse Regarding Article, "Personalized Rate-Response Programming Improves Exercise Tolerance After 6 Months in People With Cardiac Implantable Electronic Devices and Heart Failure: A Phase II Study" Circulation, 2020, 142, e317-e318.	1.6	0