

Chu-Pak Lau

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4084249/publications.pdf>

Version: 2024-02-01

149
papers

4,123
citations

126907

33
h-index

138484

58
g-index

152
all docs

152
docs citations

152
times ranked

3741
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Opportunistic screening for asymptomatic left ventricular dysfunction in type 2 diabetes mellitus. Postgraduate Medical Journal, 2023, 99, 476-483. | 1.8 | 3 |
| 2 | Body volume is the major determinant of worsening renal function in acutely decompensated heart failure with reduced left ventricular ejection fraction. Postgraduate Medical Journal, 2022, 98, 333-340. | 1.8 | 0 |
| 3 | Prognostic value and reversibility of liver stiffness in patients undergoing tricuspid annuloplasty. European Heart Journal Cardiovascular Imaging, 2022, 23, 551-559. | 1.2 | 3 |
| 4 | Prevalence and Prognostic Importance of Massive Tricuspid Regurgitation in Patients Undergoing Tricuspid Annuloplasty With Concomitant Left-Sided Valve Surgery: A Study on Rheumatic Valvular Heart Disease. Frontiers in Cardiovascular Medicine, 2022, 9, 686208. | 2.4 | 2 |
| 5 | Estimated incidence of previously undetected atrial fibrillation on a 14-day continuous electrocardiographic monitor and associated risk of stroke. Europace, 2022, , . | 1.7 | 13 |
| 6 | Point-of-care ultrasound augments physical examination learning by undergraduate medical students. Postgraduate Medical Journal, 2021, 97, 10-15. | 1.8 | 12 |
| 7 | Cardiovascular sequelae in uncomplicated COVID-19 survivors. PLoS ONE, 2021, 16, e0246732. | 2.5 | 41 |
| 8 | Atrial Fibrillation in Valvular Heart Disease. Cardiac Electrophysiology Clinics, 2021, 13, 113-122. | 1.7 | 6 |
| 9 | Close Proximity of Leadless Pacemaker to Tricuspid Annulus Predicts Worse Tricuspid Regurgitation Following Septal Implantation. Circulation: Arrhythmia and Electrophysiology, 2021, 14, e009530. | 4.8 | 11 |
| 10 | Device-Detected Atrial Fibrillation Before and After Hospitalisation for Noncardiac Surgery or Medical Illness: Insights From ASSERT. Canadian Journal of Cardiology, 2021, 37, 803-809. | 1.7 | 6 |
| 11 | EHRA expert consensus statement and practical guide on optimal implantation technique for conventional pacemakers and implantable cardioverter-defibrillators: endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), and the Latin-American Heart Rhythm Society (LAHRS). Europace, 2021, 23, 983-1008. | 1.7 | 92 |
| 12 | Inappropriate rate response in a leadless pacemaker due to automatic rate profile optimization. PACE - Pacing and Clinical Electrophysiology, 2021, , . | 1.2 | 1 |
| 13 | Editorial to "Improvement in quality of life and cardiac function after catheter ablation for asymptomatic persistent atrial fibrillation". Journal of Arrhythmia, 2021, 37, 20-21. | 1.2 | 0 |
| 14 | MOST but only almost: Are leadless pacemakers appropriate in sinus node dysfunction?. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 1459-1460. | 1.2 | 0 |
| 15 | Single-chamber leadless pacemaker for atrial synchronous or ventricular pacing. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 1438-1450. | 1.2 | 5 |
| 16 | Nonapical Right Ventricular Pacing Is Associated with Less Tricuspid Valve Interference and Long-Term Progress of Tricuspid Regurgitation. Journal of the American Society of Echocardiography, 2020, 33, 1375-1383. | 2.8 | 12 |
| 17 | Is "less or more"™ in pediatric cryoablation for atrioventricular nodal reentry tachycardia?. Indian Pacing and Electrophysiology Journal, 2020, 20, 171-172. | 0.6 | 0 |
| 18 | Are stethoscopes risky in COVID-19?. Postgraduate Medical Journal, 2020, 96, 431-431. | 1.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | COllaboration is a Valuable International/Interdisciplinary Directive for Electrophysiology Progress: NOvel & Tangible Important Lessons Learned COVID-EP: NOT ILL Digital health lessons learned from the COVID experience can improve arrhythmic outcomes. <i>Cardiovascular Digital Health Journal</i> , 2020, 1, 2-5. | 1.3 | 0 |
| 20 | Letter by Lau and Tse Regarding Article, "Personalized Rate-Response Programming Improves Exercise Tolerance After 6 Months in People With Cardiac Implantable Electronic Devices and Heart Failure: A Phase II Study" <i>Circulation</i> , 2020, 142, e317-e318. | 1.6 | 0 |
| 21 | Prognostic implications of statin intolerance in stable coronary artery disease patients with different levels of high-sensitive troponin. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 168. | 1.7 | 5 |
| 22 | Osteogenic circulating endothelial progenitor cells are linked to electrocardiographic conduction abnormalities in rheumatic patients. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12651. | 1.1 | 4 |
| 23 | Thrombolysis in Myocardial Infarction Risk Score for Secondary Prevention of Recurrent Cardiovascular Events in a Real-World Cohort of Post-Acute Myocardial Infarction Patients. <i>Circulation Journal</i> , 2019, 83, 809-817. | 1.6 | 7 |
| 24 | Prognostic Value of Tricuspid Valve Geometry and Leaflet Coaptation Status in Patients Undergoing Tricuspid Annuloplasty: A Three-Dimensional Echocardiography Study. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 1516-1525. | 2.8 | 4 |
| 25 | Guideline-Based Critical Care Pathway Improves Long-Term Clinical Outcomes in Patients with Acute Coronary Syndrome. <i>Scientific Reports</i> , 2019, 9, 16814. | 3.3 | 3 |
| 26 | Safety and feasibility of a midseptal implantation technique of a leadless pacemaker. <i>Heart Rhythm</i> , 2019, 16, 896-902. | 0.7 | 29 |
| 27 | One stage atrioventricular nodal ablation and leadless pacemaker implantation for refractory atrial fibrillation. <i>Journal of Arrhythmia</i> , 2019, 35, 139-141. | 1.2 | 1 |
| 28 | Predictive value of acute kidney injury for major adverse cardiovascular events following tricuspid annuloplasty: A comparison of three consensus criteria. <i>Journal of Cardiology</i> , 2018, 72, 247-254. | 1.9 | 7 |
| 29 | Prognostic implications of early monomorphic and non-monomorphic tachyarrhythmias in patients discharged with acute coronary syndrome. <i>Heart Rhythm</i> , 2018, 15, 822-829. | 0.7 | 14 |
| 30 | Stroke type and severity in patients with subclinical atrial fibrillation: An analysis from the Asymptomatic Atrial Fibrillation and Stroke Evaluation in Pacemaker Patients and the Atrial Fibrillation Reduction Atrial Pacing Trial (ASSERT). <i>American Heart Journal</i> , 2018, 201, 160-163. | 2.7 | 26 |
| 31 | An Unpleasant Legacy. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 209-211. | 3.2 | 0 |
| 32 | Implantable cardioverter defibrillators in Asian population. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1627-1629. | 1.2 | 1 |
| 33 | Clinical Benefit of Valvular Surgery in Patients with Chronic Kidney Disease. <i>International Heart Journal</i> , 2018, 59, 759-765. | 1.0 | 3 |
| 34 | Efficacy and safety of dabigatran, rivaroxaban, and warfarin for stroke prevention in Chinese patients with atrial fibrillation: the Hong Kong Atrial Fibrillation Project. <i>Clinical Cardiology</i> , 2017, 40, 222-229. | 1.8 | 42 |
| 35 | Asystole in focal epilepsy complicating a traumatic subdural hematoma. <i>Journal of Arrhythmia</i> , 2017, 33, 330-332. | 1.2 | 1 |
| 36 | Duration of device-detected subclinical atrial fibrillation and occurrence of stroke in ASSERT. <i>European Heart Journal</i> , 2017, 38, 1339-1344. | 2.2 | 428 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Cremation of Leadless Pacemaker. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 629-631. | 1.2 | 5 |
| 38 | Burden and contributing factors associated with tricuspid regurgitation: a hospital-based study. Hospital Practice (1995), 2017, 45, 209-214. | 1.0 | 5 |
| 39 | Incidence and predictors of sudden arrhythmic death or ventricular tachyarrhythmias after acute coronary syndrome: An asian perspective. Heart Rhythm, 2017, 14, 81-87. | 0.7 | 8 |
| 40 | Genetically deprived vitamin D exposure predisposes to atrial fibrillation. Europace, 2017, 19, iv25-iv31. | 1.7 | 12 |
| 41 | PR interval prolongation in coronary patients or risk equivalent: excess risk of ischemic stroke and vascular pathophysiological insights. BMC Cardiovascular Disorders, 2017, 17, 233. | 1.7 | 16 |
| 42 | The World Heart Federation Roadmap for Nonvalvular Atrial Fibrillation. Global Heart, 2017, 12, 273. | 2.3 | 35 |
| 43 | Asystole during Pulse Generator Change: Unexpected Failure of Pacemaker Implant Autoinitialization. PACE - Pacing and Clinical Electrophysiology, 2016, 39, 194-197. | 1.2 | 1 |
| 44 | Transcatheter Leadless Cardiac Pacing in Renal Failure with Limited Venous Access. PACE - Pacing and Clinical Electrophysiology, 2016, 39, 1281-1284. | 1.2 | 8 |
| 45 | CHA 2 DS 2 -VASc Recalibration With an Additional Age Category (50-64 Years) Enhances Stroke Risk Stratification in Chinese Patients With Atrial Fibrillation. Canadian Journal of Cardiology, 2016, 32, 1381-1387. | 1.7 | 17 |
| 46 | Net Clinical Benefit of Dabigatran Over Warfarin in Patients With Atrial Fibrillation Stratified by CHA2DS2-VASc and Time in Therapeutic Range. Canadian Journal of Cardiology, 2016, 32, 1247.e15-1247.e21. | 1.7 | 16 |
| 47 | Prevalence, Predictors and Clinical Outcome of Residual Pulmonary Hypertension Following Tricuspid Annuloplasty. Journal of the American Heart Association, 2016, 5, . | 3.7 | 14 |
| 48 | Relation of Tricuspid Regurgitation to Liver Stiffness Measured by Transient Elastography in Patients With Left-Sided Cardiac Valve Disease. American Journal of Cardiology, 2016, 117, 640-646. | 1.6 | 20 |
| 49 | Clinical Characteristics, Management, and Outcomes of Hospitalized Heart Failure in a Chinese Populationâ€”The Hong Kong Heart Failure Registry. Journal of Cardiac Failure, 2016, 22, 600-608. | 1.7 | 38 |
| 50 | Stroke prevention using dabigatran in elderly Chinese patients with atrial fibrillation. Heart Rhythm, 2016, 13, 366-373. | 0.7 | 32 |
| 51 | Prediction of Thromboembolic Events in Heart Failure Patients in Sinus Rhythm: The Hong Kong Heart Failure Registry. PLoS ONE, 2016, 11, e0169095. | 2.5 | 8 |
| 52 | Subclinical atrial fibrillation and stroke: insights from continuous monitoring by implanted cardiac electronic devices. Europace, 2015, 17, ii40-ii46. | 1.7 | 17 |
| 53 | Asystole complicating acalculous cholecystitis, the â€œCope's signâ€•revisited. International Journal of Cardiology, 2015, 182, 447-448. | 1.7 | 13 |
| 54 | Ischemic Stroke and Intracranial Hemorrhage With Aspirin, Dabigatran, and Warfarin. Stroke, 2015, 46, 23-30. | 2.0 | 90 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Pulmonary Vein in Pathogenesis of Persistent Atrial Fibrillation: An Unsettled Controversy. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 477-478. | 1.7 | 1 |
| 56 | Response or nonresponse to cardiac resynchronization therapy in heart failure: Lessons from the real world. <i>Heart Rhythm</i> , 2014, 11, 417-418. | 0.7 | 0 |
| 57 | Predictive Value of the HAS-BLED Score for the Risk of Recurrent Intracranial Hemorrhage After First Spontaneous Intracranial Hemorrhage. <i>World Neurosurgery</i> , 2014, 82, e219-e223. | 1.3 | 17 |
| 58 | Improved prognosis following renin-angiotensin-aldosterone system blockade in patients undergoing concomitant aortic and mitral valve replacement. <i>International Journal of Cardiology</i> , 2014, 177, 680-682. | 1.7 | 11 |
| 59 | The CHADS2 and CHA2DS2-VASc scores predict adverse vascular function, ischemic stroke and cardiovascular death in high-risk patients without atrial fibrillation: Role of incorporating PR prolongation. <i>Atherosclerosis</i> , 2014, 237, 504-513. | 0.8 | 59 |
| 60 | Future of Implantable Devices for Cardiac Rhythm Management. <i>Circulation</i> , 2014, 129, 811-822. | 1.6 | 16 |
| 61 | Ethnic Differences in Atrial Fibrillation Identified Using Implanted Cardiac Devices. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 381-387. | 1.7 | 55 |
| 62 | Cardiac resynchronisation and defibrillation therapy: Advances and challenges. <i>Journal of Arrhythmia</i> , 2013, 29, 143-143. | 1.2 | 0 |
| 63 | Remote monitoring of cardiac implantable devices in the Asia-Pacific. <i>Europace</i> , 2013, 15, i65-i68. | 1.7 | 25 |
| 64 | Prospective Randomized Study to Assess the Efficacy of Site and Rate of Atrial Pacing on Long-Term Progression of Atrial Fibrillation in Sick Sinus Syndrome. <i>Circulation</i> , 2013, 128, 687-693. | 1.6 | 48 |
| 65 | Atrial Electrical and Structural Remodeling: Implications for Racial Differences in Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, S36-40. | 1.7 | 17 |
| 66 | Optimizing heart failure therapy with implantable sensors. <i>Journal of Arrhythmia</i> , 2012, 28, 4-18. | 1.2 | 4 |
| 67 | Pacing technology: advances in pacing threshold management. <i>Journal of Zhejiang University: Science B</i> , 2010, 11, 634-638. | 2.8 | 9 |
| 68 | Are MADIT II Criteria for Implantable Cardioverter Defibrillator Implantation Appropriate for Chinese Patients?. <i>Journal of Cardiovascular Electrophysiology</i> , 2010, 21, 231-235. | 1.7 | 27 |
| 69 | A Prospective Randomized Study to Assess the Efficacy of Rate and Site of Atrial Pacing on Long-Term Development of Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 1020-1025. | 1.7 | 13 |
| 70 | Hemodynamic Changes in Hyperthyroidism-Related Pulmonary Hypertension: A Prospective Echocardiographic Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1736-1742. | 3.6 | 93 |
| 71 | Incidence, clinical characteristics and outcome of congestive heart failure as the initial presentation in patients with primary hyperthyroidism. <i>Heart</i> , 2007, 93, 483-487. | 2.9 | 172 |
| 72 | First Human Demonstration of Cardiac Stimulation With Transcutaneous Ultrasound Energy Delivery. <i>Journal of the American College of Cardiology</i> , 2007, 50, 877-883. | 2.8 | 77 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The impact of reimbursement on the usage of pacemakers, implantable cardioverter defibrillators and radiofrequency ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2007, 17, 177-181. | 1.3 | 11 |
| 74 | Emerging Energy Sources for Catheter Ablation of Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, S56-S61. | 1.7 | 13 |
| 75 | Inositol 1,4,5-Trisphosphate Receptors Mediating Spontaneous Ca ²⁺ Oscillation Favors Proliferation in Human Mesenchymal Stem Cells from Bone Marrow.. <i>Blood</i> , 2006, 108, 2572-2572. | 1.4 | 0 |
| 76 | Advances in devices for cardiac resynchronization in heart failure. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2003, 9, 167-181. | 1.3 | 20 |
| 77 | Clinical Predictors and Time Course of Arrhythmia Recurrence in Patients with Early Reinitiation of Atrial Fibrillation After Successful Internal Cardioversion. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 1809-1814. | 1.2 | 5 |
| 78 | Pacing for atrial fibrillation. <i>British Heart Journal</i> , 2003, 89, 106-112. | 2.1 | 23 |
| 79 | Functional abnormalities in patients with permanent right ventricular pacing. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1451-1458. | 2.8 | 337 |
| 80 | Automatic Mode Switching of Implantable Pacemakers: I. Principles of Instrumentation, Clinical, and Hemodynamic Considerations. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2002, 25, 967-983. | 1.2 | 36 |
| 81 | Automatic Mode Switching of Implantable Pacemakers: II. Clinical Performance of Current Algorithms and Their Programming. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2002, 25, 1094-1113. | 1.2 | 31 |
| 82 | Should all implantable cardioverter defibrillators for ventricular arrhythmias be dual-chamber devices?. <i>Current Cardiology Reports</i> , 2001, 3, 447-450. | 2.9 | 0 |
| 83 | Inappropriate Defibrillator Therapies: Are Dual Chamber Devices Providing a Remedy?. <i>Journal of Cardiovascular Electrophysiology</i> , 2001, 12, 143-144. | 1.7 | 11 |
| 84 | A Cephalic Vein Cutdown and Venography Technique to Facilitate Pacemaker and Defibrillator Lead Implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 469-473. | 1.2 | 47 |
| 85 | Left Atrial to Right Ventricular Bidirectional Accessory Pathway in a Patient with Ebstein's Anomaly: How Does it Connect?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 507-509. | 1.2 | 1 |
| 86 | Reversible Impairment of Left and Right Ventricular Systolic and Diastolic Function During Short-Lasting Atrial Fibrillation in Patients with an Implantable Atrial Defibrillator: A Tissue Doppler Imaging Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 979-988. | 1.2 | 48 |
| 87 | Early Reinitiation of Atrial Fibrillation After Electrical Defibrillation: A New Electrophysiological Phenomenon. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 1581-1584. | 1.2 | 10 |
| 88 | Comparison Of Digoxin Versus Low-Dose Amiodarone For Ventricular Rate Control In Patients With Chronic Atrial Fibrillation. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001, 28, 446-450. | 1.9 | 43 |
| 89 | Implantable Atrioventricular Defibrillators. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2001, 5, 24-30. | 1.0 | 0 |
| 90 | Atrial Defibrillators: What's Their Role?. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2001, 5, 238-242. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Initial Clinical Experience with a New Self-Retaining Left Ventricular Lead for Permanent Left Ventricular Pacing. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 1738-1740. | 1.2 | 14 |
| 92 | Reversal of Left Ventricular Remodeling by Synchronous Biventricular Pacing in Heart Failure. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 1722-1725. | 1.2 | 71 |
| 93 | Effects of Different Atrioventricular Intervals During Dual-Site Right Atrial Pacing on Left Atrial Mechanical Function. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 1748-1751. | 1.2 | 7 |
| 94 | Prevalence and significance of Exit Block During Arrhythmias Arising in Pulmonary Veins. Journal of Cardiovascular Electrophysiology, 2000, 11, 379-386. | 1.7 | 15 |
| 95 | A Comparative Study on the Behavior of Three Different Automatic Mode Switching Dual Chamber Pacemakers to Intracardiac Recordings of Clinical Atrial Fibrillation. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 2086-2096. | 1.2 | 5 |
| 96 | Atrial Fibrillation Induction and Determination of Atrial Vulnerable Period Using Very Low Energy Synchronized Biatrial Shock in Normal Subjects and in Patients with Atrial Fibrillation. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 469-476. | 1.2 | 1 |
| 97 | Failure of Coronary Sinus Pacing in Reducing Local Atrial Conduction Delay in Patients with Atrial Fibrillation After Successful Internal Cardioversion. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 1014-1019. | 1.2 | 1 |
| 98 | Comparison of Endocardial Activation Times at Effective and Ineffective Ablation Sites Within the Pulmonary Veins. Journal of Cardiovascular Electrophysiology, 2000, 11, 155-159. | 1.7 | 16 |
| 99 | Case report: resolution of pulsus alternans by synchronous atrio-biventricular pacing. Journal of Interventional Cardiac Electrophysiology, 2000, 4, 595-597. | 1.3 | 2 |
| 100 | Atrial Fibrillation Detection and R-Wave Synchronization by Metrix Implantable Atrial Defibrillator. Circulation, 1999, 99, 1446-1451. | 1.6 | 44 |
| 101 | Fosinopril reduces left ventricular mass in untreated hypertensive patients: a controlled trial. British Journal of Clinical Pharmacology, 1999, 47, 179-187. | 2.4 | 12 |
| 102 | Improved Efficacy of Mode Switching During Atrial Fibrillation Using Automatic Atrial Sensitivity Adjustment. PACE - Pacing and Clinical Electrophysiology, 1999, 22, 17-25. | 1.2 | 18 |
| 103 | Detection of Atrial Fibrillation During Sinus Tachycardia Induced by Exercise in Patients with Implantable Atrial Defibrillators. PACE - Pacing and Clinical Electrophysiology, 1999, 22, 247-252. | 1.2 | 7 |
| 104 | Effect of the Implantable Atrial Defibrillator on the Natural History of Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 1999, 10, 1200-1209. | 1.7 | 43 |
| 105 | Heterogeneous Changes in Electrophysiologic Properties in the Paroxysmal and Chronically Fibrillating Human Atrium. Journal of Cardiovascular Electrophysiology, 1999, 10, 125-135. | 1.7 | 55 |
| 106 | Hpa11 polymorphism in the atrial natriuretic peptide gene and hypertension. American Journal of Hypertension, 1999, 12, 524-527. | 2.0 | 6 |
| 107 | The current status of single lead dual chamber sensing and pacing. Journal of Interventional Cardiac Electrophysiology, 1998, 2, 255-267. | 1.3 | 18 |
| 108 | Implantable Atrial Defibrillators. Journal of Interventional Cardiac Electrophysiology, 1998, 2, 253-256. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Efficacy of Ventricular Rate Stabilization by Right Ventricular Pacing During Atrial Fibrillation. PACE - Pacing and Clinical Electrophysiology, 1998, 21, 542-548. | 1.2 | 29 |
| 110 | An Integrated Dual Sensor System Automatically Optimized by Target Rate Histogram. PACE - Pacing and Clinical Electrophysiology, 1998, 21, 1559-1566. | 1.2 | 17 |
| 111 | Cardiac Output Is a Sensitive Indicator of Difference in Exercise Performance Between Single and Dual Sensor Pacemakers. PACE - Pacing and Clinical Electrophysiology, 1998, 21, 35-41. | 1.2 | 23 |
| 112 | Programmed Atrial Sensitivity: A Critical Determinant in Atrial Fibrillation Detection and Optimal Automatic Mode Switching. PACE - Pacing and Clinical Electrophysiology, 1998, 21, 2214-2219. | 1.2 | 36 |
| 113 | DECREASE WITH AGE IN FREQUENCY OF THE HOMOZYGOUS DELETIONAL ANGIOTENSIN-CONVERTING ENZYME GENOTYPE IN HYPERTENSIVE PATIENTS. Clinical and Experimental Pharmacology and Physiology, 1998, 25, 928-931. | 1.9 | 3 |
| 114 | ELECTROPHYSIOLOGICAL PROPERTIES OF THE FIBRILLATING ATRIUM: IMPLICATIONS FOR THERAPY. Clinical and Experimental Pharmacology and Physiology, 1998, 25, 293-302. | 1.9 | 14 |
| 115 | Long-Term Effect of Right Ventricular Pacing on Myocardial Perfusion and Function. Journal of the American College of Cardiology, 1997, 29, 744-749. | 2.8 | 408 |
| 116 | ELECTRICAL REMODELLING OF CHRONIC ATRIAL FIBRILLATION. Clinical and Experimental Pharmacology and Physiology, 1997, 24, 982-983. | 1.9 | 19 |
| 117 | Initial Clinical Experience with an Implantable Human Atrial Defibrillator. PACE - Pacing and Clinical Electrophysiology, 1997, 20, 220-225. | 1.2 | 75 |
| 118 | Hemodynamic Effects and Clinical Determinants of Defibrillation Threshold for Transvenous Atrial Defibrillation Using Biatrial Biphasic Shocks in Patients with Chronic Atrial Fibrillation. PACE - Pacing and Clinical Electrophysiology, 1997, 20, 899-908. | 1.2 | 33 |
| 119 | A Comparison of Transvenous Atrial Defibrillation of Acute and Chronic Atrial Fibrillation and the Effect of Intravenous Sotalol on Human Atrial Defibrillation Threshold. PACE - Pacing and Clinical Electrophysiology, 1997, 20, 2442-2452. | 1.2 | 68 |
| 120 | Transesophageal echocardiography in the detection of inferior vena cava and cardiac metastasis in hepatocellular carcinoma. Clinical Cardiology, 1996, 19, 211-213. | 1.8 | 23 |
| 121 | Interference of cellular phones with implanted permanent pacemakers. Clinical Cardiology, 1996, 19, 881-886. | 1.8 | 19 |
| 122 | Abnormal gastro-oesophageal reflux in Chinese with atypical chest pain. Journal of Gastroenterology and Hepatology (Australia), 1996, 11, 775-779. | 2.8 | 11 |
| 123 | Comparison of Continuously Recorded Sensor and Sinus Rates During Daily Life Activities and Standardized Exercise Testing: Efficacy of Automatically Optimized Rate Adaptive Dual Sensor Pacing to Simulate Sinus Rhythm. PACE - Pacing and Clinical Electrophysiology, 1996, 19, 1672-1677. | 1.2 | 22 |
| 124 | Single Lead DDD System: A Comparative Evaluation of Unipolar, Bipolar, and Overlapping Biphasic Stimulation and the Effects of Right Atrial Floating Electrode Location on Atrial Pacing and Sensing Thresholds. PACE - Pacing and Clinical Electrophysiology, 1996, 19, 1758-1763. | 1.2 | 23 |
| 125 | Delayed Exercise Rate Response Kinetics Due to Sensor Cross-Checking in a Dual Sensor Rate Adaptive Pacing System: The Importance of Individual Sensor Programming. PACE - Pacing and Clinical Electrophysiology, 1996, 19, 1021-1025. | 1.2 | 16 |
| 126 | A Comparative Analysis of Signal Processing Methods for Motion-Based Rate Responsive Pacing. PACE - Pacing and Clinical Electrophysiology, 1996, 19, 1230-1247. | 1.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | The Effects of Radiofrequency Ablation Versus Medical Therapy on the Quality-of-Life and Exercise Capacity in Patients with Accessory Pathway-Mediated Supraventricular Tachycardia: A Treatment Comparison Study. PACE - Pacing and Clinical Electrophysiology, 1995, 18, 424-432. | 1.2 | 41 |
| 128 | Effects of flecainide on exercise hemodynamics and electrocardiography in patients without structural heart disease. Clinical Cardiology, 1995, 18, 140-144. | 1.8 | 13 |
| 129 | Catheter Induced Mechanical Stunning of Accessory Pathway Conduction: Useful Guide to Successful Transcatheter Ablation of Accessory Pathways. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 31-36. | 1.2 | 12 |
| 130 | Clinical Usefulness of Rate Adaptive Pacing Systems: What Should We Assess?. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 2233-2235. | 1.2 | 9 |
| 131 | Rate Adaptive Cardiac Pacing Using Right Ventricular Venous Oxygen Saturation: Quantification of Chronotropic Behavior During Daily Activities and Maximal Exercise. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 2236-2246. | 1.2 | 16 |
| 132 | Quality-of-Life in DDDR Pacing: Atrioventricular Synchrony or Rate Adaptation?. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 1838-1843. | 1.2 | 33 |
| 133 | Long-Term Stability of P Wave Sensing in Single Lead VDDR Pacing: Clinical Versus Subclinical Atrial Undersensing. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 1849-1853. | 1.2 | 32 |
| 134 | Comparative Evaluation of Bipolar Atrial Electrogram Amplitude During Everyday Activities: Atrial Active Fixation Versus Two Types of Single Pass VDD/R Leads. PACE - Pacing and Clinical Electrophysiology, 1994, 17, 1873-1877. | 1.2 | 29 |
| 135 | Patterns of radiofrequency catheter ablation of left free-wall accessory pathways: Implications for accessory pathway anatomy. Clinical Cardiology, 1993, 16, 644-652. | 1.8 | 4 |
| 136 | Initial Clinical Experience with a Single Pass VDDR Pacing System. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 1894-1900. | 1.2 | 23 |
| 137 | The Range of Sensors and Algorithms Used in Rate Adaptive Cardiac Pacing. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 1177-1211. | 1.2 | 55 |
| 138 | Clinical Experience with an Activity Sensing DDDR Pacemaker Using an Accelerometer Sensor. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 334-343. | 1.2 | 39 |
| 139 | Bidirectional Tachycardia Induced by Herbal Aconite Poisoning. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 831-839. | 1.2 | 51 |
| 140 | Atrial Arrhythmia Management with Sensor Controlled Atrial Refractory Period and Automatic Mode Switching in Patients with Minute Ventilation Sensing Dual Chamber Rate Adaptive Pacemakers. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 1504-1514. | 1.2 | 37 |
| 141 | Successful sequential radiofrequency catheter ablation of anatomically discrete antegrade and retrograde accessory pathway conduction in the wolff-parkinson-white syndrome. Clinical Cardiology, 1992, 15, 211-216. | 1.8 | 7 |
| 142 | Improvement of exercise capacity after nifedipine in patients with eisenmenger syndrome complicating ventricular septal defect. Clinical Cardiology, 1991, 14, 957-961. | 1.8 | 13 |
| 143 | Electromechanical concordance in alternans during sustained tachycardias. Clinical Cardiology, 1991, 14, 1003-1006. | 1.8 | 1 |
| 144 | Importance of Heart Rate Modulation on the Cardiac Hemodynamics During Postexercise Recovery. PACE - Pacing and Clinical Electrophysiology, 1990, 13, 1277-1285. | 1.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Pacemaker Mediated Tachycardias In Single Chamber Rate Responsive Pacing. PACE - Pacing and Clinical Electrophysiology, 1990, 13, 1575-1579. | 1.2 | 16 |
| 146 | Superior Cardiac Hemodynamics of Atrioventricular Synchrony Over Rate Responsive Pacing at Submaximal Exercise: Observations in Activity Sensing DDDR Pacemakers. PACE - Pacing and Clinical Electrophysiology, 1990, 13, 1832-1837. | 1.2 | 38 |
| 147 | Ultrasonic Assisted Permanent Pacing in a Patient with Severe Pulmonary Tuberculosis. PACE - Pacing and Clinical Electrophysiology, 1989, 12, 1131-1136. | 1.2 | 4 |
| 148 | A Comparative Evaluation of a Minute Ventilation Sensing and Activity Sensing Adaptive-Rate Pacemakers During Daily Activities. PACE - Pacing and Clinical Electrophysiology, 1989, 12, 1514-1521. | 1.2 | 34 |
| 149 | Adaptive Rate Pacing at Submaximal Exercise: The Importance of the Programmed Upper Rate. Journal of Electrophysiology, 1989, 3, 283-288. | 0.5 | 5 |