

Seong J Cho

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4084927/seong-j-cho-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38

papers

651

citations

13

h-index

25

g-index

44

ext. papers

785

ext. citations

5.3

avg, IF

4.01

L-index

#	Paper	IF	Citations
38	An underwater superoleophobic nanofibrous cellulosic membrane for oil/water separation with high separation flux and high chemical stability. <i>Nanoscale</i> , 2018 , 10, 3037-3045	7.7	93
37	A Rubberlike Stretchable Fibrous Membrane with Anti-Wettability and Gas Breathability. <i>Advanced Functional Materials</i> , 2013 , 23, 5577-5584	15.6	78
36	One-step fabrication of superhydrophobic hierarchical structures by femtosecond laser ablation. <i>Applied Surface Science</i> , 2014 , 313, 411-417	6.7	69
35	Tunable ionic transport for a triangular nanochannel in a polymeric nanofluidic system. <i>ACS Nano</i> , 2013 , 7, 740-7	16.7	66
34	Omni-Purpose Stretchable Strain Sensor Based on a Highly Dense Nanocracking Structure for Whole-Body Motion Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 41712-41721	9.5	52
33	Preparation of stable superhydrophobic mesh with a biomimetic hierarchical structure. <i>Soft Matter</i> , 2011 , 7, 9867	3.6	39
32	Superhydrophobic nanostructured silicon surfaces with controllable broadband reflectance. <i>Chemical Communications</i> , 2011 , 47, 6108-10	5.8	35
31	A stretchable humidity sensor based on a wrinkled polyaniline nanostructure. <i>RSC Advances</i> , 2014 , 4, 39767	3.7	32
30	Replicable multilayered nanofibrous patterns on a flexible film. <i>Langmuir</i> , 2010 , 26, 14395-9	4	32
29	Development of a Waterproof Crack-Based Stretchable Strain Sensor Based on PDMS Shielding. <i>Sensors</i> , 2018 , 18,	3.8	21
28	Fabrication of a Highly Sensitive Stretchable Strain Sensor Utilizing a Microfibrous Membrane and a Cracking Structure on Conducting Polymer. <i>Macromolecular Materials and Engineering</i> , 2018 , 303, 1700389	3.9	18
27	Three-dimensionally designed anti-reflective silicon surfaces for perfect absorption of light. <i>Chemical Communications</i> , 2014 , 50, 15710-3	5.8	15
26	Nano-Cracked Strain Sensor with High Sensitivity and Linearity by Controlling the Crack Arrangement. <i>Sensors</i> , 2019 , 19,	3.8	13
25	Tensile strain-controlled drug delivery system based on a cracked metal structure. <i>Sensors and Actuators B: Chemical</i> , 2018 , 270, 64-71	8.5	9
24	Enhanced cellular distribution and infiltration in a wet electrospun three-dimensional fibrous scaffold using eccentric rotation-based hydrodynamic conditions. <i>Sensors and Actuators B: Chemical</i> , 2016 , 226, 357-363	8.5	7
23	Fabrication of conducting polymer micro/nanostructures coated with Au nanoparticles for electrochemical sensors. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 4975-8	1.3	7
22	Development of an Integrated Evaluation System for a Stretchable Strain Sensor. <i>Sensors</i> , 2016 , 16,	3.8	7

21	A Rail-Temperature-Prediction Model Considering Meteorological Conditions and the Position of the Sun. <i>International Journal of Precision Engineering and Manufacturing</i> , 2019 , 20, 337-346	1.7	6
20	One-Step Laser Encapsulation of Nano-Cracking Strain Sensors. <i>Sensors</i> , 2018 , 18,	3.8	6
19	Prediction of a representative point for rail temperature measurement by considering longitudinal deformation. <i>Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit</i> , 2019 , 233, 1003-1011	1.4	5
18	A pore-size tunable superhydrophobic membrane for high-flux membrane distillation. <i>Journal of Membrane Science</i> , 2022 , 641, 119862	9.6	5
17	Effects of bending strain and crack direction on crack-based strain sensors. <i>Smart Materials and Structures</i> , 2020 , 29, 115007	3.4	4
16	Optical switching patterns using electrospun nanofiber array. <i>Physica Status Solidi - Rapid Research Letters</i> , 2012 , 6, 409-411	2.5	4
15	Replicable and shape-controllable fabrication of electrospun fibrous scaffolds for tissue engineering. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 9047-50	1.3	4
14	Comprehensive Electrokinetic-Assisted Separation of Oil Emulsion with Ultrahigh Flux. <i>ACS Nano</i> , 2021 , 15, 15815-15823	16.7	4
13	Human-mimetic soft robot joint for shock absorption through joint dislocation. <i>Bioinspiration and Biomimetics</i> , 2019 , 15, 016001	2.6	3
12	Humidity-Controllable, High-Throughput, and Portable Nanofibrous Filter Coating System for Improving Air Quality. <i>ACS Applied Nano Materials</i> , 2021 , 4, 2230-2237	5.6	3
11	Bio-molecules detection sensor using silicon nanowire 2009 ,		2
10	Numerical study on the characteristics of temperature distribution in continuous welded rail by solar radiation and rail orientation. <i>Journal of Mechanical Science and Technology</i> , 2020 , 34, 4819-4829	1.6	2
9	A Rail-Temperature-Prediction Model Based on Machine Learning: Warning of Train-Speed Restrictions Using Weather Forecasting. <i>Sensors</i> , 2021 , 21,	3.8	2
8	One-Step Fabrication of Hierarchically Structured Silicon Surfaces and Modification of Their Morphologies Using Sacrificial Layers. <i>Journal of Nanomaterials</i> , 2013 , 2013, 1-8	3.2	1
7	Hierarchical Nanostructures: A Rubberlike Stretchable Fibrous Membrane with Anti-Wettability and Gas Breathability (Adv. Funct. Mater. 45/2013). <i>Advanced Functional Materials</i> , 2013 , 23, 5576-5576	15.6	1
6	Direct Visualization of Microscale Dynamics of Water Droplets on under-Oil-Hydrophilic Membranes by Using Synchrotron White-Beam X-ray Microimaging Techniques. <i>Langmuir</i> , 2020 , 36, 10548-10554	4.4	1
5	Focused Patterning of Electrospun Nanofibers Using a Dielectric Guide Structure. <i>Polymers</i> , 2021 , 13,	4.5	1
4	Preparation of multilayer periodic nanopatterned WO-based photoanode by reverse nanoimprinting for water splitting. <i>Nanotechnology</i> , 2021 , 32,	3.4	1

- 3 Macromol. Mater. Eng. 1/2018. *Macromolecular Materials and Engineering*, **2018**, 303, 1870002 3.9
- 2 The Analysis of Deformation According to the Temperature Distribution in Rail. *Korean Society of Hazard Mitigation*, **2018**, 18, 33-38 0.2
- 1 Development of a Non-contact Liquid Dispenser for High Contents Screening System. *Transactions of the Korean Society of Mechanical Engineers, A*, **2016**, 40, 581-585 1